Yan-wen Qin

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/4878329/yan-wen-qin-publications-by-year.pdf

Version: 2024-04-09

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

53	701	14	25
papers	citations	h-index	g-index
55	956	4.5	3.91
ext. papers	ext. citations	avg, IF	L-index

#	Paper	IF	Citations
53	Elevated serum extracellular vesicle arginase 1 in type 2 diabetes mellitus: a cross-sectional study in middle-aged and elderly population <i>BMC Endocrine Disorders</i> , 2022 , 22, 62	3.3	O
52	Combined Association Between , and Genes Variants and Obstructive Sleep Apnea in Chinese Han Population <i>Nature and Science of Sleep</i> , 2022 , 14, 363-372	3.6	1
51	Extracellular Vesicles Derived from Intermittent Hypoxia-Treated Red Blood Cells Impair Endothelial Function Through Regulating eNOS Phosphorylation and ET-1 Expression. <i>Cardiovascular Drugs and Therapy</i> , 2021 , 35, 901-913	3.9	6
50	Angiopoietin-like proteins 8 knockout reduces intermittent hypoxia-induced vascular remodeling in a murine model of obstructive sleep apnea. <i>Biochemical Pharmacology</i> , 2021 , 186, 114502	6	O
49	Extracellular vesicle microRNA cargoes from intermittent hypoxia-exposed cardiomyocytes and their effect on endothelium. <i>Biochemical and Biophysical Research Communications</i> , 2021 , 548, 182-188	3.4	4
48	Chronic Intermittent[Hypoxia Participates in the Pathogenesis of Atherosclerosis and Perturbs the Formation of Intestinal Microbiota. <i>Frontiers in Cellular and Infection Microbiology</i> , 2021 , 11, 560201	5.9	4
47	The clinical role of combined serum C1q and hsCRP in predicting coronary artery disease. <i>Clinical Biochemistry</i> , 2021 , 93, 50-58	3.5	O
46	TAK1-AMPK Pathway in Macrophages Regulates Hypothyroid Atherosclerosis. <i>Cardiovascular Drugs and Therapy</i> , 2021 , 35, 599-612	3.9	2
45	Impact of chronic intermittent hypoxia on the long non-coding RNA and mRNA expression profiles in myocardial infarction. <i>Journal of Cellular and Molecular Medicine</i> , 2021 , 25, 421-433	5.6	2
44	Salidroside Ameliorated Intermittent Hypoxia-Aggravated Endothelial Barrier Disruption and Atherosclerosis the cAMP/PKA/RhoA Signaling Pathway. <i>Frontiers in Pharmacology</i> , 2021 , 12, 723922	5.6	2
43	Increased levels of VCAM-1 is associated with higher occurrence of coronary artery disease in adults with moderate to severe obstructive sleep apnea. <i>Sleep Medicine</i> , 2021 , 85, 131-137	4.6	1
42	Increased concentrations of myeloperoxidase in serum and serum extracellular vesicles are associated with type 2 diabetes mellitus. <i>Clinica Chimica Acta</i> , 2021 , 522, 70-76	6.2	2
41	p38/JNK Is Required for the Proliferation and Phenotype Changes of Vascular Smooth Muscle Cells Induced by in Essential Hypertension. <i>International Journal of Hypertension</i> , 2020 , 2020, 3123968	2.4	1
40	CPAP is associated with decreased risk of AF recurrence in patients with OSA, especially those younger and slimmer: a meta-analysis. <i>Journal of Interventional Cardiac Electrophysiology</i> , 2020 , 58, 369-	- 3 79	4
39	The association between circulating APRIL levels and severity of obstructive sleep apnea in Chinese adults. <i>Clinica Chimica Acta</i> , 2020 , 508, 161-169	6.2	2
38	Increased Circulating Angiopoietin-Like Protein 8 Levels Are Associated with Thoracic Aortic Dissection and Higher Inflammatory Conditions. <i>Cardiovascular Drugs and Therapy</i> , 2020 , 34, 65-77	3.9	9
37	Potential Role of mRNAs and LncRNAs in Chronic Intermittent Hypoxia Exposure-Aggravated Atherosclerosis. <i>Frontiers in Genetics</i> , 2020 , 11, 290	4.5	1

36	The Clinical Role of Angiopoietin-Like Protein 3 in Evaluating Coronary Artery Disease in Patients with Obstructive Sleep Apnea. <i>Cardiovascular Drugs and Therapy</i> , 2020 , 34, 773-780	3.9	4
35	miRNA-Mediated Suppression of a Cardioprotective Cardiokine as a Novel Mechanism Exacerbating Post-MI Remodeling by Sleep Breathing Disorders. <i>Circulation Research</i> , 2020 , 126, 212-228	15.7	17
34	Intermittent Hypoxia Alleviates EAminopropionitrile Monofumarate Induced Thoracic Aortic Dissection in C57BL/6 Mice. European Journal of Vascular and Endovascular Surgery, 2020 , 59, 1000-1010	0 ^{2.3}	11
33	Usefulness of Cathepsin S to Predict Risk for Obstructive Sleep Apnea among Patients with Type 2 Diabetes. <i>Disease Markers</i> , 2020 , 2020, 8819134	3.2	O
32	AuthorsVResponse to the Letter to the Editor: Increased Circulating Angiopoietin-Like Protein 8 Levels Are Associated with Thoracic Aortic Dissection and Higher Inflammatory Conditions. <i>Cardiovascular Drugs and Therapy</i> , 2020 , 34, 881	3.9	
31	Angiopoietin-like protein 8 accelerates atherosclerosis in ApoE mice. <i>Atherosclerosis</i> , 2020 , 307, 63-71	3.1	8
30	Targeted sequencing analysis of PPARG identifies a risk variant associated with obstructive sleep apnea in Chinese Han subjects. <i>Sleep and Breathing</i> , 2020 , 24, 167-174	3.1	4
29	Disordered gut microbiota and alterations in metabolic patterns are associated with atrial fibrillation. <i>GigaScience</i> , 2019 , 8,	7.6	47
28	Dysbiotic gut microbes may contribute to hypertension by limiting vitamin D production. <i>Clinical Cardiology</i> , 2019 , 42, 710-719	3.3	28
27	Plasm YKL-40 Levels Are Associated with Hypertension in Patients with Obstructive Sleep Apnea. <i>BioMed Research International</i> , 2019 , 2019, 5193597	3	8
26	The reduction of apnea-hypopnea duration ameliorates endothelial dysfunction, vascular inflammation, and systemic hypertension in a rat model of obstructive sleep apnea. <i>Sleep and Breathing</i> , 2019 , 23, 1187-1196	3.1	4
25	Activation of T Lymphocytes as a Novel Mechanism in Beta1-Adrenergic Receptor Autoantibody-Induced Cardiac Remodeling. <i>Cardiovascular Drugs and Therapy</i> , 2019 , 33, 149-161	3.9	5
24	ESM-1 promotes adhesion between monocytes and endothelial cells under intermittent hypoxia. Journal of Cellular Physiology, 2019 , 234, 1512-1521	7	22
23	Targeted Sequencing Analysis of the Leptin Receptor Gene Identifies Variants Associated with Obstructive Sleep Apnoea in Chinese Han Population. <i>Lung</i> , 2019 , 197, 577-584	2.9	6
22	ANGPTL3 Mutations in Unrelated Chinese Han Patients with Familial Hypercholesterolemia. <i>Current Pharmaceutical Design</i> , 2019 , 25, 190-200	3.3	3
21	Rare Mutations in AHDC1 in Patients with Obstructive Sleep Apnea. <i>BioMed Research International</i> , 2019 , 2019, 5907361	3	4
20	Targeted sequencing analysis of the adiponectin gene identifies variants associated with obstructive sleep apnoea in Chinese Han population. <i>Medicine (United States)</i> , 2019 , 98, e15219	1.8	4
19	TNFRSF11B: A potential plasma biomarker for diagnosis of obstructive sleep apnea. <i>Clinica Chimica Acta</i> , 2019 , 490, 39-45	6.2	8

18	Effects of continuous positive airway pressure on cardiovascular biomarkers in patients with obstructive sleep apnea: a meta-analysis of randomized controlled trials. <i>Sleep and Breathing</i> , 2019 , 23, 77-86	3.1	26
17	The contribution of chronic intermittent hypoxia to OSAHS: From the perspective of serum extracellular microvesicle proteins. <i>Metabolism: Clinical and Experimental</i> , 2018 , 85, 97-108	12.7	14
16	Associations between circulating full-length angiopoietin-like protein 8 levels and severity of coronary artery disease in Chinese non-diabetic patients: a case-control study. <i>Cardiovascular Diabetology</i> , 2018 , 17, 92	8.7	13
15	Association between circulating full-length angiopoietin-like protein 8 and non-high-density lipoprotein cholesterol levels in Chinese non-diabetic individuals: a cross-sectional study. <i>Lipids in Health and Disease</i> , 2018 , 17, 161	4.4	4
14	Salidroside Ameliorates Chronic Intermittent Hypoxia-induced Endothelial Insulin Resistance via Suppression of ERK1/2 Activation. <i>Proceedings for Annual Meeting of the Japanese Pharmacological Society</i> , 2018 , WCP2018, PO1-2-49	Ο	
13	Association between Serum Homocysteine Level and Obstructive Sleep Apnea: A Meta-Analysis. <i>BioMed Research International</i> , 2017 , 2017, 7234528	3	9
12	Mechanical stretch-induced endoplasmic reticulum stress, apoptosis and inflammation contribute to thoracic aortic aneurysm and dissection. <i>Journal of Pathology</i> , 2015 , 236, 373-83	9.4	111
11	Association of the polymorphisms of MMP-9 and TIMP-3 genes with thoracic aortic dissection in Chinese Han population. <i>Acta Pharmacologica Sinica</i> , 2014 , 35, 351-5	8	24
10	Mitochondrial tRNA variants in Chinese subjects with coronary heart disease. <i>Journal of the American Heart Association</i> , 2014 , 3, e000437	6	28
9	Combined Cathepsin S and hs-CRP predicting inflammation of abdominal aortic aneurysm. <i>Clinical Biochemistry</i> , 2013 , 46, 1026-1029	3.5	27
8	Increased plasma levels of intermedin and brain natriuretic peptide associated with severity of coronary stenosis in acute coronary syndrome. <i>Peptides</i> , 2013 , 42, 84-8	3.8	19
7	Cathepsins: a new culprit behind abdominal aortic aneurysm. <i>Regenerative Medicine Research</i> , 2013 , 1, 5	1.2	10
6	Cysteine protease cathepsins and matrix metalloproteinases in the development of abdominal aortic aneurysms. <i>Future Cardiology</i> , 2013 , 9, 89-103	1.3	25
5	GW24-e0435 Cathepsin S deficiency results in abnormal accumulation of autophagosome in macrophages and enhances angiotensin II-induced cardiac inflammation and fibrosis. <i>Heart</i> , 2013 , 99, A2.1-A2	5.1	
4	Deficiency of cathepsin S attenuates angiotensin II-induced abdominal aortic aneurysm formation in apolipoprotein E-deficient mice. <i>Cardiovascular Research</i> , 2012 , 96, 401-10	9.9	75
3	Cysteinyl cathepsins and mast cell proteases in the pathogenesis and therapeutics of cardiovascular diseases. <i>Pharmacology & Therapeutics</i> , 2011 , 131, 338-50	13.9	46
2	Simvastatin inhibited cardiac hypertrophy and fibrosis in apolipoprotein E-deficient mice fed a "Western-style diet" by increasing PPAR and Expression and reducing TC, MMP-9, and Cat S levels. <i>Acta Pharmacologica Sinica</i> , 2010 , 31, 1350-8	8	42
1	A novel mutation of the LDL receptor gene leading to familial hypercholesterolemia. <i>European Journal of Lipid Science and Technology</i> , 2009 , 111, 646-651	3	3