## Yuan Li

## List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/4878637/yuan-li-publications-by-year.pdf

Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

60 1,409 35 22 g-index h-index citations papers 62 4.8 4.18 1,723 avg, IF L-index ext. citations ext. papers

| #  | Paper                                                                                                                                                                                                                            | IF  | Citations |
|----|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 60 | Design, synthesis and antitumor evaluation of novel 1H-indole-2-carboxylic acid derivatives targeting 14-3-3[protein <i>European Journal of Medicinal Chemistry</i> , <b>2022</b> , 238, 114402                                  | 6.8 |           |
| 59 | 27-Hydroxycholesterol is a specific factor in the neoplastic microenvironment of HCC that causes MDR via GRP75 regulation of the redox balance and metabolic reprogramming. <i>Cell Biology and Toxicology</i> , <b>2021</b> , 1 | 7.4 | О         |
| 58 | The prediction of survival in Gastric Cancer based on a Robust 13-Gene Signature. <i>Journal of Cancer</i> , <b>2021</b> , 12, 3344-3353                                                                                         | 4.5 | 2         |
| 57 | Long noncoding RNA regulates endothelial cell proliferation and migration via miR-25-5p in coronary artery disease. <i>International Journal of Molecular Medicine</i> , <b>2021</b> , 48,                                       | 4.4 | 2         |
| 56 | Construction of Novel lncRNA-miRNA-mRNA Network Associated With Recurrence and Identification of Immune-Related Potential Regulatory Axis in Hepatocellular Carcinoma. <i>Frontiers in Oncology</i> , <b>2021</b> , 11, 626663   | 5.3 | 7         |
| 55 | Salvianolic acid B targets mortalin and inhibits the migration and invasion of hepatocellular carcinoma via the RECK/STAT3 pathway. <i>Cancer Cell International</i> , <b>2021</b> , 21, 654                                     | 6.4 | 1         |
| 54 | Rs10757274 gene polymorphisms in coronary artery disease: A systematic review and a meta-analysis. <i>Medicine (United States)</i> , <b>2020</b> , 99, e18841                                                                    | 1.8 | 5         |
| 53 | De-methylation of miR-148a by arsenic trioxide enhances sensitivity to chemotherapy via inhibiting the NF- <b>B</b> pathway and CSC like properties. <i>Experimental Cell Research</i> , <b>2020</b> , 386, 111739               | 4.2 | 11        |
| 52 | Arsenic trioxide enhances the chemotherapeutic efficiency of cisplatin in cholangiocarcinoma cells via inhibiting the 14-3-3Emediated survival mechanism. <i>Cell Death Discovery</i> , <b>2020</b> , 6, 92                      | 6.9 | O         |
| 51 | 27-Hydroxycholesterol-induced EndMT acts STAT3 signaling to promote breast cancer cell migration by altering the tumor microenvironment. <i>Cancer Biology and Medicine</i> , <b>2020</b> , 17, 88-100                           | 5.2 | 6         |
| 50 | Sulforaphane inhibits gastric cancer stem cells via suppressing sonic hedgehog pathway. <i>International Journal of Food Sciences and Nutrition</i> , <b>2019</b> , 70, 570-578                                                  | 3.7 | 13        |
| 49 | Abnormalities of regional homogeneity and its correlation with clinical symptoms in NaWe patients with first-episode schizophrenia. <i>Brain Imaging and Behavior</i> , <b>2019</b> , 13, 503-513                                | 4.1 | 12        |
| 48 | Sonic hedgehog pathway mediates genistein inhibition of renal cancer stem cells. <i>Oncology Letters</i> , <b>2019</b> , 18, 3081-3091                                                                                           | 2.6 | 6         |
| 47 | Reversal of sorafenib resistance in hepatocellular carcinoma: epigenetically regulated disruption of 14-3-3/hypoxia-inducible factor-1/1/10/2018 Death Discovery, <b>2019</b> , 5, 120                                           | 6.9 | 24        |
| 46 | (-)-Epigallocatechin-3-gallate inhibits bladder cancer stem cells via suppression of sonic hedgehog pathway. <i>Oncology Reports</i> , <b>2019</b> , 42, 425-435                                                                 | 3.5 | 19        |
| 45 | Wnt/Etatenin modulates chronic tobacco smoke exposure-induced acquisition of pulmonary cancer stem cell properties and diallyl trisulfide intervention. <i>Toxicology Letters</i> , <b>2018</b> , 291, 70-76                     | 4.4 | 15        |
| 44 | Cigarette smoke stimulates the stemness of renal cancer stem cells via Sonic Hedgehog pathway. <i>Oncogenesis</i> , <b>2018</b> , 7, 24                                                                                          | 6.6 | 15        |

| 43 | Curcumin suppresses JNK pathway to attenuate BPA-induced insulin resistance in LO2 cells. <i>Biomedicine and Pharmacotherapy</i> , <b>2018</b> , 97, 1538-1543                                                                   | 7.5                               | 13  |
|----|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------|-----|
| 42 | P53 modulates hepatic insulin sensitivity through NF- <b>B</b> and p38/ERK MAPK pathways. <i>Biochemical and Biophysical Research Communications</i> , <b>2018</b> , 495, 2139-2144                                              | 3.4                               | 6   |
| 41 | Wnt/Etatenin signaling mediates the suppressive effects of diallyl trisulfide on colorectal cancer stem cells. <i>Cancer Chemotherapy and Pharmacology</i> , <b>2018</b> , 81, 969-977                                           | 3.5                               | 24  |
| 40 | Modularized laparoscopic regional en bloc mesogastrium excision (rEME) based on membrane anatomy for distal gastric cancer. <i>Surgical Endoscopy and Other Interventional Techniques</i> , <b>2018</b> , 32, 469                | 8 <sup>5</sup> 4 <sup>2</sup> 705 | ; 7 |
| 39 | Blocking of STAT-3/SREBP1-mediated glucose-lipid metabolism is involved in dietary phytoestrogen-inhibited ovariectomized-induced body weight gain in rats. <i>Journal of Nutritional Biochemistry</i> , <b>2018</b> , 61, 17-23 | 6.3                               | 13  |
| 38 | Diallyl Trisulfide inhibits breast cancer stem cells via suppression of Wnt/Etatenin pathway.<br>Journal of Cellular Biochemistry, 2018, 119, 4134-4141                                                                          | 4.7                               | 34  |
| 37 | Salvianolic acids improve liver lipid metabolism in ovariectomized rats via blocking STAT-3/SREBP1 signaling. <i>Chinese Journal of Natural Medicines</i> , <b>2018</b> , 16, 838-845                                            | 2.8                               | 8   |
| 36 | Arsenic trioxide reverses the chemoresistance in hepatocellular carcinoma: a targeted intervention of 14-3-3/INF-B feedback loop. <i>Journal of Experimental and Clinical Cancer Research</i> , 2018, 37, 321                    | 12.8                              | 24  |
| 35 | Modulation of autophagy in the protective effect of resveratrol on PM2.5-induced pulmonary oxidative injury in mice. <i>Phytotherapy Research</i> , <b>2018</b> , 32, 2480-2486                                                  | 6.7                               | 18  |
| 34 | Phenethyl isothiocyanate inhibits colorectal cancer stem cells by suppressing Wnt/Etatenin pathway. <i>Phytotherapy Research</i> , <b>2018</b> , 32, 2447-2455                                                                   | 6.7                               | 29  |
| 33 | Resveratrol relieves particulate matter (mean diameter Journal of Applied Toxicology, <b>2018</b> , 38, 1251-1                                                                                                                   | 24611                             | 11  |
| 32 | Curcumin Suppresses Lung Cancer Stem Cells via Inhibiting Wnt/Etatenin and Sonic Hedgehog Pathways. <i>Phytotherapy Research</i> , <b>2017</b> , 31, 680-688                                                                     | 6.7                               | 103 |
| 31 | 27-Hydroxycholesterol induces invasion and migration of breast cancer cells by increasing MMP9 and generating EMT through activation of STAT-3. <i>Environmental Toxicology and Pharmacology</i> , <b>2017</b> , 51, 1-8         | 5.8                               | 30  |
| 30 | miR-19 targeting of GSK3Imediates sulforaphane suppression of lung cancer stem cells. <i>Journal of Nutritional Biochemistry</i> , <b>2017</b> , 44, 80-91                                                                       | 6.3                               | 52  |
| 29 | Curcumin attenuates BPA-induced insulin resistance in HepG2 cells through suppression of JNK/p38 pathways. <i>Toxicology Letters</i> , <b>2017</b> , 272, 75-83                                                                  | 4.4                               | 38  |
| 28 | Curcumin inhibits bladder cancer stem cells by suppressing Sonic Hedgehog pathway. <i>Biochemical and Biophysical Research Communications</i> , <b>2017</b> , 493, 521-527                                                       | 3.4                               | 42  |
| 27 | The ROS-mediated activation of IL-6/STAT3 signaling pathway is involved in the 27-hydroxycholesterol-induced cellular senescence in nerve cells. <i>Toxicology in Vitro</i> , <b>2017</b> , 45, 10-18                            | 3.6                               | 27  |
| 26 | Wnt/Ecatenin pathway mediates (-)-Epigallocatechin-3-gallate (EGCG) inhibition of lung cancer stem cells. <i>Biochemical and Biophysical Research Communications</i> , <b>2017</b> , 482, 15-21                                  | 3.4                               | 63  |

| 25 | (-)-Epigallocatechin-3-Gallate Inhibits Colorectal Cancer Stem Cells by Suppressing Wnt/ECatenin Pathway. <i>Nutrients</i> , <b>2017</b> , 9,                                                                                                                   | 6.7  | 72 |
|----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|----|
| 24 | Caffeic acid attenuates the angiogenic function of hepatocellular carcinoma cells via reduction in JNK-1-mediated HIF-1Istabilization in hypoxia. <i>RSC Advances</i> , <b>2016</b> , 6, 82774-82782                                                            | 3.7  | 18 |
| 23 | The ROS-mediated activation of STAT-3/VEGF signaling is involved in the 27-hydroxycholesterol-induced angiogenesis in human breast cancer cells. <i>Toxicology Letters</i> , <b>2016</b> , 264, 79-86                                                           | 4.4  | 45 |
| 22 | Isoliquiritigenin attenuates the invasive capacity of breast cancer cells via up-regulating the tumor suppressor RECK. <i>RSC Advances</i> , <b>2016</b> , 6, 24719-24727                                                                                       | 3.7  | 9  |
| 21 | Cranial base characteristics in anteroposterior malocclusions: A meta-analysis. <i>Angle Orthodontist</i> , <b>2016</b> , 86, 668-80                                                                                                                            | 2.6  | 18 |
| 20 | MicroRNA-206 attenuates the growth and angiogenesis in non-small cell lung cancer cells by blocking the 14-3-3/STAT3/HIF-1/NEGF signaling. <i>Oncotarget</i> , <b>2016</b> , 7, 79805-79813                                                                     | 3.3  | 40 |
| 19 | 14-3-3lls a novel growth-promoting and angiogenic factor in hepatocellular carcinoma. <i>Journal of Hepatology</i> , <b>2016</b> , 65, 953-962                                                                                                                  | 13.4 | 19 |
| 18 | Combination of chlorogenic acid and salvianolic acid B protects against polychlorinated biphenyls-induced oxidative stress through Nrf2. <i>Environmental Toxicology and Pharmacology</i> , <b>2016</b> , 46, 255-263                                           | 5.8  | 11 |
| 17 | EGCG regulates the cross-talk between JWA and topoisomerase IIIIn non-small-cell lung cancer (NSCLC) cells. <i>Scientific Reports</i> , <b>2015</b> , 5, 11009                                                                                                  | 4.9  | 14 |
| 16 | Caffeic acid attenuates the autocrine IL-6 in hepatocellular carcinoma via the epigenetic silencing of the NF- <b>B</b> -IL-6-STAT-3 feedback loop. <i>RSC Advances</i> , <b>2015</b> , 5, 52952-52957                                                          | 3.7  | 6  |
| 15 | Blockage of TGFESMAD2 by demethylation-activated miR-148a is involved in caffeic acid-induced inhibition of cancer stem cell-like properties in vitro and in vivo. <i>FEBS Open Bio</i> , <b>2015</b> , 5, 466-75                                               | 2.7  | 35 |
| 14 | Induction of the mesenchymal to epithelial transition by demethylation- activated microRNA-200c is involved in the anti-migration/invasion effects of arsenic trioxide on human breast cancer cells. <i>Molecular Carcinogenesis</i> , <b>2015</b> , 54, 859-69 | 5    | 15 |
| 13 | Curcumin Reactivates Silenced Tumor Suppressor Gene RARIby Reducing DNA Methylation. <i>Phytotherapy Research</i> , <b>2015</b> , 29, 1237-45                                                                                                                   | 6.7  | 59 |
| 12 | Metabolic transformation evidence of caffeic acid derivatives in male rats after the oral administration of functional food by UPLC coupled with a hybrid quadrupole-orbitrap mass spectrometer. <i>RSC Advances</i> , <b>2015</b> , 5, 16960-16967             | 3.7  | 4  |
| 11 | Mechanism of Dose-Dependent Regulation of UBE1L by Polyphenols in Human Bronchial Epithelial Cells. <i>Journal of Cellular Biochemistry</i> , <b>2015</b> , 116, 1553-62                                                                                        | 4.7  | 7  |
| 10 | Inhibition of the cancer stem cells-like properties by arsenic trioxide, involved in the attenuation of endogenous transforming growth factor beta signal. <i>Toxicological Sciences</i> , <b>2015</b> , 143, 156-64                                            | 4.4  | 16 |
| 9  | Inhibition of TGF-ISMAD3/NF-B signaling by microRNA-491 is involved in arsenic trioxide-induced anti-angiogenesis in hepatocellular carcinoma cells. <i>Toxicology Letters</i> , <b>2014</b> , 231, 55-61                                                       | 4.4  | 43 |
| 8  | Curcumin and (-)-epigallocatechin-3-gallate attenuate acrylamide-induced proliferation in HepG2 cells. <i>Food and Chemical Toxicology</i> , <b>2014</b> , 66, 194-202                                                                                          | 4.7  | 22 |

## LIST OF PUBLICATIONS

| 7 | Arsenic trioxide attenuates the invasion potential of human liver cancer cells through the demethylation-activated microRNA-491. <i>Toxicology Letters</i> , <b>2014</b> , 227, 75-83                             | 4.4          | 45  |
|---|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|-----|
| 6 | Opposed arsenite-mediated regulation of p53-survivin is involved in neoplastic transformation, DNA damage, or apoptosis in human keratinocytes. <i>Toxicology</i> , <b>2012</b> , 300, 121-31                     | 4.4          | 20  |
| 5 | DNA-PKcs-mediated stabilization of p53 by JNK2 is involved in arsenite-induced DNA damage and apoptosis in human embryo lung fibroblast cells. <i>Toxicology Letters</i> , <b>2012</b> , 210, 302-10              | 4.4          | 8   |
| 4 | Regulation of miRNA-21 by reactive oxygen species-activated ERK/NF- <b>B</b> in arsenite-induced cell transformation. <i>Free Radical Biology and Medicine</i> , <b>2012</b> , 52, 1508-18                        | 7.8          | 118 |
| 3 | Up-regulation of cyclin D1 by JNK1/c-Jun is involved in tumorigenesis of human embryo lung fibroblast cells induced by a low concentration of arsenite. <i>Toxicology Letters</i> , <b>2011</b> , 206, 113-20     | 4.4          | 18  |
| 2 | The repressive effect of NF-kappaB on p53 by mot-2 is involved in human keratinocyte transformation induced by low levels of arsenite. <i>Toxicological Sciences</i> , <b>2010</b> , 116, 174-82                  | 4.4          | 42  |
| 1 | mot-2-Mediated cross talk between nuclear factor-B and p53 is involved in arsenite-induced tumorigenesis of human embryo lung fibroblast cells. <i>Environmental Health Perspectives</i> , <b>2010</b> , 118, 936 | .8 <u>.4</u> | 23  |