

# Atsushi Takano

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4879566/publications.pdf>

Version: 2024-02-01

153  
papers

4,975  
citations

100601

38  
h-index

124990

64  
g-index

154  
all docs

154  
docs citations

154  
times ranked

3361  
citing authors

#	ARTICLE	IF	CITATIONS
1	The Largest Quasicrystalline Tiling with Dodecagonal Symmetry from a Single Pentablock Quarterpolymer of the AB <sub>1</sub> CB <sub>2</sub> D Type. ACS Nano, 2022, 16, 6111-6117.	7.3	8
2	Helical Microdomains with Homochirality Trapped in a Gyroid Network from Symmetric AB <sub>1</sub> CB <sub>2</sub> D Pentablock Quarterpolymer Melt Studied by Monte Carlo Simulation. Macromolecular Theory and Simulations, 2022, 31, .	0.6	2
3	Terminal relaxation behavior of entangled linear polymers blended with ring and dumbbell-shaped polymers in melts. Rheologica Acta, 2022, 61, 681-688.	1.1	2
4	Viscoelastic Properties of Dumbbell-Shaped Polystyrenes in Bulk and Solution. Macromolecules, 2021, 54, 1366-1374.	2.2	8
5	Hexagonally Packed Cylindrical Structures with Multiple Satellites from Pentablock Quarterpolymers of the AB <sub>1</sub> CB <sub>2</sub> D Type and Their Blends with Homopolymers. ACS Macro Letters, 2021, 10, 359-364.	2.3	4
6	Cylindrical Superlattice Structures with Three Contrasts from Pentablock Binary Blends Studied by Monte Carlo Simulation. Macromolecular Theory and Simulations, 2021, 30, 2100015.	0.6	0
7	Triply Helical Giant Domain with Homochirality in a Terpolymer Blend System. ACS Macro Letters, 2021, 10, 978-983.	2.3	3
8	Periodic and Aperiodic Tiling Patterns from a Tetrablock Terpolymer System of the A <sub>1</sub> BA <sub>2</sub> C Type. ACS Macro Letters, 2020, 9, 32-37.	2.3	28
9	Transition between tetragonal and hexagonal pattern in binary blends of ABC block copolymers with different chain lengths. European Polymer Journal, 2020, 138, 109986.	2.6	3
10	Melt rheology of tadpole-shaped polystyrenes with different ring sizes. Soft Matter, 2020, 16, 8720-8724.	1.2	10
11	Frank-Kasper A15 Phase Formed in AB <sub>n</sub> Block-Graft Copolymers with Large Numbers of Graft Chains. Macromolecules, 2020, 53, 10217-10224.	2.2	26
12	A New Cylindrical Structure from ABCBD Pentablock Quadpolymer Melt Studied by Monte Carlo Simulation. Macromolecular Theory and Simulations, 2020, 29, 2000029.	0.6	6
13	Preparation, characterization, and dilute solution properties of four-branched cage-shaped poly(ethylene oxide). Journal of Polymer Science, 2020, 58, 2098-2107.	2.0	10
14	Nonclassical Block Copolymer Self-Assembly Resulting from a Constrained Location of Chains and Junctions. Advanced Materials Interfaces, 2020, 7, 1902007.	1.9	15
15	Bicontinuous Double-Diamond Structures Formed in Ternary Blends of AB Diblock Copolymers with Block Chains of Different Lengths. Macromolecules, 2019, 52, 6633-6640.	2.2	20
16	Transition Pathway between Gyroid and Cylindrical Morphology in Linear Triblock Terpolymer Thin Films. Macromolecules, 2019, 52, 6641-6648.	2.2	8
17	Determination of the Rayleigh Ratio with an Uncertainty Analysis by Static Light-Scattering Measurements of Certified Reference Materials for Molecular Weight. Analytical Sciences, 2019, 35, 1045-1051.	0.8	4
18	Preparation and Morphologies of AB <sub>6</sub> Block-Graft Copolymers. Journal of Polymer Science, Part B: Polymer Physics, 2019, 57, 952-960.	2.4	7

#	ARTICLE	IF	CITATIONS
19	SANS Study of Ring Topology Effects on the Miscibility of Polymer Blends. <i>Macromolecules</i> , 2018, 51, 1885-1893.	2.2	19
20	Conformations of Ring Polystyrenes in Bulk Studied by SANS. <i>Macromolecules</i> , 2018, 51, 1539-1548.	2.2	35
21	Dimensions of catenated ring polymers in dilute solution studied by Monte-Carlo simulation. <i>Journal of Chemical Physics</i> , 2018, 149, 204901.	1.2	6
22	Conformations of Ring Polystyrenes in Semidilute Solutions and in Linear Polymer Matrices Studied by SANS. <i>Macromolecules</i> , 2018, 51, 6836-6847.	2.2	26
23	Thin Films with Perpendicular Tetragonally Packed Rectangular Rods Obtained from Blends of Linear ABC Block Terpolymers. <i>ACS Macro Letters</i> , 2018, 7, 789-794.	2.3	17
24	Kaleidoscopic Tiling Patterns with Large Unit Cells from ABC Star-Shaped Terpolymer/Diblock Copolymer Blends with Hydrogen Bonding Interaction. <i>Macromolecules</i> , 2017, 50, 979-986.	2.2	31
25	Re-examination of terminal relaxation behavior of high-molecular-weight ring polystyrene melts. <i>Rheologica Acta</i> , 2017, 56, 567-581.	1.1	36
26	Precise synthesis of a series of poly(4-n-alkylstyrene)s and their glass transition temperatures. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 2017, 55, 757-763.	2.4	8
27	Alkyl side chain length dependent compatibility of poly(4-n-alkylstyrene)s and 1,4-rich polyisoprene blends. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 2017, 55, 1791-1797.	2.4	1
28	Dynamic viscoelasticity of a series of poly(4-n-alkylstyrene)s and their alkyl chain length dependence. <i>Polymer</i> , 2017, 133, 137-142.	1.8	5
29	Tricontinuous Double Diamond Network Structure from Binary Blends of ABC Triblock Terpolymers. <i>Macromolecules</i> , 2017, 50, 5402-5411.	2.2	22
30	Evaluation of Block Copolymer Structure using Soft X-Ray Scattering. <i>Journal of Photopolymer Science and Technology = [Fotoporima Konwakai Shi]</i> , 2017, 30, 77-82.	0.1	10
31	Development of Sub-5 nm Patterning by Directed Self-Assembly using Multiblock Copolymers. <i>Journal of Photopolymer Science and Technology = [Fotoporima Konwakai Shi]</i> , 2016, 29, 695-700.	0.1	2
32	Morphology of symmetric ABCD tetrablock quaterpolymers studied by Monte Carlo simulation. <i>Journal of Chemical Physics</i> , 2016, 145, 194905.	1.2	5
33	Synthesis and Characterization of Comb-Shaped Ring Polystyrenes. <i>Macromolecules</i> , 2016, 49, 3109-3115.	2.2	27
34	Asymmetric Double Tetragonal Domain Packing from ABC Triblock Terpolymer Blends with Chain Length Difference. <i>Macromolecules</i> , 2016, 49, 6940-6946.	2.2	21
35	Synthesis and characterization of dumbbell-shaped polystyrene. <i>Polymer</i> , 2016, 106, 8-13.	1.8	8
36	A new periodic pattern with five-neighbored domain packing from ABC triblock terpolymer/B homopolymer blend. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 2015, 53, 907-911.	2.4	8

#	ARTICLE	IF	CITATIONS
37	Creation of Cylindrical Morphologies with Extremely Large Oblong Unit Lattices from ABC Block Terpolymer Blends. <i>Macromolecules</i> , 2015, 48, 1538-1542.	2.2	19
38	Melt Rheology of Ring Polystyrenes with Ultrahigh Purity. <i>Macromolecules</i> , 2015, 48, 3140-3147.	2.2	115
39	Interactions between ring polymers in dilute solution studied by Monte Carlo simulation. <i>Journal of Chemical Physics</i> , 2015, 142, 044904.	1.2	7
40	Melt Rheology of Tadpole-Shaped Polystyrenes. <i>Macromolecules</i> , 2015, 48, 8667-8674.	2.2	38
41	Formation of Tetragonally-Packed Rectangular Cylinders from ABC Block Terpolymer Blends. <i>ACS Macro Letters</i> , 2014, 3, 166-169.	2.3	37
42	Thermo-Reversible Solid-Like and Liquid-Like Behaviors of Carboxyl-Terminated Telechelic Poly(ethylene-butylene) Neutralized by Octadecylamine. <i>Nihon Reoroji Gakkaishi</i> , 2014, 42, 33-38.	0.2	0
43	Production of Colored Pigments with Amorphous Arrays of Black and White Colloidal Particles. <i>Angewandte Chemie - International Edition</i> , 2013, 52, 7261-7265.	7.2	262
44	Molecular Weight Dependence of Viscoelastic Properties for Symmetric Poly(styrene- <i>b</i> -2-vinylpyridine)s in the Nanophase Separated Molten States. <i>Macromolecules</i> , 2013, 46, 7097-7105.	2.2	5
45	Viscosity of Ring Polymer Melts. <i>ACS Macro Letters</i> , 2013, 2, 874-878.	2.3	134
46	Uniaxial Extensional Behavior of (SIS) <sub>p</sub> -Type Multiblock Copolymer Systems: Structural Origin of High Extensibility. <i>Macromolecules</i> , 2013, 46, 2681-2695.	2.2	42
47	Precise Synthesis and Characterization of Tadpole-Shaped Polystyrenes with High Purity. <i>Macromolecules</i> , 2013, 46, 1075-1081.	2.2	28
48	Structurally Coloured Secondary Particles Composed of Black and White Colloidal Particles. <i>Scientific Reports</i> , 2013, 3, 2371.	1.6	77
49	Topological constraint in ring polymers under theta conditions studied by Monte Carlo simulation. <i>Journal of Chemical Physics</i> , 2013, 138, 024902.	1.2	16
50	Chain conformations of ring polymers under theta conditions studied by Monte Carlo simulation. <i>Journal of Chemical Physics</i> , 2013, 139, 184904.	1.2	12
51	Viscoelastic Properties of Low Molecular Weight Symmetric Poly(styrene- <i>b</i> -2-vinylpyridine)s in the Ordered and Disordered States under Steady Shear Flow. <i>Nihon Reoroji Gakkaishi</i> , 2013, 41, 83-91.	0.2	4
52	A Separation Method of Responses from Large Scale Motions and Chain Relaxations for Viscoelastic Properties of Symmetric Poly(styrene- <i>b</i> -2-vinylpyridine)s in the Ordered State. <i>Nihon Reoroji Gakkaishi</i> , 2013, 41, 93-99.	0.2	4
53	Temperature and Molecular Weight Dependence of Mutual Diffusion Coefficient of Cyclic Polystyrene/Cyclic Deuterated Polystyrene Bilayer Films. <i>Macromolecules</i> , 2012, 45, 6748-6752.	2.2	19
54	Dielectric behavior of Styrene- <i>b</i> -Isoprene (SI) Diblock and SIS Triblock Copolymers: Global Dynamics of I Blocks in Spherical and Cylindrical Domains Embedded in Glassy S Matrix. <i>Macromolecules</i> , 2012, 45, 7050-7060.	2.2	12

#	ARTICLE	IF	CITATIONS
55	Creation and control of new morphologies via supramacromolecular self-assembly. <i>Polymer Journal</i> , 2012, 44, 72-82.	1.3	8
56	Radii of Gyration of Ring-Shaped Polystyrenes with High Purity in Dilute Solutions.. <i>Macromolecules</i> , 2012, 45, 369-373.	2.2	85
57	Dielectric Behavior of Guest <i>cis</i> -Polyisoprene Confined in Spherical Microdomain of Triblock Copolymer.. <i>Macromolecules</i> , 2012, 45, 2809-2819.	2.2	14
58	Preparation and characterization of polyisoprenes and polybutadienes having 1,2- and 3,4-linkages preferentially. <i>Polymer</i> , 2012, 53, 3354-3359.	1.8	8
59	Synthesis, separation and characterization of knotted ring polymers. <i>Polymer</i> , 2012, 53, 466-470.	1.8	25
60	Precise Analyses of Short-Time Relaxation at Asymmetric Polystyrene Interface in Terms of Molecular Weight by Time-Resolved Neutron Reflectivity Measurements. <i>Macromolecules</i> , 2011, 44, 9424-9433.	2.2	20
61	Kaleidoscopic morphologies from ABC star-shaped terpolymers. <i>Journal of Physics Condensed Matter</i> , 2011, 23, 284111.	0.7	35
62	The theta-temperature depression caused by topological effect in ring polymers studied by Monte Carlo simulation. <i>Journal of Chemical Physics</i> , 2011, 135, 204903.	1.2	19
63	Dimension of Ring Polymers in Melt Studied by Monte-Carlo Simulation. <i>Progress of Theoretical Physics Supplement</i> , 2011, 191, 130-134.	0.2	1
64	Jewelry Box of Morphologies with Mesoscopic Length Scales – ABC Star-shaped Terpolymers. <i>Macromolecular Rapid Communications</i> , 2010, 31, 1579-1587.	2.0	49
65	Formation of undulated lamellar structure from ABC block terpolymer blends with different chain lengths. <i>Journal of Chemical Physics</i> , 2010, 133, 194901.	1.2	13
66	Shape-Directed Assembly of a Macromolecular Barb into Nanofibers: Stereospecific Cyclopolymerization of Isopropylidene Diallylmalonate. <i>Journal of the American Chemical Society</i> , 2010, 132, 3292-3294.	6.6	44
67	Creation of Hierarchical Nanophase-Separated Structures via Supramacromolecular Self-Assembly from Two Asymmetric Block Copolymers with Short Interacting Sequences Giving Hydrogen Bonding Interaction. <i>Macromolecules</i> , 2010, 43, 1101-1107.	2.2	29
68	Hierarchical Microphase-Separated Structures Formed by 3-component Star-Shaped Terpolymers. <i>Journal of the Japan Society of Colour Material</i> , 2010, 83, 121-128.	0.0	0
69	Dimension of ring polymers in bulk studied by Monte-Carlo simulation and self-consistent theory. <i>Journal of Chemical Physics</i> , 2009, 131, 144902.	1.2	94
70	SEC-MALS characterization of cyclization reaction products: Formation of knotted ring polymer. <i>Polymer</i> , 2009, 50, 1297-1299.	1.8	15
71	Phase behavior of poly( <i>tert</i> -butylstyrene- <i>stat</i> - <i>tert</i> -butoxystyrene)/polyisoprene blends with competitive interactions. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 2009, 47, 2272-2280.	2.4	6
72	The second virial coefficients of highly-purified ring polystyrenes in cyclohexane. <i>Polymer</i> , 2009, 50, 1300-1303.	1.8	66

#	ARTICLE	IF	CITATIONS
73	Hierarchical nanophase-separated structures created by precisely-designed polymers with complexity. <i>Polymer</i> , 2009, 50, 2191-2203.	1.8	50
74	Effect of Homopolymer Molecular Weight on Nanophase-Separated Structures of AB Block Copolymer/C Homopolymer Blends with Hydrogen-Bonding Interactions. <i>Macromolecules</i> , 2009, 42, 7098-7102.	2.2	67
75	Hierarchically-Ordered Nanoscopic Structures from Complex Polymeric Systems: Effect of Chain Connectivity. <i>Nippon Gomu Kyokaishi</i> , 2009, 82, 405-410.	0.0	0
76	Solution and Bulk Properties of Ring Polymers Investigated by Scattering Methods. <i>Hamon</i> , 2009, 19, 146-149.	0.0	0
77	Stoichiometric Effects on Nanostructures of Block- and Graft-Type Supramacromolecules via Acid-Base Complexation. <i>Macromolecules</i> , 2008, 41, 9277-9283.	2.2	25
78	Preparation, Characterization, and Nanophase-Separated Structure of Catenated Polystyrene-Polyisoprene. <i>Macromolecules</i> , 2008, 41, 3957-3961.	2.2	28
79	Nanophase-Separated Structures of AB Block Copolymer/C Homopolymer Blends with Complementary Hydrogen-Bonding Interactions. <i>Macromolecules</i> , 2008, 41, 7695-7698.	2.2	80
80	Giant Zincblende Structures Formed by an ABC Star-Shaped Terpolymer/Homopolymer Blend System. <i>Macromolecules</i> , 2008, 41, 6269-6271.	2.2	31
81	Topological effect in ring polymers investigated with Monte Carlo simulation. <i>Journal of Chemical Physics</i> , 2008, 129, 034903.	1.2	48
82	Interdiffusion of Cyclic Polystyrene Whose Molecular Weight is Larger than the Critical Entanglement Molecular Weight. <i>Nihon Reoroji Gakkaishi</i> , 2008, 36, 113-115.	0.2	6
83	Transient Viscoelastic Properties of Lamellae-Forming Diblock Copolymers with Flow-Induced Alignment. <i>Kobunshi Ronbunshu</i> , 2007, 64, 437-440.	0.2	0
84	Characterization of Cyclic Polystyrene with High Molecular Weight and Its Interdiffusion Behavior. <i>Kobunshi Ronbunshu</i> , 2007, 64, 397-405.	0.2	3
85	Polymeric Quasicrystal: Mesoscopic Quasicrystalline Tiling in ABC Star Polymers. <i>Physical Review Letters</i> , 2007, 98, 195502.	2.9	307
86	Hierarchical Morphologies Formed by ABC Star-Shaped Terpolymers. <i>Macromolecules</i> , 2007, 40, 3695-3699.	2.2	69
87	Composition-Dependent Morphological Transition of Hierarchically-Ordered Structures Formed by Multiblock Terpolymers. <i>Macromolecules</i> , 2007, 40, 4023-4027.	2.2	48
88	HPLC Characterization of Cyclization Reaction Product Obtained by End-to-End Ring Closure Reaction of a Telechelic Polystyrene. <i>Macromolecules</i> , 2007, 40, 679-681.	2.2	69
89	Composition dependence of nanophase-separated structures formed by star-shaped terpolymers of the $A_{1.0}B_{1.0}C_x$ type. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 2007, 45, 2277-2283.	2.4	23
90	Direct Observation of an Isolated Cyclic Sodium Poly(styrenesulfonate) Molecule by Atomic Force Microscopy. <i>Polymer Journal</i> , 2007, 39, 271-275.	1.3	10

#	ARTICLE	IF	CITATIONS
91	Fluctuation Effects on Viscoelastic Properties of Diblock Copolymer Solutions in Disordered State. <i>Polymer Journal</i> , 2007, 39, 509-513.	1.3	4
92	Hysteresis Behavior in Shear Rate Dependence of First Normal Stress Difference of Diblock Copolymers in Ordered State near Order-Disorder Transition. <i>Polymer Journal</i> , 2007, 39, 632-635.	1.3	4
93	Temperature Dependence of Surface Segregation in Miscible Polymer Blend of Poly(4-trimethylsilylstyrene)/Polyisoprene. <i>Polymer Journal</i> , 2007, 39, 1274-1280.	1.3	5
94	Neutron Reflectometry on Interfacial Structures of the Thin Films of Polymer and Lipid. <i>Polymer Journal</i> , 2007, 39, 1238-1246.	1.3	38
95	Preparation and Characterization of Diblock Copolymers of the AB and CD Types and their Self-Assembled Structure by Hydrogen Bonding Interaction. <i>Polymer Journal</i> , 2006, 38, 258-263.	1.3	17
96	Elasticity of Sphere-forming Polystyrene- <i>b</i> -polyisoprene- <i>b</i> -poly(2-vinylpyridine)/Polystyrene- <i>b</i> -polyisoprene/Polyisoprene- <i>b</i> -poly(2-vinylpyridine) blends: The role of Dangling Chains. <i>Polymer Journal</i> , 2006, 38, 603-605.	1.3	1
97	Diblock-Type Supramacromolecule via Biocomplementary Hydrogen Bonding. <i>Biomacromolecules</i> , 2006, 7, 1696-1699.	2.6	41
98	Comparison of Interdiffusion Behavior between Cyclic and Linear Polystyrenes with High Molecular Weights. <i>Macromolecules</i> , 2006, 39, 5180-5182.	2.2	65
99	Systematic Transitions of Tiling Patterns Formed by ABC Star-Shaped Terpolymers. <i>Macromolecules</i> , 2006, 39, 9402-9408.	2.2	96
100	Archimedean Tiling Structures from ABA/CD Block Copolymer Blends Having Intermolecular Association with Hydrogen Bonding. <i>Macromolecules</i> , 2006, 39, 2232-2237.	2.2	55
101	Chain Localization and Interfacial Thickness in Microphase-Separated Structures of Block Copolymers with Variable Composition Distributions. <i>Macromolecules</i> , 2006, 39, 7654-7661.	2.2	37
102	Molecular Design of Block- and Graft Polymers and Their Nanophase-Separated Hierarchical Structures in Condensed Systems. <i>Kobunshi Ronbunshu</i> , 2006, 63, 205-218.	0.2	2
103	Neutron Reflection Studies on Lamellar Microphase-Separated Structures of Two-Component Block Copolymers with Composition Distribution. <i>Physica B: Condensed Matter</i> , 2006, 385-386, 709-712.	1.3	9
104	Chain dimension of cyclic polymers in solutions. <i>Physica B: Condensed Matter</i> , 2006, 385-386, 532-534.	1.3	8
105	Archimedean Tiling Patterns of ABC Star-Shaped Terpolymers Studied by Microbeam Small-Angle X-ray Scattering. <i>Macromolecules</i> , 2006, 39, 4869-4872.	2.2	74
106	Nanophase-Separated Synchronizing Structure with Parallel Double Periodicity from an Undecablock Terpolymer. <i>Physical Review Letters</i> , 2006, 97, 098301.	2.9	76
107	Annealing Effects on the Elastic Properties of Sphere-Forming ABA and ABC Triblock Copolymers. <i>Nihon Reorji Gakkaishi</i> , 2006, 34, 177-180.	0.2	2
108	Comparison between Flow-Induced Alignment Behaviors of Poly(styrene- <i>b</i> -2-vinylpyridine)s and Poly(styrene- <i>b</i> -isoprene)s Solutions near ODT. <i>Polymer Journal</i> , 2005, 37, 900-905.	1.3	10

#	ARTICLE	IF	CITATIONS
109	Preparation and Characterization of Cyclic Polystyrenes. <i>Polymer Journal</i> , 2005, 37, 506-511.	1.3	74
110	Conductive Metal Nanowires Templated by the Nucleoprotein Filaments, Complex of DNA and RecA Protein. <i>Journal of the American Chemical Society</i> , 2005, 127, 8120-8125.	6.6	79
111	Preparation and phase behavior of poly(4-trimethylsilylstyrene)-block-polyisoprene. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 2005, 43, 1214-1219.	2.4	4
112	Interfacial profiles of miscible poly(4-trimethylsilylstyrene)/polyisoprene bilayer films. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 2005, 43, 1486-1494.	2.4	12
113	A mesoscopic Archimedean tiling having a new complexity in an ABC star polymer. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 2005, 43, 2427-2432.	2.4	142
114	Effect of Loop/Bridge Conformation Ratio on Elastic Properties of the Sphere-Forming ABA Triblock Copolymers: Preparation of Samples and Determination of Loop/Bridge Ratio. <i>Macromolecules</i> , 2005, 38, 9718-9723.	2.2	67
115	Effect of Loop/Bridge Conformation Ratio on Elastic Properties of the Sphere-Forming ABA Triblock Copolymers under Uniaxial Elongation. <i>Macromolecules</i> , 2005, 38, 9724-9729.	2.2	37
116	Preparation and Characterization of a Styrene- <i>b</i> -Isoprene Undecablock Copolymer and Its Hierarchical Microdomain Structure in Bulk. <i>Macromolecules</i> , 2005, 38, 10220-10225.	2.2	82
117	Novel Miscible Polymer Blend of Poly(4-trimethylsilylstyrene) and Polyisoprene. <i>Macromolecules</i> , 2005, 38, 1868-1873.	2.2	22
118	Effect of Molecular Weight Distribution on Microphase-Separated Structures from Block Copolymers. <i>Macromolecules</i> , 2005, 38, 4371-4376.	2.2	72
119	TGIC Separation of PS- <i>b</i> -P2VP Diblock and P2VP- <i>b</i> -PS- <i>b</i> -P2VP Triblock Copolymers According to Chemical Composition. <i>Macromolecules</i> , 2005, 38, 3033-3036.	2.2	15
120	Novel Synthesis and Characterization of Bioconjugate Block Copolymers Having Oligonucleotides. <i>Biomacromolecules</i> , 2005, 6, 2328-2333.	2.6	19
121	Three-Phase Hierarchical Structures from AB/CD Diblock Copolymer Blends with Complementary Hydrogen Bonding Interaction. <i>Macromolecules</i> , 2005, 38, 8811-8815.	2.2	93
122	Chain elongation suppression of cyclic block copolymers in lamellar microphase-separated bulk. <i>Journal of Chemical Physics</i> , 2004, 121, 1129-1132.	1.2	31
123	Self-assembly template during morphological transition of a linear ABC triblock copolymer from lamellar to Gyroid structure. <i>Polymer</i> , 2004, 45, 8989-8997.	1.8	21
124	Observation of Cylinder-Based Microphase-Separated Structures from ABC Star-Shaped Terpolymers Investigated by Electron Computerized Tomography. <i>Macromolecules</i> , 2004, 37, 9941-9946.	2.2	132
125	Effect of Composition Distribution on Microphase-Separated Structure from BAB Triblock Copolymers. <i>Macromolecules</i> , 2004, 37, 3804-3808.	2.2	79
126	Preparation of Poly(1,1-dimethyl silabutane) by Anionic Polymerization and Its Crystallization. <i>Macromolecules</i> , 2004, 37, 315-321.	2.2	13



#	ARTICLE	IF	CITATIONS
127	Preparation of Partially Deuterium-labeled Poly(4-trimethylsilylstyrene)s and Unperturbed Dimensions in Bulk. <i>Polymer Journal</i> , 2004, 36, 538-541.	1.3	10
128	Preparation and Morphology of Ring-Shaped Polystyrene-block-polyisoprenes. <i>Macromolecules</i> , 2003, 36, 3045-3050.	2.2	75
129	Noncentrosymmetric Structure from a Tetrablock Quarterpolymer of the ABCA Type. <i>Macromolecules</i> , 2003, 36, 9288-9291.	2.2	34
130	Observation of Four-Phase Lamellar Structure from a Tetrablock Quarterpolymer of the ABCD Type. <i>Macromolecules</i> , 2003, 36, 8216-8218.	2.2	32
131	Effect of Composition Distribution on Microphase-Separated Structure from Diblock Copolymers. <i>Macromolecules</i> , 2003, 36, 8074-8077.	2.2	103
132	Preparation and Characterization of Tapered Block Copolymers.. <i>Kobunshi Ronbunshu</i> , 2002, 59, 800-806.	0.2	0
133	Morphology of ABC triblock copolymer/homopolymer blend systems. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 2002, 40, 1135-1141.	2.4	16
134	Preparation and characterization of cyclic polystyrene with short poly(2-tert-butylbutadiene) sequences. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 2002, 40, 1582-1589.	2.4	25
135	Preparation and Morphology of Model Graft Copolymers of the A3B2 Type with Different Graft Junction Points. <i>Polymer Journal</i> , 2001, 33, 732.	1.3	23
136	Stabilization of Dispersed Domains in Polymer Blends by Addition of Low Molecular Weight Diblock Copolymer. <i>Zairyo/Journal of the Society of Materials Science, Japan</i> , 2001, 50, 229-233.	0.1	0
137	Branched Polymers. II. Preparation of Graft Copolymers of the AB2 Type and Their Equilibrium Structures in Bulk.. <i>Kobunshi Ronbunshu</i> , 2000, 57, 803-809.	0.2	0
138	Micellization behavior of diblock copolymers in solution near the critical micelle temperature. <i>Polymer</i> , 2000, 41, 5367-5374.	1.8	23
139	Model block-graft copolymer via anionic living polymerization: Preparation and characterization of polystyrene-block-[poly(p-hydroxystyrene)-graft-poly(ethylene oxide)]-block-polystyrene. <i>Journal of Polymer Science Part A</i> , 1998, 36, 3021-3034.	2.5	35
140	Fabrication of solid polymer electrolyte based on block-graft copolymer. 1. Precision synthesis and	2.0	26
141	Anionic polymerization of 3,5-(2,4-)dimethoxystyrene and 2,4,6-trimethoxystyrene and functionalization of the resulting polymers by lithiation. <i>Reactive and Functional Polymers</i> , 1998, 37, 39-47.	2.0	5
142	Precision Polymerization and Polymers II. Living Anionic Polymerization of Hydroxystyrene Derivatives.. <i>Kobunshi Ronbunshu</i> , 1997, 54, 951-957.	0.2	2
143	Precision Polymerization and Polymers II. Preparation and Morphology of Star-Shaped Copolymers of the AnBn Type.. <i>Kobunshi Ronbunshu</i> , 1997, 54, 958-965.	0.2	2
144	Model Block- $\pi$ -Graft Copolymer via Anionic Living Polymerization: Preparation and Characterization of [Poly((4-vinylphenyl)dimethylvinylsilane)-graft-polyisoprene]-block-polystyrene. <i>Macromolecules</i> , 1997, 30, 1570-1576.	2.2	54

#	ARTICLE	IF	CITATIONS
145	Nonlinear viscoelastic properties and change in entanglement structure of linear polymer. <i>Rheologica Acta</i> , 1997, 36, 245-251.	1.1	12
146	Morphology of model three-component three-arm star-shaped copolymers. <i>Polymer</i> , 1997, 38, 5275-5281.	1.8	85
147	Nonlinear viscoelastic properties and change in entanglement structure of linear polymer 1. Single-step large shearing deformations. <i>Rheologica Acta</i> , 1997, 36, 245-251.	1.1	19
148	Preparation and characterization of end-alkoxysilylated polystyrene and the grafting behaviors onto inorganic pigments. II. Utilization of 4-triethoxysilyl- $\beta$ -methylstyrene. <i>Journal of Applied Polymer Science</i> , 1996, 59, 399-406.	1.3	13
149	Preparation of a Polystyrene Macromonomer with a Novel Anionic Initiator Containing an Olefinic Vinyl Group. <i>Macromolecules</i> , 1994, 27, 7914-7916.	2.2	15
150	Synthesis and characterization of star-shaped polymer with one labeled arm. <i>Macromolecules</i> , 1992, 25, 3596-3598.	2.2	23
151	Phase diagram of star-shaped polystyrene/cyclohexane system: location of critical point and profile of coexistence curve. <i>Polymer</i> , 1991, 32, 3218-3224.	1.8	22
152	Shear stabilization of critical fluctuations in bulk polymer blends studied by small angle neutron scattering. <i>Journal of Chemical Physics</i> , 1990, 93, 795-810.	1.2	74
153	Preparation and distorted cylindrical morphology of block copolymers consisting of flexible and semiflexible blocks. <i>Polymer Journal</i> , 0, , .	1.3	1