

Charlotte Andersson

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/487976/publications.pdf>

Version: 2024-02-01

126
papers

5,942
citations

93792

39
h-index

93651

72
g-index

126
all docs

126
docs citations

126
times ranked

11456
citing authors

#	ARTICLE	IF	CITATIONS
1	Importance of diagnostic setting in determining mortality in patients with new-onset heart failure: temporal trends in Denmark from 1997 to 2017. <i>European Heart Journal Quality of Care & Clinical Outcomes</i> , 2022, 8, 750-760.	1.8	7
2	Meta-Analysis of Randomized Clinical Trials Comparing the Impact of Implantable Loop Recorder Versus Usual Care After Ischemic Stroke for Detection of Atrial Fibrillation and Stroke Risk. <i>American Journal of Cardiology</i> , 2022, 162, 100-104.	0.7	14
3	Temporal trends in initiation of mineralocorticoid receptor antagonists and risk of subsequent withdrawal in patients with heart failure: a nationwide study in Denmark from 2003 to 2017. <i>European Journal of Heart Failure</i> , 2022, 24, 539-547.	2.9	15
4	Gender- and Age-Specific Rates of Heart Failure and other Adverse Cardiovascular Outcomes in Systemic Sclerosis. <i>Rheumatology</i> , 2022, , .	0.9	1
5	Association between early detected heart failure stages and future cardiovascular and non-cardiovascular events in the elderly (Copenhagen Heart Failure Risk Study). <i>BMC Geriatrics</i> , 2022, 22, 230.	1.1	1
6	Clinical cardiovascular phenotypes and the pattern of future events in patients with type 2 diabetes. <i>Clinical Research in Cardiology</i> , 2022, , 1.	1.5	1
7	Optimizing Dyslipidemic Cardiovascular Residual Risk Reduction With Icosapent Ethyl in Post-MI Patients. <i>Journal of the American College of Cardiology</i> , 2022, 79, 1672-1674.	1.2	3
8	Prognostic importance of atrial fibrillation in heart failure according to time elapsed since diagnosis. <i>Heart Rhythm O2</i> , 2022, , .	0.6	0
9	Alcohol Intake in Patients With Cardiomyopathy and Heart Failure: Consensus and Controversy. <i>Circulation: Heart Failure</i> , 2022, 15, 101161CIRCHEARTFAILURE121009459.	1.6	18
10	Incidence rates of dilated cardiomyopathy in adult first-degree relatives versus matched controls. <i>IJC Heart and Vasculature</i> , 2022, 41, 101065.	0.6	5
11	Association Between Male Sex and Outcomes of Coronavirus Disease 2019 (COVID-19) – A Danish Nationwide, Register-based Study. <i>Clinical Infectious Diseases</i> , 2021, 73, e4025-e4030.	2.9	90
12	Prevalence and incidence of various cancer subtypes in patients with heart failure vs matched controls. <i>International Journal of Cardiology</i> , 2021, 326, 144.	0.8	6
13	The risk of cardiac events in patients receiving immune checkpoint inhibitors: a nationwide Danish study. <i>European Heart Journal</i> , 2021, 42, 1621-1631.	1.0	102
14	All-cause mortality and location of death in patients with established cardiovascular disease before, during, and after the COVID-19 lockdown: a Danish Nationwide Cohort Study. <i>European Heart Journal</i> , 2021, 42, 1516-1523.	1.0	50
15	Sex-Specific Prevalence, Incidence, and Mortality Associated With Atrial Fibrillation in Heart Failure. <i>JACC: Clinical Electrophysiology</i> , 2021, 7, 1366-1375.	1.3	10
16	Insulin resistance genetic risk score and burden of coronary artery disease in patients referred for coronary angiography. <i>PLoS ONE</i> , 2021, 16, e0252855.	1.1	1
17	Framingham Heart Study. <i>Journal of the American College of Cardiology</i> , 2021, 77, 2680-2692.	1.2	35
18	Importance of smoking cessation for cardiovascular risk reduction. <i>European Heart Journal</i> , 2021, 42, 4154-4156.	1.0	4

#	ARTICLE	IF	CITATIONS
19	Long-term Mortality Associated With Use of Carvedilol Versus Metoprolol in Heart Failure Patients With and Without Type 2 Diabetes: A Danish Nationwide Cohort Study. <i>Journal of the American Heart Association</i> , 2021, 10, e021310.	1.6	2
20	Metabolomic Profiles and Heart Failure Risk in Black Adults: Insights From the Jackson Heart Study. <i>Circulation: Heart Failure</i> , 2021, 14, e007275.	1.6	29
21	Cardiovascular comorbidities as predictors for severe COVID-19 infection or death. <i>European Heart Journal Quality of Care & Clinical Outcomes</i> , 2021, 7, 172-180.	1.8	43
22	Rate of Heart Failure Following Atrial Fibrillation According to Presence of Family History of Dilated Cardiomyopathy or Heart Failure: A Nationwide Study. <i>Journal of the American Heart Association</i> , 2021, 10, e021286.	1.6	4
23	Lifetime Risk of Heart Failure and Trends in Incidence Rates Among Individuals With Type 2 Diabetes Between 1995 and 2018. <i>Journal of the American Heart Association</i> , 2021, 10, e021230.	1.6	2
24	Genome-wide association and Mendelian randomisation analysis provide insights into the pathogenesis of heart failure. <i>Nature Communications</i> , 2020, 11, 163.	5.8	466
25	Metabolomic signatures of cardiac remodelling and heart failure risk in the community. <i>ESC Heart Failure</i> , 2020, 7, 3707-3715.	1.4	20
26	One-Year Mortality After Intensification of Outpatient Diuretic Therapy. <i>Journal of the American Heart Association</i> , 2020, 9, e016010.	1.6	25
27	Long-term risk of heart failure and mortality following mitral valve surgery in patients with and without right ventricular pacemaker. <i>Journal of Cardiac Surgery</i> , 2020, 35, 2598-2604.	0.3	1
28	Identification of Patients with New-Onset Heart Failure and Reduced Ejection Fraction in Danish Administrative Registers. <i>Clinical Epidemiology</i> , 2020, Volume 12, 589-594.	1.5	17
29	Effect of COVID-19 on First-Time Acute Stroke and Transient Ischemic Attack Admission Rates and Prognosis in Denmark. <i>Circulation</i> , 2020, 142, 1227-1229.	1.6	24
30	Time trends in incidence, comorbidity, and mortality of ischemic stroke in Denmark (1996-2016). <i>Neurology</i> , 2020, 95, e2343-e2353.	1.5	20
31	Incidence of Ischemic Stroke in Individuals With and Without Aortic Valve Stenosis. <i>Stroke</i> , 2020, 51, 1364-1371.	1.0	16
32	Incidence of New-Onset and Worsening Heart Failure Before and After the COVID-19 Epidemic Lockdown in Denmark. <i>Circulation: Heart Failure</i> , 2020, 13, e007274.	1.6	90
33	Association of Angiotensin-Converting Enzyme Inhibitor or Angiotensin Receptor Blocker Use With COVID-19 Diagnosis and Mortality. <i>JAMA - Journal of the American Medical Association</i> , 2020, 324, 168.	3.8	331
34	New-onset atrial fibrillation: incidence, characteristics, and related events following a national COVID-19 lockdown of 5.6 million people. <i>European Heart Journal</i> , 2020, 41, 3072-3079.	1.0	93
35	Familial Clustering of Aortic Size, Aneurysms, and Dissections in the Community. <i>Circulation</i> , 2020, 142, 920-928.	1.6	31
36	Age-specific trends in incidence and survival of out-of-hospital cardiac arrest from presumed cardiac cause in Denmark 2002-2014. <i>Resuscitation</i> , 2020, 152, 77-85.	1.3	9

#	ARTICLE	IF	CITATIONS
37	Readmission and death in patients admitted with new-onset versus worsening of chronic heart failure: insights from a nationwide cohort. <i>European Journal of Heart Failure</i> , 2020, 22, 1777-1785.	2.9	53
38	Prevalence and incidence of various Cancer subtypes in patients with heart failure vs matched controls. <i>International Journal of Cardiology</i> , 2020, 316, 209-213.	0.8	14
39	ASSOCIATIONS OF OCCUPANT MOTOR VEHICLE CRASH WITH FUTURE HEART FAILURE AND ISCHEMIC STROKE IN OLDER ADULTS. <i>American Journal of Epidemiology</i> , 2019, 188, 1400-1403.	1.6	1
40	Risk factor-based subphenotyping of heart failure in the community. <i>PLoS ONE</i> , 2019, 14, e0222886.	1.1	8
41	Cardiovascular Manifestations of Systemic Sclerosis: A Danish Nationwide Cohort Study. <i>Journal of the American Heart Association</i> , 2019, 8, e013405.	1.6	59
42	Outcomes associated with dual antiplatelet therapy after myocardial infarction in patients with aortic stenosis. <i>International Journal of Cardiology</i> , 2019, 281, 140-145.	0.8	2
43	Polygenic predisposition to breast cancer and the risk of coronary artery disease. <i>International Journal of Cardiology</i> , 2019, 291, 145-151.	0.8	2
44	Familial Clustering of Cardiac Conduction Defects and Pacemaker Insertion. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2019, 12, e007150.	2.1	9
45	70-year legacy of the Framingham Heart Study. <i>Nature Reviews Cardiology</i> , 2019, 16, 687-698.	6.1	143
46	Preoperative chronic beta-blocker prescription in elderly patients as a risk factor for postoperative mortality stratified by preoperative blood pressure: a cohort study. <i>British Journal of Anaesthesia</i> , 2019, 123, 118-125.	1.5	16
47	Association of Accelerometer-Measured Light-Intensity Physical Activity With Brain Volume. <i>JAMA Network Open</i> , 2019, 2, e192745.	2.8	89
48	Mortality associated with cardiovascular drugs in patients with chronic obstructive pulmonary disease and right-sided heart failure – A danish nationwide registry-based study. <i>European Journal of Internal Medicine</i> , 2019, 63, 56-61.	1.0	20
49	Prevalence of heart failure and other risk factors among first-degree relatives of women with peripartum cardiomyopathy. <i>Heart</i> , 2019, 105, 1057-1062.	1.2	10
50	Association of genetic variants previously implicated in coronary artery disease with age at onset of coronary artery disease requiring revascularizations. <i>PLoS ONE</i> , 2019, 14, e0211690.	1.1	5
51	Objective physical activity and physical performance in middle-aged and older adults. <i>Experimental Gerontology</i> , 2019, 119, 203-211.	1.2	39
52	Long QT syndrome is associated with an increased burden of diabetes, psychiatric and neurological comorbidities: a nationwide cohort study. <i>Open Heart</i> , 2019, 6, e001161.	0.9	11
53	Integrated Multiomics Approach to Identify Genetic Underpinnings of Heart Failure and Its Echocardiographic Precursors. <i>Circulation Genomic and Precision Medicine</i> , 2019, 12, e002489.	1.6	18
54	Does macrolide use confer risk of out-of-hospital cardiac arrest compared with penicillin V? A Danish national case-crossover and case-“time”-control study. <i>BMJ Open</i> , 2018, 8, e019997.	0.8	1

#	ARTICLE	IF	CITATIONS
55	Association of Timing of Aortic Valve Replacement Surgery After Stroke With Risk of Recurrent Stroke and Mortality. <i>JAMA Cardiology</i> , 2018, 3, 506.	3.0	13
56	Current use of beta-blockers in patients with coronary artery disease. <i>Trends in Cardiovascular Medicine</i> , 2018, 28, 382-389.	2.3	10
57	Association of Genetic Variation in Coronary Artery Disease-Related Loci With the Risk of Heart Failure With Preserved Versus Reduced Ejection Fraction. <i>Circulation</i> , 2018, 137, 1290-1292.	1.6	5
58	Epidemiology of Left Ventricular Systolic Dysfunction and Heart Failure in the Framingham Study. <i>JACC: Cardiovascular Imaging</i> , 2018, 11, 1-11.	2.3	158
59	Epidemiology of cardiovascular disease in young individuals. <i>Nature Reviews Cardiology</i> , 2018, 15, 230-240.	6.1	388
60	Trends in incidence, mortality, and causes of death associated with systemic sclerosis in Denmark between 1995 and 2015: a nationwide cohort study. <i>BMC Rheumatology</i> , 2018, 2, 36.	0.6	31
61	Hypertension genetic risk score is associated with burden of coronary heart disease among patients referred for coronary angiography. <i>PLoS ONE</i> , 2018, 13, e0208645.	1.1	14
62	ECG with alternating electric axis in relation to left-sided tension pneumothorax: a case report and review of the literature. <i>European Clinical Respiratory Journal</i> , 2018, 5, 1495982.	0.7	7
63	Age-Specific Trends in Incidence, Mortality, and Comorbidities of Heart Failure in Denmark, 1995 to 2012. <i>Circulation</i> , 2017, 135, 1214-1223.	1.6	188
64	Epidemiology of valvular heart disease in a Swedish nationwide hospital-based register study. <i>Heart</i> , 2017, 103, 1696-1703.	1.2	195
65	Beta-blocker subtype and risks of perioperative adverse events following non-cardiac surgery: a nationwide cohort study. <i>European Heart Journal</i> , 2017, 38, 2421-2428.	1.0	21
66	Functional Testing or Coronary Computed Tomography Angiography in Patients With Stable Coronary Artery Disease. <i>Journal of the American College of Cardiology</i> , 2017, 69, 1761-1770.	1.2	97
67	Is the use of renin-angiotensin system inhibitors in patients with aortic valve stenosis safe and of prognostic benefit? A systematic review and meta-analysis. <i>European Heart Journal - Cardiovascular Pharmacotherapy</i> , 2017, 3, 21-27.	1.4	22
68	Response by Christiansen et al to Letters Regarding Article, "Age-Specific Trends in Incidence, Mortality, and Comorbidities of Heart Failure in Denmark, 1995 to 2012". <i>Circulation</i> , 2017, 136, 886-887.	1.6	0
69	Association of Parental Obesity and Diabetes Mellitus With Circulating Adipokines in Nonobese Nondiabetic Offspring. <i>Journal of the American Heart Association</i> , 2017, 6, .	1.6	10
70	Familial Aggregation of Aortic Valvular Stenosis. <i>Circulation: Cardiovascular Genetics</i> , 2017, 10, .	5.1	27
71	Identifying Drug-Drug Interactions by Data Mining. <i>Circulation: Cardiovascular Quality and Outcomes</i> , 2016, 9, 621-628.	0.9	29
72	Association of β -Blocker Treatment With Adverse Outcomes in Hypertensive Patients Undergoing Noncardiac Surgery—Reply. <i>JAMA Internal Medicine</i> , 2016, 176, 563.	2.6	0

#	ARTICLE	IF	CITATIONS
73	Four Susceptibility Loci for Gallstone Disease Identified in a Meta-analysis of Genome-Wide Association Studies. <i>Gastroenterology</i> , 2016, 151, 351-363.e28.	0.6	74
74	Influence of sibutramine in addition to diet and exercise on the relationship between weight loss and blood glucose changes. <i>European Heart Journal - Cardiovascular Pharmacotherapy</i> , 2016, 3, pww029.	1.4	3
75	Association of Parental Hypertension With Arterial Stiffness in Nonhypertensive Offspring. <i>Hypertension</i> , 2016, 68, 584-589.	1.3	29
76	Influence of age on perioperative major adverse cardiovascular events and mortality risks in elective non-cardiac surgery. <i>European Journal of Internal Medicine</i> , 2016, 35, 55-59.	1.0	25
77	Intensive vs Standard Blood Pressure Control for Older Adults. <i>JAMA - Journal of the American Medical Association</i> , 2016, 316, 1922.	3.8	2
78	Relations of circulating GDF-15, soluble ST2, and troponin-I concentrations with vascular function in the community: The Framingham Heart Study. <i>Atherosclerosis</i> , 2016, 248, 245-251.	0.4	53
79	Danish trends in pharmacotherapy, comorbidities, and demographics in patients referred for coronary angiography: what changed during a decade?. <i>European Heart Journal - Cardiovascular Pharmacotherapy</i> , 2015, 1, 157-165.	1.4	14
80	Time trend in Alzheimer diagnoses and the association between distance to an Alzheimer clinic and Alzheimer diagnosis. <i>European Journal of Public Health</i> , 2015, 25, 522-527.	0.1	10
81	Use of quinine and mortality risk in patients with heart failure—a Danish nationwide observational study. <i>Pharmacoepidemiology and Drug Safety</i> , 2015, 24, 310-318.	0.9	6
82	Response to Letter Regarding Article “Temporal Trends in the Incidence and Prognosis of Aortic Stenosis: A Nationwide Study of the Swedish Population” • <i>Circulation</i> , 2015, 132, e240.	1.6	0
83	Incorrect ICD-10 Code and MACE Endpoint. <i>JAMA Internal Medicine</i> , 2015, 175, E1.	2.6	7
84	Physical Activity Measured by Accelerometry and its Associations With Cardiac Structure and Vascular Function in Young and Middle-Aged Adults. <i>Journal of the American Heart Association</i> , 2015, 4, e001528.	1.6	66
85	Implications of the US Cholesterol Guidelines on Eligibility for Statin Therapy in the Community: Comparison of Observed and Predicted Risks in the Framingham Heart Study Offspring Cohort. <i>Journal of the American Heart Association</i> , 2015, 4, .	1.6	44
86	Danish register-based study on the association between specific cardiovascular drugs and fragility fractures. <i>BMJ Open</i> , 2015, 5, e009522.	0.8	34
87	Association of Selected Antipsychotic Agents With Major Adverse Cardiovascular Events and Noncardiovascular Mortality in Elderly Persons. <i>Journal of the American Heart Association</i> , 2015, 4, e001666.	1.6	35
88	Temporal Trends in the Incidence and Prognosis of Aortic Stenosis. <i>Circulation</i> , 2015, 131, 988-994.	1.6	94
89	Age-Specific Performance of the Revised Cardiac Risk Index for Predicting Cardiovascular Risk in Elective Noncardiac Surgery. <i>Circulation: Cardiovascular Quality and Outcomes</i> , 2015, 8, 103-108.	0.9	44
90	Sulfonylurea in combination with insulin is associated with increased mortality compared with a combination of insulin and metformin in a retrospective Danish nationwide study. <i>Diabetologia</i> , 2015, 58, 50-58.	2.9	44

#	ARTICLE	IF	CITATIONS
91	Associations of Circulating Growth Differentiation Factor-15 and ST2 Concentrations With Subclinical Vascular Brain Injury and Incident Stroke. <i>Stroke</i> , 2015, 46, 2568-2575.	1.0	54
92	Lipophilic Statins and Aldosterone Secretion. <i>Circulation</i> , 2015, 132, 1783-1785.	1.6	5
93	Î ² -Blocker Associated Risks in Patients With Uncomplicated Hypertension Undergoing Noncardiac Surgery. <i>JAMA Internal Medicine</i> , 2015, 175, 1923.	2.6	37
94	Low-density-lipoprotein cholesterol concentrations and risk of incident diabetes: epidemiological and genetic insights from the Framingham Heart Study. <i>Diabetologia</i> , 2015, 58, 2774-2780.	2.9	39
95	Metformin in combination with various insulin secretagogues in type 2 diabetes and associated risk of cardiovascular morbidity and mortality—A retrospective nationwide study. <i>Diabetes Research and Clinical Practice</i> , 2015, 107, 104-112.	1.1	15
96	Compiling the Complement of Genes Implicated in Coronary Artery Disease. <i>Circulation: Cardiovascular Genetics</i> , 2014, 7, 738-740.	5.1	4
97	Body mass index and risk of perioperative cardiovascular adverse events and mortality in 34,744 Danish patients undergoing hip or knee replacement. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2014, 85, 456-462.	1.2	57
98	A risk score for predicting 30-day mortality in heart failure patients undergoing noncardiac surgery. <i>European Journal of Heart Failure</i> , 2014, 16, 1310-1316.	2.9	6
99	Nationwide trends in development of heart failure and mortality after first-time myocardial infarction 1997–2010: A Danish cohort study. <i>European Journal of Internal Medicine</i> , 2014, 25, 731-738.	1.0	33
100	Long-term risk of cardiovascular events across a spectrum of adverse major plasma lipid combinations in the Framingham Heart Study. <i>American Heart Journal</i> , 2014, 168, 878-883.e1.	1.2	58
101	Association of Î ² -Blocker Therapy With Risks of Adverse Cardiovascular Events and Deaths in Patients With Ischemic Heart Disease Undergoing Noncardiac Surgery. <i>JAMA Internal Medicine</i> , 2014, 174, 336.	2.6	96
102	Time Elapsed After Ischemic Stroke and Risk of Adverse Cardiovascular Events and Mortality Following Elective Noncardiac Surgery. <i>JAMA - Journal of the American Medical Association</i> , 2014, 312, 269.	3.8	143
103	Carotid Plaque, Intima-Media Thickness, and Incident Aortic Stenosis. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2014, 34, 2343-2348.	1.1	33
104	Epidemiology of Heart Failure with Preserved Ejection Fraction. <i>Heart Failure Clinics</i> , 2014, 10, 377-388.	1.0	86
105	Lower Is Not Always Better? Blood Pressure Treatment Targets Revisited— <i>Journal of the American College of Cardiology</i> , 2014, 64, 598-600.	1.2	4
106	Association of heart failure severity with risk of diabetes: a Danish nationwide cohort study. <i>Diabetologia</i> , 2014, 57, 1595-1600.	2.9	37
107	Noncardiac Surgery in Patients With Aortic Stenosis: A Contemporary Study on Outcomes in a Matched Sample From the Danish Health Care System. <i>Clinical Cardiology</i> , 2014, 37, 680-686.	0.7	15
108	Familial clustering of myocardial infarction in first-degree relatives: a nationwide study. <i>European Heart Journal</i> , 2013, 34, 1198-1203.	1.0	49

#	ARTICLE	IF	CITATIONS
109	Risk of cancer in patients using glucose-lowering agents: a nationwide cohort study of 3.6 million people. <i>BMJ Open</i> , 2012, 2, e000433.	0.8	39
110	Importance and inter-relationship of tissue Doppler variables for predicting adverse outcomes in high-risk patients: an analysis of 388 diabetic patients referred for coronary angiography. <i>European Heart Journal Cardiovascular Imaging</i> , 2012, 13, 643-649.	0.5	12
111	Association of Clopidogrel Treatment With Risk of Mortality and Cardiovascular Events Following Myocardial Infarction in Patients With and Without Diabetes. <i>JAMA - Journal of the American Medical Association</i> , 2012, 308, 882.	3.8	48
112	The prognostic importance of a history of hypertension in patients with symptomatic heart failure is substantially worsened by a short mitral inflow deceleration time. <i>BMC Cardiovascular Disorders</i> , 2012, 12, 30.	0.7	5
113	Relationship between HbA1c levels and risk of cardiovascular adverse outcomes and all-cause mortality in overweight and obese cardiovascular high-risk women and men with type 2 diabetes. <i>Diabetologia</i> , 2012, 55, 2348-2355.	2.9	62
114	Efficacy of Post-Operative Clopidogrel Treatment in Patients Revascularized With Coronary Artery Bypass Grafting After Myocardial Infarction. <i>Journal of the American College of Cardiology</i> , 2011, 57, 1202-1209.	1.2	75
115	Clinical characteristics and major comorbidities in heart failure patients more than 85 years of age compared with younger age groups. <i>European Journal of Heart Failure</i> , 2011, 13, 1216-1223.	2.9	108
116	Comparable long-term mortality risk associated with individual sulfonylureas in diabetes patients with heart failure. <i>Diabetes Research and Clinical Practice</i> , 2011, 94, 119-125.	1.1	19
117	Long-Term Prognostic Importance of Diabetes After a Myocardial Infarction Depends on Left Ventricular Systolic Function: Figure 1. <i>Diabetes Care</i> , 2011, 34, 1788-1790.	4.3	7
118	Metformin treatment is associated with a low risk of mortality in diabetic patients with heart failure: a retrospective nationwide cohort study. <i>Diabetologia</i> , 2010, 53, 2546-2553.	2.9	121
119	Diabetes is associated with impaired myocardial performance in patients without significant coronary artery disease. <i>Cardiovascular Diabetology</i> , 2010, 9, 3.	2.7	37
120	Effects of oral glucose-lowering drugs on long term outcomes in patients with diabetes mellitus following myocardial infarction not treated with emergent percutaneous coronary intervention - a retrospective nationwide cohort study. <i>Cardiovascular Diabetology</i> , 2010, 9, 54.	2.7	54
121	Metformin is associated with improved left ventricular diastolic function measured by tissue Doppler imaging in patients with diabetes. <i>European Journal of Endocrinology</i> , 2010, 163, 593-599.	1.9	34
122	Heart failure severity, as determined by loop diuretic dosages, predicts the risk of developing diabetes after myocardial infarction: a nationwide cohort study. <i>European Journal of Heart Failure</i> , 2010, 12, 1333-1338.	2.9	62
123	Long-term impact of diabetes in patients hospitalized with ischemic and non-ischemic heart failure. <i>Scandinavian Cardiovascular Journal</i> , 2010, 44, 37-44.	0.4	18
124	Acute effect of weight loss on levels of total bilirubin in obese, cardiovascular high-risk patients: an analysis from the lead-in period of the Sibutramine Cardiovascular Outcome trial. <i>Metabolism: Clinical and Experimental</i> , 2009, 58, 1109-1115.	1.5	68
125	Differential changes in serum uric acid concentrations in sibutramine promoted weight loss in diabetes: results from four weeks of the lead-in period of the SCOUT trial. <i>Nutrition and Metabolism</i> , 2009, 6, 42.	1.3	10
126	Risk of bleeding in patients with acute myocardial infarction treated with different combinations of aspirin, clopidogrel, and vitamin K antagonists in Denmark: a retrospective analysis of nationwide registry data. <i>Lancet, The</i> , 2009, 374, 1967-1974.	6.3	507