

Marie-Eve Carrier

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4879968/publications.pdf>

Version: 2024-02-01

45
papers

589
citations

687363

13
h-index

713466

21
g-index

46
all docs

46
docs citations

46
times ranked

711
citing authors

#	ARTICLE	IF	CITATIONS
1	Psychosocial services for couples in infertility treatment: What do couples really want?. Patient Education and Counseling, 2014, 94, 390-395.	2.2	73
2	The Scleroderma Patient-Centered Intervention Network Cohort: baseline clinical features and comparison with other large scleroderma cohorts. Rheumatology, 2018, 57, 1623-1631.	1.9	53
3	Performance of the Patient-Reported Outcomes Measurement Information System-29 in scleroderma: a Scleroderma Patient-centered Intervention Network Cohort Study. Rheumatology, 2017, 56, 1302-1311.	1.9	51
4	Validation of the Self-Efficacy for Managing Chronic Disease Scale: A Scleroderma Patient-Centered Intervention Network Cohort Study. Arthritis Care and Research, 2016, 68, 1195-1200.	3.4	31
5	Changes in mental health symptoms from pre-COVID-19 to COVID-19 among participants with systemic sclerosis from four countries: A Scleroderma Patient-centered Intervention Network (SPIN) Cohort study. Journal of Psychosomatic Research, 2020, 139, 110262.	2.6	25
6	Care for Postpartum Depression: What Do Women and Their Partners Prefer?. Perspectives in Psychiatric Care, 2016, 52, 120-130.	1.9	24
7	Effects of a multi-faceted education and support programme on anxiety symptoms among people with systemic sclerosis and anxiety during COVID-19 (SPIN-CHAT): a two-arm parallel, partially nested, randomised, controlled trial. Lancet Rheumatology, The, 2021, 3, e427-e437.	3.9	24
8	Using Optimal Test Assembly Methods for Shortening Patient-Reported Outcome Measures: Development and Validation of the Cochin Hand Function Scale: A Scleroderma Patient-Centered Intervention Network Cohort Study. Arthritis Care and Research, 2016, 68, 1704-1713.	3.4	23
9	Exploring Sources of Emotional Distress among People Living with Scleroderma: A Focus Group Study. PLoS ONE, 2016, 11, e0152419.	2.5	22
10	Protocol for a partially nested randomised controlled trial to evaluate the effectiveness of the scleroderma patient-centered intervention network COVID-19 home-isolation activities together (SPIN-CHAT) program to reduce anxiety among at-risk scleroderma patients. Journal of Psychosomatic Research, 2020, 135, 110132.	2.6	21
11	Validation of the COVID-19 Fears Questionnaires for Chronic Medical Conditions: A Scleroderma Patient-centered Intervention Network COVID-19 Cohort study. Journal of Psychosomatic Research, 2020, 139, 110271.	2.6	20
12	Validation of the Social Appearance Anxiety Scale in Patients With Systemic Sclerosis: A Scleroderma Patient-Centered Intervention Network Cohort Study. Arthritis Care and Research, 2018, 70, 1557-1562.	3.4	17
13	Exercise habits and factors associated with exercise in systemic sclerosis: a Scleroderma Patient-centered Intervention Network (SPIN) cohort study. Disability and Rehabilitation, 2018, 40, 1997-2003.	1.8	17
14	Reasons for Not Participating in Scleroderma Patient Support Groups: A Cross-Sectional Study. Arthritis Care and Research, 2018, 70, 275-283.	3.4	13
15	Shortening patient-reported outcome measures through optimal test assembly: application to the Social Appearance Anxiety Scale in the Scleroderma Patient-centered Intervention Network Cohort. BMJ Open, 2019, 9, e024010.	1.9	13
16	Reasons for attending support groups and organizational preferences: the European scleroderma support group members survey. Disability and Rehabilitation, 2019, 41, 974-982.	1.8	13
17	Factors associated with symptoms of depression among informal caregivers of people with systemic sclerosis: a cross-sectional study. Disability and Rehabilitation, 2020, 42, 394-399.	1.8	10
18	Scleroderma Patient-centered Intervention Network's Scleroderma Support group Leader Education (SPIN-SSLED) program: non-randomised feasibility trial. BMJ Open, 2019, 9, e029935.	1.9	9

#	ARTICLE	IF	CITATIONS
19	Factors associated with fears due to COVID-19: A Scleroderma Patient-centered Intervention Network (SPIN) COVID-19 cohort study. <i>Journal of Psychosomatic Research</i> , 2021, 140, 110314.	2.6	9
20	Mental health before and during the pandemic in people with systemic sclerosis. <i>Lancet Rheumatology</i> , The, 2022, 4, e82-e85.	3.9	9
21	Systemic sclerosis and COVID-19 vaccines: a SPIN Cohort study. <i>Lancet Rheumatology</i> , The, 2022, 4, e243-e246.	3.9	9
22	Reliability and Validity of Three Versions of the Brief Fear of Negative Evaluation Scale in Patients With Systemic Sclerosis: A Scleroderma Patient-centered Intervention Network Cohort Study. <i>Arthritis Care and Research</i> , 2018, 70, 1646-1652.	3.4	8
23	Understanding coping strategies among people living with scleroderma: a focus group study. <i>Disability and Rehabilitation</i> , 2018, 40, 3012-3021.	1.8	8
24	Protocol for a partially nested randomized controlled trial to evaluate the effectiveness of the Scleroderma Patient-centered Intervention Network Support Group Leader Education (SPIN-SSLED) Program. <i>Trials</i> , 2019, 20, 717.	1.6	8
25	Randomized feasibility trial of the Scleroderma Patient-centered Intervention Network hand exercise program (SPIN-HAND): Study protocol. <i>Journal of Scleroderma and Related Disorders</i> , 2018, 3, 91-97.	1.7	7
26	Reasons for attending support groups and organizational preferences: A replication study using the North American Scleroderma Support Group Survey. <i>Journal of Scleroderma and Related Disorders</i> , 2019, 4, 173-186.	1.7	7
27	Training and support needs of scleroderma support group facilitators: the North American Scleroderma Support Group Facilitators Survey. <i>Disability and Rehabilitation</i> , 2019, 41, 2477-2482.	1.8	7
28	The Scleroderma Patient-Centered Intervention Network Self-Management Program: Protocol for a Randomized Feasibility Trial. <i>JMIR Research Protocols</i> , 2020, 9, e16799.	1.0	7
29	Reasons for not participating in scleroderma patient support groups: a comparison of results from the North American and European scleroderma support group surveys. <i>Disability and Rehabilitation</i> , 2021, 43, 1279-1286.	1.8	6
30	Factors associated with patient-reported likelihood of using online self-care interventions: a Scleroderma Patient-centered Intervention Network (SPIN) cohort study. <i>BMJ Open</i> , 2019, 9, e029542.	1.9	5
31	Factor structure and convergent validity of the Derriford Appearance Scale-24 using standard scoring versus treating "not applicable" responses as missing data: a Scleroderma Patient-centered Intervention Network (SPIN) cohort study. <i>BMJ Open</i> , 2018, 8, e018641.	1.9	4
32	Challenges and support service preferences of informal caregivers of people with systemic sclerosis: a cross-sectional survey. <i>Disability and Rehabilitation</i> , 2020, 42, 2304-2310.	1.8	4
33	Barriers and Facilitators to Physical Activity for People With Scleroderma: A Scleroderma Patient-centered Intervention Network Cohort Study. <i>Arthritis Care and Research</i> , 2022, 74, 1300-1310.	3.4	4
34	Nutrition Information Resources Used by People With Systemic Sclerosis and Perceived Advantages and Disadvantages: A Nominal Group Technique Study. <i>ACR Open Rheumatology</i> , 2021, 3, 540-549.	2.1	4
35	The Scleroderma Patient-centered Intervention Network Self-Management (SPIN-SELF) Program: protocol for a two-arm parallel partially nested randomized controlled feasibility trial with progression to full-scale trial. <i>Trials</i> , 2021, 22, 856.	1.6	4
36	Validation of the Body Concealment Scale for Scleroderma (BCSS): Replication in the Scleroderma Patient-centered Intervention Network (SPIN) Cohort. <i>Body Image</i> , 2017, 20, 99-106.	4.3	3

#	ARTICLE	IF	CITATIONS
37	Validation of the Social Interaction Anxiety Scale in scleroderma: a Scleroderma Patient-centered Intervention Network Cohort study. <i>Journal of Scleroderma and Related Disorders</i> , 2018, 3, 98-105.	1.7	3
38	Examination of the association of sex and race/ethnicity with appearance concerns: a Scleroderma Patient-centered Intervention Network (SPIN) Cohort study. <i>Clinical and Experimental Rheumatology</i> , 2016, 34 Suppl 100, 92-99.	0.8	3
39	The association of sociodemographic and disease variables with hand function: a Scleroderma Patient-centered Intervention Network cohort study. <i>Clinical and Experimental Rheumatology</i> , 2018, 36 Suppl 113, 88-94.	0.8	3
40	Randomized feasibility trial of the Scleroderma Patient-centered Intervention Network Self-Management (SPIN-SELF) Program. <i>Pilot and Feasibility Studies</i> , 2022, 8, 45.	1.2	3
41	Development and preliminary validation of the Scleroderma Support Group Leader Self-efficacy Scale. <i>Journal of Scleroderma and Related Disorders</i> , 2018, 3, 106-111.	1.7	2
42	The Scleroderma Research Topics Survey for patients and health care professionals: A Scleroderma Patient-centered Intervention Network Project. <i>Journal of Scleroderma and Related Disorders</i> , 2019, 4, 165-172.	1.7	2
43	Assessing differential item functioning for the Social Appearance Anxiety Scale: a Scleroderma Patient-centered Intervention Network (SPIN) Cohort Study. <i>BMJ Open</i> , 2020, 10, e037639.	1.9	1
44	Performance of the Patient-Reported Outcomes Measurement Information System-29 in scleroderma: a Scleroderma Patient-centered Intervention Network Cohort Study. <i>Rheumatology</i> , 2019, , .	1.9	0
45	Mental Health Care Use and Associated Factors in Systemic Sclerosis: A Scleroderma Patient-centered Intervention Network Cohort Study. <i>ACR Open Rheumatology</i> , 0, , .	2.1	0