Francesco Lanza

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4880186/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	A prognostic model for patients with lymphoma and COVID-19: aÂmulticentre cohort study. Blood Advances, 2022, 6, 327-338.	5.2	28
2	Measurable residual disease (MRD) status before allogeneic hematopoietic cell transplantation impact on secondary acute myeloid leukemia outcome. A Study from the Acute Leukemia Working Party (ALWP) of the European society for Blood and Marrow Transplantation (EBMT). Bone Marrow Transplantation, 2022, 57, 1556-1563.	2.4	8
3	Spotlights on the latest opinions on identification, prevention, and management of newer CoV-2 variants: A roundup appraisal on innovative ideas and designer vaccines for Omicron. Transfusion and Apheresis Science, 2022, 61, 103499.	1.0	2
4	Management of patients with acute leukemia during the COVID-19 outbreak: practical guidelines from the acute leukemia working party of the European Society for Blood and Marrow Transplantation. Bone Marrow Transplantation, 2021, 56, 532-535.	2.4	36
5	Measurable residual disease (MRD) testing for acute leukemia in EBMT transplant centers: a survey on behalf of the ALWP of the EBMT. Bone Marrow Transplantation, 2021, 56, 218-224.	2.4	32
6	Therapeutic Use of Convalescent Plasma in COVID-19 Infected Patients with Concomitant Hematological Disorders. Clinical Hematology International, 2021, 3, 77.	1.7	8
7	Low-Dose Cyclophosphamide versus Intermediate-High-Dose Cyclophosphamide versus Granulocyte Colony-Stimulating Factor Alone for Stem Cell Mobilization in Multiple Myeloma in the Era of Novel Agents: A Multicenter Retrospective Study. Transplantation and Cellular Therapy, 2021, 27, 244.e1-244.e8.	1.2	14
8	Chemotherapy-based versus chemotherapy-free stem cell mobilization (± plerixafor) in multiple myeloma patients: an Italian cost-effectiveness analysis. Bone Marrow Transplantation, 2021, 56, 1876-1887.	2.4	8
9	Pharmacological Inhibition of WIP1 Sensitizes Acute Myeloid Leukemia Cells to the MDM2 Inhibitor Nutlin-3a. Biomedicines, 2021, 9, 388.	3.2	6
10	COVIDâ€19 in patients with paroxysmal nocturnal haemoglobinuria: an Italian multicentre survey. British Journal of Haematology, 2021, 194, 854-856.	2.5	10
11	Transfusion of blood products derived from SARS-CoV-2+ donors to patients with hematological malignancies. Transfusion and Apheresis Science, 2021, 60, 103105.	1.0	3
12	COVIDâ€19 elicits an impaired antibody response against SARSâ€CoVâ€2 in patients with haematological malignancies. British Journal of Haematology, 2021, 195, 371-377.	2.5	56
13	Therapeutic Targeting of Acute Myeloid Leukemia by Gemtuzumab Ozogamicin. Cancers, 2021, 13, 4566.	3.7	10
14	Targeted Therapies and Druggable Genetic Anomalies in Acute Myeloid Leukemia: From Diagnostic Tools to Therapeutic Interventions. Cancers, 2021, 13, 4698.	3.7	3
15	CPX-351 treatment in secondary acute myeloblastic leukemia is effective and improves the feasibility of allogeneic stem cell transplantation: results of the Italian compassionate use program. Blood Cancer Journal, 2020, 10, 96.	6.2	28
16	Trends and targets of various types of stem cell derived transfusable RBC substitution therapy: Obstacles that need to be converted to opportunity. Transfusion and Apheresis Science, 2020, 59, 102941.	1.0	5
17	ISSUE HIGHLIGHTS ―July 2020. Cytometry Part B - Clinical Cytometry, 2020, 98, 295-298.	1.5	2
18	Clinical characteristics and risk factors associated with COVID-19 severity in patients with haematological malignancies in Italy: a retrospective, multicentre, cohort study. Lancet Haematology,the, 2020, 7, e737-e745.	4.6	430

#	Article	IF	CITATIONS
19	The Circular Life of Human CD38: From Basic Science to Clinics and Back. Molecules, 2020, 25, 4844.	3.8	17
20	An Overview of Current Position on Cell Therapy in Transfusion Science and Medicine: From Fictional Promises to Factual and Perspectives from Red Cell Substitution to Stem Cell Therapy. Transfusion and Apheresis Science, 2020, 59, 102940.	1.0	6
21	Novel Insights in Anti-CD38 Therapy Based on CD38-Receptor Expression and Function: The Multiple Myeloma Model. Cells, 2020, 9, 2666.	4.1	11
22	NEW HORIZONS ON STEM CELL CRYOPRESERVATION THROUGH THE ARTIFICIAL EYES OF CD 34+, USING MODERN FLOW CYTOMETRY TOOLS. Transfusion and Apheresis Science, 2020, 59, 102785.	1.0	10
23	Manipulation, and cryopreservation of autologous peripheral blood stem cell products in Italy: A survey by GITMO, SIDEM and GIIMA societies. Transfusion and Apheresis Science, 2020, 59, 102753.	1.0	12
24	Reflection on passive immunotherapy in those who need most: some novel strategic arguments for obtaining safer therapeutic plasma or autologous antibodies from recovered COVIDâ€19 infected patients. British Journal of Haematology, 2020, 190, e27-e29.	2.5	28
25	CD22 Expression in B-Cell Acute Lymphoblastic Leukemia: Biological Significance and Implications for Inotuzumab Therapy in Adults. Cancers, 2020, 12, 303.	3.7	42
26	Convalescent plasma, an apheresis research project targeting and motivating the fully recovered COVID 19 patients: A rousing message of clinical benefit to both donors and recipients alike. Transfusion and Apheresis Science, 2020, 59, 102794.	1.0	43
27	<scp>CD34</scp> + cell dose effects on clinical outcomes after Tâ€cell replete haploidentical allogeneic hematopoietic stem cell transplantation for acute myeloid leukemia using peripheral blood stem cells. A study from the acute leukemia working Party of the European Society for blood and marrow transplantation (<scp>EBMT</scp>). American Journal of HematoJogy. 2020, 95, 892-899.	4.1	18
28	Clinical practice recommendation on hematopoietic stem cell transplantation for acute myeloid leukemia patients with <i>FLT3</i> -internal tandem duplication: a position statement from the Acute Leukemia Working Party of the European Society for Blood and Marrow Transplantation. Haematologica, 2020, 105, 1507-1516.	3.5	91
29	New monoclonal antibodies and tyrosine kinase inhibitors in B-cell acute lymphoblastic leukemia. Minerva Medica, 2020, 111, 478-490.	0.9	4
30	Development of adaptive immune effector therapies in solid tumors. Annals of Oncology, 2019, 30, 1740-1750.	1.2	35
31	GIMEMA AML1310 trial of risk-adapted, MRD-directed therapy for young adults with newly diagnosed acute myeloid leukemia. Blood, 2019, 134, 935-945.	1.4	148
32	Luigi Del Vecchio 1955–2018. Cytometry Part B - Clinical Cytometry, 2019, 96, 181-182.	1.5	0
33	Indications for haematopoietic stem cell transplantation for haematological diseases, solid tumours and immune disorders: current practice in Europe, 2019. Bone Marrow Transplantation, 2019, 54, 1525-1552.	2.4	218
34	Treatment of Adult Patients with Relapsed/Refractory B-Cell Philadelphia-Negative Acute Lymphoblastic Leukemia. Clinical Hematology International, 2019, 1, 85-93.	1.7	12
35	Secondary malignancies after high-dose chemotherapy in germ cell tumor patients: a 34-year retrospective study of the European Society for Blood and Marrow Transplantation (EBMT). Bone Marrow Transplantation, 2018, 53, 722-728.	2.4	5
36	Predicting failure of hematopoietic stem cell mobilization before it starts: the predicted poor mobilizer (pPM) score. Bone Marrow Transplantation, 2018, 53, 461-473.	2.4	28

#	Article	IF	CITATIONS
37	A Comparison of the Conditioning Regimens BEAM and FEAM for Autologous Hematopoietic Stem Cell Transplantation in Lymphoma: An Observational Study on 1038 Patients From Fondazione Italiana Linfomi. Biology of Blood and Marrow Transplantation, 2018, 24, 1814-1822.	2.0	18
38	Thiotepa, busulfan and fludarabine compared to busulfan and cyclophosphamide as conditioning regimen for allogeneic stem cell transplant from matched siblings and unrelated donors for acute myeloid leukemia. American Journal of Hematology, 2018, 93, 1211-1219.	4.1	20
39	Issue Highlight – July 2018. Cytometry Part B - Clinical Cytometry, 2018, 94, 557-560.	1.5	5
40	A comparative analysis of biosimilar vs. originator filgrastim in combination with plerixafor for stem cell mobilization in lymphoma and multiple myeloma: a propensityâ€score weighted multicenter approach. American Journal of Hematology, 2017, 92, E557-E559.	4.1	10
41	Salvage High-Dose Chemotherapy for Relapsed Pure Seminoma in the Last 10 Years: Results From the European Society for Blood and Marrow Transplantation Series 2002-2012. Clinical Genitourinary Cancer, 2017, 15, 163-167.	1.9	3
42	An unusual association of paroxysmal nocturnal hemoglobinuria, myelodysplastic syndrome, and diffuse large B-cell non-Hodgkin lymphoma in a Caucasian man. Annals of Hematology, 2016, 95, 1555-1557.	1.8	2
43	Expression of the immunoglobulin superfamily cell membrane adhesion molecule Cd146 in acute leukemia. Cytometry Part B - Clinical Cytometry, 2016, 90, 247-256.	1.5	5
44	Improved outcome of patients with relapsed/refractory Hodgkin lymphoma with a new fotemustineâ€based highâ€dose chemotherapy regimen. British Journal of Haematology, 2016, 172, 111-121.	2.5	16
45	High-Dose Chemotherapy and Autologous Hematopoietic Stem Cell Transplantation as Adjuvant Treatment in High-RiskABreast Cancer: Data from the European Group forABlood and Marrow Transplantation Registry. Biology of Blood and Marrow Transplantation, 2016, 22, 475-481.	2.0	7
46	Quality assessment of autologous haematopoietic blood progenitor cell grafting. Annals of Hematology, 2015, 94, 705-706.	1.8	0
47	Plerixafor: what we still have to learn. Expert Opinion on Biological Therapy, 2015, 15, 143-147.	3.1	13
48	High-Dose Chemotherapy With Autologous Hematopoietic Stem Cell Transplantation for High-Risk Primary Breast Cancer. Journal of the National Cancer Institute Monographs, 2015, 2015, 70-75.	2.1	13
49	Breast cancer circulating biomarkers: advantages, drawbacks, and new insights. Tumor Biology, 2015, 36, 6653-6665.	1.8	38
50	High-dose chemotherapy for germ cell tumors: do we have a model?. Expert Opinion on Biological Therapy, 2015, 15, 33-44.	3.1	15
51	Factors affecting successful mobilization with plerixafor: an <scp>I</scp> talian prospective survey in 215 patients with multiple myeloma and lymphoma. Transfusion, 2014, 54, 331-339.	1.6	39
52	Long-active granulocyte colony-stimulating factor for peripheral blood hematopoietic progenitor cell mobilization. Expert Opinion on Biological Therapy, 2014, 14, 757-772.	3.1	15
53	Adjuvant High-Dose Chemotherapy with Autologous Hematopoietic Stem Cell Support for High-Risk Primary Breast Cancer: Results from the Italian National Registry. Biology of Blood and Marrow Transplantation, 2014, 20, 501-506.	2.0	7
54	Autologous haematopoietic stem cell mobilisation in multiple myeloma and lymphoma patients: a position statement from the European Group for Blood and Marrow Transplantation. Bone Marrow Transplantation, 2014, 49, 865-872.	2.4	151

#	Article	IF	CITATIONS
55	Essential requirements for setting up a stem cell processing laboratory. Bone Marrow Transplantation, 2014, 49, 1098-1105.	2.4	35
56	Analysis of the contemporary use of high-dose chemotherapy (HDCT) in germ cell tumors (GCT) in Europe: Early findings of an ongoing EBMT-sponsored study Journal of Clinical Oncology, 2014, 32, e15536-e15536.	1.6	1
57	Issue Highlights—January 2013. Cytometry Part B - Clinical Cytometry, 2013, 84B, 1-4.	1.5	4
58	Individual Quality Assessment of Autografting by Probability Estimation for Clinical Endpoints: A Prospective Validation Study from the European Group for Blood and Marrow Transplantation. Biology of Blood and Marrow Transplantation, 2013, 19, 1670-1676.	2.0	26
59	Autologous stem cell transplantation: is it still relevant in breast cancer?. Breast Cancer Management, 2013, 2, 447-450.	0.2	О
60	Ten years after the first inspection of a candidate European centre, an EBMT registry analysis suggests that clinical outcome is improved when hematopoietic SCT is performed in a JACIE accredited program. Bone Marrow Transplantation, 2012, 47, 15-17.	2.4	21
61	Critical issues on high-dose chemotherapy with autologous hematopoietic progenitor cell transplantation in breast cancer patients. Expert Opinion on Biological Therapy, 2012, 12, 1505-1515.	3.1	14
62	The sorafenib plus nutlin-3 combination promotes synergistic cytotoxicity in acute myeloid leukemic cells irrespectively of FLT3 and p53 status. Haematologica, 2012, 97, 1722-1730.	3.5	44
63	Umbilical cord blood CD34+cell–derived progeny produces human leukocyte antigen–G molecules with immuno-modulatory functions. Human Immunology, 2012, 73, 150-155.	2.4	11
64	Plerixafor for Autologous Peripheral Blood Stem Cell Mobilization in Patients Previously Treated with Fludarabine or Lenalidomide. Biology of Blood and Marrow Transplantation, 2012, 18, 314-317.	2.0	42
65	Immunosuppressive Properties of Mesenchymal Stromal Cells. , 2012, , 281-301.		2
66	Cytogenetic and molecular cytogenetic profile of bone marrow-derived mesenchymal stromal cells in chronic and acute lymphoproliferative disorders. Annals of Hematology, 2012, 91, 1563-1577.	1.8	13
67	A simple method for identifying bone marrow mesenchymal stromal cells with a high immunosuppressive potential. Cytotherapy, 2011, 13, 523-527.	0.7	28
68	Flow cytometry immunophenotyping for the evaluation of bone marrow dysplasia. Cytometry Part B - Clinical Cytometry, 2011, 80B, 201-211.	1.5	40
69	A decreased positivity for CD90 on human mesenchymal stromal cells (MSCs) is associated with a loss of immunosuppressive activity by MSCs. Cytometry Part B - Clinical Cytometry, 2009, 76B, 225-230.	1.5	88
70	CXCR4pos circulating progenitor cells coexpressing monocytic and endothelial markers correlating with fibrotic clinical features are present in the peripheral blood of patients affected by systemic sclerosis. Haematologica, 2008, 93, 1233-1237.	3.5	29
71	Darbepoetin 500 mcg Q3W, Alone or in Combination with Peg-Filgrastim, in Low/Int1 IPSS Risk Myelodysplastic Syndromes Unresponsive to Recombinant Erythropoietin Blood, 2007, 110, 4606-4606.	1.4	10
72	Immunophenotypic heterogeneity of bone marrow-derived mesenchymal stromal cells from patients with hematologic disorders: correlation with bone marrow microenvironment. Haematologica, 2006, 91, 364-8.	3.5	32

#	Article	IF	CITATIONS
73	Evidence for a Role of TNF-Related Apoptosis-Inducing Ligand (TRAIL) in the Anemia of Myelodysplastic Syndromes. American Journal of Pathology, 2005, 166, 557-563.	3.8	89
74	"In vitro―evaluation of bone marrow angiogenesis in myelodysplastic syndromes: a morphological and functional approach. Leukemia Research, 2004, 28, 9-17.	0.8	18
75	In vitro assessment of bone marrow endothelial colonies (CFU-En) in non-Hodgkin's lymphoma patients undergoing peripheral blood stem cell transplantation. Bone Marrow Transplantation, 2003, 32, 1165-1173.	2.4	5
76	CXCR-4 Expression on Bone Marrow CD34+Cells Prior to Mobilization Can Predict Mobilization Adequacy in Patients with Hematologic Malignancies. Journal of Hematotherapy and Stem Cell Research, 2003, 12, 425-434.	1.8	16
77	Single platform enumeration of viable CD34(pos) cells. Journal of Biological Regulators and Homeostatic Agents, 2003, 17, 247-53.	0.7	15
78	Increased myeloperoxidase index and large unstained cell values can predict the neutropenia phase of cancer patients treated with standard dose chemotherapy. Cytometry, 2001, 46, 92-97.	1.8	19
79	CD34+ cell subsets and long-term culture colony-forming cells evaluated on both autologous and normal bone marrow stroma predict long-term hematopoietic engraftment in patients undergoing autologous peripheral blood stem cell transplantation. Experimental Hematology, 2001, 29, 1484-1493.	0.4	29
80	Structural and functional features of the CD34 antigen: an update. Journal of Biological Regulators and Homeostatic Agents, 2001, 15, 1-13.	0.7	80
81	PCR with degenerate primers for highly conserved DNA polymerase gene of the herpesvirus family shows neither human herpesvirus 8 nor a related variant in bone marrow stromal cells from multiple myeloma patients. , 2000, 86, 76-82.		14
82	Adverse Haematological Effects of Ticlopidine. Clinical Drug Investigation, 2000, 19, 231-237.	2.2	3
83	Acquired and Inherited Forms of Myeloperoxidase Deficiency: Clinical and Hematological Features. , 2000, , 150-156.		Ο
84	Assessment of distribution of CD34 epitope classes in fresh and cryopreserved peripheral blood progenitor cells and acute myeloid leukemic blasts. Haematologica, 1999, 84, 969-77.	3.5	19
85	Clinical manifestation of myeloperoxidase deficiency. Journal of Molecular Medicine, 1998, 76, 676-681.	3.9	161
86	The Reliability and Specificity of c-kit for the Diagnosis of Acute Myeloid Leukemias and Undifferentiated Leukemias. Blood, 1998, 92, 596-599.	1.4	181
87	Comparative analysis of different permeabilization methods for the flow cytometry measurement of cytoplasmic myeloperoxidase and lysozyme in normal and leukemic cells. , 1997, 30, 134-144.		35
88	Comparative analysis of different permeabilization methods for the flow cytometry measurement of cytoplasmic myeloperoxidase and lysozyme in normal and leukemic cells. Cytometry, 1997, 30, 134-44.	1.8	3
89	Letters to the editor. Cytometry, 1996, 24, 292-295.	1.8	7
90	Towards standardization in immunophenotyping hematological malignancies. How can we improve the reproducibility and comparability of flow cytometric results? Working Group on Leukemia Immunophenotyping. European Journal of Histochemistry, 1996, 40 Suppl 1, 7-14.	1.5	1

#	Article	IF	CITATIONS
91	Moving towards the definition of new clusters of designation at the 6th International Workshop on Human Leukocyte Differentiation Antigens. A brief description of the recently clustered molecules. European Journal of Histochemistry, 1996, 40 Suppl 1, 63-74.	1.5	0
92	Modulation of cell kinetics and cell cycle status by treating CD34+chronic myeloid leukaemia cells with p53 antisense phosphorothioate oligonucleotides. British Journal of Haematology, 1995, 90, 8-14.	2.5	19
93	Photomultiplier voltage setting: Possible important source of variability in molecular equivalents of soluble fluorochrome (MESF) calculation?. Cytometry, 1995, 20, 362-368.	1.8	8
94	Role of p53 in leukemogenesis of chronic myeloid leukemia. Stem Cells, 1995, 13, 445-452.	3.2	30
95	CD34+ Leukemic Cells Assessed by Different CD:34 Monoclonal Antibodies. Leukemia and Lymphoma, 1995, 18, 25-30.	1.3	10
96	Neutrophils from Patients with Myelodysplastic Syndromes: Relationship between Impairment of Granular Contents, Complement Receptors, Functional Activities and Disease Status. Leukemia and Lymphoma, 1994, 13, 471-477.	1.3	31
97	Prognostic Value of Immunophenotypic Characteristics of Blast Cells in Acute Myeloid Leukemia. Leukemia and Lymphoma, 1994, 13, 81-85.	1.3	15
98	Reduced expression of macrophage-associated antigens on alveolar mononuclear phagocytes from acquired immunodeficiency syndrome. International Journal of Clinical and Laboratory Research, 1993, 23, 146-150.	1.0	3
99	Complement Receptor 1 (CR1) Expression in Chronic Myeloid Leukemia. Leukemia and Lymphoma, 1992, 8, 35-41.	1.3	7
100	Evaluation of CR1 expression in neutrophils from chronic myeloid leukaemia: relationship between prognosis and cellular activity. British Journal of Haematology, 1991, 77, 66-72.	2.5	10
101	Cytochemically unreactive neutrophils from subjects with myeloperoxidase (MPO) deficiency show a complex pattern of immunoreactivity with anti-MPO monoclonal antibodies: A flow cytometric and immunocytochemical study. Annals of Hematology, 1991, 63, 94-100.	1.8	13
102	Cytogenetic aspects of B-cell chronic lymphocytic leukemia: Their correlation with clinical stage and different polyclonal mitogens. Cancer Genetics and Cytogenetics, 1987, 26, 75-84.	1.0	27
103	Monoclonal origin of B cells producing k, λ and kλ immunoglobulin light chains in a patient with chronic lymphocytic leukemia. Leukemia Research, 1987, 11, 1093-1098.	0.8	20