Lennart Weltje

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4880997/publications.pdf

Version: 2024-02-01

| 57 papers | 1,577 citations | 304743 22 h-index | 38 g-index |
|--------------|--------------------|-------------------------|----------------|
| 59 | 59 | 59 | 1976 |
| all docs | docs citations | times ranked | citing authors |

| # | Article | IF | CITATIONS |
|----|--|------|-----------|
| 1 | Investigating endocrineâ€disrupting properties of chemicals in fish and amphibians: Opportunities to apply the 3Rs. Integrated Environmental Assessment and Management, 2022, 18, 442-458. | 2.9 | 13 |
| 2 | Response to "A comprehensive review on environmental toxicity of azole compounds to fish― Chemosphere, 2022, 291, 133023. | 8.2 | O |
| 3 | Commentary: Assessing the endocrine disrupting effects of chemicals on invertebrates in the European Union. Environmental Sciences Europe, 2022, 34, . | 5.5 | 16 |
| 4 | Hormone data collection in support of endocrine disruption (ED) assessment for aquatic vertebrates: Pragmatic and animal welfare considerations. Environment International, 2021, 146, 106287. | 10.0 | 5 |
| 5 | The Extended Amphibian Metamorphosis Assay: A Thyroidâ€Specific and Less Animalâ€Intensive Alternative to the Larval Amphibian Growth and Development Assay. Environmental Toxicology and Chemistry, 2021, 40, 2135-2144. | 4.3 | 13 |
| 6 | Interpretation of sexual secondary characteristics (SSCs) in regulatory testing for endocrine activity in fish. Chemosphere, 2020, 240, 124943. | 8.2 | 9 |
| 7 | Does hepatotoxicity interfere with endocrine activity in zebrafish (Danio rerio)?. Chemosphere, 2020, 238, 124589. | 8.2 | 18 |
| 8 | (MIS)Use of the Adverse Outcome Pathway Concept for Assessing Endocrine Disruption in Nontarget Organisms. Integrated Environmental Assessment and Management, 2020, 16, 525-528. | 2.9 | 5 |
| 9 | Critical Review of Readâ€Across Potential in Testing for Endocrineâ€Related Effects in Vertebrate Ecological Receptors. Environmental Toxicology and Chemistry, 2020, 39, 739-753. | 4.3 | 23 |
| 10 | Is normalized hindlimb length measurement in assessment of thyroid disruption in the amphibian metamorphosis assay relevant?. Journal of Applied Toxicology, 2019, 39, 1164-1172. | 2.8 | 5 |
| 11 | Recommendations for Reducing the USE of Fish and Amphibians in Endocrineâ€Disruption Testing of Biocides and Plant Protection Products in Europe. Integrated Environmental Assessment and Management, 2019, 15, 659-662. | 2.9 | 6 |
| 12 | Assessing the population relevance of endocrineâ€disrupting effects for nontarget vertebrates exposed to plant protection products. Integrated Environmental Assessment and Management, 2019, 15, 278-291. | 2.9 | 14 |
| 13 | Risk assessment considerations for plant protection products and terrestrial life-stages of amphibians. Science of the Total Environment, 2018, 636, 500-511. | 8.0 | 8 |
| 14 | A review of the evidence for endocrine disrupting effects of current-use chemicals on wildlife populations. Critical Reviews in Toxicology, 2018, 48, 195-216. | 3.9 | 100 |
| 15 | Endocrine Disruption: Current approaches for regulatory testing and assessment of plant protection products are fit for purpose. Toxicology Letters, 2018, 296, 10-22. | 0.8 | 13 |
| 16 | Recommended approaches to the scientific evaluation of ecotoxicological hazards and risks of endocrine-active substances. Integrated Environmental Assessment and Management, 2017, 13, 267-279. | 2.9 | 38 |
| 17 | Validation of the OECD reproduction test guideline with the New Zealand mudsnail Potamopyrgus antipodarum using trenbolone and prochloraz. Ecotoxicology, 2017, 26, 370-382. | 2.4 | 10 |
| 18 | Reducing the number of fish in regulatory bioconcentration testing: Identifying and overcoming the barriers to using the 1â€concentration approach. Integrated Environmental Assessment and Management, 2017, 13, 212-214. | 2.9 | 1 |

| # | Article | IF | Citations |
|----|---|------|-----------|
| 19 | Development and validation of an OECD reproductive toxicity test guideline with the mudsnail Potamopyrgus antipodarum (Mollusca, Gastropoda). Chemosphere, 2017, 181, 589-599. | 8.2 | 12 |
| 20 | What Makes a Concentration Environmentally Relevant? Critique and a Proposal. Environmental Science & | 10.0 | 29 |
| 21 | Weight of evidence approaches for the identification of endocrine disrupting properties of chemicals: Review and recommendations for EU regulatory application. Regulatory Toxicology and Pharmacology, 2017, 91, 20-28. | 2.7 | 21 |
| 22 | An interspecies correlation model to predict acute dermal toxicity of plant protection products to terrestrial life stages of amphibians using fish acute toxicity and bioconcentration data. Chemosphere, 2017, 189, 619-626. | 8.2 | 6 |
| 23 | Uncertainties in biological responses that influence hazard and risk approaches to the regulation of endocrine active substances. Integrated Environmental Assessment and Management, 2017, 13, 293-301. | 2.9 | 22 |
| 24 | The utility of QSARs in predicting acute fish toxicity of pesticide metabolites: A retrospective validation approach. Regulatory Toxicology and Pharmacology, 2016, 80, 241-246. | 2.7 | 47 |
| 25 | Acute oral toxicity of chemicals in terrestrial life stages of amphibians: Comparisons to birds and mammals. Regulatory Toxicology and Pharmacology, 2016, 80, 335-341. | 2.7 | 14 |
| 26 | Optimizing the design of a reproduction toxicity test with the pond snail Lymnaea stagnalis. Regulatory Toxicology and Pharmacology, 2016, 81, 47-56. | 2.7 | 20 |
| 27 | Temporal population dynamics of the phantom midge Chaoborus crystallinus and its influence on the zooplankton community. Hydrobiologia, 2016, 770, 273-287. | 2.0 | 6 |
| 28 | <i>In Response</i> : Adverse outcome pathwaysâ€"An industry perspective. Environmental Toxicology and Chemistry, 2015, 34, 1937-1938. | 4.3 | 8 |
| 29 | A review of the effects of azole compounds in fish and their possible involvement in masculinization of wild fish populations. Critical Reviews in Toxicology, 2015, 45, 453-467. | 3.9 | 28 |
| 30 | Fipronil should not be categorized as a "systemic insecticide†a reply to Gibbons et al. (2015). Environmental Science and Pollution Research, 2015, 22, 17253-17254. | 5.3 | 3 |
| 31 | Development and validation of an OECD reproductive toxicity test guideline with the pond snail Lymnaea stagnalis (Mollusca, Gastropoda). Regulatory Toxicology and Pharmacology, 2014, 70, 605-614. | 2.7 | 49 |
| 32 | Reducing the number of fish in bioconcentration studies with general chemicals by reducing the number of test concentrations. Regulatory Toxicology and Pharmacology, 2014, 70, 442-445. | 2.7 | 20 |
| 33 | Mind the gap: Concerns using endpoints from endocrine screening assays in risk assessment. Regulatory Toxicology and Pharmacology, 2014, 69, 289-295. | 2.7 | 11 |
| 34 | Reducing the number of fish in bioconcentration studies for plant protection products by reducing the number of test concentrations. Chemosphere, 2013, 90, 1300-1304. | 8.2 | 13 |
| 35 | Refinement of the ECETOC approach to identify endocrine disrupting properties of chemicals in ecotoxicology. Toxicology Letters, 2013, 223, 291-294. | 0.8 | 10 |
| 36 | Test concentration setting for fish in vivo endocrine screening assays. Chemosphere, 2013, 92, 1067-1076. | 8.2 | 41 |

3

| # | Article | IF | CITATIONS |
|----|---|--------------|-----------|
| 37 | COMPARATIVE ACUTE AND CHRONIC SENSITIVITY OF FISH AND AMPHIBIANS: A CRITICAL REVIEW OF DATA. Environmental Toxicology and Chemistry, 2013, 32, 984-994. | 4.3 | 83 |
| 38 | No proof of synergy at environmentally realistic concentrations of prochloraz and esfenvalerate—A reaction on "Synergy in microcosms with environmentally realistic concentrations of prochloraz and esfenvalerate―by Bjergager et al. (Aquat. Toxicol. 101 (2011), 412–422). Aquatic Toxicology, 2013, 140-141, 466-468. | 4.0 | 5 |
| 39 | Developments on the Regulation of Endocrine Disrupting Substances in Europe – Hazard, Risk and the Need for a Scientific Approach. Outlooks on Pest Management, 2012, 23, 85-91. | 0.2 | 5 |
| 40 | Development of an embryo toxicity test with the pond snail Lymnaea stagnalis using the model substance tributyltin and common solvents. Science of the Total Environment, 2012, 435-436, 90-95. | 8.0 | 44 |
| 41 | Risk assessment of endocrine active chemicals: Identifying chemicals of regulatory concern. Regulatory Toxicology and Pharmacology, 2012, 64, 143-154. | 2.7 | 34 |
| 42 | 16th SETAC GLB (Society of Environmental Toxicology and Chemistry German LanguageBranch) Annual meeting held under the main theme "EcoTOXICOlogy andEnvironmental CHEMISTRY: crossing borders― from 18th to 20th September2011 at Landau. Environmental Sciences Europe, 2012, 24, . | 5 . 5 | O |
| 43 | Aquatic toxicity tests with substances that are poorly soluble in water and consequences for environmental risk assessment. Environmental Toxicology and Chemistry, 2012, 31, 1662-1669. | 4.3 | 29 |
| 44 | Science based guidance for the assessment of endocrine disrupting properties of chemicals. Regulatory Toxicology and Pharmacology, 2011, 59, 37-46. | 2.7 | 37 |
| 45 | The chironomid acute toxicity test: Development of a new test system. Integrated Environmental Assessment and Management, 2010, 6, 301-307. | 2.9 | 17 |
| 46 | Chronic toxicity of fenoxycarb to the midge Chironomus riparius after exposure in sediments of different composition. Journal of Soils and Sediments, 2009, 9, 94-102. | 3.0 | 13 |
| 47 | Water and Sediment EQS Derivation and Application. , 2009, , 47-103. | | 3 |
| 48 | Genotoxic damage in field-collected three-spined sticklebacks (Gasterosteus aculeatus L.): A suitable biomonitoring tool?. Mutation Research - Genetic Toxicology and Environmental Mutagenesis, 2007, 628, 19-30. | 1.7 | 66 |
| 49 | Endocrine disruption in nematodes: effects and mechanisms. Ecotoxicology, 2007, 16, 15-28. | 2.4 | 72 |
| 50 | The seven year itchâ€"progress in research on endocrine disruption in aquatic invertebrates since 1999. Ecotoxicology, 2007, 16, 1-3. | 2.4 | 15 |
| 51 | Chironomids: suitable test organisms for risk assessment investigations on the potential endocrine disrupting properties of pesticides. Ecotoxicology, 2007, 16, 221-230. | 2.4 | 62 |
| 52 | Reproductive stimulation by low doses of xenoestrogens contrasts with the view of hormesis as an adaptive response. Human and Experimental Toxicology, 2005, 24, 431-437. | 2.2 | 100 |
| 53 | Lutetium Speciation and Toxicity in a Microbial Bioassay: Testing the Free-lon Model for Lanthanides. Environmental Science & Technology, 2004, 38, 6597-6604. | 10.0 | 40 |
| 54 | Integrating Evolutionary Genetics and Ecotoxicology: On the Correspondence Between Reaction Norms and Concentration–Response Curves. Ecotoxicology, 2003, 12, 523-528. | 2.4 | 9 |

LENNART WELTJE

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 55 | Adsorption of metals to membrane filters in view of their speciation in nutrient solution. Environmental Toxicology and Chemistry, 2003, 22, 265-271. | 4.3 | 29 |
| 56 | Stimulated embryo production as a parameter of estrogenic exposure via sediments in the freshwater mudsnail Potamopyrgus antipodarum. Aquatic Toxicology, 2003, 64, 437-449. | 4.0 | 133 |
| 57 | Lanthanide concentrations in freshwater plants and molluscs, related to those in surface water, pore water and sediment. A case study in The Netherlands. Science of the Total Environment, 2002, 286, 191-214. | 8.0 | 117 |