

Lennart Weltje

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4880997/publications.pdf>

Version: 2024-02-01

57
papers

1,577
citations

304368

22
h-index

315357

38
g-index

59
all docs

59
docs citations

59
times ranked

1976
citing authors

#	ARTICLE	IF	CITATIONS
1	Investigating endocrine-disrupting properties of chemicals in fish and amphibians: Opportunities to apply the 3Rs. <i>Integrated Environmental Assessment and Management</i> , 2022, 18, 442-458.	1.6	13
2	Response to "A comprehensive review on environmental toxicity of azole compounds to fish". <i>Chemosphere</i> , 2022, 291, 133023.	4.2	0
3	Commentary: Assessing the endocrine disrupting effects of chemicals on invertebrates in the European Union. <i>Environmental Sciences Europe</i> , 2022, 34, .	2.6	16
4	Hormone data collection in support of endocrine disruption (ED) assessment for aquatic vertebrates: Pragmatic and animal welfare considerations. <i>Environment International</i> , 2021, 146, 106287.	4.8	5
5	The Extended Amphibian Metamorphosis Assay: A Thyroid-Specific and Less Animal-Intensive Alternative to the Larval Amphibian Growth and Development Assay. <i>Environmental Toxicology and Chemistry</i> , 2021, 40, 2135-2144.	2.2	13
6	Interpretation of sexual secondary characteristics (SSCs) in regulatory testing for endocrine activity in fish. <i>Chemosphere</i> , 2020, 240, 124943.	4.2	9
7	Does hepatotoxicity interfere with endocrine activity in zebrafish (<i>Danio rerio</i>)?. <i>Chemosphere</i> , 2020, 238, 124589.	4.2	18
8	(MIS)Use of the Adverse Outcome Pathway Concept for Assessing Endocrine Disruption in Nontarget Organisms. <i>Integrated Environmental Assessment and Management</i> , 2020, 16, 525-528.	1.6	5
9	Critical Review of Read-Across Potential in Testing for Endocrine-Related Effects in Vertebrate Ecological Receptors. <i>Environmental Toxicology and Chemistry</i> , 2020, 39, 739-753.	2.2	23
10	Is normalized hindlimb length measurement in assessment of thyroid disruption in the amphibian metamorphosis assay relevant?. <i>Journal of Applied Toxicology</i> , 2019, 39, 1164-1172.	1.4	5
11	Recommendations for Reducing the USE of Fish and Amphibians in Endocrine-Disruption Testing of Biocides and Plant Protection Products in Europe. <i>Integrated Environmental Assessment and Management</i> , 2019, 15, 659-662.	1.6	6
12	Assessing the population relevance of endocrine-disrupting effects for nontarget vertebrates exposed to plant protection products. <i>Integrated Environmental Assessment and Management</i> , 2019, 15, 278-291.	1.6	14
13	Risk assessment considerations for plant protection products and terrestrial life-stages of amphibians. <i>Science of the Total Environment</i> , 2018, 636, 500-511.	3.9	8
14	A review of the evidence for endocrine disrupting effects of current-use chemicals on wildlife populations. <i>Critical Reviews in Toxicology</i> , 2018, 48, 195-216.	1.9	100
15	Endocrine Disruption: Current approaches for regulatory testing and assessment of plant protection products are fit for purpose. <i>Toxicology Letters</i> , 2018, 296, 10-22.	0.4	13
16	Recommended approaches to the scientific evaluation of ecotoxicological hazards and risks of endocrine-active substances. <i>Integrated Environmental Assessment and Management</i> , 2017, 13, 267-279.	1.6	38
17	Validation of the OECD reproduction test guideline with the New Zealand mudsnail <i>Potamopyrgus antipodarum</i> using trenbolone and prochloraz. <i>Ecotoxicology</i> , 2017, 26, 370-382.	1.1	10
18	Reducing the number of fish in regulatory bioconcentration testing: Identifying and overcoming the barriers to using the 1-concentration approach. <i>Integrated Environmental Assessment and Management</i> , 2017, 13, 212-214.	1.6	1

#	ARTICLE	IF	CITATIONS
19	Development and validation of an OECD reproductive toxicity test guideline with the mudsnail <i>Potamopyrgus antipodarum</i> (Mollusca, Gastropoda). <i>Chemosphere</i> , 2017, 181, 589-599.	4.2	12
20	What Makes a Concentration Environmentally Relevant? Critique and a Proposal. <i>Environmental Science & Technology</i> , 2017, 51, 11520-11521.	4.6	29
21	Weight of evidence approaches for the identification of endocrine disrupting properties of chemicals: Review and recommendations for EU regulatory application. <i>Regulatory Toxicology and Pharmacology</i> , 2017, 91, 20-28.	1.3	21
22	An interspecies correlation model to predict acute dermal toxicity of plant protection products to terrestrial life stages of amphibians using fish acute toxicity and bioconcentration data. <i>Chemosphere</i> , 2017, 189, 619-626.	4.2	6
23	Uncertainties in biological responses that influence hazard and risk approaches to the regulation of endocrine active substances. <i>Integrated Environmental Assessment and Management</i> , 2017, 13, 293-301.	1.6	22
24	The utility of QSARs in predicting acute fish toxicity of pesticide metabolites: A retrospective validation approach. <i>Regulatory Toxicology and Pharmacology</i> , 2016, 80, 241-246.	1.3	47
25	Acute oral toxicity of chemicals in terrestrial life stages of amphibians: Comparisons to birds and mammals. <i>Regulatory Toxicology and Pharmacology</i> , 2016, 80, 335-341.	1.3	14
26	Optimizing the design of a reproduction toxicity test with the pond snail <i>Lymnaea stagnalis</i> . <i>Regulatory Toxicology and Pharmacology</i> , 2016, 81, 47-56.	1.3	20
27	Temporal population dynamics of the phantom midge <i>Chaoborus crystallinus</i> and its influence on the zooplankton community. <i>Hydrobiologia</i> , 2016, 770, 273-287.	1.0	6
28	<i>In Response</i> : Adverse outcome pathways – An industry perspective. <i>Environmental Toxicology and Chemistry</i> , 2015, 34, 1937-1938.	2.2	8
29	A review of the effects of azole compounds in fish and their possible involvement in masculinization of wild fish populations. <i>Critical Reviews in Toxicology</i> , 2015, 45, 453-467.	1.9	28
30	Fipronil should not be categorized as a “systemic insecticide” a reply to Gibbons et al. (2015). <i>Environmental Science and Pollution Research</i> , 2015, 22, 17253-17254.	2.7	3
31	Development and validation of an OECD reproductive toxicity test guideline with the pond snail <i>Lymnaea stagnalis</i> (Mollusca, Gastropoda). <i>Regulatory Toxicology and Pharmacology</i> , 2014, 70, 605-614.	1.3	49
32	Reducing the number of fish in bioconcentration studies with general chemicals by reducing the number of test concentrations. <i>Regulatory Toxicology and Pharmacology</i> , 2014, 70, 442-445.	1.3	20
33	Mind the gap: Concerns using endpoints from endocrine screening assays in risk assessment. <i>Regulatory Toxicology and Pharmacology</i> , 2014, 69, 289-295.	1.3	11
34	Reducing the number of fish in bioconcentration studies for plant protection products by reducing the number of test concentrations. <i>Chemosphere</i> , 2013, 90, 1300-1304.	4.2	13
35	Refinement of the ECETOC approach to identify endocrine disrupting properties of chemicals in ecotoxicology. <i>Toxicology Letters</i> , 2013, 223, 291-294.	0.4	10
36	Test concentration setting for fish in vivo endocrine screening assays. <i>Chemosphere</i> , 2013, 92, 1067-1076.	4.2	41

#	ARTICLE	IF	CITATIONS
37	COMPARATIVE ACUTE AND CHRONIC SENSITIVITY OF FISH AND AMPHIBIANS: A CRITICAL REVIEW OF DATA. <i>Environmental Toxicology and Chemistry</i> , 2013, 32, 984-994.	2.2	83
38	No proof of synergy at environmentally realistic concentrations of prochloraz and esfenvalerateâ€”A reaction on â€œSynergy in microcosms with environmentally realistic concentrations of prochloraz and esfenvalerateâ€”by Bjergager et al. (<i>Aquat. Toxicol.</i> 101 (2011), 412â€”422). <i>Aquatic Toxicology</i> , 2013, 140-141, 466-468.	1.9	5
39	Developments on the Regulation of Endocrine Disrupting Substances in Europe â€” Hazard, Risk and the Need for a Scientific Approach. <i>Outlooks on Pest Management</i> , 2012, 23, 85-91.	0.1	5
40	Development of an embryo toxicity test with the pond snail <i>Lymnaea stagnalis</i> using the model substance tributyltin and common solvents. <i>Science of the Total Environment</i> , 2012, 435-436, 90-95.	3.9	44
41	Risk assessment of endocrine active chemicals: Identifying chemicals of regulatory concern. <i>Regulatory Toxicology and Pharmacology</i> , 2012, 64, 143-154.	1.3	34
42	16th SETAC GLB (Society of Environmental Toxicology and Chemistry German Language Branch) Annual meeting held under the main theme â€œEcoTOXICOlogy and Environmental CHEMISTRY: crossing bordersâ€” from 18th to 20th September 2011 at Landau. <i>Environmental Sciences Europe</i> , 2012, 24, .	2.6	0
43	Aquatic toxicity tests with substances that are poorly soluble in water and consequences for environmental risk assessment. <i>Environmental Toxicology and Chemistry</i> , 2012, 31, 1662-1669.	2.2	29
44	Science based guidance for the assessment of endocrine disrupting properties of chemicals. <i>Regulatory Toxicology and Pharmacology</i> , 2011, 59, 37-46.	1.3	37
45	The chironomid acute toxicity test: Development of a new test system. <i>Integrated Environmental Assessment and Management</i> , 2010, 6, 301-307.	1.6	17
46	Chronic toxicity of fenoxycarb to the midge <i>Chironomus riparius</i> after exposure in sediments of different composition. <i>Journal of Soils and Sediments</i> , 2009, 9, 94-102.	1.5	13
47	Water and Sediment EQS Derivation and Application. , 2009, , 47-103.		3
48	Genotoxic damage in field-collected three-spined sticklebacks (<i>Gasterosteus aculeatus</i> L.): A suitable biomonitoring tool?. <i>Mutation Research - Genetic Toxicology and Environmental Mutagenesis</i> , 2007, 628, 19-30.	0.9	66
49	Endocrine disruption in nematodes: effects and mechanisms. <i>Ecotoxicology</i> , 2007, 16, 15-28.	1.1	72
50	The seven year itchâ€”progress in research on endocrine disruption in aquatic invertebrates since 1999. <i>Ecotoxicology</i> , 2007, 16, 1-3.	1.1	15
51	Chironomids: suitable test organisms for risk assessment investigations on the potential endocrine disrupting properties of pesticides. <i>Ecotoxicology</i> , 2007, 16, 221-230.	1.1	62
52	Reproductive stimulation by low doses of xenoestrogens contrasts with the view of hormesis as an adaptive response. <i>Human and Experimental Toxicology</i> , 2005, 24, 431-437.	1.1	100
53	Lutetium Speciation and Toxicity in a Microbial Bioassay: Testing the Free-Ion Model for Lanthanides. <i>Environmental Science & Technology</i> , 2004, 38, 6597-6604.	4.6	40
54	Integrating Evolutionary Genetics and Ecotoxicology: On the Correspondence Between Reaction Norms and Concentrationâ€”Response Curves. <i>Ecotoxicology</i> , 2003, 12, 523-528.	1.1	9

#	ARTICLE	IF	CITATIONS
55	Adsorption of metals to membrane filters in view of their speciation in nutrient solution. <i>Environmental Toxicology and Chemistry</i> , 2003, 22, 265-271.	2.2	29
56	Stimulated embryo production as a parameter of estrogenic exposure via sediments in the freshwater mudsnail <i>Potamopyrgus antipodarum</i> . <i>Aquatic Toxicology</i> , 2003, 64, 437-449.	1.9	133
57	Lanthanide concentrations in freshwater plants and molluscs, related to those in surface water, pore water and sediment. A case study in The Netherlands. <i>Science of the Total Environment</i> , 2002, 286, 191-214.	3.9	117