

Michael Jonathan Davies

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4883542/publications.pdf>

Version: 2024-02-01

457
papers

34,435
citations

4831

87
h-index

6024

165
g-index

485
all docs

485
docs citations

485
times ranked

30615
citing authors

#	ARTICLE	IF	CITATIONS
1	Oxidative Crosslinking of Peptides and Proteins: Mechanisms of Formation, Detection, Characterization and Quantification. <i>Molecules</i> , 2022, 27, 15.	1.7	38
2	Defining roles of specific reactive oxygen species (ROS) in cell biology and physiology. <i>Nature Reviews Molecular Cell Biology</i> , 2022, 23, 499-515.	16.1	469
3	Synthesis and cellular evaluation of click-chemistry probes to study the biological effects of alpha, beta-unsaturated carbonyls. <i>Redox Biology</i> , 2022, 52, 102299.	3.9	3
4	Reaction of cysteine residues with oxidized tyrosine residues mediates cross-linking of photo-oxidized casein proteins. <i>Food Chemistry</i> , 2022, 385, 132667.	4.2	10
5	Proteomic Characterization of Atherosclerotic Lesions In Situ Using Percutaneous Coronary Intervention Angioplasty Balloonsâ€”Brief Report. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2022, 42, 857-864.	1.1	4
6	Peroxynitrous acid-modified extracellular matrix alters gene and protein expression in human coronary artery smooth muscle cells and induces a pro-inflammatory phenotype. <i>Free Radical Biology and Medicine</i> , 2022, 186, 43-52.	1.3	4
7	Oxidant-mediated modification and cross-linking of beta-2-microglobulin. <i>Free Radical Biology and Medicine</i> , 2022, 187, 59-71.	1.3	1
8	Structural Basis for Dityrosine-Mediated Inhibition of α -Synuclein Fibrillization. <i>Journal of the American Chemical Society</i> , 2022, 144, 11949-11954.	6.6	6
9	Influence of plasma halide, pseudohalide and nitrite ions on myeloperoxidase-mediated protein and extracellular matrix damage. <i>Free Radical Biology and Medicine</i> , 2022, 188, 162-174.	1.3	9
10	Guidelines for measuring reactive oxygen species and oxidative damage in cells and in vivo. <i>Nature Metabolism</i> , 2022, 4, 651-662.	5.1	356
11	Electrophile versus oxidant modification of cysteine residues: Kinetics as a key driver of protein modification. <i>Archives of Biochemistry and Biophysics</i> , 2022, 727, 109344.	1.4	10
12	Myeloperoxidase: Mechanisms, reactions and inhibition as a therapeutic strategy in inflammatory diseases. , 2021, 218, 107685.		47
13	Cross-linking and modification of fibronectin by peroxynitrous acid: Mapping and quantification of damage provides a new model for domain interactions. <i>Journal of Biological Chemistry</i> , 2021, 296, 100360.	1.6	11
14	Dynein regulates Kv7.4 channel trafficking from the cell membrane. <i>Journal of General Physiology</i> , 2021, 153, .	0.9	14
15	Adduction reactions of alpha,beta-unsaturated carbonyls: using kinetics to determine biologically relevant reactions.. <i>Free Radical Biology and Medicine</i> , 2021, 165, 17.	1.3	0
16	Processed foods drive intestinal barrier permeability and microvascular diseases. <i>Science Advances</i> , 2021, 7, .	4.7	80
17	M. jannaschii FtsZ, a key protein in bacterial cell division, is inactivated by peroxy radical-mediated methionine oxidation. <i>Free Radical Biology and Medicine</i> , 2021, 166, 53-66.	1.3	2
18	Role of myeloperoxidase-derived oxidants in the induction of vascular smooth muscle cell damage. <i>Free Radical Biology and Medicine</i> , 2021, 166, 165-177.	1.3	7

#	ARTICLE	IF	CITATIONS
19	Modulation of hypochlorous acid (HOCl) induced damage to vascular smooth muscle cells by thiocyanate and selenium analogues. <i>Redox Biology</i> , 2021, 41, 101873.	3.9	21
20	Formation of protein cross-links by singlet oxygen-mediated disulfide oxidation. <i>Redox Biology</i> , 2021, 41, 101874.	3.9	20
21	Oxidation of lysozyme induced by peroxy radicals involves amino acid modifications, loss of activity, and formation of specific crosslinks. <i>Free Radical Biology and Medicine</i> , 2021, 167, 258-270.	1.3	4
22	Crosslinking of human plasma C-reactive protein to human serum albumin via disulfide bond oxidation. <i>Redox Biology</i> , 2021, 41, 101925.	3.9	10
23	Kinetic assessment of Michael addition reactions of alpha, beta-unsaturated carbonyl compounds to amino acid and protein thiols. <i>Free Radical Biology and Medicine</i> , 2021, 169, 1-11.	1.3	24
24	Oral pre-treatment with thiocyanate (SCN ⁻) protects against myocardial ischaemia-reperfusion injury in rats. <i>Scientific Reports</i> , 2021, 11, 12712.	1.6	11
25	Enzymatic cross-linking of collagens in organ fibrosis resolution and assessment. <i>Expert Review of Molecular Diagnostics</i> , 2021, 21, 1049-1064.	1.5	20
26	Role of myeloperoxidase and oxidant formation in the extracellular environment in inflammation-induced tissue damage. <i>Free Radical Biology and Medicine</i> , 2021, 172, 633-651.	1.3	73
27	The Use of Membrane Filtration to Increase Native Whey Proteins in Infant Formula. <i>Dairy</i> , 2021, 2, 515-529.	0.7	4
28	Suppressive effect of 1,4-anhydro-4-seleno-D-talitol (SeTal) on atopic dermatitis-like skin lesions in mice through regulation of inflammatory mediators. <i>Journal of Trace Elements in Medicine and Biology</i> , 2021, 67, 126795.	1.5	6
29	Anthocyanin complex niosome gel accelerates oral wound healing: In vitro and clinical studies. <i>Nanomedicine: Nanotechnology, Biology, and Medicine</i> , 2021, 37, 102423.	1.7	17
30	High concentrations of casein proteins exacerbate radical chain reactions and increase the extent of oxidative damage. <i>Food Hydrocolloids</i> , 2021, 121, 107060.	5.6	9
31	Oxidation of protein disulfide bonds by singlet oxygen gives rise to glutathionylated proteins. <i>Redox Biology</i> , 2021, 38, 101822.	3.9	23
32	Effect of macromolecular crowding on protein oxidation: Consequences on the rate, extent and oxidation pathways. <i>Redox Biology</i> , 2021, 48, 102202.	3.9	14
33	Iodide modulates protein damage induced by the inflammation-associated heme enzyme myeloperoxidase. <i>Redox Biology</i> , 2020, 28, 101331.	3.9	12
34	Inhibition and crosslinking of the selenoprotein thioredoxin reductase-1 by p-benzoquinone. <i>Redox Biology</i> , 2020, 28, 101335.	3.9	17
35	Effects of a novel selenium substituted-sugar (1,4-anhydro-4-seleno-d-talitol, SeTal) on human coronary artery cell lines and mouse aortic rings. <i>Biochemical Pharmacology</i> , 2020, 173, 113631.	2.0	9
36	Modification of Cys residues in human thioredoxin-1 by p-benzoquinone causes inhibition of its catalytic activity and activation of the ASK1/p38-MAPK signalling pathway. <i>Redox Biology</i> , 2020, 29, 101400.	3.9	11

#	ARTICLE	IF	CITATIONS
37	Azocompounds as generators of defined radical species: Contributions and challenges for free radical research. <i>Free Radical Biology and Medicine</i> , 2020, 160, 78-91.	1.3	34
38	Formation and characterization of crosslinks, including Tyr and Trp species, on one electron oxidation of free Tyr and Trp residues by carbonate radical anion. <i>RSC Advances</i> , 2020, 10, 25786-25800.	1.7	12
39	Peroxynitrous acid (ONOOH) modifies the structure of anastellin and influences its capacity to polymerize fibronectin. <i>Redox Biology</i> , 2020, 36, 101631.	3.9	5
40	Role of thiocyanate in the modulation of myeloperoxidase-derived oxidant induced damage to macrophages. <i>Redox Biology</i> , 2020, 36, 101666.	3.9	17
41	Oxidant-induced glutathionylation at protein disulfide bonds. <i>Free Radical Biology and Medicine</i> , 2020, 160, 513-525.	1.3	14
42	Dermal fibroblasts have different extracellular matrix profiles induced by TGF- β 2, PDGF and IL-6 in a model for skin fibrosis. <i>Scientific Reports</i> , 2020, 10, 17300.	1.6	54
43	Myeloperoxidase-derived damage to human plasma fibronectin: Modulation by protein binding and thiocyanate ions (SCN $^-$). <i>Redox Biology</i> , 2020, 36, 101641.	3.9	11
44	Myeloperoxidase Modulates Hydrogen Peroxide Mediated Cellular Damage in Murine Macrophages. <i>Antioxidants</i> , 2020, 9, 1255.	2.2	6
45	Generation of Aggregates of α -Lactalbumin by UV-B Light Exposure. <i>Journal of Agricultural and Food Chemistry</i> , 2020, 68, 6701-6714.	2.4	21
46	Characterization of disulfide (cystine) oxidation by HOCl in a model peptide: Evidence for oxygen addition, disulfide bond cleavage and adduct formation with thiols. <i>Free Radical Biology and Medicine</i> , 2020, 154, 62-74.	1.3	32
47	Absolute quantitative analysis of intact and oxidized amino acids by LC-MS without prior derivatization. <i>Redox Biology</i> , 2020, 36, 101586.	3.9	23
48	The leucine-rich repeat domain of human peroxidase 1 promotes binding to laminin in basement membranes. <i>Archives of Biochemistry and Biophysics</i> , 2020, 689, 108443.	1.4	13
49	Photo-oxidation of lysozyme triggered by riboflavin is O ₂ -dependent, occurs via mixed type 1 and type 2 pathways, and results in inactivation, site-specific damage and intra- and inter-molecular crosslinks. <i>Free Radical Biology and Medicine</i> , 2020, 152, 61-73.	1.3	23
50	UV oxidation of cyclic AMP receptor protein, a global bacterial gene regulator, decreases DNA binding and cleaves DNA at specific sites. <i>Scientific Reports</i> , 2020, 10, 3106.	1.6	7
51	Binding of myeloperoxidase to the extracellular matrix of smooth muscle cells and subsequent matrix modification. <i>Scientific Reports</i> , 2020, 10, 666.	1.6	25
52	The Role of Myeloperoxidase in Biomolecule Modification, Chronic Inflammation, and Disease. <i>Antioxidants and Redox Signaling</i> , 2020, 32, 957-981.	2.5	173
53	Unexpected light emission from tyrosyl radicals as a probe for tyrosine oxidation. <i>Free Radical Biology and Medicine</i> , 2020, 153, 12-16.	1.3	7
54	Interaction kinetics of selenium-containing compounds with oxidants. <i>Free Radical Biology and Medicine</i> , 2020, 155, 58-68.	1.3	19

#	ARTICLE	IF	CITATIONS
55	Photobiocatalysis by a Lytic Polysaccharide Monooxygenase Using Intermittent Illumination. ACS Sustainable Chemistry and Engineering, 2020, 8, 9301-9310.	3.2	20
56	Tempus fugitâ€¦. Free Radical Research, 2019, 53, 1-1.	1.5	4
57	Copper ion / H2O2 oxidation of Cu/Zn-Superoxide dismutase: Implications for enzymatic activity and antioxidant action. Redox Biology, 2019, 26, 101262.	3.9	31
58	Detection, identification, and quantification of oxidative protein modifications. Journal of Biological Chemistry, 2019, 294, 19683-19708.	1.6	250
59	Binding of rose bengal to lysozyme modulates photooxidation and cross-linking reactions involving tyrosine and tryptophan. Free Radical Biology and Medicine, 2019, 143, 375-386.	1.3	28
60	Whey proteins: targets of oxidation, or mediators of redox protection. Free Radical Research, 2019, 53, 1136-1152.	1.5	26
61	Is polycystic ovary syndrome a 20th Century phenomenon?. Medical Hypotheses, 2019, 124, 31-34.	0.8	19
62	Carnosine and Carnosine Derivatives Rapidly React with Hypochlorous Acid to Form Chloramines and Dichloramines. Chemical Research in Toxicology, 2019, 32, 513-525.	1.7	12
63	Personalized nutrition in ageing society: redox control of major-age related diseases through the NutRedOx Network (COST Action CA16112). Free Radical Research, 2019, 53, 1163-1170.	1.5	5
64	Hypochlorous acid-modified extracellular matrix contributes to the behavioral switching of human coronary artery smooth muscle cells. Free Radical Biology and Medicine, 2019, 134, 516-526.	1.3	30
65	3-Hydroxykynurenine bound to eye lens proteins induces oxidative modifications in crystalline proteins through a type I photosensitizing mechanism. Free Radical Biology and Medicine, 2019, 141, 103-114.	1.3	8
66	Identification and quantification of sites of nitration and oxidation in the key matrix protein laminin and the structural consequences of these modifications. Redox Biology, 2019, 24, 101226.	3.9	16
67	1,4-Anhydro-4-seleno-D-talitol (SeTal): a remarkable selenium-containing therapeutic molecule. New Journal of Chemistry, 2019, 43, 9759-9765.	1.4	21
68	Analysis of protein chlorination by mass spectrometry. Redox Biology, 2019, 26, 101236.	3.9	15
69	Quantification and Mechanisms of Oxidative Stress in Chronic Disease. Proceedings (mdpi), 2019, 11, 18.	0.2	2
70	Quantification of carbonate radical formation by the bicarbonate-dependent peroxidase activity of superoxide dismutase 1 using pyrogallol red bleaching. Redox Biology, 2019, 24, 101207.	3.9	3
71	Effects of Protein-Derived Amino Acid Modification Products Present in Infant Formula on Metabolic Function, Oxidative Stress, and Intestinal Permeability in Cell Models. Journal of Agricultural and Food Chemistry, 2019, 67, 5634-5646.	2.4	26
72	Reaction of quinones with proteins: Kinetics of adduct formation, effects on enzymatic activity and protein structure, and potential reversibility of modifications. Free Radical Biology and Medicine, 2019, 137, 169-180.	1.3	26

#	ARTICLE	IF	CITATIONS
73	Oxidation of human plasma fibronectin by inflammatory oxidants perturbs endothelial cell function. <i>Free Radical Biology and Medicine</i> , 2019, 136, 118-134.	1.3	28
74	THU0335â€¦FIBROSIS IS NOT JUST FIBROSIS â€“ TGF- β ™ AND PDGF INDUCE DIFFERENT EXTRACELLULAR MATRIX PROFILE: A MODEL OF DERMAL FIBROBLASTS WHICH MIMICS SYSTEMIC SCLEROSIS POTENTIAL FOR EVALUATION OF ANTI-FIBROTIC COMPOUNDS WITH TRANSLATIONAL BIOMARKERS. , 2019, , .		0
75	Effect of Methylglyoxal-Induced Glycation on the Composition and Structure of β -Lactoglobulin and α -Lactalbumin. <i>Journal of Agricultural and Food Chemistry</i> , 2019, 67, 699-710.	2.4	11
76	Chlorination and oxidation of the extracellular matrix protein laminin and basement membrane extracts by hypochlorous acid and myeloperoxidase. <i>Redox Biology</i> , 2019, 20, 496-513.	3.9	64
77	Characterisation and quantification of protein oxidative modifications and amino acid racemisation in powdered infant milk formula. <i>Free Radical Research</i> , 2019, 53, 68-81.	1.5	32
78	Riboflavin-induced Type 1 photo-oxidation of tryptophan using a high intensity 365â€“nm light emitting diode. <i>Free Radical Biology and Medicine</i> , 2019, 131, 133-143.	1.3	39
79	Complex diseases and co-morbidities: polycystic ovary syndrome and type 2 diabetes mellitus. <i>Endocrine Connections</i> , 2019, 8, R71-R75.	0.8	37
80	Synthesis and antioxidant capacity of novel stable 5-tellurofuranose derivatives. <i>Chemical Communications</i> , 2018, 54, 2990-2993.	2.2	12
81	Superoxide radicals react with peptide-derived tryptophan radicals with very high rate constants to give hydroperoxides as major products. <i>Free Radical Biology and Medicine</i> , 2018, 118, 126-136.	1.3	34
82	β - and α -casein aggregation induced by riboflavin-sensitized photo-oxidation occurs via di-tyrosine cross-links and is oxygen concentration dependent. <i>Food Chemistry</i> , 2018, 256, 119-128.	4.2	37
83	Special issue for the International Conference on Electron Paramagnetic Resonance Spectroscopy and Imaging of Biological Systems (EPR-2017). <i>Free Radical Research</i> , 2018, 52, 305-306.	1.5	1
84	Mass-Spectrometry-Based Identification of Cross-Links in Proteins Exposed to Photo-Oxidation and Peroxyl Radicals Using ^{18}O Labeling and Optimized Tandem Mass Spectrometry Fragmentation. <i>Journal of Proteome Research</i> , 2018, 17, 2017-2027.	1.8	30
85	Effect of free cysteine on the denaturation and aggregation of holo α -lactalbumin. <i>International Dairy Journal</i> , 2018, 79, 52-61.	1.5	24
86	Exposure of tropoelastin to peroxynitrous acid gives high yields of nitrated tyrosine residues, di-tyrosine cross-links and altered protein structure and function. <i>Free Radical Biology and Medicine</i> , 2018, 115, 219-231.	1.3	29
87	Early events in copper-ion catalyzed oxidation of α -synuclein. <i>Free Radical Biology and Medicine</i> , 2018, 121, 38-50.	1.3	23
88	Chlorination and oxidation of human plasma fibronectin by myeloperoxidase-derived oxidants, and its consequences for smooth muscle cell function. <i>Redox Biology</i> , 2018, 19, 388-400.	3.9	42
89	Structural and functional changes in RNase A originating from tyrosine and histidine cross-linking and oxidation induced by singlet oxygen and peroxyl radicals. <i>Free Radical Biology and Medicine</i> , 2018, 126, 73-86.	1.3	26
90	Identification and characterization of protein cross-links induced by oxidative reactions. <i>Expert Review of Proteomics</i> , 2018, 15, 665-681.	1.3	47

#	ARTICLE	IF	CITATIONS
91	Aggregation of $\hat{1}\pm$ - and $\hat{1}^2$ - caseins induced by peroxy radicals involves secondary reactions of carbonyl compounds as well as di-tyrosine and di-tryptophan formation. <i>Free Radical Biology and Medicine</i> , 2018, 124, 176-188.	1.3	28
92	A biotin enrichment strategy identifies novel carbonylated amino acids in proteins from human plasma. <i>Journal of Proteomics</i> , 2017, 156, 40-51.	1.2	25
93	Regulation and control of nitric oxide (NO) in macrophages: Protecting the "professional killer cell" from its own cytotoxic arsenal via MRP1 and GSTP1. <i>Biochimica Et Biophysica Acta - General Subjects</i> , 2017, 1861, 995-999.	1.1	32
94	Catalytic oxidant scavenging by selenium-containing compounds: Reduction of selenoxides and N-chloramines by thiols and redox enzymes. <i>Redox Biology</i> , 2017, 12, 872-882.	3.9	29
95	The immunoproteasome is induced by cytokines and regulates apoptosis in human islets. <i>Journal of Endocrinology</i> , 2017, 233, 369-379.	1.2	26
96	The structure of <i>Lactococcus lactis</i> thioredoxin reductase reveals molecular features of photo-oxidative damage. <i>Scientific Reports</i> , 2017, 7, 46282.	1.6	10
97	1,4-Anhydro-4-seleno-d-talitol (SeTal) protects endothelial function in the mouse aorta by scavenging superoxide radicals under conditions of acute oxidative stress. <i>Biochemical Pharmacology</i> , 2017, 128, 34-45.	2.0	25
98	Formation and detection of oxidant-generated tryptophan dimers in peptides and proteins. <i>Free Radical Biology and Medicine</i> , 2017, 113, 132-142.	1.3	51
99	Selenium-containing indolyl compounds: Kinetics of reaction with inflammation-associated oxidants and protective effect against oxidation of extracellular matrix proteins. <i>Free Radical Biology and Medicine</i> , 2017, 113, 395-405.	1.3	49
100	Unrestricted Mass Spectrometric Data Analysis for Identification, Localization, and Quantification of Oxidative Protein Modifications. <i>Journal of Proteome Research</i> , 2017, 16, 3978-3988.	1.8	20
101	The peroxy radical-induced oxidation of <i>Escherichia coli</i> FtsZ and its single tryptophan mutant (Y222W) modifies specific side-chains, generates protein cross-links and affects biological function. <i>Free Radical Biology and Medicine</i> , 2017, 112, 60-68.	1.3	10
102	Oxidative modifications of $\hat{1}\pm$ - and $\hat{1}^2$ - caseins induced by AAPH-derived peroxy radicals: Role of tryptophan and tyrosine residues. <i>Free Radical Biology and Medicine</i> , 2017, 108, S42.	1.3	0
103	Cardiac spheroids as promising in vitro models to study the human heart microenvironment. <i>Scientific Reports</i> , 2017, 7, 7005.	1.6	161
104	Peroxy radical- and photo-oxidation of glucose 6-phosphate dehydrogenase generates cross-links and functional changes via oxidation of tyrosine and tryptophan residues. <i>Free Radical Biology and Medicine</i> , 2017, 112, 240-252.	1.3	60
105	Effect of Oxidation and Protein Unfolding on Cross-Linking of $\hat{1}^2$ -Lactoglobulin and $\hat{1}\pm$ -Lactalbumin. <i>Journal of Agricultural and Food Chemistry</i> , 2017, 65, 10258-10269.	2.4	34
106	Protein cysteine oxidation in redox signaling: Caveats on sulfenic acid detection and quantification. <i>Archives of Biochemistry and Biophysics</i> , 2017, 617, 26-37.	1.4	66
107	Role of Myeloperoxidase Oxidants in the Modulation of Cellular Lysosomal Enzyme Function: A Contributing Factor to Macrophage Dysfunction in Atherosclerosis?. <i>PLoS ONE</i> , 2016, 11, e0168844.	1.1	12
108	Cross-linking of lens crystallin proteins induced by tryptophan metabolites and metal ions: implications for cataract development. <i>Free Radical Research</i> , 2016, 50, 1116-1130.	1.5	23

#	ARTICLE	IF	CITATIONS
109	Role of Mitochondrial Reactive Oxygen Species in the Activation of Cellular Signals, Molecules, and Function. Handbook of Experimental Pharmacology, 2016, 240, 439-456.	0.9	46
110	Reactivity of disulfide bonds is markedly affected by structure and environment: implications for protein modification and stability. Scientific Reports, 2016, 6, 38572.	1.6	101
111	Changes in mitochondrial homeostasis and redox status in astronauts following long stays in space. Scientific Reports, 2016, 6, 39015.	1.6	24
112	Quinone-induced protein modifications: Kinetic preference for reaction of 1,2-benzoquinones with thiol groups in proteins. Free Radical Biology and Medicine, 2016, 97, 148-157.	1.3	100
113	Protein oxidation and peroxidation. Biochemical Journal, 2016, 473, 805-825.	1.7	670
114	Chasing great paths of Helmut Sies – Oxidative Stress. Archives of Biochemistry and Biophysics, 2016, 595, 54-60.	1.4	11
115	Peroxynitrite-mediated oxidation of plasma fibronectin. Free Radical Biology and Medicine, 2016, 97, 602-615.	1.3	43
116	Key role of cysteine residues and sulfenic acids in thermal- and H ₂ O ₂ -mediated modification of β -lactoglobulin. Free Radical Biology and Medicine, 2016, 97, 544-555.	1.3	29
117	Oxidation of free, peptide and protein tryptophan residues mediated by AAPH-derived free radicals: role of alkoxy and peroxy radicals. RSC Advances, 2016, 6, 57948-57955.	1.7	44
118	Special issue for the 7th Biennial Meeting of Society for Free Radical Research-Asia (SFRR-Asia 2015) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5	1.5	0
119	Detection and characterisation of radicals using electron paramagnetic resonance (EPR) spin trapping and related methods. Methods, 2016, 109, 21-30.	1.9	145
120	Cellular targets of the myeloperoxidase-derived oxidant hypothiocyanous acid (HOSCN) and its role in the inhibition of glycolysis in macrophages. Free Radical Biology and Medicine, 2016, 94, 88-98.	1.3	33
121	The myeloperoxidase-derived oxidant hypothiocyanous acid inhibits protein tyrosine phosphatases via oxidation of key cysteine residues. Free Radical Biology and Medicine, 2016, 90, 195-205.	1.3	16
122	Exposure of aconitase to smoking-related oxidants results in iron loss and increased iron response protein-1 activity: potential mechanisms for iron accumulation in human arterial cells. Journal of Biological Inorganic Chemistry, 2016, 21, 305-317.	1.1	7
123	Competitive kinetics as a tool to determine rate constants for reduction of ferrylmyoglobin by food components. Food Chemistry, 2016, 199, 36-41.	4.2	5
124	Dietary advanced glycation end-products aggravate non-alcoholic fatty liver disease. World Journal of Gastroenterology, 2016, 22, 8026.	1.4	59
125	Back Cover: Plasma Process. Polym. 2015. Plasma Processes and Polymers, 2015, 12, 194-194.	1.6	0
126	Manganese superoxide dismutase promotes interaction of actin, S100A4 and Talin, and enhances rat gastric tumor cell invasion. Journal of Clinical Biochemistry and Nutrition, 2015, 57, 13-20.	0.6	8

#	ARTICLE	IF	CITATIONS
127	Low zinc and selenium concentrations in sepsis are associated with oxidative damage and inflammation. <i>British Journal of Anaesthesia</i> , 2015, 114, 990-999.	1.5	92
128	Thiocyanate supplementation decreases atherosclerotic plaque in mice expressing human myeloperoxidase. <i>Free Radical Research</i> , 2015, 49, 743-749.	1.5	33
129	Bio-functionalisation of polyether ether ketone using plasma immersion ion implantation. <i>Proceedings of SPIE</i> , 2015, , .	0.8	1
130	Bio-Activation of Polyether Ether Ketone Using Plasma Immersion Ion Implantation: A Kinetic Model. <i>Plasma Processes and Polymers</i> , 2015, 12, 180-193.	1.6	24
131	Prevention of degradation of the natural high potency sweetener (2R,4R)-monatin in mock beverage solutions. <i>Food Chemistry</i> , 2015, 173, 645-651.	4.2	4
132	The nitroxide radical TEMPOL prevents obesity, hyperlipidaemia, elevation of inflammatory cytokines, and modulates atherosclerotic plaque composition in apoE ^{-/-} mice. <i>Atherosclerosis</i> , 2015, 240, 234-241.	0.4	42
133	Comparative reactivity of the myeloperoxidase-derived oxidants HOCl and HOSCN with low-density lipoprotein (LDL): Implications for foam cell formation in atherosclerosis. <i>Archives of Biochemistry and Biophysics</i> , 2015, 573, 40-51.	1.4	24
134	Exploring oxidative modifications of tyrosine: An update on mechanisms of formation, advances in analysis and biological consequences. <i>Free Radical Research</i> , 2015, 49, 347-373.	1.5	101
135	Reactivity of selenium-containing compounds with myeloperoxidase-derived chlorinating oxidants: Second-order rate constants and implications for biological damage. <i>Free Radical Biology and Medicine</i> , 2015, 84, 279-288.	1.3	22
136	Reaction of low-molecular-mass organoselenium compounds (and their sulphur analogues) with inflammation-associated oxidants. <i>Free Radical Research</i> , 2015, 49, 750-767.	1.5	26
137	Determination of protein carbonyls in plasma, cell extracts, tissue homogenates, isolated proteins: Focus on sample preparation and derivatization conditions. <i>Redox Biology</i> , 2015, 5, 367-380.	3.9	222
138	Peroxynitrous acid induces structural and functional modifications to basement membranes and its key component, laminin. <i>Free Radical Biology and Medicine</i> , 2015, 89, 721-733.	1.3	35
139	Temperature Activated Diffusion of Radicals through Ion Implanted Polymers. <i>ACS Applied Materials & Interfaces</i> , 2015, 7, 26340-26345.	4.0	16
140	Kinetics of reaction of peroxyxynitrite with selenium- and sulfur-containing compounds: Absolute rate constants and assessment of biological significance. <i>Free Radical Biology and Medicine</i> , 2015, 89, 1049-1056.	1.3	28
141	Perturbation of Human Coronary Artery Endothelial Cell Redox State and NADPH Generation by Methylglyoxal. <i>PLoS ONE</i> , 2014, 9, e86564.	1.1	19
142	The smoking-associated oxidant hypothiocyanous acid induces endothelial nitric oxide synthase dysfunction. <i>Biochemical Journal</i> , 2014, 457, 89-97.	1.7	19
143	Glutathionylation Mediates Angiotensin II-Induced eNOS Uncoupling, Amplifying NADPH Oxidase-Dependent Endothelial Dysfunction. <i>Journal of the American Heart Association</i> , 2014, 3, e000731.	1.6	73
144	High plasma thiocyanate levels are associated with enhanced myeloperoxidase-induced thiol oxidation and long-term survival in subjects following a first myocardial infarction. <i>Free Radical Research</i> , 2014, 48, 1256-1266.	1.5	31

#	ARTICLE	IF	CITATIONS
145	Detection and characterisation of radicals in biological materials using EPR methodology. <i>Biochimica Et Biophysica Acta - General Subjects</i> , 2014, 1840, 708-721.	1.1	161
146	Inhibition of myeloperoxidase- and neutrophil-mediated oxidant production by tetraethyl and tetramethyl nitroxides. <i>Free Radical Biology and Medicine</i> , 2014, 70, 96-105.	1.3	34
147	Supplementation with carnosine decreases plasma triglycerides and modulates atherosclerotic plaque composition in diabetic apoE ^{-/-} mice. <i>Atherosclerosis</i> , 2014, 232, 403-409.	0.4	54
148	Oxidation and modification of extracellular matrix and its role in disease. <i>Free Radical Research</i> , 2014, 48, 970-989.	1.5	45
149	Competitive Reduction of Perferrylmyoglobin Radicals by Protein Thiols and Plant Phenols. <i>Journal of Agricultural and Food Chemistry</i> , 2014, 62, 11279-11288.	2.4	24
150	Tryptophan oxidation in proteins exposed to thiocyanate-derived oxidants. <i>Archives of Biochemistry and Biophysics</i> , 2014, 564, 1-11.	1.4	7
151	A Critical Role for Thioredoxin-Interacting Protein in Diabetes-Related Impairment of Angiogenesis. <i>Diabetes</i> , 2014, 63, 675-687.	0.3	57
152	Mechanisms of Degradation of the Natural High-Potency Sweetener (2R,4R)-Monatin in Mock Beverage Solutions. <i>Journal of Agricultural and Food Chemistry</i> , 2014, 62, 3476-3487.	2.4	3
153	Reevaluation of the rate constants for the reaction of hypochlorous acid (HOCl) with cysteine, methionine, and peptide derivatives using a new competition kinetic approach. <i>Free Radical Biology and Medicine</i> , 2014, 73, 60-66.	1.3	126
154	A Novel Method for Isolating and Culturing Human Cardiomyocytes from Cryopreserved Tissues. <i>Biophysical Journal</i> , 2014, 106, 564a.	0.2	1
155	Detection, Quantification, and Total Synthesis of Novel 3-Hydroxykynurenine Glucoside-Derived Metabolites Present in Human Lenses. , 2014, 55, 849.		6
156	Oxidation modifies the structure and function of the extracellular matrix generated by human coronary artery endothelial cells. <i>Biochemical Journal</i> , 2014, 459, 313-322.	1.7	34
157	The role of vascular-derived perlecan in modulating cell adhesion, proliferation and growth factor signaling. <i>Matrix Biology</i> , 2014, 35, 112-122.	1.5	105
158	The modern pharmacology of paracetamol: therapeutic actions, mechanism of action, metabolism, toxicity and recent pharmacological findings. <i>Inflammopharmacology</i> , 2013, 21, 201-232.	1.9	440
159	Methylglyoxal-induced modification of arginine residues decreases the activity of NADPH-generating enzymes. <i>Free Radical Biology and Medicine</i> , 2013, 61, 229-242.	1.3	12
160	Biomarkers of oxidative stress study V: Ozone exposure of rats and its effect on lipids, proteins, and DNA in plasma and urine. <i>Free Radical Biology and Medicine</i> , 2013, 61, 408-415.	1.3	47
161	Myeloperoxidase-derived oxidants modify apolipoprotein A-I and generate dysfunctional high-density lipoproteins: comparison of hypochlorous acid (HOCl) with hypochlorous acid (HOCl). <i>Biochemical Journal</i> , 2013, 449, 531-542.	1.7	55
162	Targeting the AGE/RAGE axis improves renal function in the context of a healthy diet low in advanced glycation end-product content. <i>Nephrology</i> , 2013, 18, 47-56.	0.7	30

#	ARTICLE	IF	CITATIONS
163	Comparative reactivity of the myeloperoxidase-derived oxidants hypochlorous acid and hypothiocyanous acid with human coronary artery endothelial cells. <i>Free Radical Biology and Medicine</i> , 2013, 65, 1352-1362.	1.3	41
164	Chemical Modification of Lysozyme, Glucose 6-Phosphate Dehydrogenase, and Bovine Eye Lens Proteins Induced by Peroxyl Radicals: Role of Oxidizable Amino Acid Residues. <i>Chemical Research in Toxicology</i> , 2013, 26, 67-77.	1.7	34
165	Superoxide radicals have a protective role during H ₂ O ₂ stress. <i>Molecular Biology of the Cell</i> , 2013, 24, 2876-2884.	0.9	57
166	Apolipoprotein A-I glycation by Glucose and Reactive Aldehydes Alters Phospholipid Affinity but Not Cholesterol Export from Lipid-Laden Macrophages. <i>PLoS ONE</i> , 2013, 8, e5430.	1.1	33
167	Selenium-containing amino acids are targets for myeloperoxidase-derived hypothiocyanous acid: determination of absolute rate constants and implications for biological damage. <i>Biochemical Journal</i> , 2012, 441, 305-316.	1.7	73
168	Myeloperoxidase-derived oxidants rapidly oxidize and disrupt zinc-cysteine/histidine clusters in proteins. <i>Free Radical Biology and Medicine</i> , 2012, 53, 2072-2080.	1.3	26
169	Preventing Protein Oxidation with Sugars: Scavenging of Hypohalous Acids by 5-Selenopyranose and 4-Selenofuranose Derivatives. <i>Chemical Research in Toxicology</i> , 2012, 25, 2589-2599.	1.7	33
170	Reactions and reactivity of myeloperoxidase-derived oxidants: Differential biological effects of hypochlorous and hypothiocyanous acids. <i>Free Radical Research</i> , 2012, 46, 975-995.	1.5	137
171	Selenium-containing amino acids as direct and indirect antioxidants. <i>IUBMB Life</i> , 2012, 64, 863-871.	1.5	109
172	Reduced metal ion concentrations in atherosclerotic plaques from subjects with Type 2 diabetes mellitus. <i>Atherosclerosis</i> , 2012, 222, 512-518.	0.4	11
173	Inhibition of lysosomal function in macrophages incubated with elevated glucose concentrations: A potential contributory factor in diabetes-associated atherosclerosis. <i>Atherosclerosis</i> , 2012, 223, 144-151.	0.4	12
174	Photo-oxidation-induced inactivation of the selenium-containing protective enzymes thioredoxin reductase and glutathione peroxidase. <i>Free Radical Biology and Medicine</i> , 2012, 53, 1308-1316.	1.3	30
175	The nitroxide TEMPO is an efficient scavenger of protein radicals: Cellular and kinetic studies. <i>Free Radical Biology and Medicine</i> , 2012, 53, 1664-1674.	1.3	51
176	Myeloperoxidase-Derived Oxidants Rapidly and Efficiently Oxidise Protein Zinc-Thiol Clusters. <i>Free Radical Biology and Medicine</i> , 2012, 53, S146.	1.3	0
177	Oxidation of Endothelial Nitric Oxide Synthase (eNOS) by Myeloperoxidase-Derived Hypothiocyanous Acid (HOSCN) is a Potential Cause of Smoking-Associated Endothelial Dysfunction. <i>Free Radical Biology and Medicine</i> , 2012, 53, S180.	1.3	0
178	Hypothiocyanous Acid (HOSCN) Causes Rapid Reversible and Irreversible Oxidation of Macrophage Peroxiredoxins. <i>Free Radical Biology and Medicine</i> , 2012, 53, S137.	1.3	0
179	Inactivation of Cellular Cathepsin Enzymes by Low-Density Lipoprotein Modified by Myeloperoxidase-Derived Oxidants. <i>Free Radical Biology and Medicine</i> , 2012, 53, S164.	1.3	0
180	EDITORIAL. <i>Free Radical Research</i> , 2012, 46, 1-1.	1.5	1

#	ARTICLE	IF	CITATIONS
181	Computational Design of Effective, Bioinspired HOCl Antioxidants: The Role of Intramolecular Cl ⁺ and H ⁺ Shifts. <i>Journal of the American Chemical Society</i> , 2012, 134, 19240-19245.	6.6	21
182	Is protein methylation in the human lens a result of non-enzymatic methylation by S-adenosylmethionine?. <i>Experimental Eye Research</i> , 2012, 99, 48-54.	1.2	28
183	Peroxynitrite Modulates Endothelial Cell-Derived Extracellular Matrix in Human Atherosclerotic Lesions. <i>Free Radical Biology and Medicine</i> , 2012, 53, S134.	1.3	0
184	Photo-oxidation of proteins. <i>Photochemical and Photobiological Sciences</i> , 2012, 11, 38-53.	1.6	438
185	Quantification of hydroxyl radical-derived oxidation products in peptides containing glycine, alanine, valine, and proline. <i>Free Radical Biology and Medicine</i> , 2012, 52, 328-339.	1.3	54
186	Myeloperoxidase-derived oxidants inhibit sarco/endoplasmic reticulum Ca ²⁺ -ATPase activity and perturb Ca ²⁺ homeostasis in human coronary artery endothelial cells. <i>Free Radical Biology and Medicine</i> , 2012, 52, 951-961.	1.3	42
187	Inactivation of thiol-dependent enzymes by hypothiocyanous acid: role of sulfenyl thiocyanate and sulfenic acid intermediates. <i>Free Radical Biology and Medicine</i> , 2012, 52, 1075-1085.	1.3	48
188	High plasma thiocyanate levels modulate protein damage induced by myeloperoxidase and perturb measurement of 3-chlorotyrosine. <i>Free Radical Biology and Medicine</i> , 2012, 53, 20-29.	1.3	45
189	Synthesis and antioxidant capacity of 5-selenopyranose derivatives. <i>Chemical Communications</i> , 2011, 47, 9693.	2.2	31
190	Dityrosine, 3,4-Dihydroxyphenylalanine (DOPA), and Radical Formation from Tyrosine Residues on Milk Proteins with Globular and Flexible Structures as a Result of Riboflavin-Mediated Photo-oxidation. <i>Journal of Agricultural and Food Chemistry</i> , 2011, 59, 7939-7947.	2.4	73
191	One-Electron Reduction of <i>N</i> -Chlorinated and <i>N</i> -Brominated Species Is a Source of Radicals and Bromine Atom Formation. <i>Chemical Research in Toxicology</i> , 2011, 24, 371-382.	1.7	29
192	Mechanisms and consequences of oxidative damage to extracellular matrix. <i>Biochemical Society Transactions</i> , 2011, 39, 1279-1287.	1.6	50
193	Peroxidase catalysed cross-linking of an intrinsically unstructured protein via dityrosine bonds in the oocyst wall of the apicomplexan parasite, <i>Eimeria maxima</i> . <i>International Journal for Parasitology</i> , 2011, 41, 1157-1164.	1.3	31
194	Amino acid, peptide, and protein hydroperoxides and their decomposition products modify the activity of the 26S proteasome. <i>Free Radical Biology and Medicine</i> , 2011, 50, 389-399.	1.3	15
195	High plasma thiocyanate levels in smokers are a key determinant of thiol oxidation induced by myeloperoxidase. <i>Free Radical Biology and Medicine</i> , 2011, 51, 1815-1822.	1.3	59
196	Catalytic activity of selenomethionine in removing amino acid, peptide, and protein hydroperoxides. <i>Free Radical Biology and Medicine</i> , 2011, 51, 2288-2299.	1.3	37
197	Modulation of Endothelial Cell Function by Myeloperoxidase-Derived Oxidants and its Contribution To Atherosclerosis. <i>Free Radical Biology and Medicine</i> , 2011, 51, S40-S41.	1.3	0
198	Effect of Exposure of Human Monocyte-Derived Macrophages to High, versus Normal, Glucose on Subsequent Lipid Accumulation from Glycated and Acetylated Low-Density Lipoproteins. <i>Experimental Diabetes Research</i> , 2011, 2011, 1-10.	3.8	11

#	ARTICLE	IF	CITATIONS
199	The myeloperoxidase-derived oxidant HOSCN inhibits protein tyrosine phosphatases and modulates cell signalling via the mitogen-activated protein kinase (MAPK) pathway in macrophages. <i>Biochemical Journal</i> , 2010, 430, 161-169.	1.7	73
200	Acetaminophen (paracetamol) inhibits myeloperoxidase-catalyzed oxidant production and biological damage at therapeutically achievable concentrations. <i>Biochemical Pharmacology</i> , 2010, 79, 1156-1164.	2.0	59
201	Cellular effects of peptide and protein hydroperoxides. <i>Free Radical Biology and Medicine</i> , 2010, 48, 1071-1078.	1.3	40
202	Peroxynitrite modifies the structure and function of the extracellular matrix proteoglycan perlecan by reaction with both the protein core and the heparan sulfate chains. <i>Free Radical Biology and Medicine</i> , 2010, 49, 282-293.	1.3	41
203	Cellular effects of photogenerated oxidants and long-lived, reactive, hydroperoxide photoproducts. <i>Free Radical Biology and Medicine</i> , 2010, 49, 1505-1515.	1.3	26
204	Myeloperoxidase-derived oxidation: mechanisms of biological damage and its prevention. <i>Journal of Clinical Biochemistry and Nutrition</i> , 2010, 48, 8-19.	0.6	324
205	Nonenzymatic Glycation Impairs the Antiinflammatory Properties of Apolipoprotein A-I. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2010, 30, 766-772.	1.1	125
206	Modulation of the Cellular Expression of Circulating Advanced Glycation End-Product Receptors in Type 2 Diabetic Nephropathy. <i>Experimental Diabetes Research</i> , 2010, 2010, 1-9.	3.8	14
207	Removal of amino acid, peptide and protein hydroperoxides by reaction with peroxiredoxins 2 and 3. <i>Biochemical Journal</i> , 2010, 432, 313-321.	1.7	52
208	Myeloperoxidase-derived oxidants selectively disrupt the protein core of the heparan sulfate proteoglycan perlecan. <i>Matrix Biology</i> , 2010, 29, 63-73.	1.5	54
209	Deleterious effects of reactive aldehydes and glycated proteins on macrophage proteasomal function: Possible links between diabetes and atherosclerosis. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2010, 1802, 561-571.	1.8	37
210	Site-specific hypochlorous acid-induced oxidation of recombinant human myoglobin affects specific amino acid residues and the rate of cytochrome b5-mediated heme reduction. <i>Free Radical Biology and Medicine</i> , 2010, 48, 35-46.	1.3	12
211	Hypothiocyanous acid reactivity with low-molecular-mass and protein thiols: absolute rate constants and assessment of biological relevance. <i>Biochemical Journal</i> , 2009, 422, 111-117.	1.7	115
212	Quantification of protein modification by oxidants. <i>Free Radical Biology and Medicine</i> , 2009, 46, 965-988.	1.3	398
213	Singlet-oxygen-mediated amino acid and protein oxidation: Formation of tryptophan peroxides and decomposition products. <i>Free Radical Biology and Medicine</i> , 2009, 47, 92-102.	1.3	213
214	Glycosaminoglycans are fragmented by hydroxyl, carbonate, and nitrogen dioxide radicals in a site-selective manner: implications for peroxynitrite-mediated damage at sites of inflammation. <i>Free Radical Biology and Medicine</i> , 2009, 47, 389-400.	1.3	52
215	Sixth Asia-Pacific EPR/ESR Symposium (APES 2008) Cairns Australia 13-18 July, 2008. <i>Applied Magnetic Resonance</i> , 2009, 36, 131-132.	0.6	0
216	Evidence for chronically elevated serum protein oxidation in systemic lupus erythematosus patients. <i>Free Radical Research</i> , 2009, 43, 117-127.	1.5	46

#	ARTICLE	IF	CITATIONS
217	What Are the Plasma Targets of the Oxidant Hypochlorous Acid? A Kinetic Modeling Approach. <i>Chemical Research in Toxicology</i> , 2009, 22, 807-817.	1.7	109
218	Hypobromous acid and bromamine production by neutrophils and modulation by superoxide. <i>Biochemical Journal</i> , 2009, 417, 773-781.	1.7	49
219	Inhibition of myeloperoxidase-mediated hypochlorous acid production by nitroxides. <i>Biochemical Journal</i> , 2009, 421, 79-86.	1.7	71
220	Effects of cross-link breakers, glycation inhibitors and insulin sensitisers on HDL function and the non-enzymatic glycation of apolipoprotein A-I. <i>Diabetologia</i> , 2008, 51, 1008-1017.	2.9	26
221	Mammalian Heme Peroxidases: From Molecular Mechanisms to Health Implications. <i>Antioxidants and Redox Signaling</i> , 2008, 10, 1199-1234.	2.5	490
222	Tryptophan-derived ultraviolet filter compounds covalently bound to lens proteins are photosensitizers of oxidative damage. <i>Free Radical Biology and Medicine</i> , 2008, 44, 1108-1119.	1.3	76
223	Oxidative damage to extracellular matrix and its role in human pathologies. <i>Free Radical Biology and Medicine</i> , 2008, 44, 1973-2001.	1.3	167
224	Degradation of extracellular matrix by peroxynitrite/peroxynitrous acid. <i>Free Radical Biology and Medicine</i> , 2008, 45, 716-725.	1.3	17
225	Hypochlorous acid oxidizes methionine and tryptophan residues in myoglobin. <i>Free Radical Biology and Medicine</i> , 2008, 45, 789-798.	1.3	31
226	Separation, detection, and quantification of hydroperoxides formed at side-chain and backbone sites on amino acids, peptides, and proteins. <i>Free Radical Biology and Medicine</i> , 2008, 45, 1279-1289.	1.3	25
227	Tryptophan residues are targets in hypothiocyanous acid-mediated protein oxidation. <i>Biochemical Journal</i> , 2008, 416, 441-452.	1.7	41
228	Identification of Plasma Proteins That Are Susceptible to Thiol Oxidation by Hypochlorous Acid and <i>N</i> -Chloramines. <i>Chemical Research in Toxicology</i> , 2008, 21, 1832-1840.	1.7	51
229	The Vinyl Ether Linkages of Plasmalogens Are Favored Targets for Myeloperoxidase-Derived Oxidants: A Kinetic Study. <i>Biochemistry</i> , 2008, 47, 8237-8245.	1.2	68
230	Nitric Oxide and Nitroxides Can Act as Efficient Scavengers of Protein-Derived Free Radicals. <i>Chemical Research in Toxicology</i> , 2008, 21, 2111-2119.	1.7	63
231	Hypothiocyanous acid is a more potent inducer of apoptosis and protein thiol depletion in murine macrophage cells than hypochlorous acid or hypobromous acid. <i>Biochemical Journal</i> , 2008, 414, 271-280.	1.7	76
232	Accumulation of Zinc in Human Atherosclerotic Lesions Correlates With Calcium Levels But Does Not Protect Against Protein Oxidation. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2008, 28, 1024-1030.	1.1	35
233	Oxidation of myosin by haem proteins generates myosin radicals and protein cross-links. <i>Biochemical Journal</i> , 2008, 410, 565-574.	1.7	109
234	Reversible Binding of Kynurenine to Lens Proteins: Potential Protection by Glutathione in Young Lenses. , 2007, 48, 3705.		19

#	ARTICLE	IF	CITATIONS
235	Carnosine and its constituents inhibit glycation of low-density lipoproteins that promotes foam cell formation in vitro. <i>FEBS Letters</i> , 2007, 581, 1067-1070.	1.3	75
236	Oxidation and Inactivation of SERCA by Selective Reaction of Cysteine Residues with Amino Acid Peroxides. <i>Chemical Research in Toxicology</i> , 2007, 20, 1462-1469.	1.7	58
237	Degradation of extracellular matrix and its components by hypobromous acid. <i>Biochemical Journal</i> , 2007, 401, 587-596.	1.7	38
238	Kinetics of Hypobromous Acid-Mediated Oxidation of Lipid Components and Antioxidants. <i>Chemical Research in Toxicology</i> , 2007, 20, 1980-1988.	1.7	49
239	Hypochlorous Acid-Mediated Protein Oxidation: How Important Are Chloramine Transfer Reactions and Protein Tertiary Structure?. <i>Biochemistry</i> , 2007, 46, 9853-9864.	1.2	101
240	Serum protein oxidation and apolipoprotein CIII levels in people with systemic lupus erythematosus with and without nephritis. <i>Free Radical Research</i> , 2007, 41, 1301-1312.	1.5	34
241	Novel human lens metabolites from normal and cataractous human lenses. <i>Tetrahedron</i> , 2007, 63, 4990-4999.	1.0	23
242	Glycation of low-density lipoprotein results in the time-dependent accumulation of cholesteryl esters and apolipoprotein B-100 protein in primary human monocyte-derived macrophages. <i>FEBS Journal</i> , 2007, 274, 1530-1541.	2.2	32
243	Degradation of matrix glycosaminoglycans by peroxynitrite/peroxynitrous acid: Evidence for a hydroxyl-radical-like mechanism. <i>Free Radical Biology and Medicine</i> , 2007, 42, 1278-1289.	1.3	47
244	Inhibition of protein tyrosine phosphatases by amino acid, peptide, and protein hydroperoxides: Potential modulation of cell signaling by protein oxidation products. <i>Free Radical Biology and Medicine</i> , 2007, 42, 1543-1551.	1.3	38
245	The impact of glycation on apolipoprotein A-I structure and its ability to activate lecithin:cholesterol acyltransferase. <i>Diabetologia</i> , 2007, 50, 643-653.	2.9	122
246	Chlorination and Nitration of DNA and Nucleic Acid Components. , 2007, , 14-39.		5
247	Actions of ultraviolet light on cellular structures. , 2006, , 131-157.		149
248	Protein and Low Molecular Mass Thiols as Targets and Inhibitors of Glycation Reactions. <i>Chemical Research in Toxicology</i> , 2006, 19, 1668-1676.	1.7	46
249	Evidence for Rapid Inter- and Intramolecular Chlorine Transfer Reactions of Histamine and Carnosine Chloramines: Implications for the Prevention of Hypochlorous-Acid-Mediated Damage. <i>Biochemistry</i> , 2006, 45, 8152-8162.	1.2	304
250	Effect of Side Chains on Competing Pathways for $\hat{\text{I}}^2$ -Scission Reactions of Peptide-Backbone Alkoxy Radicals. <i>Journal of Physical Chemistry A</i> , 2006, 110, 10316-10323.	1.1	19
251	Heparan Sulfate Degradation via Reductive Homolysis of Its N-Chloro Derivatives. <i>Journal of the American Chemical Society</i> , 2006, 128, 3085-3097.	6.6	44
252	Modification of low-density lipoprotein by myeloperoxidase-derived oxidants and reagent hypochlorous acid. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2006, 1761, 392-415.	1.2	156

#	ARTICLE	IF	CITATIONS
253	Hydrazine compounds inhibit glycation of low-density lipoproteins and prevent the in vitro formation of model foam cells from glycolaldehyde-modified low-density lipoproteins. <i>Diabetologia</i> , 2006, 49, 775-783.	2.9	42
254	Sensitizer-mediated photooxidation of histidine residues: Evidence for the formation of reactive side-chain peroxides. <i>Free Radical Biology and Medicine</i> , 2006, 40, 698-710.	1.3	120
255	Concentrations of iron correlate with the extent of protein, but not lipid, oxidation in advanced human atherosclerotic lesions. <i>Free Radical Biology and Medicine</i> , 2006, 40, 1636-1643.	1.3	42
256	Inhibition of cathepsins and related proteases by amino acid, peptide, and protein hydroperoxides. <i>Free Radical Biology and Medicine</i> , 2006, 40, 1539-1548.	1.3	55
257	Rearrangements in Model Peptide-Type Radicals via Intramolecular Hydrogen-Atom Transfer. <i>Helvetica Chimica Acta</i> , 2006, 89, 2254-2272.	1.0	39
258	Evidence for inactivation of cysteine proteases by reactive carbonyls via glycation of active site thiols. <i>Biochemical Journal</i> , 2006, 398, 197-206.	1.7	66
259	Reactions of Myeloperoxidase-Derived Oxidants with Biological Substrates: Gaining Chemical Insight into Human Inflammatory Diseases. <i>Current Medicinal Chemistry</i> , 2006, 13, 3271-3290.	1.2	316
260	Guanine-specific DNA damage induced by I^{137}Cs -irradiated histone. <i>Biochemical Journal</i> , 2005, 388, 813-818.	1.7	20
261	The oxidative environment and protein damage. <i>Biochimica Et Biophysica Acta - Proteins and Proteomics</i> , 2005, 1703, 93-109.	1.1	1,142
262	The role of reactive N-bromo species and radical intermediates in hypobromous acid-induced protein oxidation. <i>Free Radical Biology and Medicine</i> , 2005, 39, 900-912.	1.3	47
263	Protein oxidation injury occurs during pediatric cardiopulmonary bypass. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2005, 130, 1054-1061.	0.4	6
264	Increased levels of serum protein oxidation and correlation with disease activity in systemic lupus erythematosus. <i>Arthritis and Rheumatism</i> , 2005, 52, 2069-2079.	6.7	127
265	Glycation of low-density lipoproteins by methylglyoxal and glycolaldehyde gives rise to the in vitro formation of lipid-laden cells. <i>Diabetologia</i> , 2005, 48, 361-369.	2.9	74
266	Oxidation of heparan sulphate by hypochlorite: role of N-chloro derivatives and dichloramine-dependent fragmentation. <i>Biochemical Journal</i> , 2005, 391, 125-134.	1.7	53
267	Inactivation of Protease Inhibitors and Lysozyme by Hypochlorous Acid: Role of Side-Chain Oxidation and Protein Unfolding in Loss of Biological Function. <i>Chemical Research in Toxicology</i> , 2005, 18, 1600-1610.	1.7	93
268	Kinetic Analysis of the Role of Histidine Chloramines in Hypochlorous Acid Mediated Protein Oxidation. <i>Biochemistry</i> , 2005, 44, 7378-7387.	1.2	96
269	The Role of Aromatic Amino Acid Oxidation, Protein Unfolding, and Aggregation in the Hypobromous Acid-Induced Inactivation of Trypsin Inhibitor and Lysozyme. <i>Chemical Research in Toxicology</i> , 2005, 18, 1669-1677.	1.7	51
270	Evidence for the Formation of Adducts and S-(Carboxymethyl)cysteine on Reaction of α,β -Dicarbonyl Compounds with Thiol Groups on Amino Acids, Peptides, and Proteins. <i>Chemical Research in Toxicology</i> , 2005, 18, 1232-1241.	1.7	135

#	ARTICLE	IF	CITATIONS
271	Neuroprotectant effects of iso-osmolar d-mannitol to prevent Pacific ciguatoxin-1 induced alterations in neuronal excitability: A comparison with other osmotic agents and free radical scavengers. <i>Neuropharmacology</i> , 2005, 49, 669-686.	2.0	33
272	Direct Detection and Quantification of Transition Metal Ions in Human Atherosclerotic Plaques: Evidence for the Presence of Elevated Levels of Iron and Copper. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2004, 24, 949-954.	1.1	251
273	Protective mechanisms against peptide and protein peroxides generated by singlet oxygen. <i>Free Radical Biology and Medicine</i> , 2004, 36, 484-496.	1.3	76
274	EPR Spin trapping of protein radicals. <i>Free Radical Biology and Medicine</i> , 2004, 36, 1072-1086.	1.3	80
275	Markers of protein oxidation: different oxidants give rise to variable yields of bound and released carbonyl products. <i>Free Radical Biology and Medicine</i> , 2004, 36, 1175-1184.	1.3	113
276	Protein-bound kynurenine is a photosensitizer of oxidative damage. <i>Free Radical Biology and Medicine</i> , 2004, 37, 1479-1489.	1.3	93
277	Reactive species formed on proteins exposed to singlet oxygen. <i>Photochemical and Photobiological Sciences</i> , 2004, 3, 17.	1.6	348
278	Kinetic Analysis of the Reactions of Hypobromous Acid with Protein Components: Implications for Cellular Damage and Use of 3-Bromotyrosine as a Marker of Oxidative Stress. <i>Biochemistry</i> , 2004, 43, 4799-4809.	1.2	182
279	Hypochlorite and superoxide radicals can act synergistically to induce fragmentation of hyaluronan and chondroitin sulphates. <i>Biochemical Journal</i> , 2004, 381, 175-184.	1.7	92
280	Requirements for superoxide-dependent tyrosine hydroperoxide formation in peptides. <i>Biochemical Journal</i> , 2004, 381, 241-248.	1.7	100
281	Singlet oxygen-mediated damage to proteins and its consequences. <i>Biochemical and Biophysical Research Communications</i> , 2003, 305, 761-770.	1.0	858
282	Hypochlorite-induced oxidation of amino acids, peptides and proteins. <i>Amino Acids</i> , 2003, 25, 259-274.	1.2	518
283	Cell-mediated reduction of protein and peptide hydroperoxides to reactive free radicals. <i>Free Radical Biology and Medicine</i> , 2003, 34, 44-55.	1.3	35
284	Photo-oxidation of cells generates long-lived intracellular protein peroxides. <i>Free Radical Biology and Medicine</i> , 2003, 34, 637-647.	1.3	77
285	Glycation and glycooxidation of low-density lipoproteins by glucose and low-molecular mass aldehydes. <i>FEBS Journal</i> , 2003, 270, 3572-3582.	0.2	20
286	Glycation and glycooxidation of low-density lipoproteins by glucose and low-molecular mass aldehydes. Formation of modified and oxidized particles. <i>FEBS Journal</i> , 2003, 270, 3572-3582.	0.2	43
287	Hypochlorous Acid-Mediated Oxidation of Lipid Components and Antioxidants Present in Low-Density Lipoproteins: Absolute Rate Constants, Product Analysis, and Computational Modeling. <i>Chemical Research in Toxicology</i> , 2003, 16, 439-449.	1.7	117
288	Hypochlorite-Mediated Fragmentation of Hyaluronan, Chondroitin Sulfates, and Related N-Acetyl Glycosamines: Evidence for Chloramide Intermediates, Free Radical Transfer Reactions, and Site-Specific Fragmentation. <i>Journal of the American Chemical Society</i> , 2003, 125, 13719-13733.	6.6	86

#	ARTICLE	IF	CITATIONS
289	Radical chemistry of epigallocatechin gallate and its relevance to protein damage. Archives of Biochemistry and Biophysics, 2003, 414, 115-120.	1.4	88
290	Roles of Tyrosine-Rich Precursor Glycoproteins and Dityrosine- and 3,4-Dihydroxyphenylalanine-Mediated Protein Cross-Linking in Development of the Oocyst Wall in the Coccidian Parasite Eimeria maxima. Eukaryotic Cell, 2003, 2, 456-464.	3.4	85
291	The retina: oxidative stress and diabetes. Redox Report, 2003, 8, 187-192.	1.4	85
292	Fragmentation of extracellular matrix by hypochlorous acid. Biochemical Journal, 2003, 376, 219-227.	1.7	38
293	Detection of HOCl-mediated protein oxidation products in the extracellular matrix of human atherosclerotic plaques. Biochemical Journal, 2003, 370, 729-735.	1.7	101
294	Reaction of protein chloramines with DNA and nucleosides: evidence for the formation of radicals, protein-DNA cross-links and DNA fragmentation. Biochemical Journal, 2002, 365, 605-615.	1.7	66
295	Singlet Oxygen-mediated Protein Oxidation: Evidence for the Formation of Reactive Side Chain Peroxides on Tyrosine Residues. Photochemistry and Photobiology, 2002, 76, 35.	1.3	179
296	Analysis of Aliphatic Amino Acid Alcohols in Oxidized Proteins. , 2002, 186, 101-110.		0
297	Hypochlorite-Induced Damage to DNA, RNA, and Polynucleotides: Formation of Chloramines and Nitrogen-Centered Radicals. Chemical Research in Toxicology, 2002, 15, 83-92.	1.7	170
298	Absolute rate constants for the formation of nitrogen-centred radicals from chloramines/amides and their reactions with antioxidants. Perkin Transactions II RSC, 2002, , 1461.	1.1	19
299	Comparative time-courses of copper-ion-mediated protein and lipid oxidation in low-density lipoprotein. Archives of Biochemistry and Biophysics, 2002, 400, 223-232.	1.4	26
300	Inactivation of cellular enzymes by carbonyls and protein-bound glycation/glycoxidation products. Archives of Biochemistry and Biophysics, 2002, 403, 259-269.	1.4	187
301	Superoxide radicals can act synergistically with hypochlorite to induce damage to proteins. FEBS Letters, 2002, 510, 41-44.	1.3	42
302	Inactivation of cellular caspases by peptide-derived tryptophan and tyrosine peroxides. FEBS Letters, 2002, 527, 289-292.	1.3	51
303	Reaction between protein radicals and other biomolecules. Free Radical Biology and Medicine, 2002, 33, 201-209.	1.3	80
304	Beta-scission of side-chain alkoxy radicals on peptides and proteins results in the loss of side-chains as aldehydes and ketones. Free Radical Biology and Medicine, 2002, 32, 1171-1184.	1.3	69
305	Inhibition of glyceraldehyde-3-phosphate dehydrogenase by peptide and protein peroxides generated by singlet oxygen attack. FEBS Journal, 2002, 269, 1916-1925.	0.2	76
306	Oxidation of DNA, proteins and lipids by DOPA, protein-bound DOPA, and related catechol(amine)s. Toxicology, 2002, 177, 23-37.	2.0	70

#	ARTICLE	IF	CITATIONS
307	Induction of DNA damage by oxidised amino acids and proteins. <i>Biogerontology</i> , 2002, 3, 95-102.	2.0	43
308	Singlet Oxygen-mediated Protein Oxidation: Evidence for the Formation of Reactive Side Chain Peroxides on Tyrosine Residues. <i>Photochemistry and Photobiology</i> , 2002, 76, 35-46.	1.3	22
309	Absolute Rate Constants for the Reaction of Hypochlorous Acid with Protein Side Chains and Peptide Bonds. <i>Chemical Research in Toxicology</i> , 2001, 14, 1453-1464.	1.7	716
310	Hypochlorite- and Hypobromite-Mediated Radical Formation and Its Role in Cell Lysis. <i>Archives of Biochemistry and Biophysics</i> , 2001, 395, 137-145.	1.4	51
311	Hypochlorite-Induced Damage to Nucleosides: Formation of Chloramines and Nitrogen-Centered Radicals. <i>Chemical Research in Toxicology</i> , 2001, 14, 1071-1081.	1.7	75
312	Generation and propagation of radical reactions on proteins. <i>Biochimica Et Biophysica Acta - Bioenergetics</i> , 2001, 1504, 196-219.	0.5	616
313	Photo-oxidation of proteins and its consequences. <i>Comprehensive Series in Photosciences</i> , 2001, 3, 251-275.	0.3	8
314	An Investigation of the Chromium Oxidation State of a Monoanionic Chromium Tris(catecholate) Complex by X-ray Absorption and EPR Spectroscopies. <i>Inorganic Chemistry</i> , 2001, 40, 214-217.	1.9	24
315	Chromium(VI) Reduction by Catechol(amine)s Results in DNA Cleavage in Vitro: Relevance to Chromium Genotoxicity. <i>Chemical Research in Toxicology</i> , 2001, 14, 500-510.	1.7	44
316	Photo-oxidation of proteins and its role in cataractogenesis. <i>Journal of Photochemistry and Photobiology B: Biology</i> , 2001, 63, 114-125.	1.7	391
317	Perimenopausal Bone Loss: Principally due to Estrogen Depletion. <i>Journal of Bone and Mineral Research</i> , 2001, 16, 2367-2367.	3.1	4
318	Protein oxidation and ageing. <i>Experimental Gerontology</i> , 2001, 36, 1503-1518.	1.2	108
319	STABLE MARKERS OF OXIDANT DAMAGE TO PROTEINS AND THEIR APPLICATION IN THE STUDY OF HUMAN DISEASE. , 2001, , 17-29.		0
320	Singlet oxygen-mediated protein oxidation: evidence for the formation of reactive peroxides. <i>Redox Report</i> , 2000, 5, 159-161.	1.4	38
321	Reactions of Hypochlorous Acid with Tyrosine and Peptidyl-tyrosyl Residues Give Dichlorinated and Aldehydic Products in Addition to 3-Chlorotyrosine. <i>Journal of Biological Chemistry</i> , 2000, 275, 10851-10858.	1.6	84
322	Hypochlorite-induced damage to red blood cells: evidence for the formation of nitrogen-centred radicals. <i>Redox Report</i> , 2000, 5, 57-59.	1.4	7
323	An investigation into the genotoxic species generated during reduction of chromium(VI) by catechol(amine)s. <i>Redox Report</i> , 2000, 5, 130-132.	1.4	5
324	Formation of Hydroxyl Radicals in the Human Lens is Related to the Severity of Nuclear Cataract. <i>Experimental Eye Research</i> , 2000, 70, 81-88.	1.2	59

#	ARTICLE	IF	CITATIONS
325	$\dot{\text{I}}^2$ -Scission of C-3 ($\dot{\text{I}}^2$ -Carbon) Alkoxy Radicals on Peptides and Proteins: A Novel Pathway Which Results in the Formation of $\dot{\text{I}}^{\pm}$ -Carbon Radicals and the Loss of Amino Acid Side Chains. <i>Chemical Research in Toxicology</i> , 2000, 13, 1087-1095.	1.7	57
326	Hypochlorite-induced oxidation of thiols: Formation of thiyl radicals and the role of sulfenyl chlorides as intermediates. <i>Free Radical Research</i> , 2000, 33, 719-729.	1.5	48
327	EPR Studies of Chromium(V) Intermediates Generated via Reduction of Chromium(VI) by DOPA and Related Catecholamines: A Potential Role for Oxidized Amino Acids in Chromium-Induced Cancers. <i>Inorganic Chemistry</i> , 2000, 39, 2729-2739.	1.9	37
328	Radicals Derived from Histone Hydroperoxides Damage Nucleobases in RNA and DNA. <i>Chemical Research in Toxicology</i> , 2000, 13, 665-672.	1.7	80
329	Identification of radicals from hyaluronan (hyaluronic acid) and cross-linked derivatives using electron paramagnetic resonance spectroscopy. <i>Carbohydrate Polymers</i> , 1999, 38, 17-22.	5.1	30
330	Stable markers of oxidant damage to proteins and their application in the study of human disease. <i>Free Radical Biology and Medicine</i> , 1999, 27, 1151-1163.	1.3	410
331	Lipid Oxidation in Human Low-Density Lipoprotein Induced by Metmyoglobin/H ₂ O ₂ : Involvement of $\dot{\text{I}}^{\pm}$ -Tocopheroxyl and Phosphatidylcholine Alkoxy Radicals. <i>Chemical Research in Toxicology</i> , 1999, 12, 1173-1181.	1.7	31
332	Myoglobin-Induced Oxidative Damage: Evidence for Radical Transfer from Oxidized Myoglobin to Other Proteins and Antioxidants. <i>Archives of Biochemistry and Biophysics</i> , 1999, 362, 94-104.	1.4	94
333	Formation of Long-Lived Radicals on Proteins by Radical Transfer from Heme Enzymes: A Common Process?. <i>Archives of Biochemistry and Biophysics</i> , 1999, 362, 105-112.	1.4	73
334	Hypochlorite-induced oxidation of proteins in plasma: formation of chloramines and nitrogen-centred radicals and their role in protein fragmentation. <i>Biochemical Journal</i> , 1999, 340, 539-548.	1.7	169
335	Secondary radicals derived from chloramines of apolipoprotein B-100 contribute to HOCl-induced lipid peroxidation of low-density lipoproteins. <i>Biochemical Journal</i> , 1999, 339, 489-495.	1.7	101
336	Secondary radicals derived from chloramines of apolipoprotein B-100 contribute to HOCl-induced lipid peroxidation of low-density lipoproteins. <i>Biochemical Journal</i> , 1999, 339, 489.	1.7	41
337	Hypochlorite-induced oxidation of proteins in plasma: formation of chloramines and nitrogen-centred radicals and their role in protein fragmentation. <i>Biochemical Journal</i> , 1999, 340, 539.	1.7	64
338	Histone H1- and other protein- and amino acid-hydroperoxides can give rise to free radicals which oxidize DNA. <i>Biochemical Journal</i> , 1999, 344, 125-134.	1.7	69
339	Histone H1- and other protein- and amino acid-hydroperoxides can give rise to free radicals which oxidize DNA. <i>Biochemical Journal</i> , 1999, 344, 125.	1.7	31
340	Photodynamically Generated Bovine Serum Albumin Radicals: Evidence for Damage Transfer and Oxidation at Cysteine and Tryptophan Residues. <i>Free Radical Biology and Medicine</i> , 1998, 24, 754-766.	1.3	53
341	Direct Detection of Radicals in Intact Soybean Nodules: Presence of Nitric Oxide-Leghemoglobin Complexes. <i>Free Radical Biology and Medicine</i> , 1998, 24, 1242-1249.	1.3	121
342	Degradation of Hyaluronic Acid, Poly- and Mono-Saccharides, and Model Compounds by Hypochlorite: Evidence for Radical Intermediates and Fragmentation. <i>Free Radical Biology and Medicine</i> , 1998, 24, 1396-1410.	1.3	110

#	ARTICLE	IF	CITATIONS
343	Reaction of HOCl with amino acids and peptides: EPR evidence for rapid rearrangement and fragmentation reactions of nitrogen-centred radicals. <i>Journal of the Chemical Society Perkin Transactions II</i> , 1998, , 1937-1946.	0.9	88
344	Oxidation and Antioxidation of Human Low-Density Lipoprotein and Plasma Exposed to 3-Morpholinopyridone and Reagent Peroxynitrite. <i>Chemical Research in Toxicology</i> , 1998, 11, 484-494.	1.7	86
345	Protein Hydroperoxides and Carbonyl Groups Generated by Porphyrin-Induced Photo-oxidation of Bovine Serum Albumin. <i>Archives of Biochemistry and Biophysics</i> , 1998, 350, 249-258.	1.4	43
346	EPR studies on the selectivity of hydroxyl radical attack on amino acids and peptides. <i>Journal of the Chemical Society Perkin Transactions II</i> , 1998, , 2617-2622.	0.9	79
347	3-Hydroxylysine, a Potential Marker for Studying Radical-Induced Protein Oxidation. <i>Chemical Research in Toxicology</i> , 1998, 11, 1265-1273.	1.7	42
348	The Cytoplasmic Cu,Zn Superoxide Dismutase of <i>Saccharomyces cerevisiae</i> Is Required for Resistance to Freeze-Thaw Stress. <i>Journal of Biological Chemistry</i> , 1998, 273, 22921-22928.	1.6	125
349	Evidence for roles of radicals in protein oxidation in advanced human atherosclerotic plaque. <i>Biochemical Journal</i> , 1998, 333, 519-525.	1.7	230
350	Leghemoglobin: Properties and Reactions. <i>Advances in Inorganic Chemistry</i> , 1998, 46, 495-542.	0.4	18
351	Hypochlorite-induced damage to proteins: formation of nitrogen-centred radicals from lysine residues and their role in protein fragmentation. <i>Biochemical Journal</i> , 1998, 332, 617-625.	1.7	279
352	The protein oxidation product 3,4-dihydroxyphenylalanine (DOPA) mediates oxidative DNA damage. <i>Biochemical Journal</i> , 1998, 330, 1059-1067.	1.7	60
353	Biochemistry and pathology of radical-mediated protein oxidation. <i>Biochemical Journal</i> , 1997, 324, 1-18.	1.7	1,519
354	Absence of Synproportionation Between Oxy and Ferryl Leghemoglobin. <i>Free Radical Research</i> , 1997, 27, 165-171.	1.5	3
355	A study of photochemically-generated protein radical spin adducts on bovine serum albumin: the detection of genuine spin-trapping and artefactual, non-radical addition in the same molecule. <i>Redox Report</i> , 1997, 3, 225-231.	1.4	10
356	EPR spin-trapping studies of radicals generated from the FeII-catalysed degradation of nucleobase, nucleoside, RNA and DNA hydroperoxides. <i>Journal of the Chemical Society Perkin Transactions II</i> , 1997, , 2525-2532.	0.9	13
357	EPR spin-trapping studies of the reaction of hydroxyl and other electrophilic radicals with uridine and related compounds. Isotopic substitution to refine analyses and aid quantification. <i>Journal of the Chemical Society Perkin Transactions II</i> , 1997, , 2533-2538.	0.9	7
358	3.P.108 Protein-bound hydroxylated amino acid levels are elevated in human atherosclerotic plaque. <i>Atherosclerosis</i> , 1997, 134, 221.	0.4	0
359	A Kinetic and ESR Investigation of Iron(II) Oxalate Oxidation by Hydrogen Peroxide and Dioxygen as a Source of Hydroxyl Radicals. <i>Free Radical Research</i> , 1997, 27, 447-458.	1.5	74
360	3.P.96 Peroxynitrite oxidises LDL lipids via tocopherol-mediated peroxidation. <i>Atherosclerosis</i> , 1997, 134, 218.	0.4	0

#	ARTICLE	IF	CITATIONS
361	Oxidative damage to collagen and related substrates by metal ion/hydrogen peroxide systems: random attack or site-specific damage?. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 1997, 1360, 84-96.	1.8	80
362	Novel monohydroxamate drugs attenuate myocardial reperfusion-induced arrhythmias. <i>International Journal of Biochemistry and Cell Biology</i> , 1996, 28, 405-413.	1.2	0
363	Benzoyl Peroxide-Induced Damage to DNA and Its Components: Direct Evidence for the Generation of Base Adducts, Sugar Radicals, and Strand Breaks. <i>Archives of Biochemistry and Biophysics</i> , 1996, 332, 79-91.	1.4	46
364	Protein and Peptide Alkoxy Radicals Can Give Rise to C-Terminal Decarboxylation and Backbone Cleavage. <i>Archives of Biochemistry and Biophysics</i> , 1996, 336, 163-172.	1.4	109
365	Dynamics of spin-labelled $\hat{I}\pm$ -chymotrypsin in reverse micelles of differently charged surfactants. <i>Journal of the Chemical Society, Faraday Transactions</i> , 1996, 92, 3151-3155.	1.7	6
366	The synthesis and use of a ¹⁵ N and ² H isotopically-labelled derivative of the spin-trap 3, 5-dibromo-4-nitrosobenzenesulphonic acid. <i>Redox Report</i> , 1996, 2, 407-410.	1.4	9
367	Ascorbyl radical formation in patients with sepsis: Effect of ascorbate loading. <i>Free Radical Biology and Medicine</i> , 1996, 20, 139-143.	1.3	180
368	Direct detection and identification of radicals generated during the hydroxyl radical-induced degradation of hyaluronic acid and related materials. <i>Free Radical Biology and Medicine</i> , 1996, 21, 275-290.	1.3	110
369	Effect of propofol and thiopentone on free radical mediated oxidative stress of the erythrocyte. <i>British Journal of Anaesthesia</i> , 1996, 76, 536-543.	1.5	60
370	Leghemoglobin-derived Radicals. <i>Journal of Biological Chemistry</i> , 1996, 271, 32557-32562.	1.6	27
371	Ascorbic acid may protect against human gastric cancer by scavenging mucosal oxygen radicals. <i>Carcinogenesis</i> , 1996, 17, 559-562.	1.3	117
372	Xanthine oxidase activity and free radical generation in patients with sepsis syndrome. <i>Critical Care Medicine</i> , 1996, 24, 1649-1653.	0.4	139
373	A Study of the Effects of Complexation of Heme by Hemopexin upon its Reactions with Organic Peroxides. <i>Biochemical Society Transactions</i> , 1995, 23, 244S-244S.	1.6	4
374	Detection of intermediates formed on reaction of Hyaluronic acid and related materials with the hydroxyl radical. <i>Biochemical Society Transactions</i> , 1995, 23, 248S-248S.	1.6	8
375	Damage to DNA and RNA by tumour promoter-derived alkoxy radicals: an EPR spin trapping study. <i>Biochemical Society Transactions</i> , 1995, 23, 259S-259S.	1.6	4
376	Detection of protein radicals formed by the photodynamic action of porphyrin sensitizers. <i>Biochemical Society Transactions</i> , 1995, 23, 261S-261S.	1.6	7
377	The reactivity of ascorbate with different redox states of leghaemoglobin. <i>Phytochemistry</i> , 1995, 39, 1281-1286.	1.4	18
378	Reaction of ferric leghemoglobin with H ₂ O ₂ : formation of heme-protein cross-links and dimeric species. <i>BBA - Proteins and Proteomics</i> , 1995, 1251, 17-22.	2.1	28

#	ARTICLE	IF	CITATIONS
379	The reactivity of thiol compounds with different redox states of leghaemoglobin: evidence for competing reduction and addition pathways. <i>BBA - Proteins and Proteomics</i> , 1995, 1246, 74-81.	2.1	7
380	Epr Studies on the Effects of Complexation of Heme by Hemopexin upon its Reactions with Organic Peroxides. <i>Free Radical Research</i> , 1995, 23, 559-569.	1.5	8
381	Direct evidence for hydroxyl radical-induced damage to nucleic acids by chromium(VI)-derived species: implications for chromium carcinogenesis. <i>Carcinogenesis</i> , 1995, 16, 875-882.	1.3	37
382	Electron paramagnetic resonance studies of the reaction of aryl radicals with nucleic acids and their components. <i>Journal of the Chemical Society Perkin Transactions II</i> , 1995, , 2167.	0.9	25
383	EPR Spin-trapping studies of the reaction of radicals derived from hydroperoxide tumour-promoters with nucleic acids and their components. <i>Journal of the Chemical Society Perkin Transactions II</i> , 1995, , 895.	0.9	16
384	EPR Spin-trapping studies of radical damage to DNA. <i>Journal of the Chemical Society Perkin Transactions II</i> , 1995, , 13.	0.9	17
385	A Hydrogen-Donating Monohydroxamate Scavenges Ferryl Myoglobin Radicals. <i>Free Radical Research</i> , 1994, 20, 219-227.	1.5	38
386	Conformational changes induced in bovine serum albumin by the photodynamic action of haematoporphyrin. <i>Journal of Photochemistry and Photobiology B: Biology</i> , 1994, 24, 117-122.	1.7	12
387	Direct detection of radical generation in rat liver nuclei on treatment with tumour-promoting hydroperoxides and related compounds. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 1994, 1226, 56-64.	1.8	26
388	EPR spin-labelling and spin-trapping study of proteins in reverse micelles. <i>Journal of the Chemical Society, Faraday Transactions</i> , 1994, 90, 2643.	1.7	12
389	The Bactericidal Action of Peroxides; An E.P.R. Spin-Trapping Study. <i>Free Radical Research</i> , 1994, 21, 147-167.	1.5	38
390	Effects of N-methyl hexanoylhydroxamic acid (NMHH) and myoglobin on endothelial damage by hydrogen peroxide. <i>Cardiovascular Research</i> , 1994, 28, 1641-1646.	1.8	3
391	An EPR spin trapping study of albumin protein radicals formed by the photodynamic action of haematoporphyrin. <i>Journal of Photochemistry and Photobiology B: Biology</i> , 1993, 21, 167-173.	1.7	12
392	Detection and identification of macromolecule-derived radicals by epr spin trapping. <i>Research on Chemical Intermediates</i> , 1993, 19, 669-679.	1.3	28
393	Detection and reactions of the globin radical in haemoglobin. <i>BBA - Proteins and Proteomics</i> , 1993, 1202, 173-181.	2.1	88
394	Identification of the site of the globin-derived radical in leghaemoglobins. <i>BBA - Proteins and Proteomics</i> , 1993, 1202, 182-188.	2.1	16
395	The efficacy of monohydroxamates as free radical scavenging agents compared with di- and trihydroxamates. <i>Biochemical Pharmacology</i> , 1993, 45, 357-366.	2.0	30
396	Radical production from peroxide and peracid tumour promoters: EPR spin trapping studies. <i>Biochimica Et Biophysica Acta - General Subjects</i> , 1993, 1157, 23-31.	1.1	18

#	ARTICLE	IF	CITATIONS
397	Reactive species and their accumulation on radical-damaged proteins. Trends in Biochemical Sciences, 1993, 18, 437-441.	3.7	222
398	Free radical formation in murine skin treated with tumour promoting organic peroxides. Carcinogenesis, 1993, 14, 1499-1503.	1.3	36
399	EPR spin-trapping studies of the reaction of the hydroxyl radical with pyrimidine nucleobases, nucleosides and nucleotides, polynucleotides, and RNA. Direct evidence for sites of initial attack and for strand breakage. Journal of the Chemical Society Perkin Transactions II, 1993, , 2039.	0.9	19
400	The Effects of N-Methyl Butyrohydroxamic Acid and Other Monohydroxamates on Reperfusion-Induced Damage to Contractile Function in the Isolated Rat Heart. Free Radical Research Communications, 1993, 18, 269-277.	1.8	1
401	Radical-Induced Damage to Bovine Serum Albumin: Role of the Cysteine Residue. Free Radical Research Communications, 1993, 18, 353-367.	1.8	57
402	Comparison of N-Methyl Hexanoylhydroxamic Acid, a Novel Antioxidant, with Desferrioxamine and N-Acetyl Cysteine Against Reperfusion-Induced Dysfunctions in Isolated Rat Heart. Journal of Cardiovascular Pharmacology, 1993, 22, 336.	0.8	25
403	Free radical formation in isolated murine keratinocytes treated with organic peroxides and its modulation by antioxidants. Carcinogenesis, 1993, 14, 1615-1620.	1.3	40
404	A Novel Method for Measuring Antioxidant Capacity and its Application to Monitoring the Antioxidant Status in Premature Neonates. Clinical Science, 1993, 84, 407-412.	1.8	2,511
405	Glutathione-dependent conversion of ferryl leghaemoglobin into the ferric form: a potential protective process in soybean (Glycine max) root nodules. Biochemical Journal, 1993, 289, 435-438.	1.7	20
406	Antioxidant drugs and the inhibition of low-density lipoprotein oxidation. Biochemical Society Transactions, 1993, 21, 362-366.	1.6	7
407	A new method for measuring antioxidant activity. Biochemical Society Transactions, 1993, 21, 95S-95S.	1.6	79
408	Novel hydroxamates and myocardial reperfusion injury. Biochemical Society Transactions, 1993, 21, 96S-96S.	1.6	0
409	Detection of radicals in oxidised lipoproteins. Biochemical Society Transactions, 1993, 21, 87S-87S.	1.6	5
410	THE ANTIOXIDANT POTENTIAL OF PROPOFOL (2,6-DIISOPROPYLPHENOL) â€. British Journal of Anaesthesia, 1992, 68, 613-618.	1.5	321
411	Direct detection of a globin-derived radical in leghaemoglobin treated with peroxides. Biochemical Journal, 1992, 281, 197-201.	1.7	72
412	Detection of radicals produced by reaction of hydroperoxides with rat liver microsomal fractions. Biochimica Et Biophysica Acta - General Subjects, 1992, 1116, 192-203.	1.1	20
413	An EPR study of the transfer of radical-induced damage from the base to sugar in nucleic acid components: relevance to the occurrence of strand-breakage. Journal of the Chemical Society Perkin Transactions II, 1992, , 1379.	0.9	34
414	Nucleophilic substitution reactions of spin adducts. Implications for the correct identification of reaction intermediates by EPR/spin trapping. Journal of the Chemical Society Perkin Transactions II, 1992, , 333.	0.9	85

#	ARTICLE	IF	CITATIONS
415	Direct Detection of Free Radical Generation in an <i>In Vivo</i> Model of Acute Lung Injury. Free Radical Research Communications, 1991, 15, 167-176.	1.8	20
416	Identification of initiating agents in myoglobin-induced lipid peroxidation. Biochemical and Biophysical Research Communications, 1991, 179, 1414-1419.	1.0	58
417	The formation of free radicals by cardiac myocytes under oxidative stress and the effects of electron-donating drugs. Biochemical Journal, 1991, 277, 833-837.	1.7	90
418	Identification of a globin free radical in equine myoglobin treated with peroxides. BBA - Proteins and Proteomics, 1991, 1077, 86-90.	2.1	138
419	Radical-Induced Damage to Proteins: E.S.R. Spin-Trapping Studies. Free Radical Research Communications, 1991, 15, 111-127.	1.8	64
420	FREE RADICALS, MYOCYTES AND REPERFUSION INJURY. , 1991, , 438-443.		0
421	DETECTION OF MYOGLOBIN-DERIVED RADICALS BY ESR SPECTROSCOPY. , 1991, , 160-164.		0
422	Free radicals, myocytes and reperfusion injury. Biochemical Society Transactions, 1990, 18, 1056-1059.	1.6	23
423	Myocardial haem proteins, oxidant stress & free radical generation. Free Radical Biology and Medicine, 1990, 9, 182.	1.3	0
424	Detection of Myoglobin-Derived Radicals On Reaction of Metmyoglobin With Hydrogen Peroxide and Other Peroxidic Compounds. Free Radical Research Communications, 1990, 10, 361-370.	1.8	102
425	Electron Spin Resonance Studies on the Degradation of Hydroperoxides by Rat Liver Cytosol. Free Radical Research Communications, 1990, 9, 251-258.	1.8	8
426	Studies on the Effects of Antioxidants and Inhibitors of Radical Generation on Free Radical Production in the Reperfused Rat Heart Using Electron Spin Resonance Spectroscopy. Free Radical Research Communications, 1990, 9, 223-232.	1.8	32
427	Myocardial Tissue Preparation for ESR Spectroscopy: Some Methods May Cause Artfactual Generation of Signals. Free Radical Research Communications, 1990, 9, 55-63.	1.8	10
428	Studies on cervical intraepithelial neoplasia: The level of octadeca-9,11-dienoic acid and measurement of free radical content by electron spin resonance spectroscopy. American Journal of Obstetrics and Gynecology, 1990, 162, 854-858.	0.7	5
429	Desferrioxamine as a lipid chain-breaking antioxidant in sickle erythrocyte membranes. FEBS Letters, 1990, 264, 145-148.	1.3	55
430	Direct Detection of Radical Production in the Ischaemic and Reperfused Myocardium: Current Status. Free Radical Research Communications, 1989, 7, 275-284.	1.8	28
431	Manipulation of myocardial alpha-tocopherol levels fails to affect reperfusion arrhythmias or functional recovery following ischemic challenge in the rat heart. Basic Research in Cardiology, 1989, 84, 421-430.	2.5	7
432	Dynamics of reaction of [meso-tetrakis(2,6-dimethyl-3-sulfonatophenyl)porphinato]iron(III) hydrate with tert-butyl hydroperoxide in aqueous solution. II. Establishment of a mechanism that involves homolytic oxygen-oxygen bond breaking and one-electron oxidation of the iron(III) porphyrin. Journal of the American Chemical Society, 1989, 111, 1477-1483.	6.6	43

#	ARTICLE	IF	CITATIONS
433	Direct Detection of Peroxyl Radicals Formed in the Reactions of Metmyoglobin and Methaemoglobin with t-butyl Hydroperoxide. Free Radical Research Communications, 1989, 7, 27-32.	1.8	7
434	Detection of peroxyl and alkoxyl radicals produced by reaction of hydroperoxides with rat liver microsomal fractions. Biochemical Journal, 1989, 257, 603-606.	1.7	130
435	Desferrioxamine and membrane oxidation: radical scavenger or iron chelator?. Biochemical Society Transactions, 1989, 17, 1002-1003.	1.6	5
436	Detection of peroxyl and alkoxyl radicals produced by reaction of hydroperoxides with heme-proteins by electron spin resonance spectroscopy. Biochimica Et Biophysica Acta - General Subjects, 1988, 964, 28-35.	1.1	142
437	The use of electron-spin-resonance techniques to detect free-radical formation and tissue damage. Proceedings of the Nutrition Society, 1988, 47, 397-405.	0.4	11
438	Effects of Î±-Tocopherol on Carbon Tetrachloride Metabolism in Rat Liver Microsomes. Free Radical Research Communications, 1987, 3, 325-330.	1.8	27
439	Free radical mechanisms in relation to tissue injury. Proceedings of the Nutrition Society, 1987, 46, 1-12.	0.4	144
440	Studies on the metal-ion and lipoxygenase-catalysed breakdown of hydroperoxides using electron-spin-resonance spectroscopy. Biochemical Journal, 1987, 245, 167-173.	1.7	107
441	Desferrioxamine (Desferal) and superoxide free radicals. Formation of an enzyme-damaging nitroxide. Biochemical Journal, 1987, 246, 725-729.	1.7	132
442	Direct detection of free radicals in the reperfused rat heart using electron spin resonance spectroscopy.. Circulation Research, 1987, 61, 757-760.	2.0	625
443	Nature of oxide-supported copper(II) ions and copper derived from copper(II) chloride. Journal of the Chemical Society Faraday Transactions I, 1987, 83, 1347.	1.0	45
444	Applications of electron spin resonance spectroscopy to the identification of radicals produced during lipid peroxidation. Chemistry and Physics of Lipids, 1987, 44, 149-173.	1.5	42
445	Electron spin resonance and pulse radiolysis studies on the spin trapping of sulphur-centered radicals. Chemico-Biological Interactions, 1987, 61, 177-188.	1.7	103
446	Pulse radiolysis and electron spin resonance studies of the dehydration of radicals from 1,2-diols and related compounds. Journal of the Chemical Society Perkin Transactions II, 1986, , 1003.	0.9	59
447	Studies on the photolytic breakdown of hydroperoxides and peroxidized fatty acids by using electron spin resonance spectroscopy. Spin trapping of alkoxyl and peroxyl radicals in organic solvents. Biochemical Journal, 1986, 240, 789-795.	1.7	89
448	Electron spin resonance spin trapping studies on the photolytic generation of halocarbon radicals. Chemico-Biological Interactions, 1986, 58, 137-147.	1.7	28
449	Electron spin resonance studies. Part 69. Oxidation of some aliphatic carboxylic acids, carboxylate anions, and related compounds by the sulphate radical anion (SO ₄ ^{•-}). Journal of the Chemical Society Perkin Transactions II, 1985, , 1199-1204.	0.9	52
450	Electron spin resonance studies. Part 68. Addition versus overall one-electron abstraction in the oxidation of alkenes and dienes by SO ₄ ^{•-} , Cl ₂ ^{•-} , and [•] OH in acidic aqueous solution. Journal of the Chemical Society Perkin Transactions II, 1984, , 1809-1815.	0.9	60

#	ARTICLE	IF	CITATIONS
451	Electron spin resonance. Part 67. Oxidation of aliphatic sulphides and sulphoxides by the sulphate radical anion ($\text{SO}_4^{\bullet-}$) and of aliphatic radicals by the peroxydisulphate anion ($\text{S}_2\text{O}_8^{\bullet-}$). Journal of the Chemical Society Perkin Transactions II, 1984, , 503-509.	0.9	39
452	E.s.r. evidence for the multiplicity of side-chain oxidation pathways in the acid-catalysed decomposition of substituted hydroxycyclohexadienyl radicals. Journal of the Chemical Society Chemical Communications, 1984, , 966.	2.0	9
453	Electron spin resonance studies. Part 64. The hydroxyl radical-induced decarboxylation of methionine and some related compounds. Journal of the Chemical Society Perkin Transactions II, 1983, , 731.	0.9	25
454	Electron spin resonance studies. Part 65. The selectivity of radical attack on halogen-containing compounds. Journal of the Chemical Society Perkin Transactions II, 1983, , 1755.	0.9	22
455	Biological Free Radicals. Electron Paramagnetic Resonance, 0, , 1-42.	0.2	7
456	Rcent developments in EPR spin-trapping. Electron Paramagnetic Resonance, 0, , 47-73.	0.2	22
457	ESR studies of organic free radicals from carboxylic acids and their derivatives. , 0, , 227-266.		0