

Kyung Hyun Ahn

List of Publications by Citations

Source: <https://exaly.com/author-pdf/4883822/kyung-hyun-ahn-publications-by-citations.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

189
papers

5,567
citations

36
h-index

69
g-index

198
ext. papers

6,238
ext. citations

4.1
avg. IF

5.74
L-index

#	Paper	IF	Citations
189	A review of nonlinear oscillatory shear tests: Analysis and application of large amplitude oscillatory shear (LAOS). <i>Progress in Polymer Science</i> , 2011 , 36, 1697-1753	29.6	852
188	Large amplitude oscillatory shear as a way to classify the complex fluids. <i>Journal of Non-Newtonian Fluid Mechanics</i> , 2002 , 107, 51-65	2.7	544
187	The role of organically modified layered silicate in the breakup and coalescence of droplets in PBT/PE blends. <i>Polymer</i> , 2006 , 47, 3967-3975	3.9	227
186	Interfacial tension reduction in PBT/PE/clay nanocomposite. <i>Rheologica Acta</i> , 2007 , 46, 469-478	2.3	146
185	Large amplitude oscillatory shear behavior of PEO-PPO-PEO triblock copolymer solutions. <i>Rheologica Acta</i> , 2006 , 45, 239-249	2.3	146
184	Large amplitude oscillatory shear behavior of complex fluids investigated by a network model: a guideline for classification. <i>Journal of Non-Newtonian Fluid Mechanics</i> , 2003 , 112, 237-250	2.7	137
183	High performance and antifouling vertically aligned carbon nanotube membrane for water purification. <i>Journal of Membrane Science</i> , 2014 , 460, 171-177	9.6	127
182	Effect of slurry preparation process on electrochemical performances of LiCoO ₂ composite electrode. <i>Journal of Power Sources</i> , 2010 , 195, 6049-6054	8.9	125
181	Effect of electric currents on bacterial detachment and inactivation. <i>Biotechnology and Bioengineering</i> , 2008 , 100, 379-86	4.9	114
180	Drying regime maps for particulate coatings. <i>AIChE Journal</i> , 2010 , 56, 2769-2780	3.6	99
179	Surface properties of silica nanoparticles modified with polymers for polymer nanocomposite applications. <i>Journal of Industrial and Engineering Chemistry</i> , 2008 , 14, 515-519	6.3	94
178	Flow analysis and fouling on the patterned membrane surface. <i>Journal of Membrane Science</i> , 2013 , 427, 320-325	9.6	88
177	Optimization of experimental parameters to determine the jetting regimes in electrohydrodynamic printing. <i>Langmuir</i> , 2013 , 29, 13630-9	4	82
176	The effect of binders on the rheological properties and the microstructure formation of lithium-ion battery anode slurries. <i>Journal of Power Sources</i> , 2015 , 299, 221-230	8.9	73
175	Melt rheology of long-chain-branched polypropylenes. <i>Rheologica Acta</i> , 2006 , 46, 33-44	2.3	72
174	Latex migration in battery slurries during drying. <i>Langmuir</i> , 2013 , 29, 8233-44	4	70
173	Optimization of Experimental Parameters to Suppress Nozzle Clogging in Inkjet Printing. <i>Industrial & Engineering Chemistry Research</i> , 2012 , 51, 13195-13204	3.9	64

172	Influence of non-covalent functionalization of carbon nanotubes on the rheological behavior of natural rubber latex nanocomposites. <i>European Polymer Journal</i> , 2014 , 53, 147-159	5.2	58
171	Liquid crystal order in colloidal suspensions of spheroidal particles by direct current electric field assembly. <i>Small</i> , 2012 , 8, 1551-62	11	58
170	Correlation of membrane fouling with topography of patterned membranes for water treatment. <i>Journal of Membrane Science</i> , 2016 , 498, 14-19	9.6	55
169	High-resolution finite element simulation of 4:1 planar contraction flow of viscoelastic fluid. <i>Journal of Non-Newtonian Fluid Mechanics</i> , 2005 , 129, 23-37	2.7	54
168	Controlling the hydrophobicity of submicrometer silica spheres via surface modification for nanocomposite applications. <i>Langmuir</i> , 2007 , 23, 7799-803	4	51
167	Depletion stabilization in nanoparticle-polymer suspensions: multi-length-scale analysis of microstructure. <i>Langmuir</i> , 2015 , 31, 1892-900	4	50
166	Prediction of normal stresses under large amplitude oscillatory shear flow. <i>Journal of Non-Newtonian Fluid Mechanics</i> , 2008 , 150, 1-10	2.7	46
165	Degree of branching of polypropylene measured from Fourier-transform rheology. <i>Rheologica Acta</i> , 2006 , 46, 123-129	2.3	45
164	Drying of the silica/PVA suspension: effect of suspension microstructure. <i>Langmuir</i> , 2009 , 25, 6155-61	4	41
163	Droplet dynamics passing through obstructions in confined microchannel flow. <i>Microfluidics and Nanofluidics</i> , 2010 , 9, 1151-1163	2.8	41
162	A network model for predicting the shear thickening behavior of a poly (vinyl alcohol) sodium borate aqueous solution. <i>Journal of Non-Newtonian Fluid Mechanics</i> , 1994 , 55, 215-227	2.7	41
161	Structural evolution of colloidal gels at intermediate volume fraction under start-up of shear flow. <i>Soft Matter</i> , 2013 , 9, 11650	3.6	40
160	Evaluation of jet performance in drop-on-demand (DOD) inkjet printing. <i>Korean Journal of Chemical Engineering</i> , 2009 , 26, 339-348	2.8	40
159	Shear-induced migration of nanoclay during morphology evolution of PBT/PS blend. <i>Journal of Applied Polymer Science</i> , 2008 , 108, 565-575	2.9	40
158	Effect of organoclay as a compatibilizer in poly(lactic acid) and natural rubber blends. <i>European Polymer Journal</i> , 2016 , 76, 216-227	5.2	39
157	Nanothin Coculture Membranes with Tunable Pore Architecture and Thermoresponsive Functionality for Transfer-Printable Stem Cell-Derived Cardiac Sheets. <i>ACS Nano</i> , 2015 , 9, 10186-202	16.7	37
156	Characterization of Compatibilizing Effect of Organoclay in Poly(lactic acid) and Natural Rubber Blends by FT-Rheology. <i>Macromolecules</i> , 2016 , 49, 2832-2842	5.5	37
155	Three-dimensional simulation of thermoforming process and its comparison with experiments. <i>Polymer Engineering and Science</i> , 2000 , 40, 2232-2240	2.3	37

154	Morphology and Rheology of Polypropylene/Polystyrene/Clay Nanocomposites in Batch and Continuous Melt Mixing Processes. <i>Macromolecular Materials and Engineering</i> , 2011 , 296, 341-348	3.9	36
153	Factors affecting pattern fidelity and performance of a patterned membrane. <i>Journal of Membrane Science</i> , 2014 , 462, 1-8	9.6	34
152	The importance of downstream events in microfluidic viscoelastic entry flows: Consequences of increasing the constriction length. <i>Journal of Non-Newtonian Fluid Mechanics</i> , 2010 , 165, 1189-1203	2.7	33
151	An efficient iterative solver and high-resolution computations of the Oldroyd-B fluid flow past a confined cylinder. <i>Journal of Non-Newtonian Fluid Mechanics</i> , 2004 , 123, 161-173	2.7	33
150	Conductive nanocomposites based on polystyrene microspheres and silver nanowires by latex blending. <i>ACS Applied Materials & Interfaces</i> , 2015 , 7, 756-64	9.5	32
149	Numerical study on the effect of viscoelasticity on drop deformation in simple shear and 5:1:5 planar contraction/expansion microchannel. <i>Journal of Non-Newtonian Fluid Mechanics</i> , 2008 , 155, 80-93	2.7	32
148	Stress Development of Li-Ion Battery Anode Slurries during the Drying Process. <i>Industrial & Engineering Chemistry Research</i> , 2015 , 54, 6146-6155	3.9	31
147	Particle deposition on the patterned membrane surface: Simulation and experiments. <i>Desalination</i> , 2015 , 370, 17-24	10.3	31
146	Effects of the degree of graft on the tensile and dynamic behavior of high impact polystyrene. <i>Polymer</i> , 2000 , 41, 5229-5235	3.9	31
145	Effect of Pattern Shape on the Initial Deposition of Particles in the Aqueous Phase on Patterned Membranes during Crossflow Filtration. <i>Environmental Science and Technology Letters</i> , 2017 , 4, 66-70	11	30
144	Rheological behavior of polymer/layered silicate nanocomposites under uniaxial extensional flow. <i>Macromolecular Research</i> , 2006 , 14, 318-323	1.9	30
143	Mechanism of shear thickening investigated by a network model. <i>Journal of Non-Newtonian Fluid Mechanics</i> , 1995 , 56, 267-288	2.7	29
142	Structure-rheology relationship for a homogeneous colloidal gel under shear startup. <i>Journal of Rheology</i> , 2017 , 61, 117-137	4.1	28
141	A study on reaction-induced miscibility of poly(trimethylene terephthalate)/polycarbonate blends. <i>Journal of Physical Chemistry B</i> , 2009 , 113, 1569-78	3.4	28
140	Rheology, Morphology, Mechanical Properties and Free Volume of Poly(trimethylene terephthalate)/Polycarbonate Blends. <i>Industrial & Engineering Chemistry Research</i> , 2009 , 48, 9942-9951	3.9	28
139	Nonlinear response of polypropylene (PP)/Clay nanocomposites under dynamic oscillatory shear flow 2012 , 24, 113-120		27
138	Viscoelastic and Dielectric Behavior of a Polyisoprene/Poly(4-tert-butyl styrene) Miscible Blend. <i>Macromolecules</i> , 2007 , 40, 5389-5399	5.5	27
137	Numerical simulation of three-dimensional viscoelastic flow using the open boundary condition method in coextrusion process. <i>Journal of Non-Newtonian Fluid Mechanics</i> , 2001 , 99, 125-144	2.7	27

136	Morphology of injection molded modified poly(phenylene oxide)/polyamide-6 blends. <i>Polymer Engineering and Science</i> , 2000 , 40, 1376-1384	2.3	27
135	Conductive poly(high internal phase emulsion) foams incorporated with polydopamine-coated carbon nanotubes. <i>Polymer</i> , 2017 , 110, 187-195	3.9	26
134	Structural change and dynamics of colloidal gels under oscillatory shear flow. <i>Soft Matter</i> , 2015 , 11, 9262-9272	3.7	26
133	First normal stress difference of entangled polymer solutions in large amplitude oscillatory shear flow. <i>Journal of Rheology</i> , 2010 , 54, 1243-1266	4.1	26
132	Time-Dependent Electric field superposition in electrically activated polypropylene/layered silicate nanocomposites. <i>Polymer</i> , 2006 , 47, 5145-5153	3.9	26
131	Strain hardening behavior of polymer blends with fibril morphology. <i>Rheologica Acta</i> , 2005 , 45, 202-208	2.3	26
130	Effect of processing conditions and reactive compatibilizer on the morphology of injection molded modified poly(phenylene oxide)/polyamide-6 blends. <i>Polymer Engineering and Science</i> , 2000 , 40, 1385-1394	2.3	25
129	Gelation of graphene oxides induced by different types of amino acids. <i>Carbon</i> , 2014 , 71, 229-237	10.4	23
128	Flow instability due to coupling of shear-gradients with concentration: non-uniform flow of (hard-sphere) glasses. <i>Soft Matter</i> , 2014 , 10, 9470-85	3.6	23
127	Structural Development of Nanoparticle Dispersion during Drying in Polymer Nanocomposite Films. <i>Macromolecules</i> , 2016 , 49, 9068-9079	5.5	23
126	Three-dimensional hydraulic modeling of particle deposition on the patterned isopore membrane in crossflow microfiltration. <i>Journal of Membrane Science</i> , 2015 , 492, 156-163	9.6	20
125	Strain stiffening of non-colloidal hard sphere suspensions dispersed in Newtonian fluid near liquid-and-crystal coexistence region. <i>Rheologica Acta</i> , 2011 , 50, 925-936	2.3	20
124	Effect of viscoelasticity on drop dynamics in 5:1:5 contraction/expansion microchannel flow. <i>Chemical Engineering Science</i> , 2009 , 64, 4515-4524	4.4	20
123	A Novel Fabrication Method for Poly(propylene)/Clay Nanocomposites by Continuous Processing. <i>Macromolecular Materials and Engineering</i> , 2006 , 291, 1127-1135	3.9	20
122	Microstructural evolution of electrically activated polypropylene/layered silicate nanocomposites investigated by in situ synchrotron wide-angle X-ray scattering and dielectric relaxation analysis. <i>Polymer</i> , 2006 , 47, 5938-5945	3.9	20
121	Morphology development of PBT/PE blends during extrusion and its reflection on the rheological properties. <i>Journal of Applied Polymer Science</i> , 2005 , 97, 1702-1709	2.9	20
120	Shear and normal stresses of a poly(vinyl alcohol)/sodium borate aqueous solution at the start of shear flow. <i>Journal of Non-Newtonian Fluid Mechanics</i> , 1994 , 54, 109-120	2.7	20
119	Parametric study of blade tip clearance, flow rate, and impeller speed on blood damage in rotary blood pump. <i>Artificial Organs</i> , 2009 , 33, 468-74	2.6	19

118	Numerical study on the dynamics of droplet passing through a cylinder obstruction in confined microchannel flow. <i>Journal of Non-Newtonian Fluid Mechanics</i> , 2009 , 162, 38-44	2.7	19
117	Drying of a charge-stabilized colloidal suspension in situ monitored by vertical small-angle X-ray scattering. <i>Langmuir</i> , 2013 , 29, 10059-65	4	18
116	Role of shear-induced dynamical heterogeneity in the nonlinear rheology of colloidal gels. <i>Soft Matter</i> , 2014 , 10, 9254-9	3.6	18
115	Transport and deposition of colloidal particles on a patterned membrane surface: Effect of cross-flow velocity and the size ratio of particle to surface pattern. <i>Journal of Membrane Science</i> , 2019 , 572, 309-319	9.6	18
114	Morphology-rheology relationship in hyaluronate/poly(vinyl alcohol)/borax polymer blends. <i>Polymer</i> , 2005 , 46, 7156-7163	3.9	17
113	A new paradigm of materials processing-heterogeneity control. <i>Current Opinion in Chemical Engineering</i> , 2017 , 16, 16-22	5.4	16
112	Rheology and microstructure of non-Brownian suspensions in the liquid and crystal coexistence region: strain stiffening in large amplitude oscillatory shear. <i>Soft Matter</i> , 2015 , 11, 4061-74	3.6	16
111	Film squeezing process for generating oblate spheroidal particles with high yield and uniform sizes. <i>Colloid and Polymer Science</i> , 2016 , 294, 859-867	2.4	15
110	Multilayer deposition on patterned posts using alternating polyelectrolyte droplets in a microfluidic device. <i>Lab on A Chip</i> , 2010 , 10, 1160-6	7.2	15
109	Effect of ionomer on clay dispersions in polypropylene-layered silicate nanocomposites. <i>Journal of Applied Polymer Science</i> , 2007 , 104, 4024-4034	2.9	15
108	Influence of solvent contents on the rubber-phase particle size distribution of high-impact polystyrene. <i>Journal of Applied Polymer Science</i> , 2003 , 89, 3672-3679	2.9	15
107	A novel Lattice Boltzmann method for the dynamics of rigid particles suspended in a viscoelastic medium. <i>Journal of Non-Newtonian Fluid Mechanics</i> , 2017 , 244, 75-84	2.7	13
106	Application of a Flow-Type Electrochemical Lithium Recovery System with $\text{EMnO}_2/\text{LiMn}_2\text{O}_4$: Experiment and Simulation. <i>ACS Sustainable Chemistry and Engineering</i> , 2020 , 8, 9622-9631	8.3	13
105	Nanoparticle-Induced Gelation of Bimodal Slurries with Highly Size-Asymmetric Particles: Effect of Surface Chemistry and Concentration. <i>Langmuir</i> , 2015 , 31, 13639-46	4	13
104	Numerical and experimental studies on the viscous folding in diverging microchannels. <i>Microfluidics and Nanofluidics</i> , 2010 , 8, 767-776	2.8	13
103	The effect of adsorption kinetics on film formation of silica/PVA suspension. <i>Journal of Colloid and Interface Science</i> , 2010 , 344, 308-14	9.3	13
102	Rheology and morphology of poly(trimethylene terephthalate)/ethylene propylene diene monomer blends in the presence and absence of a reactive compatibilizer. <i>Polymer Engineering and Science</i> , 2010 , 50, 1945-1955	2.3	13
101	Simple method for determining the critical molecular weight from the loss modulus. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 2004 , 42, 2724-2729	2.6	13

100	Numerical simulation of moving free surface problems in polymer processing using volume-of-fluid method. <i>Polymer Engineering and Science</i> , 2001 , 41, 858-866	2.3	13
99	A review on particle dynamics simulation techniques for colloidal dispersions: Methods and applications. <i>Korean Journal of Chemical Engineering</i> , 2016 , 33, 3069-3078	2.8	13
98	Effect of neutralization of poly(acrylic acid) binder on the dispersion heterogeneity of Li-ion battery electrodes. <i>Journal of Materials Science</i> , 2019 , 54, 13208-13220	4.3	12
97	Effect of thermal history during drying and curing process on the chain orientation of rod-shaped polyimide. <i>Polymer</i> , 2014 , 55, 5829-5836	3.9	12
96	Negative wake generation of FENE-CR fluids in uniform and Poiseuille flows past a cylinder. <i>Rheologica Acta</i> , 2005 , 44, 600-613	2.3	12
95	Chaotic mixing in a barrier-embedded partitioned pipe mixer. <i>AIChE Journal</i> , 2018 , 64, 717-729	3.6	12
94	How the interaction between styrene-butadiene-rubber (SBR) binder and a secondary fluid affects the rheology, microstructure and adhesive properties of capillary-suspension-type graphite slurries used for Li-ion battery anodes. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2019 , 579, 123692	5.1	11
93	Effect of preheating on the viscoelastic properties of dental composite under different deformation conditions. <i>Dental Materials Journal</i> , 2015 , 34, 702-6	2.5	11
92	Electrophoresis of a bead-rod chain through a narrow slit: a Brownian dynamics study. <i>Journal of Chemical Physics</i> , 2004 , 121, 9116-22	3.9	11
91	Role of PVDF in Rheology and Microstructure of NCM Cathode Slurries for Lithium-Ion Battery. <i>Materials</i> , 2020 , 13,	3.5	11
90	Interplay between structure and property of graphene nanoplatelet networks formed by an electric field in a poly(lactic acid) matrix. <i>Journal of Rheology</i> , 2017 , 61, 291-303	4.1	10
89	Clogging mechanism of poly(styrene) particles in the flow through a single micro-pore. <i>Journal of Membrane Science</i> , 2017 , 534, 25-32	9.6	10
88	Effect of electric field on polymer/clay nanocomposites depending on the affinities between the polymer and clay. <i>Journal of Applied Polymer Science</i> , 2016 , 133,	2.9	10
87	Orthogonal superposition rheometry of colloidal gels: time-shear rate superposition. <i>Soft Matter</i> , 2018 , 14, 8651-8659	3.6	10
86	Design of electrical conductive poly(lactic acid)/carbon black composites by induced particle aggregation. <i>Journal of Applied Polymer Science</i> , 2020 , 137, 49295	2.9	9
85	Bimodal colloid gels of highly size-asymmetric particles. <i>Physical Review E</i> , 2015 , 92, 012313	2.4	9
84	Three-dimensional viscoelastic simulation of coextrusion process: comparison with experimental data. <i>Rheologica Acta</i> , 2002 , 41, 144-153	2.3	9
83	Bead-spring chain model for the dynamics of dilute polymer solutions. <i>Journal of Non-Newtonian Fluid Mechanics</i> , 1993 , 50, 349-373	2.7	9

82	Design Optimization for a Microfluidic Crossflow Filtration System Incorporating a Micromixer. <i>Micromachines</i> , 2019 , 10,	3.3	9
81	Filament thinning of silicone oil/poly(methyl methacrylate) suspensions under extensional flow. <i>Rheologica Acta</i> , 2015 , 54, 705-714	2.3	8
80	Universality of linear viscoelasticity of monodisperse linear polymers. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 2004 , 42, 2730-2737	2.6	8
79	Particle percolation in a poly(lactic acid)/calcium carbonate nanocomposite with a small amount of a secondary phase and its influence on the mechanical properties. <i>Polymer Composites</i> , 2019 , 40, 4023-4032	2.3	7
78	Reduced graphene-oxide filter system for removing filterable and condensable particulate matter from source. <i>Journal of Hazardous Materials</i> , 2020 , 391, 122223	12.8	7
77	Design of new HDPE/silica nanocomposite and its enhanced melt strength. <i>Rheologica Acta</i> , 2012 , 51, 143-150	2.3	7
76	Weldline morphology of injection molded modified poly(phenylene-oxide)/polyamide-6 blends. <i>Polymer Engineering and Science</i> , 2001 , 41, 554-565	2.3	7
75	Bead-spring chain model for the dynamics of dilute polymer solutions. <i>Journal of Non-Newtonian Fluid Mechanics</i> , 1992 , 43, 143-164	2.7	7
74	Flow patterns in 4:1 micro-contraction flows of viscoelastic fluids 2015 , 27, 65-73		6
73	Effect of elasticity number and aspect ratio on the vortex dynamics in 4:1 micro-contraction channel flow 2014 , 26, 335-340		6
72	Dynamics of aggregating particulate suspensions in the microchannel flow of 4:1 planar contraction. <i>Journal of Non-Newtonian Fluid Mechanics</i> , 2014 , 211, 62-69	2.7	6
71	Dynamics of model-stabilized colloidal suspensions in confined Couette flow. <i>Journal of Non-Newtonian Fluid Mechanics</i> , 2013 , 199, 29-36	2.7	6
70	Local shear stress and its correlation with local volume fraction in concentrated non-Brownian suspensions: lattice Boltzmann simulation. <i>Physical Review E</i> , 2014 , 90, 062317	2.4	6
69	Fouling mitigation in crossflow filtration using chaotic advection: A numerical study. <i>AIChE Journal</i> , 2020 , 66, e16792	3.6	6
68	Numerical study on the mixing in a barrier-embedded partitioned pipe mixer (BPPM) for non-creeping flow conditions 2018 , 30, 227-238		6
67	Reversible Cell Layering for Heterogeneous Cell Assembly Mediated by Ionic Cross-Linking of Chitosan and a Functionalized Cell Surface Membrane. <i>Chemistry of Materials</i> , 2017 , 29, 5294-5305	9.6	5
66	Change of rheological/mechanical properties of poly(caprolactone)/CaCO ₃ composite with particle surface modification 2020 , 32, 29-39		5
65	Effect of silica particles on vortex dynamics in a micro-contraction channel flow of poly(ethylene oxide) solutions. <i>Journal of Non-Newtonian Fluid Mechanics</i> , 2016 , 234, 170-177	2.7	5

64	The effect of film thickness on the depth-wise chain orientation of rod-shaped polyimide. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 2014 , 52, 848-857	2.6	5
63	Rheological characteristics of poly(ethylene oxide) aqueous solutions under large amplitude oscillatory squeeze flow 2012 , 24, 257-266		5
62	Model prediction of non-symmetric normal stresses under oscillatory squeeze flow. <i>Korean Journal of Chemical Engineering</i> , 2012 , 29, 1010-1018	2.8	5
61	In situ Lubrication Dispersion of Multi-Walled Carbon Nanotubes in Poly(propylene) Melts. <i>Macromolecular Materials and Engineering</i> , 2012 , 297, 279-287	3.9	5
60	Prediction of coating thickness in the convective assembly process. <i>Langmuir</i> , 2013 , 29, 15762-9	4	5
59	Adsorption-stress relationship in drying of silica/PVA suspensions. <i>Journal of Colloid and Interface Science</i> , 2011 , 361, 497-502	9.3	5
58	Effect of added ionomer on morphology and properties of PP/organoclay nanocomposites. <i>Korean Journal of Chemical Engineering</i> , 2010 , 27, 705-715	2.8	5
57	Time-Weissenberg Number Superposition in 4:1 Planar Contraction Flow of a Viscoelastic Fluid. <i>Nihon Reoroji Gakkaishi</i> , 2005 , 33, 191-197	0.8	5
56	Multiple Representation of Linear Dielectric Response. <i>Nihon Reoroji Gakkaishi</i> , 2010 , 38, 149-155	0.8	5
55	Numerical analysis of the heat transfer and fluid flow in the butt-fusion welding process 2017 , 29, 37-49		4
54	Interdiffusion and chain orientation in the drying of multi-layer polyimide film. <i>Polymer</i> , 2015 , 68, 74-82	3.9	4
53	Particle dynamics at fluid interfaces studied by the color gradient lattice Boltzmann method coupled with the smoothed profile method. <i>Physical Review E</i> , 2020 , 101, 053302	2.4	4
52	Brownian dynamics of colloidal microspheres with tunable elastic properties from soft to hard. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2018 , 546, 360-365	5.1	4
51	Preparation of polycarbonate/poly(acrylonitrile-butadiene-styrene)/mesoporous silica nanocomposite films and its rheological, mechanical, and sound absorption properties. <i>Journal of Applied Polymer Science</i> , 2018 , 135, 45777	2.9	4
50	Time-Weissenberg number superposition in planar contraction microchannel flows. <i>Journal of Non-Newtonian Fluid Mechanics</i> , 2014 , 210, 41-46	2.7	4
49	Rheological properties of oil paints and their flow instabilities in blade coating. <i>Rheologica Acta</i> , 2013 , 52, 643-659	2.3	4
48	Yield and flow measurement of fine and coarse binary particulate mineral slurries. <i>International Journal of Mineral Processing</i> , 2013 , 119, 6-15		4
47	In situ flow visualization of capillary flow of concentrated alumina suspensions. <i>Rheologica Acta</i> , 2013 , 52, 547-556	2.3	4

46	A generality in stress development of silica/poly(vinyl alcohol) mixtures during drying process. <i>Progress in Organic Coatings</i> , 2015 , 88, 304-309	4.8	4
45	The onset of natural convection in a horizontal fluid layer heated isothermally from below. <i>International Journal of Heat and Mass Transfer</i> , 2012 , 55, 1030-1035	4.9	4
44	Controlling Drying Stress and Mechanical Properties of Battery Electrodes Using a Capillary Force-Induced Suspension System. <i>Industrial & Engineering Chemistry Research</i> , 2021 , 60, 4873-4882 ^{3.9}		4
43	Growths of mechanical elasticity and electrical conductance of graphene nanoplatelet/poly(lactic acid) composites under strong electric field: correlation with time evolution of higher order structure of graphene nanoplatelets. <i>Rheologica Acta</i> , 2017 , 56, 871-885	2.3	3
42	Pressure-driven flows of concentrated alumina suspensions depending on dispersion states of particles. <i>Rheologica Acta</i> , 2014 , 53, 209-218	2.3	3
41	Dielectric Characterization of Pigment Inks for Electrohydrodynamic Jet Printing. <i>Industrial & Engineering Chemistry Research</i> , 2014 , 53, 17445-17453	3.9	3
40	Self-consistent particle simulation of model-stabilized colloidal suspensions. <i>Journal of Non-Newtonian Fluid Mechanics</i> , 2011 , 166, 1183-1189	2.7	3
39	Effect of local kinematic history on the dynamic self-assembly of droplets in micro-expansion channels 2011 , 23, 119-126		3
38	Analysis of the Normal Stress Differences of Viscoelastic Fluids under Large Amplitude Oscillatory Shear Flow. <i>AIP Conference Proceedings</i> , 2008 ,	0	3
37	Effect of graft ratio on the dynamic moduli of acrylonitrile-butadiene-styrene copolymer. <i>Polymer Engineering and Science</i> , 2002 , 42, 605-610	2.3	3
36	Brownian dynamics simulation on orthogonal superposition rheology: Time $\dot{\gamma}$ hear rate superposition of colloidal gel. <i>Journal of Rheology</i> , 2021 , 65, 337-354	4.1	3
35	Colloidal dynamics and elasticity of dense wax particle suspensions over a wide range of volume fractions when tuning the softness by temperature. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2019 , 576, 1-8	5.1	2
34	Effect of Melt-Compounding Protocol on Self-Aggregation and Percolation in a Ternary Composite. <i>Polymers</i> , 2020 , 12,	4.5	2
33	Flow and mixing characteristics of a groove-embedded partitioned pipe mixer 2020 , 32, 319-329		2
32	Acceleration of instability during the capillary thinning process due to the addition of particles to a poly(ethylene oxide) solution. <i>Journal of Non-Newtonian Fluid Mechanics</i> , 2018 , 258, 58-68	2.7	2
31	Path-dependent work and energy in large amplitude oscillatory shear flow. <i>Journal of Non-Newtonian Fluid Mechanics</i> , 2018 , 251, 1-9	2.7	2
30	Heterogeneity in the final stage of filament breakup of silicone oil/PMMA suspensions. <i>Rheologica Acta</i> , 2016 , 55, 91-101	2.3	2
29	Technical note: correcting for shear strain in an oscillatory squeeze flow rheometer. <i>Rheologica Acta</i> , 2014 , 53, 103-107	2.3	2

28	High-throughput DNA separation in nanofilter arrays. <i>Electrophoresis</i> , 2014 , 35, 2068-77	3.6	2
27	Synergistic toughening effect of hybrid clay particles on poly(lactic acid)/natural rubber blend. <i>Polymer Composites</i> , 2021 , 42, 1021-1033	3	2
26	Injectable hydrogels with improved mechanical property based on electrostatic associations. <i>Colloid and Polymer Science</i> , 2021 , 299, 575-584	2.4	2
25	Effect of affinity on the structure formation in highly size asymmetric bimodal suspensions. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2018 , 538, 481-487	5.1	2
24	Time-dependent viscoelastic properties of Oldroyd-B fluid studied by advection-diffusion lattice Boltzmann method 2017 , 29, 137-146		1
23	Rheological analysis of oil/water emulsions stabilized with clay particles by LAOS and interfacial shear moduli measurements. <i>Rheologica Acta</i> , 2019 , 58, 453-466	2.3	1
22	Viscosity Measurement of Whole Blood with Parallel Plate Rheometers. <i>Biochip Journal</i> , 2020 , 14, 179-184	1.4	1
21	Rheological characterization of poly(ethylene oxide) aqueous solution under dynamic helical squeeze flow 2012 , 24, 267-275		1
20	Mechanism of void growth in the partial frame process. <i>Polymer Engineering and Science</i> , 1998 , 38, 1708-1715	1.15	1
19	An Iterative Nonlinear Mapping Method for the Relaxation Time Distribution. <i>Nihon Reorji Gakkaishi</i> , 2004 , 32, 139-144	0.8	1
18	Secondary polymer-induced particle aggregation and its rheological, electrical, and mechanical effects on PLA-based ternary composites. <i>Journal of Rheology</i> , 2022 , 66, 275-291	4.1	1
17	Interconnected network of Ag and Cu in bioplastics for ultrahigh electromagnetic interference shielding efficiency with high thermal conductivity. <i>Composites Communications</i> , 2022 , 30, 101093	6.7	1
16	Stratification Mechanism in the Bidisperse Colloidal Film Drying Process: Evolution and Decomposition of Normal Stress Correlated with Microstructure. <i>Langmuir</i> , 2021 , 37, 13712-13728	4	1
15	Effect of Operating Conditions on the Sessile Drop Oscillation of PEO Solutions in the Capillary Thinning Process. <i>Nihon Reorji Gakkaishi</i> , 2021 , 49, 127-133	0.8	1
14	Thermocapillary flows on heated substrates with sinusoidal topography. <i>Journal of Fluid Mechanics</i> , 2019 , 859, 992-1021	3.7	1
13	Stress decomposition analysis in hard and soft sphere suspensions: double peaks in the elastic stress of hard sphere suspensions and its characteristic and structural origin. <i>Rheologica Acta</i> , 2018 , 57, 15-27	2.3	1
12	Agglomerate Breakup of Destabilized Polystyrene Particles under a Cross-Channel Planar Extensional Flow. <i>Langmuir</i> , 2018 , 34, 11454-11463	4	1
11	Drying mechanism of monodisperse colloidal film: Evolution of normal stress and its correlation with microstructure. <i>AIChE Journal</i> , e17400	3.6	1

10	Interplay between particulate fouling and its flow disturbance: Numerical and experimental studies. <i>Journal of Membrane Science</i> , 2021 , 635, 119497	9.6	1
9	The first normal stress difference of non-Brownian hard-sphere suspensions in the oscillatory shear flow near the liquid and crystal coexistence region. <i>Soft Matter</i> , 2020 , 16, 9864-9875	3.6	0
8	Toughening Effect of Clay Particles on Poly(Lactic Acid)/Natural Rubber Blend. <i>Nihon Reoraji Gakkaishi</i> , 2020 , 48, 101-107	0.8	
7	Interplay between electrical and rheological properties of viscoelastic inks. <i>Applied Physics A: Materials Science and Processing</i> , 2016 , 122, 1	2.6	
6	Thermal instability of a fluid layer when cooled isothermally from above. <i>Korean Journal of Chemical Engineering</i> , 2009 , 26, 1441-1446	2.8	
5	Evaluating Interfacial Force between Viscoelastic Ink and Substrate in Gravure Printing Process. <i>Korean Chemical Engineering Research</i> , 2015 , 53, 111-115		
4	Rheology and Morphology of PP/ionomer/clay Nanocomposites Depending on Selective Dispersion of Organoclays. <i>Korean Chemical Engineering Research</i> , 2015 , 53, 709-716		
3	10.2478/s11814-009-0230-7 2011 , 26, 1441		
2	A coarse-grained particle simulation on the capillary suspension and its rheological properties under the simple shear flow. <i>Rheologica Acta</i> , 1	2.3	
1	Variation of the Electrical Conductivity of PLA-based Composites with a Hybrid of Graphene and Carbon Black During 3D Printing. <i>Macromolecular Materials and Engineering</i> , 2200145	3.9	