

Thomas E Carey

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/4886435/thomas-e-carey-publications-by-year.pdf>
Version: 2024-04-09

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

241 papers	11,741 citations	55 h-index	98 g-index
251 ext. papers	13,145 ext. citations	5.3 avg, IF	5.55 L-index

#	Paper	IF	Citations
241	Incidence and clearance of oral and cervicogenital HPV infection: longitudinal analysis of the MHOc cohort study.. <i>BMJ Open</i> , 2022 , 12, e056502	3	2
240	Oral human papillomavirus prevalence, persistence, and risk-factors in HIV-positive and HIV-negative adults.. <i>Tumour Virus Research</i> , 2022 , 200237		1
239	Prevalence and determinants of oral and cervicogenital HPV infection: Baseline analysis of the Michigan HPV and Oropharyngeal Cancer (MHOc) cohort study.. <i>PLoS ONE</i> , 2022 , 17, e0268104	3.7	
238	Understanding the impact of high-risk human papillomavirus on oropharyngeal squamous cell carcinomas in Taiwan: A retrospective cohort study. <i>PLoS ONE</i> , 2021 , 16, e0250530	3.7	2
237	SearchHPV: A novel approach to identify and assemble human papillomavirus-host genomic integration events in cancer. <i>Cancer</i> , 2021 , 127, 3531-3540	6.4	2
236	Association of human papillomavirus integration with better patient outcomes in oropharyngeal squamous cell carcinoma. <i>Head and Neck</i> , 2021 , 43, 544-557	4.2	6
235	TP53 mutations and CDKN2A mutations/deletions are highly recurrent molecular alterations in the malignant progression of sinonasal papillomas. <i>Modern Pathology</i> , 2021 , 34, 1133-1142	9.8	10
234	Nuclear HER3 expression improves the prognostic stratification of patients with HER1 positive advanced laryngeal squamous cell carcinoma. <i>Journal of Translational Medicine</i> , 2021 , 19, 408	8.5	0
233	Slc44a2 deletion alters tetraspanin and N-cadherin expression: Reduced adhesion and enhanced proliferation in cultured mesenchymal lung cells. <i>Tissue and Cell</i> , 2021 , 73, 101599	2.7	0
232	Significant association between host transcriptome-derived HPV oncogene E6* influence score and carcinogenic pathways, tumor size, and survival in head and neck cancer. <i>Head and Neck</i> , 2020 , 42, 2375-2389	4.2	6
231	Characteristics of head and neck squamous cell carcinoma cell Lines reflect human tumor biology independent of primary etiologies and HPV status. <i>Translational Oncology</i> , 2020 , 13, 100808	4.9	2
230	HPV16 drives cancer immune escape via NLRX1-mediated degradation of STING. <i>Journal of Clinical Investigation</i> , 2020 , 130, 1635-1652	15.9	46
229	Viral Integration Analysis Reveals Likely Common Clonal Origin of Bilateral HPV16-Positive, p16-Positive Tonsil Tumors. <i>Archives of Clinical and Medical Case Reports</i> , 2020 , 4, 680-696	1.3	3
228	Targeting the MET Receptor Tyrosine Kinase as a Strategy for Radiosensitization in Locoregionally Advanced Head and Neck Squamous Cell Carcinoma. <i>Molecular Cancer Therapeutics</i> , 2020 , 19, 614-626	6.1	3
227	The choline transporter Slc44a2 controls platelet activation and thrombosis by regulating mitochondrial function. <i>Nature Communications</i> , 2020 , 11, 3479	17.4	11
226	Using self-collection HPV testing to increase engagement in cervical cancer screening programs in rural Guatemala: a longitudinal analysis. <i>BMC Public Health</i> , 2020 , 20, 1406	4.1	2
225	The molecular landscape of the University of Michigan laryngeal squamous cell carcinoma cell line panel. <i>Head and Neck</i> , 2019 , 41, 3114-3124	4.2	14

224	Rationale for Using Irreversible Epidermal Growth Factor Receptor Inhibitors in Combination with Phosphatidylinositol 3-Kinase Inhibitors for Advanced Head and Neck Squamous Cell Carcinoma. <i>Molecular Pharmacology</i> , 2019 , 95, 528-536	4.3	11
223	Multisite HPV infections in the United States (NHANES 2003-2014): An overview and synthesis. <i>Preventive Medicine</i> , 2019 , 123, 288-298	4.3	12
222	Synergistic antitumour activity of HDAC inhibitor SAHA and EGFR inhibitor gefitinib in head and neck cancer: a key role for p63. <i>British Journal of Cancer</i> , 2019 , 120, 658-667	8.7	24
221	HPV vaccination has not increased sexual activity or accelerated sexual debut in a college-aged cohort of men and women. <i>BMC Public Health</i> , 2019 , 19, 821	4.1	26
220	Impact of American Joint Committee on Cancer Eighth Edition clinical stage and smoking history on oncologic outcomes in human papillomavirus-associated oropharyngeal squamous cell carcinoma. <i>Head and Neck</i> , 2019 , 41, 857-864	4.2	18
219	HPV self-sampling acceptability in rural and indigenous communities in Guatemala: a cross-sectional study. <i>BMJ Open</i> , 2019 , 9, e029158	3	11
218	Great Lakes Biorepository Research Network Annual Biobanking Symposium: A Focus on Precision Medicine. <i>Biopreservation and Biobanking</i> , 2019 , 17, 598-602	2.1	
217	Promoter methylation of galanin receptors as epigenetic biomarkers for head and neck squamous cell carcinomas. <i>Expert Review of Molecular Diagnostics</i> , 2019 , 19, 137-148	3.8	5
216	Analysis of tumor-infiltrating CD103 resident memory T-cell content in recurrent laryngeal squamous cell carcinoma. <i>Cancer Immunology, Immunotherapy</i> , 2019 , 68, 213-220	7.4	22
215	Retraction notice to: Sensitization of squamous cell carcinoma to cisplatin induced killing by natural agents. <i>Cancer Letters</i> , 2018 , 423, 154	9.9	
214	HLA class I antigen processing machinery (APM) component expression and PD-1:PD-L1 pathway activation in HIV-infected head and neck cancers. <i>Oral Oncology</i> , 2018 , 77, 92-97	4.4	6
213	Distinct pattern of TP53 mutations in human immunodeficiency virus-related head and neck squamous cell carcinoma. <i>Cancer</i> , 2018 , 124, 84-94	6.4	12
212	An Algorithm to Evaluate Suspected Lung Metastases in Patients with HPV-Associated Oropharyngeal Cancer. <i>Otolaryngology - Head and Neck Surgery</i> , 2018 , 158, 118-121	5.5	4
211	HPV Integration in HNSCC Correlates with Survival Outcomes, Immune Response Signatures, and Candidate Drivers. <i>Molecular Cancer Research</i> , 2018 , 16, 90-102	6.6	91
210	DNA concentration from self samples for HPV testing. <i>International Journal of Cancer</i> , 2018 , 143, 3036-3037	3.7	
209	Comprehensive Genomic Profiling of Patient-matched Head and Neck Cancer Cells: A Preclinical Pipeline for Metastatic and Recurrent Disease. <i>Molecular Cancer Research</i> , 2018 , 16, 1912-1926	6.6	12
208	The genomic landscape of UM-SCC oral cavity squamous cell carcinoma cell lines. <i>Oral Oncology</i> , 2018 , 87, 144-151	4.4	16
207	Dynamics and Determinants of HPV Infection: The Michigan HPV and Oropharyngeal Cancer (M-HOC) Study. <i>BMJ Open</i> , 2018 , 8, e021618	3	7

206	Characterization of hemostasis in mice lacking the novel thrombosis susceptibility gene Slc44a2. <i>Thrombosis Research</i> , 2018 , 171, 155-159	8.2	13
205	Genomic and Transcriptomic Characterization Links Cell Lines with Aggressive Head and Neck Cancers. <i>Cell Reports</i> , 2018 , 25, 1332-1345.e5	10.6	42
204	Mitigating SOX2-potentiated Immune Escape of Head and Neck Squamous Cell Carcinoma with a STING-inducing Nanosatellite Vaccine. <i>Clinical Cancer Research</i> , 2018 , 24, 4242-4255	12.9	63
203	Epigenetic inactivation of galanin receptors in salivary duct carcinoma of the parotid gland: Potential utility as biomarkers for prognosis. <i>Oncology Letters</i> , 2018 , 15, 9043-9050	2.6	4
202	Minichromosome maintenance protein 7 and geminin expression: Prognostic value in laryngeal squamous cell carcinoma in patients treated with radiotherapy and cetuximab. <i>Head and Neck</i> , 2017 , 39, 684-693	4.2	5
201	Integration of high-risk human papillomavirus into cellular cancer-related genes in head and neck cancer cell lines. <i>Head and Neck</i> , 2017 , 39, 840-852	4.2	27
200	Correlation of Crtc1/3-Maml2 fusion status, grade and survival in mucoepidermoid carcinoma. <i>Oral Oncology</i> , 2017 , 68, 5-8	4.4	50
199	High-Risk HPV, Biomarkers, and Outcome in Matched Cohorts of Head and Neck Cancer Patients Positive and Negative for HIV. <i>Molecular Cancer Research</i> , 2017 , 15, 179-188	6.6	14
198	Prognostic biomarkers in patients with human immunodeficiency virus-positive disease with head and neck squamous cell carcinoma. <i>Head and Neck</i> , 2017 , 39, 2433-2443	4.2	4
197	Immortal Life of the Common Rule: Ethics, Consent, and the Future of Cancer Research. <i>Journal of Clinical Oncology</i> , 2017 , 35, 1879-1883	2.2	14
196	Epigenetic silencing of is an independent predictor of poor survival in head and neck cancer. <i>Clinical Epigenetics</i> , 2017 , 9, 64	7.7	18
195	Site-specific methylation patterns of the GAL and GALR1/2 genes in head and neck cancer: Potential utility as biomarkers for prognosis. <i>Molecular Carcinogenesis</i> , 2017 , 56, 1107-1116	5	18
194	Intact APM and PD-1:PD-L1 pathway upregulation in HIV-infected head and neck cancer patients.. <i>Journal of Clinical Oncology</i> , 2017 , 35, 6058-6058	2.2	
193	Matted nodes: High distant-metastasis risk and a potential indication for intensification of systemic therapy in human papillomavirus-related oropharyngeal cancer. <i>Head and Neck</i> , 2016 , 38 Suppl 1, E805-14 ²	4.2	33
192	STAT3 Inhibition as a Therapeutic Strategy for Chordoma. <i>Journal of Neurological Surgery, Part B: Skull Base</i> , 2016 , 77, 510-520	1.5	6
191	Classification of TP53 mutations and HPV predict survival in advanced larynx cancer. <i>Laryngoscope</i> , 2016 , 126, E292-9	3.6	14
190	SLC44A2 single nucleotide polymorphisms, isoforms, and expression: Association with severity of Meniere's disease?. <i>Genomics</i> , 2016 , 108, 201-208	4.3	9
189	Matted nodes as a predictor of distant metastasis in advanced-stage III/IV oropharyngeal squamous cell carcinoma. <i>Head and Neck</i> , 2016 , 38, 184-90	4.2	29

188	A phase II trial of the BCL-2 homolog domain 3 mimetic AT-101 in combination with docetaxel for recurrent, locally advanced, or metastatic head and neck cancer. <i>Investigational New Drugs</i> , 2016 , 34, 481-9	4.3	22
187	Novel method of cell line establishment utilizing fluorescence-activated cell sorting resulting in 6 new head and neck squamous cell carcinoma lines. <i>Head and Neck</i> , 2016 , 38 Suppl 1, E459-67	4.2	12
186	Exploration for an Algorithm for Deintensification to Exclude the Retropharyngeal Site From Advanced Oropharyngeal Squamous Cell Carcinoma Treatment. <i>JAMA Otolaryngology - Head and Neck Surgery</i> , 2016 , 142, 313-8	3.9	7
185	Epigenetic inactivation of galanin and GALR1/2 is associated with early recurrence in head and neck cancer. <i>Clinical and Experimental Metastasis</i> , 2016 , 33, 187-95	4.7	14
184	The Emerging Role of HPV in Head and Neck Cancer 2016 , 21-36		
183	Phase II trial of cetuximab and radiation in low risk, HPV positive patients with locally advanced squamous cell carcinoma of the oropharynx (SCCOP).. <i>Journal of Clinical Oncology</i> , 2016 , 34, 6084-6084	2.2	1
182	Prognostic value of aberrant promoter hypermethylation of tumor-related genes in early-stage head and neck cancer. <i>Oncotarget</i> , 2016 , 7, 26087-98	3.3	44
181	Phase II prospective trial of cetuximab and radiotherapy for locally advanced, squamous cell carcinomas of the head and neck in patients >70 years old or with comorbidities not-eligible for platinum-based chemotherapy.. <i>Journal of Clinical Oncology</i> , 2016 , 34, 6071-6071	2.2	
180	Effects of peritumoral nanoconjugated cisplatin on laryngeal cancer stem cells. <i>Laryngoscope</i> , 2016 , 126, E184-90	3.6	10
179	Fibroblast growth factor family aberrations as a putative driver of head and neck squamous cell carcinoma in an epidemiologically low-risk patient as defined by targeted sequencing. <i>Head and Neck</i> , 2016 , 38 Suppl 1, E1646-52	4.2	26
178	Tumor infiltrating lymphocytes and survival in patients with head and neck squamous cell carcinoma. <i>Head and Neck</i> , 2016 , 38, 1074-84	4.2	191
177	In vivo Wnt pathway inhibition of human squamous cell carcinoma growth and metastasis in the chick chorioallantoic model. <i>Journal of Otolaryngology - Head and Neck Surgery</i> , 2016 , 45, 26	5.4	23
176	Subtypes of HPV-Positive Head and Neck Cancers Are Associated with HPV Characteristics, Copy Number Alterations, PIK3CA Mutation, and Pathway Signatures. <i>Clinical Cancer Research</i> , 2016 , 22, 4735-45	12.9	72
175	Identification of Targetable ERBB2 Aberrations in Head and Neck Squamous Cell Carcinoma. <i>JAMA Otolaryngology - Head and Neck Surgery</i> , 2016 , 142, 559-67	3.9	30
174	Genomic Integration of High-Risk HPV Alters Gene Expression in Oropharyngeal Squamous Cell Carcinoma. <i>Molecular Cancer Research</i> , 2016 , 14, 941-952	6.6	30
173	Evasion of anti-growth signaling: A key step in tumorigenesis and potential target for treatment and prophylaxis by natural compounds. <i>Seminars in Cancer Biology</i> , 2015 , 35 Suppl, S55-S77	12.7	67
172	High-Frequency Targetable EGFR Mutations in Sinonasal Squamous Cell Carcinomas Arising from Inverted Sinonasal Papilloma. <i>Cancer Research</i> , 2015 , 75, 2600-2606	10.1	95
171	Oncolytic activity of reovirus in HPV positive and negative head and neck squamous cell carcinoma. <i>Journal of Otolaryngology - Head and Neck Surgery</i> , 2015 , 44, 8	5.4	11

170	Hair Cell Loss, Spiral Ganglion Degeneration, and Progressive Sensorineural Hearing Loss in Mice with Targeted Deletion of Slc44a2/Ctl2. <i>JARO - Journal of the Association for Research in Otolaryngology</i> , 2015 , 16, 695-712	3.3	14
169	Designing a broad-spectrum integrative approach for cancer prevention and treatment. <i>Seminars in Cancer Biology</i> , 2015 , 35 Suppl, S276-S304	12.7	179
168	Cancer stem cells: mediators of tumorigenesis and metastasis in head and neck squamous cell carcinoma. <i>Head and Neck</i> , 2015 , 37, 317-26	4.2	44
167	Viral load, gene expression and mapping of viral integration sites in HPV16-associated HNSCC cell lines. <i>International Journal of Cancer</i> , 2015 , 136, E207-18	7.5	72
166	Trends in HPV cervical and seroprevalence and associations between oral and genital infection and serum antibodies in NHANES 2003-2012. <i>BMC Infectious Diseases</i> , 2015 , 15, 575	4	17
165	Human papillomavirus infection and biomarkers in sinonasal inverted papillomas: clinical significance and molecular mechanisms. <i>International Forum of Allergy and Rhinology</i> , 2015 , 5, 701-7	6.3	32
164	G-Protein-Coupled Receptors: Next Generation Therapeutic Targets in Head and Neck Cancer?. <i>Toxins</i> , 2015 , 7, 2959-84	4.9	16
163	Human papillomavirus-related oropharyngeal cancer: HPV and p16 status in the recurrent versus parent tumor. <i>Head and Neck</i> , 2015 , 37, 8-11	4.2	14
162	HIF-1 α and CA-IX as predictors of locoregional control for determining the optimal treatment modality for early-stage laryngeal carcinoma. <i>Head and Neck</i> , 2015 , 37, 505-10	4.2	16
161	NDN and CD1A are novel prognostic methylation markers in patients with head and neck squamous carcinomas. <i>BMC Cancer</i> , 2015 , 15, 825	4.8	16
160	Prevention of tumor growth driven by PIK3CA and HPV oncogenes by targeting mTOR signaling with metformin in oral squamous carcinomas expressing OCT3. <i>Cancer Prevention Research</i> , 2015 , 8, 197-207	3.3	41
159	Landscape of genomic alterations in cervical carcinomas. <i>Nature</i> , 2014 , 506, 371-5	50.4	541
158	Novel anti-tumor mechanism of galanin receptor type 2 in head and neck squamous cell carcinoma cells. <i>Cancer Science</i> , 2014 , 105, 72-80	6.9	9
157	Patterns of nodal metastasis and prognosis in human papillomavirus-positive oropharyngeal squamous cell carcinoma. <i>Head and Neck</i> , 2014 , 36, 1233-40	4.2	32
156	UM-SCC-103: a unique tongue cancer cell line that recapitulates the tumorigenic stem cell population of the primary tumor. <i>Annals of Otolaryngology, Rhinology and Laryngology</i> , 2014 , 123, 662-72	2.1	7
155	CLO: The cell line ontology. <i>Journal of Biomedical Semantics</i> , 2014 , 5, 37	2.2	70
154	A cisplatin-resistant head and neck cancer cell line with cytoplasmic p53(mut) exhibits ATP-binding cassette transporter upregulation and high glutathione levels. <i>Journal of Cancer Research and Clinical Oncology</i> , 2014 , 140, 1689-704	4.9	24
153	Refining risk stratification for locoregional failure after chemoradiotherapy in human papillomavirus-associated oropharyngeal cancer. <i>Oral Oncology</i> , 2014 , 50, 513-9	4.4	54

152	Epidemiology of head and neck squamous cell cancer among HIV-infected patients. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2014 , 65, 603-10	3.1	45
151	Sinonasal inverted papilloma: prognostic factors with emphasis on resection margins. <i>Journal of Neurological Surgery, Part B: Skull Base</i> , 2014 , 75, 140-6	1.5	7
150	Weekly chemotherapy with radiation versus high-dose cisplatin with radiation as organ preservation for patients with HPV-positive and HPV-negative locally advanced squamous cell carcinoma of the oropharynx. <i>Head and Neck</i> , 2014 , 36, 617-23	4.2	17
149	Tumor suppressor activity and inactivation of galanin receptor type 2 by aberrant promoter methylation in head and neck cancer. <i>Cancer</i> , 2014 , 120, 205-13	6.4	27
148	Efficacy of induction selection chemotherapy vs primary surgery for patients with advanced oral cavity carcinoma. <i>JAMA Otolaryngology - Head and Neck Surgery</i> , 2014 , 140, 134-42	3.9	25
147	Reliability of post-chemoradiotherapy F-18-FDG PET/CT for prediction of locoregional failure in human papillomavirus-associated oropharyngeal cancer. <i>Oral Oncology</i> , 2014 , 50, 234-9	4.4	49
146	Nonendemic HPV-positive nasopharyngeal carcinoma: association with poor prognosis. <i>International Journal of Radiation Oncology Biology Physics</i> , 2014 , 88, 580-8	4	91
145	Biomarkers in advanced larynx cancer. <i>Laryngoscope</i> , 2014 , 124, 179-87	3.6	35
144	Phase II trial evaluating axitinib for patients with unresectable, recurrent, or metastatic (R/M) head and neck squamous cell carcinoma (HNSCC).. <i>Journal of Clinical Oncology</i> , 2014 , 32, e17027-e17027	2.2	0
143	Expression of tumor biomarkers in HIV-infected patients with head and neck cancer.. <i>Journal of Clinical Oncology</i> , 2014 , 32, 6086-6086	2.2	
142	Head and neck squamous cell carcinoma in pregnant women. <i>Head and Neck</i> , 2013 , 35, 335-42	4.2	18
141	Knockdown of E-cadherin controls both apoptotic and autophagic cell death through LKB1/AMPK signaling in head and neck squamous cell carcinoma cell lines. <i>Cellular Signalling</i> , 2013 , 25, 839-47	4.9	48
140	Targeting Wnt-driven cancer through the inhibition of Porcupine by LGK974. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2013 , 110, 20224-9	11.5	521
139	Head and neck cancer stem cells: the effect of HPV--an in vitro and mouse study. <i>Otolaryngology - Head and Neck Surgery</i> , 2013 , 149, 252-60	5.5	35
138	In vitro cytokine release profile: predictive value for metastatic potential in head and neck squamous cell carcinomas. <i>Head and Neck</i> , 2013 , 35, 1542-50	4.2	19
137	Galanin has tumor suppressor activity and is frequently inactivated by aberrant promoter methylation in head and neck cancer. <i>Translational Oncology</i> , 2013 , 6, 338-46	4.9	24
136	Inactivation or loss of TTP promotes invasion in head and neck cancer via transcript stabilization and secretion of MMP9, MMP2, and IL-6. <i>Clinical Cancer Research</i> , 2013 , 19, 1169-79	12.9	58
135	Prevalence and predictive role of p16 and epidermal growth factor receptor in surgically treated oropharyngeal and oral cavity cancer. <i>Head and Neck</i> , 2013 , 35, 1083-90	4.2	23

134	Predictors of recurrence and survival for head and neck mucoepidermoid carcinoma. <i>Otolaryngology - Head and Neck Surgery</i> , 2013 , 149, 402-8	5.5	44
133	High-risk human papillomavirus detection in oropharyngeal, nasopharyngeal, and oral cavity cancers: comparison of multiple methods. <i>JAMA Otolaryngology - Head and Neck Surgery</i> , 2013 , 139, 1320-9	3.9	78
132	Comprehensive analysis of DNA methylation in head and neck squamous cell carcinoma indicates differences by survival and clinicopathologic characteristics. <i>PLoS ONE</i> , 2013 , 8, e54742	3.7	41
131	Epidermal growth factor receptor, p16, cyclin D1, and p53 staining patterns for inverted papilloma. <i>International Forum of Allergy and Rhinology</i> , 2013 , 3, 885-9	6.3	19
130	Intranodal cystic changes: a potential radiologic signature/biomarker to assess the human papillomavirus status of cases with oropharyngeal malignancies. <i>Journal of Computer Assisted Tomography</i> , 2013 , 37, 343-5	2.2	33
129	Infiltrating lymphocytes and human papillomavirus-16--associated oropharyngeal cancer. <i>Laryngoscope</i> , 2012 , 122, 121-7	3.6	98
128	Transoral resection of pharyngeal cancer: summary of a National Cancer Institute Head and Neck Cancer Steering Committee Clinical Trials Planning Meeting, November 6-7, 2011, Arlington, Virginia. <i>Head and Neck</i> , 2012 , 34, 1681-703	4.2	77
127	Receptor-type Protein tyrosine phosphatase η regulates met phosphorylation and function in head and neck squamous cell carcinoma. <i>Neoplasia</i> , 2012 , 14, 1015-22	6.4	12
126	UM-SCC-104: a new human papillomavirus-16-positive cancer stem cell-containing head and neck squamous cell carcinoma cell line. <i>Head and Neck</i> , 2012 , 34, 1480-91	4.2	71
125	Matted nodes: poor prognostic marker in oropharyngeal squamous cell carcinoma independent of HPV and EGFR status. <i>Head and Neck</i> , 2012 , 34, 1727-33	4.2	64
124	Pretreatment dietary intake is associated with tumor suppressor DNA methylation in head and neck squamous cell carcinomas. <i>Epigenetics</i> , 2012 , 7, 883-91	5.7	31
123	Age-related changes in expression of CTL2/SLC44A2 and its isoforms in the mouse inner ear. <i>Hearing Research</i> , 2011 , 282, 63-8	3.9	7
122	Sensitization of head and neck cancer to cisplatin through the use of a novel curcumin analog. <i>JAMA Otolaryngology</i> , 2011 , 137, 499-507		36
121	Head and Neck Squamous Cell Carcinoma in Pregnant Women. <i>Laryngoscope</i> , 2011 , 121, S112-S112	3.6	
120	Head and neck cancer stem cells: the side population. <i>Laryngoscope</i> , 2011 , 121, 527-33	3.6	59
119	Tristetraprolin regulates interleukin-6, which is correlated with tumor progression in patients with head and neck squamous cell carcinoma. <i>Cancer</i> , 2011 , 117, 2677-89	6.4	53
118	Higher micronutrient intake is associated with human papillomavirus-positive head and neck cancer: a case-only analysis. <i>Nutrition and Cancer</i> , 2011 , 63, 734-42	2.8	19
117	Genome-wide methylation and expression differences in HPV(+) and HPV(-) squamous cell carcinoma cell lines are consistent with divergent mechanisms of carcinogenesis. <i>Epigenetics</i> , 2011 , 6, 777-87	5.7	118

116	Assembly and initial characterization of a panel of 85 genomically validated cell lines from diverse head and neck tumor sites. <i>Clinical Cancer Research</i> , 2011 , 17, 7248-64	12.9	188
115	Correlation of cellular immunity with human papillomavirus 16 status and outcome in patients with advanced oropharyngeal cancer. <i>JAMA Otolaryngology</i> , 2010 , 136, 1267-73		90
114	Rap1 stabilizes beta-catenin and enhances beta-catenin-dependent transcription and invasion in squamous cell carcinoma of the head and neck. <i>Clinical Cancer Research</i> , 2010 , 16, 65-76	12.9	48
113	Intensity-modulated chemoradiotherapy aiming to reduce dysphagia in patients with oropharyngeal cancer: clinical and functional results. <i>Journal of Clinical Oncology</i> , 2010 , 28, 2732-8	2.2	261
112	Galanin receptor subtypes 1 and 2 as therapeutic targets in head and neck squamous cell carcinoma. <i>Expert Opinion on Therapeutic Targets</i> , 2010 , 14, 289-302	6.4	19
111	High SEPT9_v1 Expression Is Associated with Poor Clinical Outcomes in Head and Neck Squamous Cell Carcinoma. <i>Translational Oncology</i> , 2010 , 3, 239-45	4.9	21
110	Tobacco use in human papillomavirus-positive advanced oropharynx cancer patients related to increased risk of distant metastases and tumor recurrence. <i>Clinical Cancer Research</i> , 2010 , 16, 1226-35	12.9	234
109	Silencing heat shock protein 27 decreases metastatic behavior of human head and neck squamous cell cancer cells in vitro. <i>Molecular Pharmaceutics</i> , 2010 , 7, 1283-90	5.6	27
108	Genotyping of 73 UM-SCC head and neck squamous cell carcinoma cell lines. <i>Head and Neck</i> , 2010 , 32, 417-26	4.2	209
107	HPV-positive/p16-positive/EBV-negative nasopharyngeal carcinoma in white North Americans. <i>Head and Neck</i> , 2010 , 32, 562-7	4.2	88
106	Metastatic potential of cancer stem cells in head and neck squamous cell carcinoma. <i>JAMA Otolaryngology</i> , 2010 , 136, 1260-6		76
105	Isoforms, expression, glycosylation, and tissue distribution of CTL2/SLC44A2. <i>Protein Journal</i> , 2010 , 29, 417-26	3.9	55
104	Single-marker identification of head and neck squamous cell carcinoma cancer stem cells with aldehyde dehydrogenase. <i>Head and Neck</i> , 2010 , 32, 1195-201	4.2	340
103	Galanin receptor subtype 2 suppresses cell proliferation and induces apoptosis in p53 mutant head and neck cancer cells. <i>Clinical Cancer Research</i> , 2009 , 15, 2222-30	12.9	38
102	Autoantibodies to recombinant human CTL2 in autoimmune hearing loss. <i>Laryngoscope</i> , 2009 , 119, 924-32	3.6	25
101	Sensitization of squamous cell carcinoma to cisplatin induced killing by natural agents. <i>Cancer Letters</i> , 2009 , 278, 201-209	9.9	30
100	Targeted gold nanoparticles enable molecular CT imaging of cancer. <i>Nano Letters</i> , 2008 , 8, 4593-6	11.5	640
99	EGFR, p16, HPV Titer, Bcl-xL and p53, sex, and smoking as indicators of response to therapy and survival in oropharyngeal cancer. <i>Journal of Clinical Oncology</i> , 2008 , 26, 3128-37	2.2	495

98	Anti-oxidant treatment enhances anti-tumor cytotoxicity of (-)-gossypol. <i>Cancer Biology and Therapy</i> , 2008 , 7, 767-76	4.6	14
97	Reactivation of p53 by a specific MDM2 antagonist (MI-43) leads to p21-mediated cell cycle arrest and selective cell death in colon cancer. <i>Molecular Cancer Therapeutics</i> , 2008 , 7, 1533-42	6.1	69
96	Chemoselection as a strategy for organ preservation in advanced oropharynx cancer: response and survival positively associated with HPV16 copy number. <i>Journal of Clinical Oncology</i> , 2008 , 26, 3138-46	2.2	284
95	Epigenetic inactivation of galanin receptor 1 in head and neck cancer. <i>Clinical Cancer Research</i> , 2008 , 14, 7604-13	12.9	52
94	Rap1GAP promotes invasion via induction of matrix metalloproteinase 9 secretion, which is associated with poor survival in low N-stage squamous cell carcinoma. <i>Cancer Research</i> , 2008 , 68, 3959-69	10.1	61
93	Expression of p53 and Bcl-xL as predictive markers for larynx preservation in advanced laryngeal cancer. <i>JAMA Otolaryngology</i> , 2008 , 134, 363-9		43
92	Head and neck squamous cell carcinoma cell lines: established models and rationale for selection. <i>Head and Neck</i> , 2007 , 29, 163-88	4.2	180
91	Tissue-preserving approach to extracting DNA from paraffin-embedded specimens using tissue microarray technology. <i>Head and Neck</i> , 2007 , 29, 465-71	4.2	16
90	Response to therapy and outcomes in oropharyngeal cancer are associated with biomarkers including human papillomavirus, epidermal growth factor receptor, gender, and smoking. <i>International Journal of Radiation Oncology Biology Physics</i> , 2007 , 69, S109-11	4	84
89	Targeting apoptosis to overcome cisplatin resistance: a translational study in head and neck cancer. <i>International Journal of Radiation Oncology Biology Physics</i> , 2007 , 69, S106-8	4	22
88	Cochlin isoforms and their interaction with CTL2 (SLC44A2) in the inner ear. <i>JARO - Journal of the Association for Research in Otolaryngology</i> , 2007 , 8, 435-46	3.3	25
87	Cell biology and immunology in head and neck squamous carcinoma: Research workshop summary. <i>Head & Neck</i> , 2006 , 8, 301-308		
86	A novel BH3 mimetic reveals a mitogen-activated protein kinase-dependent mechanism of melanoma cell death controlled by p53 and reactive oxygen species. <i>Cancer Research</i> , 2006 , 66, 11348-59	10.1	130
85	Rap1GAP inhibits tumor growth in oropharyngeal squamous cell carcinoma. <i>American Journal of Pathology</i> , 2006 , 168, 585-96	5.8	50
84	(-)-gossypol inhibits growth and promotes apoptosis of human head and neck squamous cell carcinoma in vivo. <i>Neoplasia</i> , 2006 , 8, 163-72	6.4	84
83	Reversal of cisplatin resistance with a BH3 mimetic, (-)-gossypol, in head and neck cancer cells: role of wild-type p53 and Bcl-xL. <i>Molecular Cancer Therapeutics</i> , 2005 , 4, 1096-104	6.1	109
82	Corticosteroid response and supporting cell antibody in autoimmune hearing loss. <i>JAMA Otolaryngology</i> , 2005 , 131, 665-72		40
81	Reduced cisplatin sensitivity of head and neck squamous cell carcinoma cell lines correlates with mutations affecting the COOH-terminal nuclear localization signal of p53. <i>Clinical Cancer Research</i> , 2005 , 11, 6845-52	12.9	35

80	Galanin receptor 1 has anti-proliferative effects in oral squamous cell carcinoma. <i>Journal of Biological Chemistry</i> , 2005 , 280, 22564-71	5.4	44
79	Genetic and expression profiles of squamous cell carcinoma of the head and neck correlate with cisplatin sensitivity and resistance in cell lines and patients. <i>Clinical Cancer Research</i> , 2004 , 10, 8204-13	12.9	76
78	In vitro effects of the BH3 mimetic, (-)-gossypol, on head and neck squamous cell carcinoma cells. <i>Clinical Cancer Research</i> , 2004 , 10, 7757-63	12.9	109
77	Identification and characterization of choline transporter-like protein 2, an inner ear glycoprotein of 68 and 72 kDa that is the target of antibody-induced hearing loss. <i>Journal of Neuroscience</i> , 2004 , 24, 1772-9	6.6	103
76	Overexpression of cyclin D1 correlates with sensitivity to cisplatin in squamous cell carcinoma cell lines of the head and neck. <i>Acta Oto-Laryngologica</i> , 2004 , 124, 851-7	1.6	25
75	Characterization of 10 vulvar carcinoma cell lines by karyotyping, comparative genomic hybridization and flow cytometry. <i>Gynecologic Oncology</i> , 2004 , 93, 155-63	4.9	12
74	Loss of chromosome arm 18q with tumor progression in head and neck squamous cancer. <i>Genes Chromosomes and Cancer</i> , 2004 , 41, 145-54	5	40
73	Antibodies to HSP-70 in normal donors and autoimmune hearing loss patients. <i>Laryngoscope</i> , 2003 , 113, 1770-6	3.6	43
72	Epstein-Barr virus detected in a head and neck squamous cell carcinoma cell line derived from an immunocompromised patient. <i>JAMA Otolaryngology</i> , 2003 , 129, 1115-24		9
71	P53 mutation correlates with cisplatin sensitivity in head and neck squamous cell carcinoma lines. <i>Head and Neck</i> , 2003 , 25, 654-61	4.2	126
70	Rap1A and rap1B ras-family proteins are prominently expressed in the nucleus of squamous carcinomas: nuclear translocation of GTP-bound active form. <i>Oncogene</i> , 2003 , 22, 6243-56	9.2	65
69	Delineating genetic pathways of disease progression in head and neck squamous cell carcinoma. <i>JAMA Otolaryngology</i> , 2003 , 129, 702-8		53
68	The gene ratios c-MYC:cyclin-dependent kinase (CDK)N2A and CCND1:CDKN2A correlate with poor prognosis in squamous cell carcinoma of the head and neck. <i>Clinical Cancer Research</i> , 2003 , 9, 1750-5	12.9	27
67	Reliable detection of p53 aberrations in squamous cell carcinomas of the head and neck requires transcript analysis of the entire coding region. <i>Head and Neck</i> , 2002 , 24, 868-73	4.2	36
66	Human papillomavirus and p53 mutational status as prognostic factors in head and neck carcinoma. <i>Head and Neck</i> , 2002 , 24, 841-9	4.2	85
65	Elevated serum vascular endothelial growth factor and decreased survival in advanced laryngeal carcinoma. <i>Head and Neck</i> , 2002 , 24, 1004-11	4.2	55
64	Hepatocyte growth factor inhibits anoikis in head and neck squamous cell carcinoma cells by activation of ERK and Akt signaling independent of NFkappa B. <i>Journal of Biological Chemistry</i> , 2002 , 277, 25203-8	5.4	107
63	Differential effects of chromosome 3p deletion on the expression of the putative tumor suppressor RAR beta and on retinoid resistance in human squamous carcinoma cells. <i>Oncogene</i> , 2001 , 20, 6820-7	9.2	31

62	Autoimmune Inner Ear Disease: Steroid and Cytotoxic Drug Therapy. <i>Ear, Nose and Throat Journal</i> , 2001 , 80, 808-822	1	30
61	Human papillomavirus infection in "young" versus "old" patients with squamous cell carcinoma of the head and neck. <i>Head and Neck</i> , 2000 , 22, 649-57	4.2	38
60	Mucosal swabs detect HPV in laryngeal papillomatosis patients but not family members. <i>International Journal of Pediatric Otorhinolaryngology</i> , 2000 , 53, 95-103	1.7	13
59	Expression of major histocompatibility complex antigens in squamous cell carcinomas of the head and neck: effects of interferon gene transfer. <i>Otolaryngology - Head and Neck Surgery</i> , 1999 , 120, 665-71	5.5	6
58	High-risk human papillomavirus types and squamous cell carcinoma in patients with respiratory papillomas. <i>Otolaryngology - Head and Neck Surgery</i> , 1999 , 120, 698-705	5.5	37
57	KHRI-3 monoclonal antibody-induced damage to the inner ear: antibody staining of nascent scars. <i>Hearing Research</i> , 1999 , 129, 50-60	3.9	33
56	Predictive markers for response to chemotherapy, organ preservation, and survival in patients with advanced laryngeal carcinoma. <i>Otolaryngology - Head and Neck Surgery</i> , 1999 , 121, 534-8	5.5	61
55	Head and Neck Cancers 1999 , 185-255		24
54	Expression of human papillomavirus 6 in inverted papilloma arising in a renal transplant recipient. <i>Laryngoscope</i> , 1998 , 108, 115-9	3.6	4
53	Loss of 18q predicts poor survival of patients with squamous cell carcinoma of the head and neck. <i>Genes Chromosomes and Cancer</i> , 1998 , 21, 333-9	5	62
52	The induction of P450-mediated oxidation of all-trans retinoic acid by retinoids in head and neck squamous cell carcinoma cell lines. <i>Metabolism: Clinical and Experimental</i> , 1998 , 47, 955-8	12.7	4
51	Identifying genetic changes associated with tumor progression in squamous cell carcinoma. <i>Acta Oto-Laryngologica</i> , 1997 , 529, 229-32	1.6	16
50	Establishment and characterization of nine new head and neck cancer cell lines. <i>Acta Oto-Laryngologica</i> , 1997 , 117, 775-84	1.6	77
49	Human squamous carcinoma cell invasion in organ-cultured skin. <i>Cancer Letters</i> , 1997 , 111, 51-7	9.9	2
48	In vivo binding and hearing loss after intracochlear infusion of KHRI-3 antibody. <i>Hearing Research</i> , 1997 , 107, 93-101	3.9	30
47	Human autoantibodies and monoclonal antibody KHRI-3 bind to a phylogenetically conserved inner-ear-supporting cell antigen. <i>Annals of the New York Academy of Sciences</i> , 1997 , 830, 253-65	6.5	47
46	Lectin binding characteristics of squamous cell carcinomas of the head and neck. <i>Acta Oto-Laryngologica</i> , 1996 , 116, 125-31	1.6	14
45	Human papillomavirus DNA in malignant and hyperplastic prostate tissue of black and white males. <i>Prostate</i> , 1996 , 28, 117-23	4.2	27

44	Two regions of homozygosity on chromosome 3p in squamous cell carcinoma of the head and neck: comparison with cytogenetic analysis. <i>Head and Neck</i> , 1996 , 18, 529-37	4.2	19
43	Human papillomavirus types important in progression of inverted papilloma. <i>Otolaryngology - Head and Neck Surgery</i> , 1995 , 113, 558-63	5.5	51
42	Common clonal origin of synchronous primary head and neck squamous cell carcinomas: analysis by tumor karyotypes and fluorescence in situ hybridization. <i>Human Pathology</i> , 1995 , 26, 251-61	3.7	95
41	Mutation of tumor suppressor gene p53 is frequently found in vulvar carcinoma cells. <i>American Journal of Obstetrics and Gynecology</i> , 1995 , 173, 1477-82	6.4	24
40	Monoclonal antibody induced hearing loss. <i>Hearing Research</i> , 1995 , 83, 101-13	3.9	32
39	Poster 33 Human Papillomavirus Types Important in Progression of Inverted Papilloma. <i>Otolaryngology - Head and Neck Surgery</i> , 1995 , 113, P85-P85	5.5	12
38	Head and Neck Tumor Cell Lines 1994 , 79-120		28
37	Recurrent cytogenetic abnormalities in squamous cell carcinomas of the head and neck region. <i>Genes Chromosomes and Cancer</i> , 1994 , 9, 192-206	5	167
36	Isolation and purification of a squamous cell carcinoma of the head and neck-associated antigen identified by autologous antibody. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 1993 , 1181, 174-82	6.9	3
35	Distribution of KHRI 3 epitopes in the inner ear. <i>Hearing Research</i> , 1993 , 66, 245-52	3.9	9
34	The monoclonal antibody BQ16 identifies the alpha 6 beta 4 integrin on bladder cancer. <i>Hybridoma</i> , 1993 , 12, 67-80		29
33	Chromosomal biomarkers in the clonal evolution of head and neck squamous neoplasia. <i>Journal of Cellular Biochemistry</i> , 1993 , 17F, 213-22	4.7	26
32	Blood group antigens and integrins as biomarkers in head and neck cancer: is aberrant tyrosine phosphorylation the cause of altered alpha 6 beta 4 integrin expression?. <i>Journal of Cellular Biochemistry</i> , 1993 , 17F, 223-32	4.7	11
31	Deletion 9p22-pter and loss of Y as primary chromosome abnormalities in a squamous cell carcinoma of the vocal cord. <i>Genes Chromosomes and Cancer</i> , 1993 , 6, 58-60	5	16
30	Clonal cytogenetic evolution in a squamous cell carcinoma of the skin from a xeroderma pigmentosum patient. <i>Genes Chromosomes and Cancer</i> , 1993 , 7, 158-64	5	30
29	Serial studies of autologous antibody reactivity to squamous cell carcinoma of the head and neck. <i>Cancer Immunology, Immunotherapy</i> , 1992 , 34, 329-36	7.4	7
28	Alterations in antigen expression in superficial bladder cancer. <i>Journal of Cellular Biochemistry</i> , 1992 , 16I, 63-8	4.7	18
27	Overexpression Of The A9 Antigen /A6 Integrin In Head And Neck Cancer. <i>Otolaryngologic Clinics of North America</i> , 1992 , 25, 1117-1139	2	25

26	Human papillomavirus DNA sequences in cell lines derived from head and neck squamous cell carcinomas. <i>Otolaryngology - Head and Neck Surgery</i> , 1991 , 104, 303-10	5.5	40
25	11p deletions and breakpoints in squamous cell carcinoma: association with altered reactivity with the UM-E7 antibody. <i>Genes Chromosomes and Cancer</i> , 1991 , 3, 272-82	5	24
24	Consistent chromosome abnormalities in squamous cell carcinoma of the vulva. <i>Genes Chromosomes and Cancer</i> , 1991 , 3, 420-32	5	67
23	In vitro radiation resistance among cell lines established from patients with squamous cell carcinoma of the head and neck. <i>Cancer</i> , 1991 , 67, 2741-7	6.4	94
22	Monoclonal antibodies to inner ear antigens: I. Antigens expressed by supporting cells of the guinea pig cochlea. <i>Hearing Research</i> , 1991 , 52, 59-71	3.9	35
21	Monoclonal antibodies to inner ear antigens: II. Antigens expressed in sensory cell stereocilia. <i>Hearing Research</i> , 1991 , 57, 79-90	3.9	20
20	Tamoxifen therapy in patients with recurrent laryngeal squamous carcinoma. <i>Laryngoscope</i> , 1990 , 100, 76-8	3.6	15
19	Squamous carcinoma of the head and neck in organ transplant recipients: possible role of oncogenic viruses. <i>Laryngoscope</i> , 1990 , 100, 190-4	3.6	52
18	Phenotypic characterization, karyotype analysis and in vitro tamoxifen sensitivity of new ER-negative vulvar carcinoma cell lines, UM-SCV-1A and UM-SCV-1B. <i>International Journal of Cancer</i> , 1990 , 45, 920-7	7.5	30
17	Modulation of squamous carcinoma cell growth, morphology, adhesiveness and extracellular matrix production by interferon-gamma and tumor necrosis factor-alpha. <i>Pathobiology</i> , 1990 , 58, 279-86	3.6	16
16	Establishment and characterization of UM-EC-2, a tamoxifen-sensitive, estrogen receptor-negative human endometrial carcinoma cell line. <i>Gynecologic Oncology</i> , 1990 , 37, 188-99	4.9	18
15	Characterization of thrombospondin synthesis, secretion and cell surface expression by human tumor cells. <i>Clinical and Experimental Metastasis</i> , 1989 , 7, 265-76	4.7	53
14	Clonogenic cell assay for anchorage-dependent squamous carcinoma cell lines using limiting dilution. <i>International Journal of Cancer</i> , 1989 , 44, 131-6	7.5	75
13	Growth and progression of head and neck cancer: a report of the Upper Aerodigestive Cancer Task Force Workshop. <i>Head & Neck</i> , 1988 , 10, 179-86		2
12	In vitro response of cervical cancer cell lines CaSki, HeLa, and ME-180 to the antiestrogen tamoxifen. <i>Gynecologic Oncology</i> , 1988 , 30, 228-38	4.9	24
11	Monoclonal Antibodies as Prognostic Indicators in Patients with Squamous Cancer of the Oral Cavity and Oral Pharynx. <i>Acta Oto-Laryngologica</i> , 1988 , 105, 229-234	1.6	5
10	In vitro photosensitization of human head and neck squamous cancer cells by dihematoporphyrin-ether. <i>Otolaryngology - Head and Neck Surgery</i> , 1988 , 99, 28-37	5.5	6
9	Expression of A9 antigen and loss of blood group antigens as determinants of survival in patients with head and neck squamous carcinoma. <i>Otolaryngology - Head and Neck Surgery</i> , 1987 , 96, 221-30	5.5	29

8	Radioimmunodiagnosis of human-derived squamous cell carcinoma. <i>Hybridoma</i> , 1987 , 6, 111-9		12
7	In vitro effects of tamoxifen on UM-SCC head and neck cancer cell lines: correlation with the estrogen and progesterone receptor content. <i>International Journal of Cancer</i> , 1987 , 39, 77-81	7.5	21
6	Tumor type-specific differences in cell-substrate adhesion among human tumor cell lines. <i>International Journal of Cancer</i> , 1987 , 39, 397-403	7.5	33
5	Thrombospondin-induced attachment and spreading of human squamous carcinoma cells. <i>Experimental Cell Research</i> , 1986 , 167, 376-90	4.2	105
4	Wilms tumor-aniridia association: segregation of affected chromosome in somatic cell hybrids, identification of cell surface antigen associated with deleted area, and regional mapping of c-Ha-ras-1 oncogene, insulin gene, and beta-globin gene. <i>Somatic Cell and Molecular Genetics</i> , 1984 , 10, 455-64		20
3	Steroid hormone receptors in human squamous carcinoma cell lines. <i>International Journal of Cancer</i> , 1984 , 33, 19-25	7.5	34
2	Further studies on a hybrid cell-surface antigen associated with human chromosome 11 using a monoclonal antibody. <i>Somatic Cell Genetics</i> , 1983 , 9, 489-96		14
1	Immunologic aspects of melanoma. <i>CRC Critical Reviews in Clinical Laboratory Sciences</i> , 1982 , 18, 141-82		4