

Shan-Ho Chou

List of Publications by Citations

Source: <https://exaly.com/author-pdf/4886468/shan-ho-chou-publications-by-citations.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

129
papers

3,002
citations

29
h-index

50
g-index

135
ext. papers

3,597
ext. citations

6.6
avg, IF

5.14
L-index

#	Paper	IF	Citations
129	Assignment of the non-exchangeable proton resonances of d(C-G-C-G-A-A-T-T-C-G-C-G) using two-dimensional nuclear magnetic resonance methods. <i>Journal of Molecular Biology</i> , 1983 , 171, 319-36	6.5	540
128	Diversity of Cyclic Di-GMP-Binding Proteins and Mechanisms. <i>Journal of Bacteriology</i> , 2016 , 198, 32-46	3.5	159
127	The cAMP receptor-like protein CLP is a novel c-di-GMP receptor linking cell-cell signaling to virulence gene expression in <i>Xanthomonas campestris</i> . <i>Journal of Molecular Biology</i> , 2010 , 396, 646-62	6.5	150
126	Solution structure of [d(ATGAGCGAATA)] ₂ . Adjacent G:A mismatches stabilized by cross-strand base-stacking and BII phosphate groups. <i>Journal of Molecular Biology</i> , 1992 , 228, 138-55	6.5	92
125	Nucleotide binding by the widespread high-affinity cyclic di-GMP receptor MshEN domain. <i>Nature Communications</i> , 2016 , 7, 12481	17.4	83
124	Base pairing geometry in GA mismatches depends entirely on the neighboring sequence. <i>Journal of Molecular Biology</i> , 1992 , 228, 1037-41	6.5	78
123	Unusual DNA duplex and hairpin motifs. <i>Nucleic Acids Research</i> , 2003 , 31, 2461-74	20.1	71
122	Hairpin loops consisting of single adenine residues closed by sheared A.A and G.G pairs formed by the DNA triplets AAA and GAG: solution structure of the d(GTACAAAGTAC) hairpin. <i>Journal of Molecular Biology</i> , 1996 , 264, 981-1001	6.5	66
121	Sheared purine x purine pairing in biology. <i>Journal of Molecular Biology</i> , 1997 , 267, 1055-67	6.5	64
120	DNA aptamers as potential anti-HIV agents. <i>Trends in Biochemical Sciences</i> , 2005 , 30, 231-4	10.3	63
119	Centromeric pyrimidine strands fold into an intercalated motif by forming a double hairpin with a novel T:G:G:T tetrad: solution structure of the d(TCCCGTTTCCA) dimer. <i>Journal of Molecular Biology</i> , 1997 , 273, 840-56	6.5	59
118	Structure of a single-cytidine hairpin loop formed by the DNA triplet GCA. <i>Nature Structural and Molecular Biology</i> , 1995 , 2, 1012-7	17.6	53
117	The unusual structure of the human centromere (GGA) ₂ motif. Unpaired guanosine residues stacked between sheared G.A pairs. <i>Journal of Molecular Biology</i> , 1994 , 244, 259-68	6.5	53
116	Characterization of a natural triple-tandem c-di-GMP riboswitch and application of the riboswitch-based dual-fluorescence reporter. <i>Scientific Reports</i> , 2016 , 6, 20871	4.9	47
115	The structure and inhibition of a GGDEF diguanylate cyclase complexed with (c-di-GMP) ₂ at the active site. <i>Acta Crystallographica Section D: Biological Crystallography</i> , 2011 , 67, 997-1008		45
114	A cyclic GMP-dependent signalling pathway regulates bacterial phytopathogenesis. <i>EMBO Journal</i> , 2013 , 32, 2430-8	13	40
113	Structural Insights into the Distinct Binding Mode of Cyclic Di-AMP with SaCpaA_RCK. <i>Biochemistry</i> , 2015 , 54, 4936-51	3.2	36

112	Elucidation of the solution structure of cardiotoxin analogue V from the Taiwan cobra (<i>Naja naja atra</i>)--identification of structural features important for the lethal action of snake venom cardiotoxins. <i>Protein Science</i> , 2000 , 9, 637-46	6.3	36
111	DNA sequence GCGAATGAGC containing the human centromere core sequence GAAT forms a self-complementary duplex with sheared G.A pairs in solution. <i>Journal of Molecular Biology</i> , 1994 , 241, 467-79	6.5	36
110	Structural polymorphism of c-di-GMP bound to an EAL domain and in complex with a type II PilZ-domain protein. <i>Acta Crystallographica Section D: Biological Crystallography</i> , 2012 , 68, 1380-92		35
109	On the relative ability of centromeric GNA triplets to form hairpins versus self-paired duplexes. <i>Journal of Molecular Biology</i> , 1996 , 259, 445-57	6.5	34
108	Preparation of amino-acid-type selective isotope labeling of protein expressed in <i>Pichia pastoris</i> . <i>Proteins: Structure, Function and Bioinformatics</i> , 2006 , 62, 279-87	4.2	33
107	A decade of research on the second messenger c-di-AMP. <i>FEMS Microbiology Reviews</i> , 2020 , 44, 701-724	15.1	32
106	XC1028 from <i>Xanthomonas campestris</i> adopts a PilZ domain-like structure without a c-di-GMP switch. <i>Proteins: Structure, Function and Bioinformatics</i> , 2009 , 75, 282-8	4.2	32
105	The structure of a novel DNA duplex formed by human centromere d(TGGAA) repeats with possible implications for chromosome attachment during mitosis. <i>Journal of Molecular Biology</i> , 1995 , 254, 623-37	6.5	32
104	<i>Xanthomonas campestris</i> PqqD in the pyrroloquinoline quinone biosynthesis operon adopts a novel saddle-like fold that possibly serves as a PQQ carrier. <i>Proteins: Structure, Function and Bioinformatics</i> , 2009 , 76, 1042-8	4.2	30
103	Cyclic di-AMP, a second messenger of primary importance: tertiary structures and binding mechanisms. <i>Nucleic Acids Research</i> , 2020 , 48, 2807-2829	20.1	29
102	Novel c-di-GMP recognition modes of the mouse innate immune adaptor protein STING. <i>Acta Crystallographica Section D: Biological Crystallography</i> , 2013 , 69, 352-66		29
101	Signaling specificity in the c-di-GMP-dependent network regulating antibiotic synthesis in <i>Lysobacter</i> . <i>Nucleic Acids Research</i> , 2018 , 46, 9276-9288	20.1	29
100	Structure and dynamics of polymyxin-resistance-associated response regulator PmrA in complex with promoter DNA. <i>Nature Communications</i> , 2015 , 6, 8838	17.4	27
99	Looped out and perpendicular: deformation of Watson-Crick base pair associated with actinomycin D binding. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2002 , 99, 6625-30	11.5	27
98	Cross-strand purine-pyrimidine stack and sheared purine.pyrimidine pairing in the human HIV-1 reverse transcriptase inhibitors. <i>Journal of Molecular Biology</i> , 1999 , 285, 41-8	6.5	27
97	Transcriptome Landscape of. <i>Frontiers in Microbiology</i> , 2017 , 8, 2505	5.7	26
96	Insights into the alkyl peroxide reduction pathway of <i>Xanthomonas campestris</i> bacterioferritin comigratory protein from the trapped intermediate-ligand complex structures. <i>Journal of Molecular Biology</i> , 2009 , 390, 951-66	6.5	26
95	Regulation of Inducible Potassium Transporter KdpFABC by the KdpD/KdpE Two-Component System in. <i>Frontiers in Microbiology</i> , 2017 , 8, 570	5.7	25

94	The first crystal structure of gluconolactonase important in the glucose secondary metabolic pathways. <i>Journal of Molecular Biology</i> , 2008 , 384, 604-14	6.5	25
93	Stable sheared A.C pair in DNA hairpins. <i>Journal of Molecular Biology</i> , 1999 , 287, 301-13	6.5	25
92	Cyclic di-GMP contributes to adaption and virulence of <i>Bacillus thuringiensis</i> through a riboswitch-regulated collagen adhesion protein. <i>Scientific Reports</i> , 2016 , 6, 28807	4.9	25
91	c-di-GMP Regulates Various Phenotypes and Insecticidal Activity of Gram-Positive. <i>Frontiers in Microbiology</i> , 2018 , 9, 45	5.7	24
90	Structure of <i>Stenotrophomonas maltophilia</i> FeoA complexed with zinc: a unique prokaryotic SH3-domain protein that possibly acts as a bacterial ferrous iron-transport activating factor. <i>Acta Crystallographica Section F: Structural Biology Communications</i> , 2010 , 66, 636-42		24
89	Stable formation of a pyrimidine-rich loop hairpin in a cruciform promoter. <i>Journal of Molecular Biology</i> , 1999 , 292, 309-20	6.5	21
88	Functional divergence of FimX in PilZ binding and type IV pilus regulation. <i>Journal of Bacteriology</i> , 2012 , 194, 5922-31	3.5	20
87	The nature of actinomycin D binding to d(AACCAXYG) sequence motifs. <i>Nucleic Acids Research</i> , 2004 , 32, 271-7	20.1	19
86	Cloning, purification, crystallization and preliminary X-ray crystallographic analysis of XC847, a 3R5R oligoribonuclease from <i>Xanthomonas campestris</i> . <i>Acta Crystallographica Section F: Structural Biology Communications</i> , 2005 , 61, 902-5		19
85	Parity-dependent hairpin configurations of repetitive DNA sequence promote slippage associated with DNA expansion. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2017 , 114, 9535-9540	11.5	18
84	A novel tetrameric PilZ domain structure from xanthomonads. <i>PLoS ONE</i> , 2011 , 6, e22036	3.7	18
83	The crystal structure of XC847 from <i>Xanthomonas campestris</i> : a 3R5R oligoribonuclease of DnaQ fold family with a novel opposingly shifted helix. <i>Proteins: Structure, Function and Bioinformatics</i> , 2006 , 65, 1036-40	4.2	18
82	Functional and genomic insights into the pathogenesis of <i>Burkholderia</i> species to rice. <i>Environmental Microbiology</i> , 2016 , 18, 780-90	5.2	18
81	A c-di-AMP riboswitch controlling operon transcription regulates the potassium transporter system in. <i>Communications Biology</i> , 2019 , 2, 151	6.7	17
80	Binding of actinomycin D to single-stranded DNA of sequence motifs d(TGTCT(n)G) and d(TGT(n)GTCT). <i>Biophysical Journal</i> , 2003 , 84, 432-9	2.9	17
79	DgcA, a diguanylate cyclase from <i>Xanthomonas oryzae</i> pv. <i>oryzae</i> regulates bacterial pathogenicity on rice. <i>Scientific Reports</i> , 2016 , 6, 25978	4.9	17
78	Solution structure of the ActD-5RCCGTT3GTGG-3R complex: drug interaction with tandem G.T mismatches and hairpin loop backbone. <i>Nucleic Acids Research</i> , 2003 , 31, 2622-9	20.1	16
77	Complete Genome Sequence of <i>Xanthomonas campestris</i> pv. <i>campestris</i> Strain 17 from Taiwan. <i>Genome Announcements</i> , 2015 , 3,		15

76	Quadruple intercalated G-6 stack: a possible motif in the fold-back structure of the <i>Drosophila</i> centromeric dodeca-satellite?. <i>Journal of Molecular Biology</i> , 2001 , 314, 139-52	6.5	15
75	Direct Regulation of Extracellular Chitinase Production by the Transcription Factor LeClp in <i>Lysobacter enzymogenes</i> OH11. <i>Phytopathology</i> , 2016 , 106, 971-7	3.8	15
74	Solution structure and tandem DNA recognition of the C-terminal effector domain of PmrA from <i>Klebsiella pneumoniae</i> . <i>Nucleic Acids Research</i> , 2014 , 42, 4080-93	20.1	14
73	Enhanced loop DNA folding induced by thymine-CH3 group contact and perpendicular guanine-thymine interaction. <i>Journal of Biomolecular NMR</i> , 2001 , 19, 33-48	3	14
72	Zipper-like Watson-Crick base-pairs. <i>Journal of Molecular Biology</i> , 2001 , 312, 753-68	6.5	14
71	A TonB-dependent receptor regulates antifungal HSAF biosynthesis in <i>Lysobacter</i> . <i>Scientific Reports</i> , 2016 , 6, 26881	4.9	14
70	Natural abundance heteronuclear NMR studies of the T3 mini-loop hairpin in the terminal repeat of the adenoassociated virus 2. <i>Journal of Biomolecular NMR</i> , 2000 , 17, 1-16	3	13
69	Structural studies of symmetric DNA undecamers containing non-symmetrical sheared (PuGAPu):(PyGAPy) motifs. <i>Journal of Biomolecular NMR</i> , 1999 , 14, 157-67	3	13
68	Solution structure of a DNA double helix incorporating four consecutive non-Watson-Crick base-pairs. <i>Journal of Molecular Biology</i> , 2001 , 312, 769-81	6.5	12
67	Crystal structure of the C-terminal domain of a flagellar hook-capping protein from <i>Xanthomonas campestris</i> . <i>Journal of Molecular Biology</i> , 2008 , 381, 189-99	6.5	11
66	The crystal structure of XC1258 from <i>Xanthomonas campestris</i> : a putative procaryotic Nit protein with an arsenic adduct in the active site. <i>Proteins: Structure, Function and Bioinformatics</i> , 2007 , 69, 665-74 ²	4.2	11
65	A new model for ligand release. Role of side chain in gating the enediyne antibiotic. <i>Journal of Biological Chemistry</i> , 2006 , 281, 16025-33	5.4	11
64	Unique actinomycin D binding to self-complementary d(CXYGGCCY RR) sequences: duplex disruption and binding to a nominally base-paired hairpin. <i>Nucleic Acids Research</i> , 2003 , 31, 4238-46	20.1	11
63	Structural Conservation and Diversity of PilZ-Related Domains. <i>Journal of Bacteriology</i> , 2020 , 202,	3.5	11
62	The crystal structure of XC1739: a putative multiple antibiotic-resistance repressor (MarR) from <i>Xanthomonas campestris</i> at 1.8 Å resolution. <i>Proteins: Structure, Function and Bioinformatics</i> , 2006 , 65, 239-42	4.2	10
61	NMR structure note--solution structure of a bacterial BolA-like protein XC975 from a plant pathogen <i>Xanthomonas campestris</i> pv. <i>campestris</i> . <i>Journal of Biomolecular NMR</i> , 2005 , 31, 167-72	3	10
60	Systematic NMR Assignments of DNA Exchangeable Protons. <i>Journal of the Chinese Chemical Society</i> , 1999 , 46, 699-706	1.5	10
59	An intrinsic mechanism for coordinated production of the contact-dependent and contact-independent weapon systems in a soil bacterium. <i>PLoS Pathogens</i> , 2020 , 16, e1008967	7.6	10

58	Two direct gene targets contribute to Clp-dependent regulation of type IV pilus-mediated twitching motility in <i>Lysobacter enzymogenes</i> OH11. <i>Applied Microbiology and Biotechnology</i> , 2018 , 102, 7509-7519	5.7	10
57	Crystallization studies of the murine c-di-GMP sensor protein STING. <i>Acta Crystallographica Section F: Structural Biology Communications</i> , 2012 , 68, 906-10		9
56	Ways to control harmful biofilms: prevention, inhibition, and eradication. <i>Critical Reviews in Microbiology</i> , 2021 , 47, 57-78	7.8	9
55	Unique GTP-binding pocket and allostery of uridylate kinase from a gram-negative phytopathogenic bacterium. <i>Journal of Molecular Biology</i> , 2009 , 385, 1113-26	6.5	8
54	A YajQ-LysR-like, cyclic di-GMP-dependent system regulating biosynthesis of an antifungal antibiotic in a crop-protecting bacterium, <i>Lysobacter enzymogenes</i> . <i>Molecular Plant Pathology</i> , 2020 , 21, 218-229	5.7	8
53	Crystal structure of the conserved hypothetical cytosolic protein Xcc0516 from <i>Xanthomonas campestris</i> reveals a novel quaternary structure assembled by five four-helix bundles. <i>Proteins: Structure, Function and Bioinformatics</i> , 2006 , 65, 783-6	4.2	7
52	Coordinated control of the type IV pili and c-di-GMP-dependent antifungal antibiotic production in <i>Lysobacter</i> by the response regulator PilR. <i>Molecular Plant Pathology</i> , 2021 , 22, 602-617	5.7	7
51	Sheared-type G(anti).C(syn) base-pair: a unique d(GXC) loop closure motif. <i>Journal of Molecular Biology</i> , 2003 , 329, 351-61	6.5	6
50	2-Methylcitrate cycle: a well-regulated controller of <i>Bacillus</i> sporulation. <i>Environmental Microbiology</i> , 2020 , 22, 1125-1140	5.2	6
49	A non-flagellated, predatory soil bacterium reprograms a chemosensory system to control antifungal antibiotic production via cyclic di-GMP signalling. <i>Environmental Microbiology</i> , 2021 , 23, 878-892	5.2	6
48	6S-1 RNA Contributes to Sporulation and Parasporal Crystal Formation in. <i>Frontiers in Microbiology</i> , 2020 , 11, 604458	5.7	5
47	The Homologous Components of Flagellar Type III Protein Apparatus Have Acquired a Novel Function to Control Twitching Motility in a Non-Flagellated Biocontrol Bacterium. <i>Biomolecules</i> , 2020 , 10,	5.9	5
46	Insights into the distinct cooperation between the transcription factor Clp and Le DSF signaling in the regulation of antifungal factors in <i>Lysobacter enzymogenes</i> OH11. <i>Biological Control</i> , 2018 , 120, 52-58	3.8	5
45	Crystallization and preliminary X-ray diffraction characterization of the XccFimX(EAL)-c-di-GMP and XccFimX(EAL)-c-di-GMP-XccPilZ complexes from <i>Xanthomonas campestris</i> . <i>Acta Crystallographica Section F: Structural Biology Communications</i> , 2012 , 68, 301-5		5
44	Knockout of Diguanylate Cyclase Genes in <i>Lysobacter enzymogenes</i> to Improve Production of Antifungal Factor and Increase Its Application in Seed Coating. <i>Current Microbiology</i> , 2020 , 77, 1006-1015	5.4	4
43	Crystallization of the N-terminal regulatory domain of the enhancer-binding protein FleQ from <i>Stenotrophomonas maltophilia</i> . <i>Acta Crystallographica Section F, Structural Biology Communications</i> , 2014 , 70, 326-30	1.1	4
42	Crystallization and preliminary X-ray diffraction characterization of an essential protein from <i>Xanthomonas campestris</i> that contains a noncanonical PilZ signature motif yet is critical for pathogenicity. <i>Acta Crystallographica Section F: Structural Biology Communications</i> , 2009 , 65, 1056-9		4
41	NMR studies of DNA structures containing sheared purine-purine and purine-pyrimidine base pairs. <i>Journal of Biomolecular Structure and Dynamics</i> , 2000 , 17 Suppl 1, 303-13	3.6	4

40	Which Is Stronger? A Continuing Battle Between Cry Toxins and Insects. <i>Frontiers in Microbiology</i> , 2021 , 12, 665101	5.7	4
39	Antifungal weapons of <i>Lysobacter</i> , a mighty biocontrol agent. <i>Environmental Microbiology</i> , 2021 , 23, 5704-5715	5.2	4
38	ClpP mediates antagonistic interaction of <i>Lysobacter</i> enzymogenes with a crop fungal pathogen. <i>Biological Control</i> , 2020 , 140, 104125	3.8	4
37	Backbone resonance assignments of the 54 kDa dimeric C-terminal domain of murine STING in complex with DMXAA. <i>Biomolecular NMR Assignments</i> , 2015 , 9, 271-4	0.7	3
36	Functional divergence of flagellar type III secretion system: A case study in a non-flagellated, predatory bacterium. <i>Computational and Structural Biotechnology Journal</i> , 2020 , 18, 3368-3376	6.8	3
35	A non-flagellated biocontrol bacterium employs a PilZ-PilB complex to provoke twitching motility associated with its predation behavior. <i>Phytopathology Research</i> , 2020 , 2,	4.1	3
34	Cyclic di-GMP in Streptomyces: A New Conformation, New Binding Mode, New Receptor, and a New Mechanism to Control Cell Development. <i>Molecular Cell</i> , 2020 , 77, 443-445	17.6	3
33	Sigma factor RpoN employs a dual transcriptional regulation for controlling twitching motility and biofilm formation in <i>Lysobacter</i> enzymogenes OH11. <i>Current Genetics</i> , 2018 , 64, 515-527	2.9	3
32	The crystallization of apo-form UMP kinase from <i>Xanthomonas campestris</i> is significantly improved in a strong magnetic field. <i>Acta Crystallographica Section F: Structural Biology Communications</i> , 2007 , 63, 438-42		3
31	XC5848, an ORFan protein from <i>Xanthomonas campestris</i> , adopts a novel variant of Sm-like motif. <i>Proteins: Structure, Function and Bioinformatics</i> , 2007 , 68, 1006-10	4.2	3
30	Structure of XC6422 from <i>Xanthomonas campestris</i> at 1.6 Å resolution: a small serine alpha/beta-hydrolase. <i>Acta Crystallographica Section F: Structural Biology Communications</i> , 2006 , 62, 498-503		3
29	Crystal structure of XC5357 from <i>Xanthomonas campestris</i> : a putative tetracenomycin polyketide synthesis protein adopting a novel cupin subfamily structure. <i>Proteins: Structure, Function and Bioinformatics</i> , 2006 , 65, 1046-50	4.2	3
28	The solution structure of [d(CGC)r(amamam)d(TTGCG)] ₂ . <i>Journal of Biomolecular NMR</i> , 2001 , 21, 209-20		3
27	Spermidine plays a significant role in stabilizing a master transcription factor Clp to promote antifungal activity in <i>Lysobacter</i> enzymogenes. <i>Applied Microbiology and Biotechnology</i> , 2019 , 103, 1811-1822	5.7	3
26	Crystallization and preliminary X-ray diffraction studies of <i>Xanthomonas campestris</i> PNPase in the presence of c-di-GMP. <i>Acta Crystallographica Section F: Structural Biology Communications</i> , 2012 , 68, 1247-50		2
25	Delicate conformational changes of a protein in the CRP family lead to dramatic functional changes via binding of an alternate secondary messenger molecule. <i>Virulence</i> , 2011 , 2, 152-7	4.7	2
24	Crystal structure of a putative acyl-CoA thioesterase from <i>Xanthomonas campestris</i> (XC229) adopts a tetrameric hotdog fold of epsilon-gamma mode. <i>Proteins: Structure, Function and Bioinformatics</i> , 2006 , 64, 823-6	4.2	2
23	A putative polyketide-synthesis protein XC5357 from <i>Xanthomonas campestris</i> : heterologous expression, crystallization and preliminary X-ray analysis. <i>Acta Crystallographica Section F: Structural Biology Communications</i> , 2005 , 61, 697-9		2

22	Novel cross-strand three-purine stack of the highly conserved 5RGA/AAG-5Rinternal loop at the 3Rend termini of Parvovirus genomes. <i>Journal of Biomolecular NMR</i> , 2001 , 21, 307-19	3	2
21	Lysobacter enzymogenes antagonizes soilborne bacteria using the type IV secretion system. <i>Environmental Microbiology</i> , 2021 , 23, 4673-4688	5.2	2
20	Clp is a "busy" transcription factor in the bacterial warrior,. <i>Computational and Structural Biotechnology Journal</i> , 2021 , 19, 3564-3572	6.8	2
19	Sequence conservation, domain architectures, and phylogenetic distribution of the HD-GYP type c-di-GMP phosphodiesterases.. <i>Journal of Bacteriology</i> , 2021 , jb0056121	3.5	2
18	Crystal structure of a conserved hypothetical protein MJ0927 from Methanocaldococcus jannaschii reveals a novel quaternary assembly in the Nif3 family. <i>BioMed Research International</i> , 2014 , 2014, 171263	2.3	1
17	A cyclic GMP-dependent signalling pathway regulates bacterial phytopathogenesis. <i>EMBO Journal</i> , 2013 , 32, 2779-2781	13	1
16	Lipid bilayer-assisted release of an enediyne antibiotic from neocarzinostatin chromoprotein. <i>Biochemistry</i> , 2010 , 49, 7722-32	3.2	1
15	Cloning, crystallization and preliminary X-ray study of XC1258, a CN-hydrolase superfamily protein from Xanthomonas campestris. <i>Acta Crystallographica Section F: Structural Biology Communications</i> , 2006 , 62, 999-1002		1
14	Cloning, purification crystallization and preliminary X-ray characterization of a conserved hypothetical protein XC6422 from Xanthomonas campestris. <i>Acta Crystallographica Section F: Structural Biology Communications</i> , 2005 , 61, 703-5		1
13	Cyclic di-GMP-Dependent Regulation of Antibiotic Biosynthesis in Lysobacter 2020 , 329-336		1
12	Mycobacterial CarD defines a novel mechanism of response to starvation stress		1
11	The Multiple Regulatory Relationship Between RNA-Chaperone Hfq and the Second Messenger c-di-GMP. <i>Frontiers in Microbiology</i> , 2021 , 12, 689619	5.7	1
10	Bio-hybrid nanoarchitectonics of nanoflower-based ELISA method for the detection of Staphylococcus aureus. <i>Sensors and Actuators B: Chemical</i> , 2022 , 366, 132005	8.5	1
9	Bacterial quorum sensing quenching activity of leucyl aminopeptidase acts by interacting with autoinducer synthase.. <i>Computational and Structural Biotechnology Journal</i> , 2021 , 19, 6179-6190	6.8	0
8	Novel c-di-GMP recognition modes of the mouse innate immune adaptor protein STING. Corrigendum. <i>Acta Crystallographica Section D: Biological Crystallography</i> , 2013 , 69, 1191-1191		
7	Crystal structure of DFA0005 complexed with alpha-ketoglutarate: a novel member of the ICL/PEPM superfamily from alkali-tolerant Deinococcus ficus. <i>Proteins: Structure, Function and Bioinformatics</i> , 2008 , 73, 362-71	4.2	
6	Stable and unique DNA duplex motifs. <i>Nucleic Acids Symposium Series</i> , 2005 , 11-2		
5	Noncanonical Cyclic di-GMP Binding Modes 2020 , 125-134		

- 4 A model for enediyne antibiotic transport/release. *FASEB Journal*, **2007**, 21, A628 0.9
- 3 Genome-wide Analysis of the Distribution of Riboswitches and Function Analyses of the Corresponding Downstream Genes in Prokaryotes. *Current Bioinformatics*, **2018**, 14, 53-61 4.7
- 2 Cyclic di-GMP Signaling in the Phytopathogen *Xanthomonas campestris* pv. *campestris* **2020**, 427-442
- 1 The RNA Chaperone Protein Hfq Regulates the Characteristic Sporulation and Insecticidal Activity of .. *Frontiers in Microbiology*, **2022**, 13, 884528 5.7