

Gerardo Salazar

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4886806/publications.pdf>

Version: 2024-02-01

48

papers

1,519

citations

566801

15

h-index

329751

37

g-index

48

all docs

48

docs citations

48

times ranked

1517

citing authors

#	ARTICLE	IF	CITATIONS
1	An updated classification of Orchidaceae. <i>Botanical Journal of the Linnean Society</i> , 2015, 177, 151-174.	0.8	599
2	Phylogenetic relationships of aroids and duckweeds (Araceae) inferred from coding and noncoding plastid DNA. <i>American Journal of Botany</i> , 2008, 95, 1153-1165.	0.8	159
3	Phylogenetics of Cranichideae with emphasis on Spiranthinae (Orchidaceae, Orchidoideae): evidence from plastid and nuclear DNA sequences. <i>American Journal of Botany</i> , 2003, 90, 777-795.	0.8	113
4	A pilot study applying the plant Anchored Hybrid Enrichment method to New World sages (<i>Salvia</i>) Tj ETQq0 0 0 rgBT _{1.2} /Overlock 10 Tf 50		
5	Phylogenetic relationships of Cranichidinae and Prescottiinae (Orchidaceae, Cranichideae) inferred from plastid and nuclear DNA sequences. <i>Annals of Botany</i> , 2009, 104, 403-416.	1.4	57
6	Molecular phylogenetics of the species-rich genus <i>Habenaria</i> (Orchidaceae) in the New World based on nuclear and plastid DNA sequences. <i>Molecular Phylogenetics and Evolution</i> , 2013, 67, 95-109.	1.2	55
7	Root Character Evolution and Systematics in Cranichidinae, Prescottiinae and Spiranthinae (Orchidaceae, Cranichideae). <i>Annals of Botany</i> , 2008, 101, 509-520.	1.4	51
8	Phylogeny of the Neotropical sages (<i>Salvia</i> subg. <i>Calosphace</i> ; Lamiaceae) and insights into pollinator and area shifts. <i>Plant Systematics and Evolution</i> , 2018, 304, 43-55.	0.3	50
9	Molecular phylogeny of <i>Cypripedium</i> (Orchidaceae: Cypripedioideae) inferred from multiple nuclear and chloroplast regions. <i>Molecular Phylogenetics and Evolution</i> , 2011, 61, 308-320.	1.2	46
10	Phylogenetic analysis of Chloraeinae (Orchidaceae) based on plastid and nuclear DNA sequences. <i>Botanical Journal of the Linnean Society</i> , 2012, 168, 258-277.	0.8	27
11	Phylogenetic systematics of subtribe Spiranthinae (Orchidaceae: Orchidoideae: Cranichideae) based on nuclear and plastid DNA sequences of a nearly complete generic sample. <i>Botanical Journal of the Linnean Society</i> , 2018, 186, 273-303.	0.8	25
12	Molecular phylogenetics of Neotropical <i>Cyanaeorchis</i> (Cymbidieae, Epidendroideae, Orchidaceae): geographical rather than morphological similarities plus a new species. <i>Phytotaxa</i> , 2014, 156, 251.	0.1	23
13	Analysis of the cosmopolitan buckthorn genera <i>Frangula</i> and <i>Rhamnus</i> s.l. supports the description of a new genus, <i>Ventia</i> . <i>Taxon</i> , 2016, 65, 65-78.	0.4	21
14	Molecular phylogenetics, floral convergence and systematics of <i>Dichromanthus</i> and <i>Stenorrhynchos</i> (Orchidaceae: Spiranthinae). <i>Botanical Journal of the Linnean Society</i> , 2011, 167, 1-18.	0.8	20
15	Sex and the Catasetinae (Darwinâ€™s favourite orchids). <i>Molecular Phylogenetics and Evolution</i> , 2016, 97, 1-10.	1.2	19
16	<I>Quechua</I>, a New Monotypic Genus of Andean Spiranthinae (Orchidaceae). <i>Systematic Botany</i> , 2012, 37, 78-86.	0.2	17
17	Typifications and taxonomic notes in species of Brazilian <I>Goodyerinae</I> and <I>Spiranthinae</I> (<I>Orchidaceae</I>) described by JosÃ© Vellozo and Barbosa Rodrigues. <i>Taxon</i> , 2013, 62, 609-621.	0.4	17
18	Geographic structure in two highly diverse lineages of <I>Tillandsia</I> (Bromeliaceae). <i>Botany</i> , 2017, 95, 641-651.	0.5	17

#	ARTICLE	IF	CITATIONS
19	Phylogenetic placement, taxonomic revision and a new species of <i>Nothosteple</i> (Orchidaceae), an enigmatic genus endemic to the cerrado of central Brazil. <i>Botanical Journal of the Linnean Society</i> , 2011, 165, 348-363.	0.8	12
20	Phylogenetic position and floral morphology of the Brazilian endemic, monospecific genus <i>Cotylolabium</i> : a sister group for the remaining <i>Spiranthinae</i> (Orchidaceae). <i>Botanical Journal of the Linnean Society</i> , 2014, 175, 29-46.	0.8	12
21	Related plant species respond similarly to chronic anthropogenic disturbance: Implications for conservation decision-making. <i>Journal of Applied Ecology</i> , 2018, 55, 1860-1870.	1.9	11
22	<i>Stelis zootrophionoides</i> (Orchidaceae: Pleurothallidinae), a New Species from Mexico. <i>PLoS ONE</i> , 2012, 7, e48822.	1.1	9
23	Phylogenetic relationships of <i>Discyphus scopulariae</i> (Orchidaceae,) Tj ETQq1 1 0.784314 rgBT /Overlock new subtribe, Discyphinae. <i>Phytotaxa</i> , 2014, 173, 127.	0.1	10 9
24	A New Species of < i> <i>Galeoglossum</i> < /i> (Orchidaceae, Cranichidinae) from Oaxaca, Mexico. <i>Systematic Botany</i> , 2011, 36, 261-267.	0.2	8
25	Phylogenetic analysis based on structural and combined analyses of < i> <i>Rhus s.s</i> < /i>. (Anacardiaceae). <i>Botanical Journal of the Linnean Society</i> , 2014, 176, 452-468.	0.8	8
26	A new species and a new natural hybrid of <i>Laelia</i> (Orchidaceae) from Oaxaca, Mexico. <i>Phytotaxa</i> , 2014, 178, 161.	0.1	8
27	Crescendo, diminuendo and subito of the trumpets: winds of change in the concerted evolution between flowers and pollinators in <i>Salpichroa</i> (Solanaceae). <i>Molecular Phylogenetics and Evolution</i> , 2019, 132, 90-99.	1.2	6
28	A new paludicolous species of <i>Malaxis</i> (Orchidaceae) from Argentina and Uruguay. <i>Phytotaxa</i> , 2014, 175, 121.	0.1	5
29	<i>Greenwoodiella</i> , a New Genus of <i>Spiranthinae</i> (Orchidaceae) from North and Central America and the Greater Antilles, with a New Species from the Chihuahuan Desert. <i>Systematic Botany</i> , 2016, 41, 823-838.	0.2	5
30	Floral similarity and vegetative divergence in a new species of <i>Bletia</i> (Orchidaceae) from Mexico. <i>Phytotaxa</i> , 2016, 275, 112.	0.1	5
31	A new species of <i>Ponthieva</i> (Orchidaceae, Cranichidinae) from Veracruz, Mexico. <i>Brittonia</i> , 2005, 57, 252-254.	0.8	4
32	Two additions to the Mexican orchid flora. <i>Revista Mexicana De Biodiversidad</i> , 2013, 84, 378-380.	0.4	4
33	Phylogenetic relationships in <i>Mormodes</i> (Orchidaceae, Cymbidieae, Catasetinae) inferred from nuclear and plastid DNA sequences and morphology. <i>Phytotaxa</i> , 2016, 263, 18.	0.1	4
34	Polyphyly of < i> <i>Mesadenus</i> < /i> (Orchidaceae, Spiranthinae) and a New Genus from the Espinhaço Range, Southeastern Brazil. <i>Systematic Botany</i> , 2019, 44, 282-296.	0.2	4
35	A New Species of <i>Malaxis</i> (Orchidaceae) from Morelos, Mexico. <i>Brittonia</i> , 1997, 49, 449.	0.8	3
36	A new species of <i>Malaxis</i> (Orchidaceae) from Guerrero, Mexico. <i>Brittonia</i> , 2007, 59, 238.	0.8	3

#	ARTICLE	IF	CITATIONS
37	A New Species of the Mexican <i>Tillandsia erubescens</i> Group (Bromeliaceae). <i>Phytotaxa</i> , 2016, 260, 57.	0.1	3
38	Phylogenetic analyses of the <i>Milla</i> complex (Brodiaeoideae: Asparagaceae), with an emphasis on <i>Milla</i> . <i>Botanical Journal of the Linnean Society</i> , 2017, 185, 445-462.	0.8	3
39	A NEW SPECIES AND FIRST RECORD OF THE GENUS PTEROGLOSSA (ORCHIDACEAE: SPIRANTHINAE) FROM PERU. <i>Phytotaxa</i> , 2017, 311, 235.	0.1	2
40	A New Species of <i>Ornithocephalus</i> (Orchidaceae) from Oaxaca, Mexico. <i>Brittonia</i> , 1996, 48, 209.	0.8	1
41	Identity and typification of <i>Corallorrhiza punctata</i> and <i>C. bulbosa</i> (Orchidaceae). <i>Taxon</i> , 1998, 47, 51-54.	0.4	1
42	<p> <i>Sarcoglottis neillii</i> (Orchidaceae: Spiranthinae), a new species from the Andean Tepui Region of Ecuador and Peru</p>. <i>Phytotaxa</i> , 2019, 427, 1-8.	0.1	1
43	Orchidaceae de San Luis Potosí, México: riqueza y distribución. <i>Botanical Sciences</i> , 0, 100, 223-246.	0.3	1
44	<i>Liparis inaudita</i> (Orchidaceae, Malaxidinae), a new species from the Bosque de Protección Alto Mayo, San Martín, Peru. <i>Botanical Sciences</i> , 2022, 100, 506-514.	0.3	1
45	<i>Govenia polychroma</i> , a new species of Orchidaceae from Veracruz, Mexico. <i>Phytotaxa</i> , 2018, 343, 82.	0.1	0
46	Lectotypifications and taxonomic notes in the <i>Stenorhynchos</i> clade (Spiranthinae, Orchidaceae). <i>Phytotaxa</i> , 2019, 394, 111.	0.1	0
47	Natural history of the often-misunderstood <i>Govenia utriculata</i> (Orchidaceae): discovery of a Mexican population upsets West Indies endemism. <i>Phytotaxa</i> , 2021, 487, 195-204.	0.1	0
48	Notes on <i>Salvia</i> subgenus <i>Calosphace</i> section <i>Macrostachyae</i> (Lamiaceae) from Ecuador with a new record. <i>Phytotaxa</i> , 2021, 521, 71-79.	0.1	0