## Gwangtaek Lee

## List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/4888881/gwangtaek-lee-publications-by-year.pdf

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

2,108 89 41 27 h-index g-index citations papers 2,485 92 7.9 5.34 L-index avg, IF ext. papers ext. citations

| #  | Paper  | IF   | Citations |
|----|--|------|-----------|
| 89 | Gas-diffusion-electrode based direct electro-stripping system for gaseous ammonia recovery from livestock wastewater. <i>Water Research</i> , <b>2021</b> , 196, 117012  | 12.5 | 3         |
| 88 | Electrochemical synthesis of ammonia from water and nitrogen: A Fe-mediated approach. <i>Korean Journal of Chemical Engineering</i> , <b>2021</b> , 38, 1272-1276  | 2.8  | 0         |
| 87 | Electrochemical ammonia accumulation and recovery from ammonia-rich livestock wastewater. <i>Chemosphere</i> , <b>2021</b> , 270, 128631   | 8.4  | 8         |
| 86 | Inertial Microfluidics-Based Separation of Microalgae Using a Contraction-Expansion Array Microchannel. <i>Micromachines</i> , <b>2021</b> , 12,   | 3.3  | 4         |
| 85 | Nickel (Ni2+) Removal from Water Using Gellan GumBand Mixture as a Filter Material. <i>Applied Sciences (Switzerland)</i> , <b>2021</b> , 11, 7884   | 2.6  | 3         |
| 84 | Electrochemical pH control and carbon supply for microalgae cultivation. <i>Chemical Engineering Journal</i> , <b>2021</b> , 426, 131796   | 14.7 | О         |
| 83 | Dynamical Modeling of Water Flux in Forward Osmosis with Multistage Operation and Sensitivity Analysis of Model Parameters. <i>Water (Switzerland)</i> , <b>2020</b> , 12, 31  | 3    | 7         |
| 82 | Thiourea-Based Extraction and Deposition of Gold for Electroless Nickel Immersion Gold Process. <i>Industrial &amp; Engineering Chemistry Research</i> , <b>2020</b> , 59, 8086-8092   | 3.9  | 4         |
| 81 | Resistive Oxidation Kinetics of Iron(II) Thiochelate used as a Nitric Oxide Absorbent in Flue Gas. <i>Energy &amp; Energy &amp; En</i> | 4.1  | 1         |
| 80 | Gold recovery using porphyrin-based polymer from electronic wastes: Gold desorption and adsorbent regeneration. <i>Science of the Total Environment</i> , <b>2020</b> , 704, 135405  | 10.2 | 17        |
| 79 | Enhancement of Lipid Productivity of Chlorella sp. Using Light-Converting Red Fluorescent Films Based on Aggregation-Induced Emission. <i>ACS Sustainable Chemistry and Engineering</i> , <b>2020</b> , 8, 15888-158   | 897  | 5         |
| 78 | Biodiesel production from oleaginous yeast, Cryptococcus sp. by using banana peel as carbon source. <i>Energy Reports</i> , <b>2019</b> , 5, 1077-1081   | 4.6  | 22        |
| 77 | Sulfate reducing bacteria-based wastewater treatment system integrated with sulfide fuel cell for simultaneous wastewater treatment and electricity generation. <i>Chemosphere</i> , <b>2019</b> , 233, 570-578  | 8.4  | 6         |
| 76 | Performance of sulfite/FeIIIEDTA fuel cell: Power from waste in flue gas desulfurization process. <i>Chemical Engineering Journal</i> , <b>2019</b> , 375, 122008  | 14.7 | 6         |
| 75 | Co-production of biodiesel and alginate from Laminaria japonica. <i>Science of the Total Environment</i> , <b>2019</b> , 673, 750-755  | 10.2 | 7         |
| 74 | Energy-Efficient Reactive Dividing Wall Column for Simultaneous Esterification of n-Amyl Alcohol and n-Hexanol. <i>Industrial &amp; Engineering Chemistry Research</i> , <b>2019</b> , 58, 8206-8219   | 3.9  | 9         |
| 73 | Carbon balance of major volatile fatty acids (VFAs) in recycling algal residue via a VFA-platform for reproduction of algal biomass. <i>Journal of Environmental Management</i> , <b>2019</b> , 237, 228-234   | 7.9  | 20        |

## (2017-2019)

| 72 | The use of bicarbonate for microalgae cultivation and its carbon footprint analysis. <i>Green Chemistry</i> , <b>2019</b> , 21, 5053-5062   | 10   | 18 |
|----|---|------|----|
| 71 | Study of Optical Configurations for Multiple Enhancement of Microalgal Biomass Production. <i>Scientific Reports</i> , <b>2019</b> , 9, 1723  | 4.9  | 7  |
| 7º | Multi-bandgap Solar Energy Conversion via Combination of Microalgal Photosynthesis and Spectrally Selective Photovoltaic Cell. <i>Scientific Reports</i> , <b>2019</b> , 9, 18999   | 4.9  | 15 |
| 69 | Simultaneous cell disruption and lipid extraction of wet aurantiochytrium sp. KRS101 using a high shear mixer. <i>Bioprocess and Biosystems Engineering</i> , <b>2018</b> , 41, 671-678   | 3.7  | 14 |
| 68 | Ultrasound-assisted in-situ transesterification of wet Aurantiochytrium sp. KRS 101 using potassium carbonate. <i>Bioresource Technology</i> , <b>2018</b> , 261, 117-121   | 11   | 12 |
| 67 | A new approach for bioethanol production from sugarcane bagasse using hydrodynamic cavitation assisted-pretreatment and column reactors. <i>Ultrasonics Sonochemistry</i> , <b>2018</b> , 43, 219-226   | 8.9  | 29 |
| 66 | Draft Genome Sequence of a Multistress-Tolerant Yeast, NG7. Genome Announcements, 2018, 6,  |      | 5  |
| 65 | Strengthening calcium alginate microspheres using polysulfone and its performance evaluation: Preparation, characterization and application for enhanced biodegradation of chlorpyrifos. <i>Science of the Total Environment</i> , <b>2018</b> , 631-632, 1046-1058 | 10.2 | 9  |
| 64 | Lipid induction of Chlamydomonas reinhardtii CC-124 using bicarbonate ion. <i>Journal of Applied Phycology</i> , <b>2018</b> , 30, 271-275  | 3.2  | 4  |
| 63 | Wavelength shift strategy to enhance lipid productivity of. <i>Biotechnology for Biofuels</i> , <b>2018</b> , 11, 70  | 7.8  | 12 |
| 62 | Low-pH production of d-lactic acid using newly isolated acid tolerant yeast Pichia kudriavzevii NG7. <i>Biotechnology and Bioengineering</i> , <b>2018</b> , 115, 2232-2242   | 4.9  | 29 |
| 61 | Inertial Microfluidics-Based Cell Sorting. <i>Biochip Journal</i> , <b>2018</b> , 12, 257-267   | 4    | 26 |
| 60 | Dynamic filtration with a perforated disk for dewatering of Tetraselmis suecica. <i>Environmental Technology (United Kingdom)</i> , <b>2017</b> , 38, 3102-3108   | 2.6  | 3  |
| 59 | Acidified-flocculation process for harvesting of microalgae: Coagulant reutilization and metal-free-microalgae recovery. <i>Bioresource Technology</i> , <b>2017</b> , 239, 190-196   | 11   | 33 |
| 58 | Cultivation of Chlorella vulgaris with swine wastewater and potential for algal biodiesel production. <i>Journal of Applied Phycology</i> , <b>2017</b> , 29, 1171-1178   | 3.2  | 33 |
| 57 | Utilization of Starch-Enriched Brewery (Rice Wine) Waste for Mixotrophic Cultivation of Ettlia Sp. YC001 Used in Biodiesel Production. <i>Applied Biochemistry and Biotechnology</i> , <b>2017</b> , 183, 1478-1487   | 3.2  | 6  |
| 56 | Hydrodynamic cavitation as an efficient pretreatment method for lignocellulosic biomass: A parametric study. <i>Bioresource Technology</i> , <b>2017</b> , 235, 301-308   | 11   | 30 |
| 55 | Bicarbonate-based cultivation of Dunaliella salina for enhancing carbon utilization efficiency. <i>Bioresource Technology</i> , <b>2017</b> , 237, 72-77  | 11   | 38 |

| 54 | Harvesting of Scenedesmus obliquus cultivated in seawater using electro-flotation. <i>Korean Journal of Chemical Engineering</i> , <b>2017</b> , 34, 62-65  | 2.8 | 13          |
|----|---|-----|-------------|
| 53 | Nitrate reduction on the surface of bimetallic catalysts supported by nano-crystalline beta-zeolite (NBeta). <i>Green Chemistry</i> , <b>2017</b> , 19, 853-866   | 10  | 26          |
| 52 | Producing desulfurized biogas through removal of sulfate in the first-stage of a two-stage anaerobic digestion. <i>Biotechnology and Bioengineering</i> , <b>2017</b> , 114, 970-979  | 4.9 | 24          |
| 51 | Microalgae dewatering based on forward osmosis employing proton exchange membrane. <i>Bioresource Technology</i> , <b>2017</b> , 244, 57-62   | 11  | 18          |
| 50 | Feasibility of using a microalgal-bacterial consortium for treatment of toxic coke wastewater with concomitant production of microbial lipids. <i>Bioresource Technology</i> , <b>2017</b> , 225, 58-66                       | 11  | 29          |
| 49 | Cultivation of four microalgae species in the effluent of anaerobic digester for biodiesel production. <i>Bioresource Technology</i> , <b>2017</b> , 224, 738-742   | 11  | 18          |
| 48 | Development of Algal Bloom Removal System Using Unmanned Aerial Vehicle and Surface Vehicle. <i>IEEE Access</i> , <b>2017</b> , 5, 22166-22176  | 3.5 | 21          |
| 47 | Cell-wall disruption and lipid/astaxanthin extraction from microalgae: Chlorella and Haematococcus. <i>Bioresource Technology</i> , <b>2016</b> , 199, 300-310  | 11  | <b>21</b> 0 |
| 46 | Alkaline in situ transesterification of Aurantiochytrium sp. KRS 101 using potassium carbonate. <i>Bioresource Technology</i> , <b>2016</b> , 205, 250-3  | 11  | 6           |
| 45 | Lipid extraction from microalgae cell using persulfate-based oxidation. <i>Bioresource Technology</i> , <b>2016</b> , 200, 1073-5   | 11  | 18          |
| 44 | Lactulose production from cheese whey using recyclable catalyst ammonium carbonate. <i>Food Chemistry</i> , <b>2016</b> , 197, 664-9  | 8.5 | 16          |
| 43 | Harvesting of Scenedesmus obliquus using dynamic filtration with a perforated disk. <i>Journal of Membrane Science</i> , <b>2016</b> , 517, 14-20   | 9.6 | 10          |
| 42 | Hydrodynamic cavitation-assisted alkaline pretreatment as a new approach for sugarcane bagasse biorefineries. <i>Bioresource Technology</i> , <b>2016</b> , 214, 609-614  | 11  | 46          |
| 41 | Electrochemical synthesis of ammonia from water and nitrogen catalyzed by nano-Fe2O3 and CoFe2O4 suspended in a molten LiCl-KCl-CsCl electrolyte. <i>Korean Journal of Chemical Engineering</i> , <b>2016</b> , 33, 1777-1780 | 2.8 | 28          |
| 40 | Application of Fe(NO)-based as nitrogen source and coagulant for cultivation and harvesting of Chlorella sorokiniana. <i>Bioresource Technology</i> , <b>2016</b> , 222, 374-379  | 11  | 5           |
| 39 | Persulfate based pretreatment to enhance the enzymatic digestibility of rice straw. <i>Bioresource Technology</i> , <b>2016</b> , 222, 523-526  | 11  | 18          |
| 38 | Adsorption of Brilliant Green Dye on Biochar Prepared From Lignocellulosic Bioethanol Plant Waste. <i>Clean - Soil, Air, Water</i> , <b>2016</b> , 44, 55-62  | 1.6 | 28          |
| 37 | Immobilization of Carbonic Anhydrase on Modified Electrospun Poly(Lactic Acid) Membranes: Quest for Optimum Biocatalytic Performance. <i>Catalysis Letters</i> , <b>2015</b> , 145, 519-526                                   | 2.8 | 16          |

## (2015-2015)

| 36 | Lipid extraction from microalgae cell using UV-Fenton-like reaction. <i>Bioresource Technology</i> , <b>2015</b> , 192, 792-4  | 11   | 6   |
|----|--|------|-----|
| 35 | Biomimetically Synthesized Hierarchical TiO2-Graphitic Carbon as Anodic Catalysts for Direct Alkaline Sulfide Fuel Cell. <i>ACS Sustainable Chemistry and Engineering</i> , <b>2015</b> , 3, 1764-1770                     | 8.3  | 10  |
| 34 | Dramatic improvement of membrane performance for microalgae harvesting with a simple bubble-generator plate. <i>Bioresource Technology</i> , <b>2015</b> , 186, 343-347  | 11   | 17  |
| 33 | Hydrothermal-acid treatment for effectual extraction of eicosapentaenoic acid (EPA)-abundant lipids from Nannochloropsis salina. <i>Bioresource Technology</i> , <b>2015</b> , 191, 1-6                                    | 11   | 17  |
| 32 | An integrated process for microalgae harvesting and cell disruption by the use of ferric ions. <i>Bioresource Technology</i> , <b>2015</b> , 191, 469-74   | 11   | 31  |
| 31 | Simultaneous treatment (cell disruption and lipid extraction) of wet microalgae using hydrodynamic cavitation for enhancing the lipid yield. <i>Bioresource Technology</i> , <b>2015</b> , 186, 246-251                    | 11   | 71  |
| 30 | Lipid extraction and esterification for microalgae-based biodiesel production using pyrite (FeS2). <i>Bioresource Technology</i> , <b>2015</b> , 191, 420-5  | 11   | 5   |
| 29 | Scenedesmus-based treatment of nitrogen and phosphorus from effluent of anaerobic digester and bio-oil production. <i>Bioresource Technology</i> , <b>2015</b> , 196, 235-40   | 11   | 27  |
| 28 | Global risk of pharmaceutical contamination from highly populated developing countries. <i>Chemosphere</i> , <b>2015</b> , 138, 1045-55  | 8.4  | 162 |
| 27 | Efficient lactulose production from cheese whey using sodium carbonate. <i>Food Chemistry</i> , <b>2015</b> , 173, 1167-71   | 8.5  | 25  |
| 26 | Enhanced growth rate and lipid production of freshwater microalgae by adopting two-stage cultivation system under diverse light and nutrients conditions. <i>Water and Environment Journal</i> , <b>2015</b> , 29, 533-540 | 1.7  | 8   |
| 25 | Carbon-supported bimetallic PdIr catalysts for alkaline sulfide oxidation in direct alkaline sulfide fuel cell. <i>Journal of Applied Electrochemistry</i> , <b>2015</b> , 45, 533-539                                     | 2.6  | 4   |
| 24 | Harvesting of microalgae cell using oxidized dye wastewater. <i>Bioresource Technology</i> , <b>2015</b> , 192, 802-6  | 11   | 20  |
| 23 | Hydrodynamic cavitation as a novel pretreatment approach for bioethanol production from reed. <i>Bioresource Technology</i> , <b>2015</b> , 192, 335-9   | 11   | 50  |
| 22 | Evaluation of various harvesting methods for high-density microalgae, Aurantiochytrium sp. KRS101. <i>Bioresource Technology</i> , <b>2015</b> , 198, 828-35   | 11   | 34  |
| 21 | Microalgae recovery by ultrafiltration using novel fouling-resistant PVDF membranes with in situ PEGylated polyethyleneimine particles. <i>Water Research</i> , <b>2015</b> , 73, 181-92                                   | 12.5 | 54  |
| 20 | Enhancing the light utilization efficiency of microalgae using organic dyes. <i>Bioresource Technology</i> , <b>2015</b> , 181, 355-9  | 11   | 28  |
| 19 | Ferric chloride based downstream process for microalgae based biodiesel production. <i>Bioresource Technology</i> , <b>2015</b> , 181, 143-7   | 11   | 28  |

| 18 | Algal-bacterial process for the simultaneous detoxification of thiocyanate-containing wastewater and maximized lipid production under photoautotrophic/photoheterotrophic conditions. <i>Bioresource Technology</i> , <b>2014</b> , 162, 70-9       | 11   | 37  |
|----|---|------|-----|
| 17 | Microalgae-mediated simultaneous treatment of toxic thiocyanate and production of biodiesel.<br>Bioresource Technology, <b>2014</b> , 158, 166-73   | 11   | 20  |
| 16 | Enhanced glucose yield and structural characterization of corn stover by sodium carbonate pretreatment. <i>Bioresource Technology</i> , <b>2014</b> , 152, 316-20   | 11   | 30  |
| 15 | Effects of ammonium carbonate pretreatment on the enzymatic digestibility and structural features of rice straw. <i>Bioresource Technology</i> , <b>2014</b> , 166, 353-7   | 11   | 34  |
| 14 | Direct conversion from Jerusalem artichoke to hydroxymethylfurfural (HMF) using the Fenton reaction. <i>Food Chemistry</i> , <b>2014</b> , 151, 207-11  | 8.5  | 18  |
| 13 | Gaseous carbon dioxide conversion and calcium carbonate preparation by magnesium phyllosilicate. <i>RSC Advances</i> , <b>2014</b> , 4, 4037-4040   | 3.7  | 14  |
| 12 | Enhancement of growth and lipid production from microalgae using fluorescent paint under the solar radiation. <i>Bioresource Technology</i> , <b>2014</b> , 173, 193-197  | 11   | 29  |
| 11 | Enhancement of Electrochemical Oxidation of Ammonia and Ammonium Carbonate over Pt Black Catalysts through Interaction with Manganese Dioxide Nanoparticles. <i>Industrial &amp; Engineering Chemistry Research</i> , <b>2014</b> , 53, 14673-14678 | 3.9  |     |
| 10 | Hydrothermal nitric acid treatment for effectual lipid extraction from wet microalgae biomass. <i>Bioresource Technology</i> , <b>2014</b> , 172, 138-142   | 11   | 26  |
| 9  | A direct ammonium carbonate fuel cell with an anion exchange membrane. RSC Advances, 2014, 4, 5638  | 3.7  | 20  |
| 8  | Biodiesel production from yeast Cryptococcus sp. using Jerusalem artichoke. <i>Bioresource Technology</i> , <b>2014</b> , 155, 77-83  | 11   | 26  |
| 7  | Oil extraction by aminoparticle-based H2O2 activation via wet microalgae harvesting. <i>RSC Advances</i> , <b>2013</b> , 3, 12802   | 3.7  | 44  |
| 6  | Efficient microalgae harvesting by organo-building blocks of nanoclays. <i>Green Chemistry</i> , <b>2013</b> , 15, 749  | 10   | 72  |
| 5  | An innovative dual fuel cell to capture and collect pure NO X from flue gases. <i>Journal of Applied Electrochemistry</i> , <b>2013</b> , 43, 1011-1016   | 2.6  | 6   |
| 4  | Genome of the Root-Associated Plant Growth-Promoting Bacterium Variovorax paradoxus Strain EPS. <i>Genome Announcements</i> , <b>2013</b> , 1,  |      | 11  |
| 3  | A Low-Foaming and Biodegradable Surfactant as a Soil-Flushing Agent for Diesel-Contaminated Soil. <i>Separation Science and Technology</i> , <b>2013</b> , 48, 1872-1880  | 2.5  | 10  |
| 2  | Complete genome sequence of the metabolically versatile plant growth-promoting endophyte Variovorax paradoxus S110. <i>Journal of Bacteriology</i> , <b>2011</b> , 193, 1183-90   | 3.5  | 113 |
| 1  | Electro-synthesis of Ammonia from Dilute Nitric Oxide on a Gas Diffusion Electrode. <i>ACS Energy Letters</i> ,958-965  | 20.1 | 6   |