

Sheng-Nan Wu

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4889167/publications.pdf>

Version: 2024-02-01

235
papers

4,605
citations

117453

34
h-index

214527

47
g-index

235
all docs

235
docs citations

235
times ranked

4067
citing authors

#	ARTICLE	IF	CITATIONS
1	Evidence for Inhibitory Perturbations on the Amplitude, Gating, and Hysteresis of A-Type Potassium Current, Produced by Lacosamide, a Functionalized Amino Acid with Anticonvulsant Properties. <i>International Journal of Molecular Sciences</i> , 2022, 23, 1171.	1.8	2
2	Dynamic Changes in miR-21 Regulate Right Ventricular Dysfunction in Congenital Heart Disease-Related Pulmonary Arterial Hypertension. <i>Cells</i> , 2022, 11, 564.	1.8	4
3	Zingerone Modulates Neuronal Voltage-Gated Na ⁺ and L-Type Ca ²⁺ Currents. <i>International Journal of Molecular Sciences</i> , 2022, 23, 3123.	1.8	6
4	The Evidence for Effective Inhibition of I _{Na} Produced by Mirogabalin ((1R,5S,6S)-6-(aminomethyl)-3-ethyl-bicyclo [3.2.0] hept-3-ene-6-acetic acid), a Known Blocker of Ca _v Channels. <i>International Journal of Molecular Sciences</i> , 2022, 23, 3845.	1.8	9
5	The Effectiveness of Isoplumbagin and Plumbagin in Regulating Amplitude, Gating Kinetics, and Voltage-Dependent Hysteresis of erg-mediated K ⁺ Currents. <i>Biomedicines</i> , 2022, 10, 780.	1.4	4
6	Activation of Voltage-Gated Na ⁺ Current by GV-58, a Known Activator of Ca _v Channels. <i>Biomedicines</i> , 2022, 10, 721.	1.4	4
7	The Evidence for Sparsentan-Mediated Inhibition of I _{Na} and I _{K(erg)} : Possibly Unlinked to Its Antagonism of Angiotensin II or Endothelin Type a Receptor. <i>Biomedicines</i> , 2022, 10, 86.	1.4	10
8	Inhibitory Effectiveness in Delayed-Rectifier Potassium Current Caused by Vortioxetine, Known to Be a Novel Antidepressant. <i>Biomedicines</i> , 2022, 10, 1318.	1.4	3
9	Immunity, Ion Channels and Epilepsy. <i>International Journal of Molecular Sciences</i> , 2022, 23, 6446.	1.8	12
10	Characterization of Inhibitory Capability on Hyperpolarization-Activated Cation Current Caused by Lutein (12,13-Dihydro-12,13-Di- β -Carotene-3,3'-Diol), a Dietary Xanthophyll Carotenoid. <i>International Journal of Molecular Sciences</i> , 2022, 23, 7186.	1.8	5
11	Evidence for Dual Activation of I _{K(M)} and I _{K(Ca)} Caused by QO-58 (5-(2,6-Dichloro-5-fluoropyridin-3-yl)-3-phenyl-2-(trifluoromethyl)-1H-pyrazolol[1,5-a]pyrimidin-7-one). <i>International Journal of Molecular Sciences</i> , 2022, 23, 7042.	1.8	2
12	Characterization in Inhibitory Effectiveness of Carbamazepine in Voltage-Gated Na ⁺ and Erg-Mediated K ⁺ Currents in a Mouse Neural Crest-Derived (Neuro-2a) Cell Line. <i>International Journal of Molecular Sciences</i> , 2022, 23, 7892.	1.8	7
13	Depressive effectiveness of vigabatrin (1 ³ -vinyl-GABA), an antiepileptic drug, in intermediate-conductance calcium-activated potassium channels in human glioma cells. <i>BMC Pharmacology & Toxicology</i> , 2021, 22, 6.	1.0	6
14	MST3 Involvement in Na ⁺ and K ⁺ Homeostasis with Increasing Dietary Potassium Intake. <i>International Journal of Molecular Sciences</i> , 2021, 22, 999.	1.8	5
15	Effectiveness of Columbianadin, a Bioactive Coumarin Derivative, in Perturbing Transient and Persistent I _{Na} . <i>International Journal of Molecular Sciences</i> , 2021, 22, 621.	1.8	11
16	Effective Activation by Kynurenic Acid and Its Aminoalkylated Derivatives on M-Type K ⁺ Current. <i>International Journal of Molecular Sciences</i> , 2021, 22, 1300.	1.8	7
17	Permissive Modulation of Sphingosine-1-Phosphate-Enhanced Intracellular Calcium on BKCa Channel of Chromaffin Cells. <i>International Journal of Molecular Sciences</i> , 2021, 22, 2175.	1.8	3
18	Editorial to the Special Issue "Electrophysiology". <i>International Journal of Molecular Sciences</i> , 2021, 22, 2956.	1.8	7

#	ARTICLE	IF	CITATIONS
19	Gastrodin alleviates seizure severity and neuronal excitotoxicities in the rat lithium-pilocarpine model of temporal lobe epilepsy via enhancing GABAergic transmission. <i>Journal of Ethnopharmacology</i> , 2021, 269, 113751.	2.0	28
20	The Integrated Effects of Brivaracetam, a Selective Analog of Levetiracetam, on Ionic Currents and Neuronal Excitability. <i>Biomedicines</i> , 2021, 9, 369.	1.4	12
21	Effective Activation of BKCa Channels by QO-40 (5-(Chloromethyl)-3-(Naphthalen-1-yl)-2-(Trifluoromethyl)Pyrazolo [1,5-a]pyrimidin-7(4H)-one), Known to Be an Opener of KCNQ2/Q3 Channels. <i>Pharmaceuticals</i> , 2021, 14, 388.	1.7	2
22	Characterization of Direct Perturbations on Voltage-Gated Sodium Current by Esaxerenone, a Nonsteroidal Mineralocorticoid Receptor Blocker. <i>Biomedicines</i> , 2021, 9, 549.	1.4	19
23	Effective Perturbations of the Amplitude, Gating, and Hysteresis of IK(DR) Caused by PT-2385, an HIF-2 α Inhibitor. <i>Membranes</i> , 2021, 11, 636.	1.4	5
24	Effective Accentuation of Voltage-Gated Sodium Current Caused by Apocynin (4-hydroxy-3-methoxyacetophenone), a Known NADPH-Oxidase Inhibitor. <i>Biomedicines</i> , 2021, 9, 1146.	1.4	8
25	Effective Perturbations on the Amplitude and Hysteresis of Erg-Mediated Potassium Current Caused by 1-Octylnonyl 8-[(2-hydroxyethyl)[6-oxo-6(undecyloxy)hexyl]amino]-octanoate (SM-102), a Cationic Lipid. <i>Biomedicines</i> , 2021, 9, 1367.	1.4	12
26	Cilostazol eliminates radiation-resistant glioblastoma by re-evoking big conductance calcium-activated potassium channel activity. <i>American Journal of Cancer Research</i> , 2021, 11, 1148-1169.	1.4	1
27	The Effectiveness in Activating M-Type K ⁺ Current Produced by Solifenacin ([[(3R)-1-azabicyclo[2.2.2]octan-3-yl] (1S)-1-phenyl-3,4-dihydro-1H-isoquinoline-2-carboxylate): Independent of Its Antimuscarinic Action. <i>International Journal of Molecular Sciences</i> , 2021, 22, 12399.	1.8	2
28	Characterization of the Inhibitory Effect of Gastrodigenin and Gastrodin on M-type K ⁺ Currents in Pituitary Cells and Hippocampal Neurons. <i>International Journal of Molecular Sciences</i> , 2020, 21, 117.	1.8	12
29	Actions of FTY720 (Fingolimod), a Sphingosine-1-Phosphate Receptor Modulator, on Delayed-Rectifier K ⁺ Current and Intermediate-Conductance Ca ²⁺ -Activated K ⁺ Channel in Jurkat T-Lymphocytes. <i>Molecules</i> , 2020, 25, 4525.	1.7	3
30	Effects of Sesamin, the Major Furofuran Lignan of Sesame Oil, on the Amplitude and Gating of Voltage-Gated Na ⁺ and K ⁺ Currents. <i>Molecules</i> , 2020, 25, 3062.	1.7	10
31	Inhibitory Effectiveness of Gomisins A, a Dibenzocyclooctadiene Lignan Isolated from <i>Schizandra chinensis</i> , on the Amplitude and Gating of Voltage-Gated Na ⁺ Current. <i>International Journal of Molecular Sciences</i> , 2020, 21, 8816.	1.8	3
32	Effectiveness in Block by Dexmedetomidine of Hyperpolarization-Activated Cation Current, Independent of Its Agonistic Effect on β -2-Adrenergic Receptors. <i>International Journal of Molecular Sciences</i> , 2020, 21, 9110.	1.8	11
33	The Specific Effects of OD-1, a Peptide Activator, on Voltage-Gated Sodium Current and Seizure Susceptibility. <i>International Journal of Molecular Sciences</i> , 2020, 21, 8254.	1.8	10
34	Telmisartan, an Antagonist of Angiotensin II Receptors, Accentuates Voltage-Gated Na ⁺ Currents and Hippocampal Neuronal Excitability. <i>Frontiers in Neuroscience</i> , 2020, 14, 902.	1.4	14
35	Evidence for the Effectiveness of Remdesivir (GS-5734), a Nucleoside-Analog Antiviral Drug in the Inhibition of IK(M) or IK(DR) and in the Stimulation of IMEP. <i>Frontiers in Pharmacology</i> , 2020, 11, 1091.	1.6	22
36	High ability of zileuton ((\pm)-1-(1-benzo[b]thien-2-ylethyl)-1-hydroxyurea) to stimulate IK(Ca) but suppress IK(DR) and IK(M) independently of 5-lipoxygenase inhibition. <i>European Journal of Pharmacology</i> , 2020, 887, 173482.	1.7	2

#	ARTICLE	IF	CITATIONS
37	High Capability of Pentagalloylglucose (PGG) in Inhibiting Multiple Types of Membrane Ionic Currents. <i>International Journal of Molecular Sciences</i> , 2020, 21, 9369.	1.8	2
38	Characterization of the Synergistic Inhibition of IK(erg) and IK(DR) by Ribociclib, a Cyclin-Dependent Kinase 4/6 Inhibitor. <i>International Journal of Molecular Sciences</i> , 2020, 21, 8078.	1.8	8
39	Glibenclamide restores dopaminergic reward circuitry in obese mice through interscapular brown adipose tissue. <i>Psychoneuroendocrinology</i> , 2020, 118, 104712.	1.3	5
40	Effective block by pirfenidone, an antifibrotic pyridone compound (5-methyl-1-phenylpyridin-2[H-1]-one), on hyperpolarization-activated cation current: An additional but distinctive target. <i>European Journal of Pharmacology</i> , 2020, 882, 173237.	1.7	4
41	Efficient Cardiac Differentiation of Human Amniotic Fluid-Derived Stem Cells into Induced Pluripotent Stem Cells and Their Potential Immune Privilege. <i>International Journal of Molecular Sciences</i> , 2020, 21, 2359.	1.8	13
42	Differential Inhibitory Actions of Multitargeted Tyrosine Kinase Inhibitors on Different Ionic Current Types in Cardiomyocytes. <i>International Journal of Molecular Sciences</i> , 2020, 21, 1672.	1.8	6
43	Characterization of Convergent Suppression by UCL-2077 (3-(Triphenylmethylaminomethyl)pyridine), Known to Inhibit Slow Afterhyperpolarization, of erg-Mediated Potassium Currents and Intermediate-Conductance Calcium-Activated Potassium Channels. <i>International Journal of Molecular Sciences</i> , 2020, 21, 1441.	1.8	14
44	The Antioxidant, Anti-Inflammatory, and Neuroprotective Properties of the Synthetic Chalcone Derivative AN07. <i>Molecules</i> , 2020, 25, 2907.	1.7	27
45	Effectiveness in the Block by Honokiol, a Dimerized Allylphenol from <i>Magnolia officinalis</i> , of Hyperpolarization-Activated Cation Current and Delayed-Rectifier K ⁺ Current. <i>International Journal of Molecular Sciences</i> , 2020, 21, 4260.	1.8	8
46	High Efficacy by GAL-021: A Known Intravenous Peripheral Chemoreceptor Modulator that Suppresses BKCa-Channel Activity and Inhibits IK(M) or Ih. <i>Biomolecules</i> , 2020, 10, 188.	1.8	5
47	Characterization of Inhibitory Effectiveness in Hyperpolarization-Activated Cation Currents by a Group of ent-Kaurane-Type Diterpenoids from <i>Croton tonkinensis</i> . <i>International Journal of Molecular Sciences</i> , 2020, 21, 1268.	1.8	5
48	Characterization of Effectiveness in Concerted Ih Inhibition and IK(Ca) Stimulation by Pterostilbene (Trans-3,5-dimethoxy-4-hydroxystilbene), a Stilbenoid. <i>International Journal of Molecular Sciences</i> , 2020, 21, 357.	1.8	6
49	Characterization in Dual Activation by Oxaliplatin, a Platinum-Based Chemotherapeutic Agent of Hyperpolarization-Activated Cation and Electroporation-Induced Currents. <i>International Journal of Molecular Sciences</i> , 2020, 21, 396.	1.8	13
50	Effectiveness in the inhibition of dapagliflozin and canagliflozin on M-type K ⁺ current and Î±-methylglucoside-induced current in pituitary tumor (GH3) and pheochromocytoma PC12 cells. <i>European Journal of Pharmacology</i> , 2020, 879, 173141.	1.7	4
51	Inhibitory Effective Perturbations of Cilobradine (DK-AH269), A Blocker of HCN Channels, on the Amplitude and Gating of Both Hyperpolarization-Activated Cation and Delayed-Rectifier Potassium Currents. <i>International Journal of Molecular Sciences</i> , 2020, 21, 2416.	1.8	12
52	Effectiveness of nalbuphine, a Î²-opioid receptor agonist and Î¼-opioid receptor antagonist, in the inhibition of INa, IK(M), and IK(erg) unlinked to interaction with opioid receptors. <i>Drug Development Research</i> , 2019, 80, 846-856.	1.4	5
53	Characterization of Perturbing Actions by Verteporfin, a Benzoporphyrin Photosensitizer, on Membrane Ionic Currents. <i>Frontiers in Chemistry</i> , 2019, 7, 566.	1.8	10
54	High Effectiveness in Actions of Carfilzomib on Delayed-Rectifier K ⁺ Current and on Spontaneous Action Potentials. <i>Frontiers in Pharmacology</i> , 2019, 10, 1163.	1.6	5

#	ARTICLE	IF	CITATIONS
55	The Novel Direct Modulatory Effects of Perampanel, an Antagonist of AMPA Receptors, on Voltage-Gated Sodium and M-type Potassium Currents. <i>Biomolecules</i> , 2019, 9, 638.	1.8	19
56	The Protective Role of Peroxisome Proliferator-Activated Receptor-Gamma in Seizure and Neuronal Excitotoxicity. <i>Molecular Neurobiology</i> , 2019, 56, 5497-5506.	1.9	23
57	Differential suppression of delayed-rectifier and inwardly rectifier K ⁺ currents by a group of ent-kaurane-type diterpenoids from <i>Croton tonkinensis</i> , in microglial cells. <i>European Journal of Pharmacology</i> , 2019, 856, 172414.	1.7	2
58	Evidence for Effective Multiple K ⁺ -Current Inhibitions by Tolvaptan, a Non-peptide Antagonist of Vasopressin V2 Receptor. <i>Frontiers in Pharmacology</i> , 2019, 10, 76.	1.6	16
59	MST3 is involved in ENaC-mediated hypertension. <i>American Journal of Physiology - Renal Physiology</i> , 2019, 317, F30-F42.	1.3	7
60	The biochemical and electrophysiological profiles of amniotic fluid-derived stem cells following Wnt signaling modulation cardiac differentiation. <i>Cell Death Discovery</i> , 2019, 5, 59.	2.0	9
61	Bisoprolol, Known to Be a Selective β_1 -Receptor Antagonist, Differentially but Directly Suppresses IK(M) and IK(erg) in Pituitary Cells and Hippocampal Neurons. <i>International Journal of Molecular Sciences</i> , 2019, 20, 657.	1.8	13
62	Concerted suppression of I _h and activation of IK(M) by ivabradine, an HCN-channel inhibitor, in pituitary cells and hippocampal neurons. <i>Brain Research Bulletin</i> , 2019, 149, 11-20.	1.4	26
63	Evidence for Effective Inhibitory Actions on Hyperpolarization-Activated Cation Current Caused by Ganoderma Triterpenoids, the Main Active Constituents of Ganoderma Spores. <i>Molecules</i> , 2019, 24, 4256.	1.7	9
64	Evidence for the Capability of Roxadustat (FG-4592), an Oral HIF Prolyl-Hydroxylase Inhibitor, to Perturb Membrane Ionic Currents: An Unidentified yet Important Action. <i>International Journal of Molecular Sciences</i> , 2019, 20, 6027.	1.8	10
65	Parecoxib, a selective blocker of cyclooxygenase-2, directly inhibits neuronal delayed-rectifier K ⁺ current, M-type K ⁺ current and Na ⁺ current. <i>European Journal of Pharmacology</i> , 2019, 844, 95-101.	1.7	12
66	Multiple regulatory actions of 2-guanidine-4-methylquinazoline (GMQ), an agonist of acid-sensing ion channel type 3, on ionic currents in pituitary GH 3 cells and in olfactory sensory (Rolf B1.T) neurons. <i>Biochemical Pharmacology</i> , 2018, 151, 79-88.	2.0	9
67	Activation of voltage-gated sodium current and inhibition of I _{erg} -mediated potassium current caused by telmisartan, an antagonist of angiotensin II type-1 receptor, in HL-1 atrial cardiomyocytes. <i>Clinical and Experimental Pharmacology and Physiology</i> , 2018, 45, 797-807.	0.9	18
68	Sodium Metabisulfite: Effects on Ionic Currents and Excitotoxicity. <i>Neurotoxicity Research</i> , 2018, 34, 1-15.	1.3	16
69	Defective trafficking of Kv2.1 channels in MPTP-induced nigrostriatal degeneration. <i>Journal of Neurochemistry</i> , 2018, 144, 483-497.	2.1	17
70	The comprehensive electrophysiological study of curcuminoids on delayed-rectifier K ⁺ currents in insulin-secreting cells. <i>European Journal of Pharmacology</i> , 2018, 819, 233-241.	1.7	16
71	Differential regulation of tefluthrin and telmisartan on the gating charges of I _{Na} activation and inactivation as well as on resurgent and persistent I _{Na} in a pituitary cell line (GH3). <i>Toxicology Letters</i> , 2018, 285, 104-112.	0.4	31
72	Huntington Mice Demonstrate Diminished Pain Response in Inflammatory Pain Model. <i>Anesthesia and Analgesia</i> , 2018, 126, 661-669.	1.1	8

#	ARTICLE	IF	CITATIONS
73	The Novel Effect of Immunomodulator-Glatiramer Acetate on Epileptogenesis and Epileptic Seizures. <i>Cellular Physiology and Biochemistry</i> , 2018, 50, 150-168.	1.1	14
74	WVOX Phosphorylation, Signaling, and Role in Neurodegeneration. <i>Frontiers in Neuroscience</i> , 2018, 12, 563.	1.4	52
75	Pioglitazone, a PPAR- β Activator, Stimulates BKCa but Suppresses IKM in Hippocampal Neurons. <i>Frontiers in Pharmacology</i> , 2018, 9, 977.	1.6	15
76	Evidence of Decreased Activity in Intermediate-Conductance Calcium-Activated Potassium Channels During Retinoic Acid-Induced Differentiation in Motor Neuron-Like NSC-34 Cells. <i>Cellular Physiology and Biochemistry</i> , 2018, 48, 2374-2388.	1.1	18
77	Multiple Actions of Rotenone, an Inhibitor of Mitochondrial Respiratory Chain, on Ionic Currents and Miniature End-Plate Potential in Mouse Hippocampal (mHippoE-14) Neurons. <i>Cellular Physiology and Biochemistry</i> , 2018, 47, 330-343.	1.1	20
78	Stimulatory Action of Telmisartan, an Antagonist of Angiotensin II Receptor, on Voltage-Gated Na ⁺ Current: Experimental and Theoretical Studies. <i>Chinese Journal of Physiology</i> , 2018, 61, 1-13.	0.4	3
79	Stimulatory actions of a novel thiourea derivative on large-conductance, calcium-activated potassium channels. <i>Journal of Cellular Physiology</i> , 2017, 232, 3409-3421.	2.0	37
80	Important modifications by sugammadex, a modified β -cyclodextrin, of ion currents in differentiated NSC-34 neuronal cells. <i>BMC Neuroscience</i> , 2017, 18, 6.	0.8	10
81	Synergistic Inhibition of Delayed Rectifier K ⁺ and Voltage-Gated Na ⁺ Currents by Artemisinin in Pituitary Tumor (GH3) Cells. <i>Cellular Physiology and Biochemistry</i> , 2017, 41, 2053-2066.	1.1	8
82	Estrogen ameliorates microglial activation by inhibiting the Kir2.1 inward-rectifier K ⁺ channel. <i>Scientific Reports</i> , 2016, 6, 22864.	1.6	34
83	Resveratrol attenuates cortical neuron activity: roles of large conductance calcium-activated potassium channels and voltage-gated sodium channels. <i>Journal of Biomedical Science</i> , 2016, 23, 47.	2.6	21
84	Evidence for the Inhibition by Temozolomide, an Imidazotetrazine Family Alkylator, of Intermediate-Conductance Ca ²⁺ -Activated K ⁺ Channels in Glioma Cells. <i>Cellular Physiology and Biochemistry</i> , 2016, 38, 1727-1742.	1.1	20
85	Reversal by Ranolazine of Doxorubicin-Induced Prolongation in the Inactivation of Late Sodium Current in Rat Dorsal Root Ganglion Neurons. <i>Pain Medicine</i> , 2015, 16, 1032-1034.	0.9	8
86	Inhibitory actions by ibandronate sodium, a nitrogen-containing bisphosphonate, on calcium-activated potassium channels in Madin-Darby canine kidney cells. <i>Toxicology Reports</i> , 2015, 2, 1182-1193.	1.6	5
87	Actions of KMUP-1, a xanthine and piperazine derivative, on voltage-gated Na ⁺ and Ca ²⁺ -activated K ⁺ currents in GH ₃ pituitary tumour cells. <i>British Journal of Pharmacology</i> , 2015, 172, 5110-5122.	2.7	20
88	Evaluation of microvasculature at the auditory midbrain—the benefits of sectioning at a tangential angle. <i>Microscopy Research and Technique</i> , 2015, 78, 105-110.	1.2	0
89	The Inhibition by Oxaliplatin, a Platinum-Based Anti-Neoplastic Agent, of the Activity of Intermediate-Conductance Ca ²⁺ -Activated K ⁺ Channels in Human Glioma Cells. <i>Cellular Physiology and Biochemistry</i> , 2015, 37, 1390-1406.	1.1	14
90	Investigations on contribution of glial inwardly-rectifying K ⁺ current to membrane potential and ion flux: An experimental and theoretical study. <i>Kaohsiung Journal of Medical Sciences</i> , 2015, 31, 9-17.	0.8	3

#	ARTICLE	IF	CITATIONS
91	The inhibitory actions by lacosamide, a functionalized amino acid, on voltage-gated Na ⁺ currents. <i>Neuroscience</i> , 2015, 287, 125-136.	1.1	14
92	Arecoline inhibits intermediate-conductance calcium-activated potassium channels in human glioblastoma cell lines. <i>European Journal of Pharmacology</i> , 2015, 758, 177-187.	1.7	14
93	Effects of Ibandronate Sodium, a Nitrogen-Containing Bisphosphonate, on Intermediate-Conductance Calcium-Activated Potassium Channels in Osteoclast Precursor Cells (RAW 264.7). <i>Journal of Membrane Biology</i> , 2015, 248, 103-115.	1.0	9
94	Defined MicroRNAs Induce Aspects of Maturation in Mouse and Human Embryonic-Stem-Cell-Derived Cardiomyocytes. <i>Cell Reports</i> , 2015, 12, 1960-1967.	2.9	77
95	The potent activation of Ca ²⁺ -activated K ⁺ current by NVP-AUY922 in the human pancreatic duct cell line (PANC-1) possibly independent of heat shock protein 90 inhibition. <i>Journal of Pharmacological Sciences</i> , 2015, 127, 404-413.	1.1	6
96	Ability of naringenin, a bioflavonoid, to activate M-type potassium current in motor neuron-like cells and to increase BKCa-channel activity in HEK293T cells transfected with β -hSlo subunit. <i>BMC Neuroscience</i> , 2014, 15, 135.	0.8	31
97	High effectiveness of triptolide, an active diterpenoid triepoxide, in suppressing Kir-channel currents from human glioma cells. <i>European Journal of Pharmacology</i> , 2014, 738, 332-341.	1.7	5
98	Stimulation of electroporation-induced inward currents in glioblastoma cell lines by the heat shock protein inhibitor AUY922. <i>Clinical and Experimental Pharmacology and Physiology</i> , 2014, 41, 830-837.	0.9	7
99	The Inhibition of Inwardly Rectifying K ⁺ Channels by Memantine in Macrophages and Microglial Cells. <i>Cellular Physiology and Biochemistry</i> , 2013, 31, 938-951.	1.1	35
100	Identification of Minuscule Inward Currents as Precursors to Membrane Electroporation-Induced Currents: Real-Time Prediction of Pore Appearance. <i>Cellular Physiology and Biochemistry</i> , 2013, 32, 402-416.	1.1	5
101	Pregabalin Attenuates Excitotoxicity in Diabetes. <i>PLoS ONE</i> , 2013, 8, e65154.	1.1	13
102	Evidence for Inhibitory Effects of Flupirtine, a Centrally Acting Analgesic, on Delayed Rectifier K ⁺ Currents in Motor Neuron-Like Cells. <i>Evidence-based Complementary and Alternative Medicine</i> , 2012, 2012, 1-10.	0.5	28
103	Evidence for Mitoxantrone-induced Block of Inwardly Rectifying K ⁺ Channels Expressed in the Osteoclast Precursor RAW 264.7 Cells Differentiated with Lipopolysaccharide. <i>Cellular Physiology and Biochemistry</i> , 2012, 30, 687-701.	1.1	9
104	Possible effects of reduced conductance in delayed rectifier K ⁺ current on neuronal firing. <i>Movement Disorders</i> , 2012, 27, 1581-1582.	2.2	0
105	Effects of ketamine and its metabolites on ion currents in differentiated hippocampal H19-7 neuronal cells and in HEK293T cells transfected with β -hSlo subunit. <i>NeuroToxicology</i> , 2012, 33, 1058-1066.	1.4	9
106	The effects of magnetite (Fe ₃ O ₄) nanoparticles on electroporation-induced inward currents in pituitary tumor (GH3) cells and in RAW 264.7 macrophages. <i>International Journal of Nanomedicine</i> , 2012, 7, 1687.	3.3	14
107	Contribution of blocked potassium current conductance and increased conductance of persistent sodium current to the afterdischarge in myelinated neuron. <i>Muscle and Nerve</i> , 2012, 46, 297-299.	1.0	3
108	The inhibition by di(2-ethylhexyl)-phthalate of erg-mediated K ⁺ current in pituitary tumor (GH3) cells. <i>Archives of Toxicology</i> , 2012, 86, 713-723.	1.9	22

#	ARTICLE	IF	CITATIONS
109	Characterizing the effects of Eugenol on neuronal ionic currents and hyperexcitability. <i>Psychopharmacology</i> , 2012, 221, 575-587.	1.5	42
110	The actions of mdivi-1, an inhibitor of mitochondrial fission, on rapidly activating delayed-rectifier K ⁺ current and membrane potential in HL-1 murine atrial cardiomyocytes. <i>European Journal of Pharmacology</i> , 2012, 683, 1-9.	1.7	39
111	Berberine activates Nrf2 nuclear translocation and protects against oxidative damage via a phosphatidylinositol 3-kinase/Akt-dependent mechanism in NSC34 motor neuron-like cells. <i>European Journal of Pharmaceutical Sciences</i> , 2012, 46, 415-425.	1.9	124
112	Electrophysiological characterization of sodium-activated potassium channels in NSC108 and NSC34 motor neuron-like cells. <i>Acta Physiologica</i> , 2012, 206, 120-134.	1.8	19
113	Investigations into the Correlation Properties of Membrane Electroporation-Induced Inward Currents: Prediction of Pore Formation. <i>Cell Biochemistry and Biophysics</i> , 2012, 62, 211-220.	0.9	9
114	Adenosine Stimulates Human Sperm Motility via A2 Receptors. <i>Journal of Pharmacy and Pharmacology</i> , 2011, 45, 650-653.	1.2	26
115	Inhibitory effect of memantine, an NMDA-receptor antagonist, on electroporation-induced inward currents in pituitary GH3 cells. <i>Biochemical and Biophysical Research Communications</i> , 2011, 405, 508-513.	1.0	13
116	Evidence for activation of BKCa channels by a known inhibitor of focal adhesion kinase, PF573228. <i>Life Sciences</i> , 2011, 89, 691-701.	2.0	19
117	Modification of activation kinetics of delayed rectifier K ⁺ currents and neuronal excitability by methyl- β -cyclodextrin. <i>Neuroscience</i> , 2011, 176, 431-441.	1.1	11
118	Evidence for aconitine-induced inhibition of delayed rectifier K ⁺ current in Jurkat T-lymphocytes. <i>Toxicology</i> , 2011, 289, 11-18.	2.0	13
119	Characterization of TRPM8-Like Channels Activated by the Cooling Agent Icilin in the Macrophage Cell Line RAW 264.7. <i>Journal of Membrane Biology</i> , 2011, 241, 11-20.	1.0	26
120	Functional role of the activity of ATP-sensitive potassium channels in electrical behavior of hippocampal neurons: Experimental and theoretical studies. <i>Journal of Theoretical Biology</i> , 2011, 272, 16-25.	0.8	8
121	Inhibitory action of methadone and its metabolites on erg-mediated K ⁺ current in GH3 pituitary tumor cells. <i>Toxicology</i> , 2011, 280, 1-9.	2.0	25
122	Cholesterol Depletion with (2-Hydroxypropyl)- β -Cyclodextrin Modifies the Gating of Membrane Electroporation-Induced Inward Current in Pituitary Tumor GH ₃ Cells: Experimental and Analytical Studies. <i>Cellular Physiology and Biochemistry</i> , 2011, 28, 959-968.	1.1	8
123	Contribution of Non-Inactivating Na ⁺ Current Induced by Oxidizing Agents to the Firing Behavior of Neuronal Action Potentials: Experimental and Theoretical Studies from NG108-15 Neuronal Cells. <i>Chinese Journal of Physiology</i> , 2011, 54, 19-29.	0.4	8
124	Synthesis and Cytotoxicity Evaluation of Some 8-Hydroxyquinoline Derivatives. <i>Journal of Pharmacy and Pharmacology</i> , 2010, 51, 543-548.	1.2	70
125	Inhibition of intermediate-conductance Ca ²⁺ -activated K ⁺ channel and cytoprotective properties of 4-piperidinomethyl-2-isopropyl-5-methylphenol. <i>Journal of Pharmacy and Pharmacology</i> , 2010, 59, 679-685.	1.2	11
126	Diazoxide Reduces Status Epilepticus Neuron Damage in Diabetes. <i>Neurotoxicity Research</i> , 2010, 17, 305-316.	1.3	19

#	ARTICLE	IF	CITATIONS
127	\hat{I}^2 -Adrenergic modulation of arrhythmogenesis and identification of targeted sites of antiarrhythmic therapy in Timothy (LQT8) syndrome: a theoretical study. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2010, 298, H33-H44.	1.5	17
128	Effects of Transient Receptor Potential-Like Current on the Firing Pattern of Action Potentials in the Hodgkin-Huxley Neuron during Exposure to Sinusoidal External Voltage. <i>Chinese Journal of Physiology</i> , 2010, 53, 423-429.	0.4	1
129	Dexmedetomidine, an \hat{I}^2 -adrenergic agonist, inhibits neuronal delayed-rectifier potassium current and sodium current. <i>British Journal of Anaesthesia</i> , 2009, 103, 244-254.	1.5	66
130	Diabetic Hyperglycemia Aggravates Seizures and Status Epilepticus-induced Hippocampal Damage. <i>Neurotoxicity Research</i> , 2009, 15, 71-81.	1.3	29
131	Tramadol-induced block of hyperpolarization-activated cation current in rat pituitary lactotrophs. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 2009, 379, 127-135.	1.4	28
132	Underlying mechanism of actions of tefluthrin, a pyrethroid insecticide, on voltage-gated ion currents and on action currents in pituitary tumor (GH3) cells and GnRH-secreting (GT1-7) neurons. <i>Toxicology</i> , 2009, 258, 70-77.	2.0	59
133	Analytical studies of rapidly inactivating and noninactivating sodium currents in differentiated NG108-15 neuronal cells. <i>Journal of Theoretical Biology</i> , 2009, 259, 828-836.	0.8	20
134	The mechanism of the actions of oxaliplatin on ion currents and action potentials in differentiated NG108-15 neuronal cells. <i>NeuroToxicology</i> , 2009, 30, 677-685.	1.4	37
135	Effects of Ranolazine, a Novel Anti-anginal Drug, on Ion Currents and Membrane Potential in Pituitary Tumor GH3 Cells and NG108-15 Neuronal Cells. <i>Journal of Pharmacological Sciences</i> , 2009, 110, 295-305.	1.1	38
136	Contribution of slowly inactivating potassium current to delayed firing of action potentials in NG108-15 neuronal cells: Experimental and theoretical studies. <i>Journal of Theoretical Biology</i> , 2008, 252, 711-721.	0.8	14
137	Diabetic hyperglycemia is associated with the severity of epileptic seizures in adults. <i>Epilepsy Research</i> , 2008, 79, 71-77.	0.8	51
138	Bronchodilatory effects of S-isopetasin, an antimuscarinic sesquiterpene of <i>Petasites formosanus</i> , on obstructive airway hyperresponsiveness. <i>European Journal of Pharmacology</i> , 2008, 584, 398-404.	1.7	2
139	The mechanisms of propofol-induced block on ion currents in differentiated H9c2 cardiac cells. <i>European Journal of Pharmacology</i> , 2008, 590, 93-98.	1.7	10
140	Riluzole-induced block of voltage-gated Na ⁺ current and activation of BKCa channels in cultured differentiated human skeletal muscle cells. <i>Life Sciences</i> , 2008, 82, 11-20.	2.0	50
141	Characterization of aconitine-induced block of delayed rectifier K ⁺ current in differentiated NG108-15 neuronal cells. <i>Neuropharmacology</i> , 2008, 54, 912-923.	2.0	29
142	Time-Dependent Block of Ultrarapid-Delayed Rectifier K ⁺ Currents by Aconitine, a Potent Cardiotoxin, in Heart-Derived H9c2 Myoblasts and in Neonatal Rat Ventricular Myocytes. <i>Toxicological Sciences</i> , 2008, 106, 454-463.	1.4	26
143	Potent Activation of Large-Conductance Ca ²⁺ -Activated K ⁺ Channels by the Diphenylurea 1,3-Bis-[2-hydroxy-5-(trifluoromethyl)phenyl]urea (NS1643) in Pituitary Tumor (GH ₃) Cells. <i>Molecular Pharmacology</i> , 2008, 74, 1696-1704.	1.0	16
144	The synergistic inhibitory actions of oxcarbazepine on voltage-gated sodium and potassium currents in differentiated NG108-15 neuronal cells and model neurons. <i>International Journal of Neuropsychopharmacology</i> , 2008, 11, 597-610.	1.0	37

#	ARTICLE	IF	CITATIONS
145	Activation by Zonisamide, a Newer Antiepileptic Drug, of Large-Conductance Calcium-Activated Potassium Channel in Differentiated Hippocampal Neuron-Derived H19-7 Cells. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2007, 321, 98-106.	1.3	31
146	Reliability Analysis of Physiological Phenomena by Cardiac Action Potential Model. , 2007, , .		0
147	Identification of two types of ATP-sensitive K ⁺ channels in rat ventricular myocytes. <i>Life Sciences</i> , 2007, 80, 378-387.	2.0	19
148	Potent stimulation of large-conductance Ca ²⁺ -activated K ⁺ channels by rottlerin, an inhibitor of protein kinase C- β , in pituitary tumor (GH3) cells and in cortical neuronal (HCN-1A) cells. <i>Journal of Cellular Physiology</i> , 2007, 210, 655-666.	2.0	29
149	Glucose and hippocampal neuronal excitability: Role of ATP-sensitive potassium channels. <i>Journal of Neuroscience Research</i> , 2007, 85, 1468-1477.	1.3	61
150	The activation by estrogen receptor agonists of the BKCa-channel in human cardiac fibroblasts. <i>Biochemical Pharmacology</i> , 2007, 73, 1347-1357.	2.0	18
151	Stimulatory actions of di-8-butyl-amino-naphthyl-ethylene-pyridinium-propyl-sulfonate (di-8-ANEPPS), voltage-sensitive dye, on the BKCa channel in pituitary tumor (GH3) cells. <i>Pflugers Archiv European Journal of Physiology</i> , 2007, 455, 687-699.	1.3	7
152	Characterization of Ca ²⁺ -activated K ⁺ current in human cardiac fibroblasts: its contribution to electrical coupling of cardiomyocyte-fibroblast. <i>FASEB Journal</i> , 2007, 21, A957.	0.2	1
153	Evidence for direct stimulation by estrogen receptor agonists (diarylpropionitrile and Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 487) human cardiac fibroblasts. <i>FASEB Journal</i> , 2007, 21, A957.	0.2	1
154	Microarray and electrophysiological studies of ion channel expression in undifferentiated and differentiated human skeletal muscle cells. <i>FASEB Journal</i> , 2007, 21, A536.	0.2	0
155	Glucocorticoids stimulate the activity of large-conductance Ca ²⁺ -activated K ⁺ channels in pituitary GH3 and AtT-20 cells via a non-genomic mechanism. <i>Steroids</i> , 2006, 71, 129-140.	0.8	24
156	The Opening Effect of Pregabalin on ATP-Sensitive Potassium Channels in Differentiated Hippocampal Neuron-derived H19-7 Cells. <i>Epilepsia</i> , 2006, 47, 720-726.	2.6	31
157	Cocaine-Induced Inhibition of ATP-Sensitive K ⁺ Channels in Rat Ventricular Myocytes and in Heart-Derived H9c2 Cells. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2006, 98, 510-517.	1.2	20
158	Tramadol-induced blockade of delayed rectifier potassium current in NG108-15 neuronal cells. <i>European Journal of Pain</i> , 2006, 10, 597-597.	1.4	28
159	Contribution of BKCa-Channel Activity in Human Cardiac Fibroblasts to Electrical Coupling of Cardiomyocytes-Fibroblasts. <i>Journal of Membrane Biology</i> , 2006, 213, 175-185.	1.0	49
160	Diethyl pyrocarbonate, a histidine-modifying agent, directly stimulates activity of ATP-sensitive potassium channels in pituitary GH3 cells. <i>Biochemical Pharmacology</i> , 2006, 71, 615-623.	2.0	20
161	Diosgenin, a Plant-Derived Sapogenin, Stimulates Ca ²⁺ -Activated K ⁺ Current in Human Cortical HCN-1A Neuronal Cells. <i>Planta Medica</i> , 2006, 72, 430-436.	0.7	20
162	Pharmacological Roles of the Large-Conductance Calcium-Activated Potassium Channel. <i>Current Topics in Medicinal Chemistry</i> , 2006, 6, 1025-1030.	1.0	26

#	ARTICLE	IF	CITATIONS
163	Electrophysiological mechanisms of ventricular arrhythmias in relation to Andersen-Tawil syndrome under conditions of reduced IK1: a simulation study. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2006, 291, H2597-H2605.	1.5	41
164	Changes in membrane cholesterol of pituitary tumor (GH3) cells regulate the activity of large-conductance Ca ²⁺ -activated K ⁺ channels. <i>Chinese Journal of Physiology</i> , 2006, 49, 1-13.	0.4	30
165	BAYÂ41â€2272, a potent activator of soluble guanylyl cyclase, stimulates calcium elevation and calcium-activated potassium current in pituitary GH 3 cells. <i>Clinical and Experimental Pharmacology and Physiology</i> , 2005, 32, 1078-1087.	0.9	8
166	Properties of BK_{Ca} Channels in Oral Keratinocytes. <i>Journal of Dental Research</i> , 2005, 84, 468-473.	2.5	15
167	Stimulatory Actions of Thymol, a Natural Product, on Ca ²⁺ -Activated K ⁺ Current in Pituitary GH3Cells. <i>Planta Medica</i> , 2005, 71, 1093-1098.	0.7	10
168	Stretch-Stimulated Activity of Large Conductance Calcium-Activated Potassium Channels in Human Retinal Pigment Epithelial Cells. <i>Journal of Ocular Pharmacology and Therapeutics</i> , 2005, 21, 429-435.	0.6	11
169	Sodium cyanate-induced opening of calcium-activated potassium currents in hippocampal neuron-derived H19-7 cells. <i>Neuroscience Letters</i> , 2005, 377, 110-114.	1.0	4
170	Characterization of chromanol 293B-induced block of the delayed-rectifier K ⁺ current in heart-derived H9c2 cells. <i>Life Sciences</i> , 2005, 76, 2275-2286.	2.0	11
171	Cilostazol, an Inhibitor of Type 3 Phosphodiesterase, Stimulates Large-Conductance, Calcium-Activated Potassium Channels in Pituitary GH3Cells and Pheochromocytoma PC12 Cells. <i>Endocrinology</i> , 2004, 145, 1175-1184.	1.4	36
172	The Influence of Hypotonicity on Large-Conductance Calcium-Activated Potassium Channels in Human Retinal Pigment Epithelial Cells. <i>Journal of Ocular Pharmacology and Therapeutics</i> , 2004, 20, 563-575.	0.6	7
173	Inhibitory Effect of Lamotrigine on A-type Potassium Current in Hippocampal Neuron-Derived H19-7 Cells. <i>Epilepsia</i> , 2004, 45, 729-736.	2.6	32
174	Stimulatory Actions of Caffeic Acid Phenethyl Ester, a Known Inhibitor of NF-Î²B Activation, on Ca ²⁺ -activated K ⁺ Current in Pituitary GH3 Cells. <i>Journal of Biological Chemistry</i> , 2004, 279, 26885-26892.	1.6	32
175	Simulations of the cardiac action potential based on the Hodgkin-Huxley kinetics with the use of Microsoft Excel spreadsheets. <i>Chinese Journal of Physiology</i> , 2004, 47, 15-22.	0.4	8
176	Effect of arvanil (N-arachidonoyl-vanillyl-amine), a nonpungent anandamide-â€capsaicin hybrid, on ion currents in NG108-15 neuronal cells. <i>Biochemical Pharmacology</i> , 2003, 65, 581-591.	2.0	16
177	Inhibitory action of ICI-182,780, an estrogen receptor antagonist, on BKCa channel activity in cultured endothelial cells of human coronary artery. <i>Biochemical Pharmacology</i> , 2003, 66, 2053-2063.	2.0	21
178	Stimulatory effects of chlorzoxazone, a centrally acting muscle relaxant, on large conductance calcium-activated potassium channels in pituitary GH3 cells. <i>Brain Research</i> , 2003, 959, 86-97.	1.1	36
179	Block of erg current by linoleoylamide, a sleep-inducing agent, in pituitary GH3 cells. <i>European Journal of Pharmacology</i> , 2003, 458, 37-47.	1.7	24
180	Differential effects of quercetin, a natural polyphenolic flavonoid, on L-Type calcium current in pituitary tumor (GH3) cells and neuronal NG108-15 cells. <i>Journal of Cellular Physiology</i> , 2003, 195, 298-308.	2.0	39

#	ARTICLE	IF	CITATIONS
181	Mechanism of carvedilol-induced block of delayed rectifier K current in the NG108-15 neuronal cell line. <i>Drug Development Research</i> , 2003, 58, 196-208.	1.4	4
182	Biological study of naphthalene derivatives with antiinflammatory activities. <i>Drug Development Research</i> , 2003, 60, 261-269.	1.4	35
183	Behavior of Nonselective Cation Channels and Large-Conductance Ca ²⁺ -Activated K ⁺ Channels Induced by Dynamic Changes in Membrane Stretch in Cultured Smooth Muscle Cells of Human Coronary Artery. <i>Journal of Cardiovascular Electrophysiology</i> , 2003, 14, 44-51.	0.8	27
184	Stimulatory Effects of Squamocin, an Annonaceous Acetogenin, on Ca ²⁺ -Activated K ⁺ Current in Cultured Smooth Muscle Cells of Human Coronary Artery. <i>Chemical Research in Toxicology</i> , 2003, 16, 15-22.	1.7	18
185	An Outbreak of Food-borne Illness Due to Methomyl Contamination. <i>Journal of Toxicology: Clinical Toxicology</i> , 2003, 41, 969-973.	1.5	15
186	Large-Conductance Ca ²⁺ -Activated K ⁺ Channels: Physiological Role and Pharmacology. <i>Current Medicinal Chemistry</i> , 2003, 10, 649-661.	1.2	104
187	The Mechanism of Inhibitory Actions of S-Petasin, a Sesquiterpene of <i>Petasites formosanus</i> , on L-Type Calcium Current in NG108-15 Neuronal Cells. <i>Planta Medica</i> , 2003, 69, 118-124.	0.7	15
188	Mechanism of Inhibitory Actions of Oxidizing Agents on Calcium-Activated Potassium Current in Cultured Pigment Epithelial Cells of the Human Retina. , 2003, 44, 1237.		29
189	Stimulation of the BKCa channel in cultured smooth muscle cells of human trachea by magnolol. <i>Thorax</i> , 2002, 57, 67-74.	2.7	34
190	Block of L-Type Ca ²⁺ Current by Beauvericin, a Toxic Cyclopeptide, in the NG108-15 Neuronal Cell Line. <i>Chemical Research in Toxicology</i> , 2002, 15, 854-860.	1.7	34
191	Inhibition of Ca ²⁺ -activated and voltage-dependent K ⁺ currents by 2-mercaptophenyl-1,4-naphthoquinone in pituitary GH3 cells Contribution to its antiproliferative effect. <i>Life Sciences</i> , 2002, 70, 1185-1203.	2.0	18
192	Inhibitory effect of the plant-extract osthole on L-type calcium current in NG108-15 neuronal cells. <i>Biochemical Pharmacology</i> , 2002, 63, 199-206.	2.0	28
193	Enhanced activity of Ca ²⁺ -activated K ⁺ channels by 1-[2-hydroxy-3-propyl-4-[(1H-tetrazol-5-yl)butoxyl]phenyl] ethanone (LY-171883) in neuroendocrine and neuroblastoma cell lines. <i>Journal of Cellular Physiology</i> , 2002, 192, 188-199.	2.0	10
194	Rutaecarpine-induced block of delayed rectifier K ⁺ current in NG108-15 neuronal cells. <i>Neuropharmacology</i> , 2001, 41, 834-843.	2.0	32
195	Fenamates Stimulate BKCa Channel Activity in the Human Osteoblast-Like MG-63 Cells. <i>Journal of Investigative Medicine</i> , 2001, 49, 522-533.	0.7	25
196	Inhibition of Large-Conductance Calcium-Activated Potassium Channel by 2-Methoxyestradiol in Cultured Vascular Endothelial (HUV-EC-C) Cells. <i>Journal of Membrane Biology</i> , 2001, 182, 203-212.	1.0	23
197	Characterization of action potential waveform-evoked L-type calcium currents in pituitary GH 3 cells. <i>Pflugers Archiv European Journal of Physiology</i> , 2001, 442, 547-557.	1.3	18
198	Quantitative analysis of end-tidal carbon dioxide during mechanical and spontaneous ventilation in infants and young children. <i>Pediatric Pulmonology</i> , 2001, 32, 453-458.	1.0	13

#	ARTICLE	IF	CITATIONS
199	On the mechanism of selective action of probucol on the inwardly rectifying potassium current in GH3 lactotrophs. <i>Drug Development Research</i> , 2001, 54, 1-11.	1.4	3
200	Vinpocetine-induced stimulation of calcium-activated potassium currents in rat pituitary GH3 cells. <i>Biochemical Pharmacology</i> , 2001, 61, 877-892.	2.0	24
201	Ceramide Inhibits the Inwardly Rectifying Potassium Current in GH3 Lactotrophs. <i>Endocrinology</i> , 2001, 142, 4785-4794.	1.4	27
202	DIFFERENTIAL REGULATION OF Ca ²⁺ INFLUX BY fMLP AND PAF IN HUMAN NEUTROPHILS: POSSIBLE INVOLVEMENT OF STORE-OPERATED Ca ²⁺ CHANNEL. <i>Shock</i> , 2000, 13, 175-182.	1.0	10
203	Characterization of Inhibition by Risperidone of the Inwardly Rectifying K ⁺ Current in Pituitary GH3 Cells. <i>Neuropsychopharmacology</i> , 2000, 23, 676-689.	2.8	41
204	Actions of epoxyeicosatrienoic acid on large-conductance Ca ²⁺ -activated K ⁺ channels in pituitary GH3 cells. <i>Biochemical Pharmacology</i> , 2000, 60, 251-262.	2.0	27
205	Characterization of ATP-Sensitive Potassium Channels Functionally Expressed in Pituitary GH 3 Cells. <i>Journal of Membrane Biology</i> , 2000, 178, 205-214.	1.0	30
206	Evidence for the stimulatory effect of resveratrol on Ca ²⁺ -activated K ⁺ current in vascular endothelial cells. <i>Cardiovascular Research</i> , 2000, 45, 1035-1045.	1.8	109
207			

#	ARTICLE	IF	CITATIONS
217	Mechanism of lanthanum inhibition of extracellular ATP-evoked calcium mobilization in MDCK cells. <i>Life Sciences</i> , 1998, 62, 533-540.	2.0	68
218	Inhibitory effects of berberine on voltage- and calcium-activated potassium currents in human myeloma cells. <i>Life Sciences</i> , 1998, 62, 2283-2294.	2.0	43
219	The phospholipase C inhibitor U73122 increases cytosolic calcium in MDCK cells by activating calcium influx and releasing stored calcium. <i>Life Sciences</i> , 1998, 63, 895-908.	2.0	47
220	Selective block by glyceryl nonivamide of inwardly rectifying K ⁺ current in rat anterior pituitary GH3 cells. <i>Life Sciences</i> , 1998, 63, PL281-PL288.	2.0	11
221	Mechanism of rise and decay of thapsigargin-evoked calcium signals in MDCK cells. <i>Life Sciences</i> , 1998, 64, 259-267.	2.0	49
222	Correlation of hepatocyte growth factor-induced proliferation and calcium-activated potassium current in human gastric cancer cells. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 1998, 1368, 256-266.	1.4	35
223	Cloning and functional expression of B chains of \hat{I}^2 -bungarotoxins from <i>Bungarus multicinctus</i> (Taiwan banded krait). <i>Biochemical Journal</i> , 1998, 334, 87-92.	1.7	37
224	Activation of Muscarinic K ⁺ Channels by Extracellular ATP and UTP in Rat Atrial Myocytes. <i>Journal of Cardiovascular Pharmacology</i> , 1998, 31, 203-211.	0.8	23
225	Ionic mechanisms of tetrandrine in cultured rat aortic smooth muscle cells. <i>European Journal of Pharmacology</i> , 1997, 327, 233-238.	1.7	17
226	Influence of Beta-Adrenergic and Vagal Activity on the Effect of Exogenous Adenosine on Supraventricular Tachycardia Termination. <i>American Journal of Cardiology</i> , 1997, 79, 1628-1631.	0.7	9
227	Volume-sensitive chloride channels in the primary culture cells of human cervical carcinoma. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 1996, 1315, 138-144.	1.8	31
228	The characteristics in the inhibitory effects of capsaicin on voltage-dependent K ⁺ currents in rat atrial myocytes. <i>Environmental Toxicology and Pharmacology</i> , 1996, 2, 39-47.	2.0	13
229	Endothelin-1 and Vasopressin Activate Ca ²⁺ -permeable Non-selective Cation Channels in Aortic Smooth Muscle Cells: Mechanism of Receptor-mediated Ca ²⁺ -Influx. <i>Journal of Molecular and Cellular Cardiology</i> , 1996, 28, 707-722.	0.9	52
230	Analytical Studies of Spontaneous and Vasopressin-Induced Calcium Oscillations in Cultured Vascular Smooth Muscle Cells. <i>Journal of Biochemistry</i> , 1996, 119, 42-48.	0.9	13
231	Induction of Ca ²⁺ Oscillations by Vasopressin in the Presence of Tetraethylammonium Chloride in Cultured Vascular Smooth Muscle Cells. <i>Journal of Biochemistry</i> , 1995, 117, 309-314.	0.9	11
232	Effect of capsaicin on membrane currents in cultured vascular smooth muscle cells of rat aorta. <i>European Journal of Pharmacology - Environmental Toxicology and Pharmacology Section</i> , 1995, 292, 321-328.	0.8	12
233	IDENTIFICATION OF ADENOSINE RECEPTORS IN HUMAN SPERMATOZOA. <i>Clinical and Experimental Pharmacology and Physiology</i> , 1993, 20, 527-534.	0.9	28
234	Characterization of Functional Antagonism of Adenosine and Isoproterenol in Guinea-Pig Atrial Myocytes. <i>The Japanese Journal of Physiology</i> , 1993, 43, 177-189.	0.9	4

#	ARTICLE	IF	CITATIONS
235	Ceramide Inhibits the Inwardly Rectifying Potassium Current in GH3 Lactotrophs. , 0, .		10