

Victoria C Foletta

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4889766/publications.pdf>

Version: 2024-02-01

66
papers

2,764
citations

201674

27
h-index

182427

51
g-index

67
all docs

67
docs citations

67
times ranked

4994
citing authors

#	ARTICLE	IF	CITATIONS
1	Mechanisms of chemotherapy-induced muscle wasting in mice with cancer cachexia. <i>JCSM Rapid Communications</i> , 2022, 5, 102-116.	1.6	3
2	miR-23a suppression accelerates functional decline in the rNLS8 mouse model of TDP-43 proteinopathy. <i>Neurobiology of Disease</i> , 2022, 162, 105559.	4.4	2
3	Muscle Adaptations to Heavy-Load and Blood Flow Restriction Resistance Training Methods. <i>Frontiers in Physiology</i> , 2022, 13, 837697.	2.8	10
4	Striated muscle activator of Rho signalling (STARS) overexpression in the mdx mouse enhances muscle functional capacity and regulates the actin cytoskeleton and oxidative phosphorylation pathways. <i>Experimental Physiology</i> , 2021, 106, 1597-1611.	2.0	0
5	Sensitivity to behavioral stress impacts disease pathogenesis in dystrophin-deficient mice. <i>FASEB Journal</i> , 2021, 35, e22034.	0.5	4
6	An obesogenic maternal environment impairs mouse growth patterns, satellite cell activation, and markers of postnatal myogenesis. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2020, 319, E1008-E1018.	3.5	5
7	Overexpression of NDRG2 in skeletal muscle does not ameliorate the effects of stress <i>in vivo</i> . <i>Experimental Physiology</i> , 2020, 105, 1326-1338.	2.0	0
8	MicroRNA-99b-5p downregulates protein synthesis in human primary myotubes. <i>American Journal of Physiology - Cell Physiology</i> , 2020, 319, C432-C440.	4.6	11
9	The Effect of Normobaric Hypoxia on Resistance Training Adaptations in Older Adults. <i>Journal of Strength and Conditioning Research</i> , 2020, Publish Ahead of Print, .	2.1	8
10	Dietary Patterns in New Zealand Women: Evaluating Differences in Body Composition and Metabolic Biomarkers. <i>Nutrients</i> , 2019, 11, 1643.	4.1	13
11	Phosphatidylserine decarboxylase is critical for the maintenance of skeletal muscle mitochondrial integrity and muscle mass. <i>Molecular Metabolism</i> , 2019, 27, 33-46.	6.5	29
12	Intramuscular inflammatory and resolving lipid profile responses to an acute bout of resistance exercise in men. <i>Physiological Reports</i> , 2019, 7, e14108.	1.7	41
13	MicroRNA suppression of stress-responsive NDRG2 during dexamethasone treatment in skeletal muscle cells. <i>BMC Molecular and Cell Biology</i> , 2019, 20, 12.	2.0	3
14	Perm1 regulates CaMKII activation and shapes skeletal muscle responses to endurance exercise training. <i>Molecular Metabolism</i> , 2019, 23, 88-97.	6.5	19
15	Non-invasive Assessment of Dorsiflexor Muscle Function in Mice. <i>Journal of Visualized Experiments</i> , 2019, , .	0.3	6
16	Lower body blood flow restriction training may induce remote muscle strength adaptations in an active unrestricted arm. <i>European Journal of Applied Physiology</i> , 2018, 118, 617-627.	2.5	34
17	Diet quality and telomere length in older Australian men and women. <i>European Journal of Nutrition</i> , 2018, 57, 363-372.	3.9	34
18	Dysregulation of microRNA biogenesis machinery and microRNA/RNA ratio in skeletal muscle of amyotrophic lateral sclerosis mice. <i>Muscle and Nerve</i> , 2018, 57, 838-847.	2.2	9

#	ARTICLE	IF	CITATIONS
19	Differential regulation of cellular stress responses by the endoplasmic reticulum-resident Selenoprotein S (Seps1) in proliferating myoblasts versus myotubes. <i>Physiological Reports</i> , 2018, 6, e13926.	1.7	6
20	PGC-1 α and PGC-1 β Increase Protein Synthesis via ERR α in C2C12 Myotubes. <i>Frontiers in Physiology</i> , 2018, 9, 1336.	2.8	21
21	Increased mitophagy in the skeletal muscle of spinal and bulbar muscular atrophy patients. <i>Human Molecular Genetics</i> , 2017, 26, ddx019.	2.9	37
22	MicroRNA expression patterns in post-natal mouse skeletal muscle development. <i>BMC Genomics</i> , 2017, 18, 52.	2.8	21
23	Granulocyte Colony-Stimulating Factor and Its Potential Application for Skeletal Muscle Repair and Regeneration. <i>Mediators of Inflammation</i> , 2017, 2017, 1-9.	3.0	23
24	Measures to Predict The Individual Variability of Corticospinal Responses Following Transcranial Direct Current Stimulation. <i>Frontiers in Human Neuroscience</i> , 2016, 10, 487.	2.0	21
25	Analysis of Mammalian Cell Proliferation and Macromolecule Synthesis Using Deuterated Water and Gas Chromatography-Mass Spectrometry. <i>Metabolites</i> , 2016, 6, 34.	2.9	23
26	Overexpression of Striated Muscle Activator of Rho Signaling (STARS) Increases C2C12 Skeletal Muscle Cell Differentiation. <i>Frontiers in Physiology</i> , 2016, 7, 7.	2.8	20
27	Ibuprofen Ingestion Does Not Affect Markers of Post-exercise Muscle Inflammation. <i>Frontiers in Physiology</i> , 2016, 7, 86.	2.8	15
28	Erythropoietin Does Not Enhance Skeletal Muscle Protein Synthesis Following Exercise in Young and Older Adults. <i>Frontiers in Physiology</i> , 2016, 7, 292.	2.8	8
29	Skeletal Muscle Satellite Cells, Mitochondria, and MicroRNAs: Their Involvement in the Pathogenesis of ALS. <i>Frontiers in Physiology</i> , 2016, 7, 403.	2.8	47
30	Concurrent exercise incorporating high-intensity interval or continuous training modulates mTORC1 signaling and microRNA expression in human skeletal muscle. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2016, 310, R1297-R1311.	1.8	58
31	Ascorbic acid supplementation improves skeletal muscle oxidative stress and insulin sensitivity in people with type 2 diabetes: Findings of a randomized controlled study. <i>Free Radical Biology and Medicine</i> , 2016, 93, 227-238.	2.9	66
32	Perm1 enhances mitochondrial biogenesis, oxidative capacity, and fatigue resistance in adult skeletal muscle. <i>FASEB Journal</i> , 2016, 30, 674-687.	0.5	46
33	Comparative analysis of microRNA expression in mouse and human brown adipose tissue. <i>BMC Genomics</i> , 2015, 16, 820.	2.8	29
34	NDRG2 promotes myoblast proliferation and caspase 3/7 activities during differentiation, and attenuates hydrogen peroxide and palmitate-induced toxicity. <i>FEBS Open Bio</i> , 2015, 5, 668-681.	2.3	14
35	Evaluation of follistatin as a therapeutic in models of skeletal muscle atrophy associated with denervation and tenotomy. <i>Scientific Reports</i> , 2015, 5, 17535.	3.3	29
36	Statin-Induced Increases in Atrophy Gene Expression Occur Independently of Changes in PGC1 α Protein and Mitochondrial Content. <i>PLoS ONE</i> , 2015, 10, e0128398.	2.5	24

#	ARTICLE	IF	CITATIONS
37	G-CSF treatment can attenuate dexamethasone-induced reduction in C2C12 myotube protein synthesis. <i>Cytokine</i> , 2015, 73, 1-7.	3.2	3
38	Effects of systemic hypoxia on human muscular adaptations to resistance exercise training. <i>Physiological Reports</i> , 2015, 3, e12267.	1.7	12
39	Hormonal and metabolic responses to repeated cycling sprints under different hypoxic conditions. <i>Growth Hormone and IGF Research</i> , 2015, 25, 121-126.	1.1	28
40	Predictors and risks of body fat profiles in young New Zealand European, Māori and Pacific women: study protocol for the women's EXPLORE study. <i>SpringerPlus</i> , 2015, 4, 128.	1.2	12
41	The CDP-Ethanolamine Pathway Regulates Skeletal Muscle Diacylglycerol Content and Mitochondrial Biogenesis without Altering Insulin Sensitivity. <i>Cell Metabolism</i> , 2015, 21, 718-730.	16.2	83
42	Vitamin C and E supplementation prevents some of the cellular adaptations to endurance-training in humans. <i>Free Radical Biology and Medicine</i> , 2015, 89, 852-862.	2.9	122
43	Exercise, Skeletal Muscle and Circulating microRNAs. <i>Progress in Molecular Biology and Translational Science</i> , 2015, 135, 471-496.	1.7	38
44	Glucocorticoids enhance muscle endurance and ameliorate Duchenne muscular dystrophy through a defined metabolic program. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015, 112, E6780-9.	7.1	71
45	Effects of tail suspension on serum testosterone and molecular targets regulating muscle mass. <i>Muscle and Nerve</i> , 2015, 52, 278-288.	2.2	6
46	Regulation of ubiquitin proteasome pathway molecular markers in response to endurance and resistance exercise and training. <i>Pflügers Archiv European Journal of Physiology</i> , 2015, 467, 1523-1537.	2.8	50
47	Cellular Localization and Associations of the Major Lipolytic Proteins in Human Skeletal Muscle at Rest and during Exercise. <i>PLoS ONE</i> , 2014, 9, e103062.	2.5	17
48	Identification of MicroRNAs Linked to Regulators of Muscle Protein Synthesis and Regeneration in Young and Old Skeletal Muscle. <i>PLoS ONE</i> , 2014, 9, e114009.	2.5	74
49	Creatine transporter (SLC6A8) knockout mice display an increased capacity for in vitro creatine biosynthesis in skeletal muscle. <i>Frontiers in Physiology</i> , 2014, 5, 314.	2.8	28
50	Ageing has no effect on the regulation of the ubiquitin proteasome-related genes and proteins following resistance exercise. <i>Frontiers in Physiology</i> , 2014, 5, 30.	2.8	23
51	G-CSF does not influence C2C12 myogenesis despite receptor expression in healthy and dystrophic skeletal muscle. <i>Frontiers in Physiology</i> , 2014, 5, 170.	2.8	15
52	Ibuprofen supplementation and its effects on NF- κ B activation in skeletal muscle following resistance exercise. <i>Physiological Reports</i> , 2014, 2, e12172.	1.7	11
53	Effects of systemic hypoxia on human muscular adaptations to resistance exercise training. <i>Physiological Reports</i> , 2014, 2, e12033.	1.7	85
54	Skeletal muscle mitochondria: A major player in exercise, health and disease. <i>Biochimica Et Biophysica Acta - General Subjects</i> , 2014, 1840, 1276-1284.	2.4	184

#	ARTICLE	IF	CITATIONS
55	Integrated phenotypic and activity-based profiling links Ces3 to obesity and diabetes. <i>Nature Chemical Biology</i> , 2014, 10, 113-121.	8.0	110
56	PGC-1 α and PGC-1 β increase CrT expression and creatine uptake in myotubes via ERR α . <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 2014, 1843, 2937-2943.	4.1	24
57	Influence of divergent exercise contraction mode and whey protein supplementation on atrogin-1, MuRF1, and FOXO1/3A in human skeletal muscle. <i>Journal of Applied Physiology</i> , 2014, 116, 1491-1502.	2.5	29
58	High-dose vitamin C supplementation increases skeletal muscle vitamin C concentration and SVCT2 transporter expression but does not alter redox status in healthy males. <i>Free Radical Biology and Medicine</i> , 2014, 77, 130-138.	2.9	20
59	Regulation of miRNAs in human skeletal muscle following acute endurance exercise and short-term endurance training. <i>Journal of Physiology</i> , 2013, 591, 4637-4653.	2.9	207
60	Ndr2 is a PGC-1 α /ERR α target gene that controls protein synthesis and expression of contractile-type genes in C2C12 myotubes. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 2013, 1833, 3112-3123.	4.1	19
61	Disruption of skeletal muscle mitochondrial network genes and miRNAs in amyotrophic lateral sclerosis. <i>Neurobiology of Disease</i> , 2013, 49, 107-117.	4.4	194
62	Peroxisome Proliferator-activated Receptor γ Coactivator 1 (PGC-1)- and Estrogen-related Receptor (ERR)-induced Regulator in Muscle 1 (PERM1) Is a Tissue-specific Regulator of Oxidative Capacity in Skeletal Muscle Cells. <i>Journal of Biological Chemistry</i> , 2013, 288, 25207-25218.	3.4	80
63	MicroRNAs in skeletal muscle and their regulation with exercise, ageing, and disease. <i>Frontiers in Physiology</i> , 2013, 4, 266.	2.8	87
64	The role and regulation of MAFbx/atrogin-1 and MuRF1 in skeletal muscle atrophy. <i>Pflugers Archiv European Journal of Physiology</i> , 2011, 461, 325-335.	2.8	278
65	Molecular regulation of skeletal muscle mass. <i>Clinical and Experimental Pharmacology and Physiology</i> , 2010, 37, 378-384.	1.9	64
66	NDRG2, a novel regulator of myoblast proliferation, is regulated by anabolic and catabolic factors. <i>Journal of Physiology</i> , 2009, 587, 1619-1634.	2.9	50