

Young Ho Kim

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/4891244/young-ho-kim-publications-by-year.pdf>

Version: 2024-04-29

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

506
papers

7,726
citations

39
h-index

53
g-index

558
ext. papers

8,865
ext. citations

3.4
avg, IF

5.91
L-index

#	Paper	IF	Citations
506	Cassane diterpenoids from the aerial parts of <i>Caesalpinia pulcherrima</i> and their antibacterial and anti-glioblastoma activity.. <i>Phytochemistry</i> , 2022 , 196, 113082	4	1
505	Glycoside constituents from leaves and their anti-inflammatory and acetylcholine protective effects.. <i>Natural Product Research</i> , 2022 , 1-10	2.3	
504	Structure elucidation of new brominated sesquiterpenes from the sea hare <i>Aplysia dactylomela</i> by experimental and DFT computational methods. <i>Journal of Molecular Structure</i> , 2022 , 1259, 132744	3.4	0
503	Chemical constituents of Vietnamese mangrove with antioxidant and alpha-glucosidase inhibitory activity. <i>Natural Product Research</i> , 2021 , 35, 2899-2904	2.3	3
502	Soluble epoxide hydrolase inhibitors from (Wall.) Decne. <i>Natural Product Research</i> , 2021 , 35, 5403-5408	2.3	2
501	Cassane diterpenoids from and their anti-inflammatory and -glycosidase inhibitory activities. <i>Natural Product Research</i> , 2021 , 1-9	2.3	0
500	Structure elucidation of two new diterpenes from Vietnamese mangrove <i>Cerriops decandra</i> . <i>Magnetic Resonance in Chemistry</i> , 2021 , 59, 74-79	2.1	2
499	Bioactive compounds from and their anti-inflammatory and cytotoxic activities. <i>Journal of Asian Natural Products Research</i> , 2021 , 23, 809-817	1.5	2
498	Effect of citric acid and heat treatment on the content of less-polar ginsenosides in flower buds of. <i>Preparative Biochemistry and Biotechnology</i> , 2021 , 1-10	2.4	
497	3'-O-Acetyl-24-Epi-7,8-Didehydrocimigenol-3-O- β -D-Xylopyranoside Decreases Amyloid Beta Production in Amyloid Precursor Protein-Transfected HeLa Cells. <i>Biomolecules and Therapeutics</i> , 2021 , 29, 290-294	4.2	
496	A new triterpenoid from the stems of with antiproliferative activity. <i>Natural Product Research</i> , 2021 , 1-5	2.3	1
495	Phytochemical analysis of trifoliolate orange during fermentation by HPLC-DAESI-MS/MS coupled with multivariate statistical analysis. <i>Acta Chromatographica</i> , 2021 , 33, 371-377	1.5	0
494	In Vitro Investigation of Acetylcholinesterase Inhibitors Isolated from the Fruit of <i>Stauntonia hexaphylla</i> . <i>Chemistry of Natural Compounds</i> , 2021 , 57, 784-787	0.7	0
493	Cytotoxic and anti-inflammatory activities of secondary metabolites from growing in Thua Thien Hue, Vietnam. <i>Natural Product Research</i> , 2021 , 35, 4218-4224	2.3	4
492	study on α -amylase and α -glucosidase inhibitory activities of a new stigmastane-type steroid saponin from the leaves of. <i>Natural Product Research</i> , 2021 , 35, 873-879	2.3	11
491	Bioactive compounds from the aerial parts of. <i>Natural Product Research</i> , 2021 , 35, 646-648	2.3	4
490	Nematicidal activity of teleocidin B4 isolated from <i>Streptomyces</i> sp. against pine wood nematode, <i>Bursaphelenchus xylophilus</i> . <i>Pest Management Science</i> , 2021 , 77, 1607-1615	4.6	1

489	Isolation of bioactive components with soluble epoxide hydrolase inhibitory activity from MiQ. by ultrasonic-assisted extraction optimized using response surface methodology. <i>Preparative Biochemistry and Biotechnology</i> , 2021 , 51, 395-404	2.4	3
488	Identification Of Potential Cytotoxic Inhibitors From. <i>Natural Product Research</i> , 2021 , 35, 2082-2085	2.3	3
487	The chemical constituents of ethanolic extract from leaves and their anti-inflammatory effects. <i>Natural Product Research</i> , 2021 , 35, 1852-1855	2.3	4
486	Molecular design of anticancer drugs from marine fungi derivatives.. <i>RSC Advances</i> , 2021 , 11, 20173-20179	3.7	4
485	In Vitro and In Silico Studies of Soluble Epoxide Hydrolase Inhibitors from the Roots of. <i>Plants</i> , 2021 , 10,	4.5	1
484	Anti-allergic Inflammatory Components from the Leaves of Piper crocatum Ruiz & Pav. <i>Biological and Pharmaceutical Bulletin</i> , 2021 , 44, 245-250	2.3	1
483	Configurational Assignment of a Flexible Benzo[<i>b</i>]isochromene Stereodiad from and Inhibition of Soluble Epoxide Hydrolase Activity. <i>Journal of Natural Products</i> , 2021 , 84, 2594-2599	4.9	0
482	Inhibitory Activity of 4--Benzoyl-3'--(OMethylsinapoyl) Sucrose from on -Glucuronidase. <i>Journal of Microbiology and Biotechnology</i> , 2021 , 31, 1576-1582	3.3	1
481	Dammarane triterpenes and phytosterols from <i>Dysoxylum tpongense</i> Pierre and their anti-inflammatory activity against liver X receptors and NF- κ B activation. <i>Steroids</i> , 2021 , 175, 108902	2.8	3
480	Inhibition of soluble epoxide hydrolase by phytochemical constituents of the root bark of. <i>Journal of Enzyme Inhibition and Medicinal Chemistry</i> , 2021 , 36, 1049-1055	5.6	0
479	Anti-Melanogenic Effect of and Its Active Components Protein Kinase A/Cyclic Adenosine Monophosphate-Responsive Binding Protein- and p38 Mitogen-Activated Protein Kinase-Mediated Microphthalmia-Associated Transcription Factor Downregulation. <i>Frontiers in Pharmacology</i> , 2020 , 11, 507	5.6	1
478	Effect of soybean oil as a carbon source on the electrochemical property of LiNi $_{1/3}$ Co $_{1/3}$ Mn $_{1/3}$ O $_2$ cathode material for lithium ion battery. <i>Carbon Letters</i> , 2020 , 30, 621-626	2.3	0
477	Protective Effects of Compounds from against Amyloid Beta Production in Vitro and Scopolamine-Induced Memory Impairment in Vivo. <i>Journal of Natural Products</i> , 2020 , 83, 223-230	4.9	
476	Anti-allergic effect of inotodiol, a lanostane triterpenoid from Chaga mushroom, via selective inhibition of mast cell function. <i>International Immunopharmacology</i> , 2020 , 81, 106244	5.8	5
475	CRH receptor antagonists from <i>Pulsatilla chinensis</i> prevent CRH-induced premature catagen transition in human hair follicles. <i>Journal of Cosmetic Dermatology</i> , 2020 , 19, 3058-3066	2.5	2
474	Extended Intake of Mulberry Leaf Extract Delayed Metformin Elimination via Inhibiting the Organic Cation Transporter 2. <i>Pharmaceutics</i> , 2020 , 12,	6.4	6
473	In Vitro and in Vivo Anti-Hyperglycemic Activities of Taxifolin and Its Derivatives Isolated from Pigmented Rice (<i>L. cv. Superhongmi</i>). <i>Journal of Agricultural and Food Chemistry</i> , 2020 , 68, 742-750	5.7	8
472	Quantitation of Phenolic Compounds Related to Antioxidant and Antiosteoporosis Activities in Ripe and Unripe Maesil (<i>Prunus mume</i>). <i>Journal of Food Quality</i> , 2020 , 2020, 1-13	2.7	1

471	Inhibitory Activity of Quercetin 3--Arabinofuranoside and 2-Oxopomolic Acid Derived from on Soluble Epoxide Hydrolase. <i>Molecules</i> , 2020 , 25,	4.8	3
470	Bioactive Compounds from and Their Inhibitory Effects on Lipopolysaccharide-Stimulated Pro-inflammatory Cytokine Production in Bone Marrow-Derived Dendritic Cells. <i>Plants</i> , 2020 , 9,	4.5	3
469	Enhancement of an In Vivo Anti-Inflammatory Activity of Oleanolic Acid through Glycosylation Occurring Naturally in. <i>Molecules</i> , 2020 , 25,	4.8	6
468	Identification of potential anti-inflammatory and melanoma cytotoxic compounds from <i>Aegiceras corniculatum</i> . <i>Medicinal Chemistry Research</i> , 2020 , 29, 2020-2027	2.2	2
467	Coumarin and Moracin Derivatives from Mulberry Leaves (L.) with Soluble Epoxide Hydrolase Inhibitory Activity. <i>Molecules</i> , 2020 , 25,	4.8	4
466	New dammarane-type triterpenoid glycosides from. <i>Natural Product Research</i> , 2020 , 34, 217-224	2.3	4
465	A new [7.7]paracyclophane from Vietnamese marine snail (Born, 1780). <i>Natural Product Research</i> , 2020 , 34, 261-268	2.3	5
464	Dendrodoristerol, a cytotoxic C20 steroid from the Vietnamese nudibranch mollusk. <i>Journal of Asian Natural Products Research</i> , 2020 , 22, 193-200	1.5	3
463	Acylated flavonoid glycosides from. <i>Natural Product Research</i> , 2020 , 34, 1276-1281	2.3	8
462	Coral and Coral-Associated Microorganisms: A Prolific Source of Potential Bioactive Natural Products. <i>Marine Drugs</i> , 2019 , 17,	6	28
461	Nitro derivatives and other compounds from sugar apple (<i>Annona squamosa</i> L.) leaves exhibit soluble epoxide hydrolase inhibitory activity. <i>Medicinal Chemistry Research</i> , 2019 , 28, 1939-1944	2.2	1
460	Chemical constituents from <i>Dendropanax morbiferus</i> H. L. Stems and leaves and their chemotaxonomic significance. <i>Biochemical Systematics and Ecology</i> , 2019 , 87, 103936	1.4	2
459	Identification of potential inflammatory inhibitors from <i>Aster tataricus</i> . <i>Bioorganic Chemistry</i> , 2019 , 92, 103208	5.1	15
458	Slow-Binding Inhibition of Tyrosinase by Phlorotannins. <i>Marine Drugs</i> , 2019 , 17,	6	10
457	Chemical constituents of the <i>Piper crocatum</i> leaves and their chemotaxonomic significance. <i>Biochemical Systematics and Ecology</i> , 2019 , 86, 103905	1.4	3
456	Inhibition potential of phenolic constituents from the aerial parts of <i>Tetrastigma hemsleyanum</i> against soluble epoxide hydrolase and nitric oxide synthase. <i>Journal of Enzyme Inhibition and Medicinal Chemistry</i> , 2019 , 34, 753-760	5.6	9
455	Isolation of Two New Compounds and Other Constituents from Leaves of and Study of Their Soluble Epoxide Hydrolase Activities. <i>Molecules</i> , 2019 , 24,	4.8	1
454	Chemical constituents from Vietnamese mangrove <i>Calophyllum inophyllum</i> and their anti-inflammatory effects. <i>Bioorganic Chemistry</i> , 2019 , 88, 102921	5.1	8

453	Anti-inflammatory Potential of Saponins from <i>Aster tataricus</i> via NF- κ B/MAPK Activation. <i>Journal of Natural Products</i> , 2019 , 82, 1139-1148	4.9	18
452	Anti-bacterial effects of components from <i>L. on</i> and their soluble epoxide hydrolase inhibitory activity. <i>Natural Product Research</i> , 2019 , 33, 3445-3449	2.3	9
451	Ginsenosides from Korean red ginseng modulate T cell function via the regulation of NF-AT-mediated IL-2 production. <i>Food Science and Biotechnology</i> , 2019 , 28, 237-242	3	8
450	Anti-inflammatory secondary metabolites from the stems of <i>Millettia dielsiana</i> Harms ex Diels. <i>Carbohydrate Research</i> , 2019 , 484, 107778	2.9	3
449	New Constituents From the Roots and Stems of <i>Paramignya trimera</i> . <i>Natural Product Communications</i> , 2019 , 14, 1934578X1986101	0.9	1
448	Bioactive triterpene glycosides from the fruit of <i>Stauntonia hexaphylla</i> and insights into the molecular mechanism of its inflammatory effects. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2019 , 29, 2085-2089	2.9	7
447	Isolation, structural elucidation, and insights into the anti-inflammatory effects of triterpene saponins from the leaves of <i>Stauntonia hexaphylla</i> . <i>Bioorganic and Medicinal Chemistry Letters</i> , 2019 , 29, 965-969	2.9	11
446	Evaluation of phenolic compounds from viroid-free and viroid-infected apples using HPLC-PDA-ESI-MS/MS. <i>Phytochemical Analysis</i> , 2019 , 30, 395-404	3.4	3
445	Phytochemical profile of <i>Syzygium formosum</i> (Wall.) Masam leaves using HPLC-PDA-MS/MS and a simple HPLC-ELSD method for quality control. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2019 , 168, 1-12	3.5	9
444	Anti-inflammatory and cytotoxic activities of constituents from <i>Wedelia trilobata</i> (L.) Hitchc.. <i>Vietnam Journal of Chemistry</i> , 2019 , 57, 121-127	0.8	
443	Identification of Soluble Epoxide Hydrolase Inhibitors from the Seeds of <i>Passiflora edulis</i> Cultivated in Vietnam. <i>Natural Product Sciences</i> , 2019 , 25, 348	1.1	1
442	Impressic Acid, a Lupane-Type Triterpenoid from , Attenuates TNF- α -Induced Endothelial Dysfunction via Activation of eNOS/NO Pathway. <i>International Journal of Molecular Sciences</i> , 2019 , 20,	6.3	7
441	A lithium selective adsorption composite by coating adsorbent on PVC plate using epoxy-silica hybrid binder. <i>Hydrometallurgy</i> , 2019 , 183, 118-124	4	8
440	Formulation and statistical analysis of an herbal medicine tablet containing <i>Morus alba</i> leaf extracts. <i>Journal of Pharmaceutical Investigation</i> , 2019 , 49, 625-634	6.3	10
439	Wedtrilosides A and B, two new diterpenoid glycosides from the leaves of <i>Wedelia trilobata</i> (L.) Hitchc. with α -amylase and α -glucosidase inhibitory activities. <i>Bioorganic Chemistry</i> , 2019 , 85, 319-324	5.1	16
438	Norgalanthamine Stimulates Proliferation of Dermal Papilla Cells via Anagen-Activating Signaling Pathways. <i>Biological and Pharmaceutical Bulletin</i> , 2019 , 42, 139-143	2.3	4
437	Electrochemical characterization of Raney nickel electrodes prepared by atmospheric plasma spraying for alkaline water electrolysis. <i>Journal of Industrial and Engineering Chemistry</i> , 2019 , 70, 160-168	6.3	10
436	Cytotoxic triterpene saponins from the mangrove <i>Aegiceras corniculatum</i> . <i>Natural Product Research</i> , 2019 , 33, 628-634	2.3	9

435	Inhibitory activity of minor phlorotannins from <i>Ecklonia cava</i> on α -glucosidase. <i>Food Chemistry</i> , 2018 , 257, 128-134	8.5	36
434	Anti-allergic inflammatory components from <i>Sanguisorba officinalis</i> L. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2018 , 28, 2210-2216	2.9	22
433	Silicon and its effect on the electrochemical properties of $\text{Li}_3\text{V}_2(\text{PO}_4)_3$ cathode material. <i>Ceramics International</i> , 2018 , 44, 12504-12510	5.1	4
432	In vitro and in silico investigation of anthocyanin derivatives as soluble epoxide hydrolase inhibitors. <i>International Journal of Biological Macromolecules</i> , 2018 , 112, 961-967	7.9	8
431	Pentacyclic triterpenes from the stem bark of <i>Combretum hartmannianum</i> Schweinf. <i>Biochemical Systematics and Ecology</i> , 2018 , 77, 48-50	1.4	5
430	Cytochrome P450 4A11 inhibition assays based on characterization of lauric acid metabolites. <i>Food and Chemical Toxicology</i> , 2018 , 112, 205-215	4.7	3
429	<i>Chrysanthemum indicum</i> Inhibits Adipogenesis and Activates the AMPK Pathway in High-Fat-Diet-Induced Obese Mice. <i>The American Journal of Chinese Medicine</i> , 2018 , 46, 119-136	6	21
428	Tyrosinase inhibitory components from the seeds of <i>Cassia tora</i> . <i>Archives of Pharmacal Research</i> , 2018 , 41, 490-496	6.1	4
427	A comparative study of <i>Mentha arvensis</i> L. and <i>Mentha haplocalyx</i> Briq. by HPLC. <i>Natural Product Research</i> , 2018 , 32, 239-242	2.3	7
426	Lipolytic effect of compounds isolated from leaves of mulberry (<i>Morus alba</i> L.) in 3T3-L1 adipocytes. <i>Natural Product Research</i> , 2018 , 32, 1963-1966	2.3	12
425	Inhibitory activity of (-)-epicatechin-3,5-O-digallate on α -glucosidase and in silico analysis. <i>International Journal of Biological Macromolecules</i> , 2018 , 107, 1162-1167	7.9	9
424	Anti-allergic effects of the ethanol extract of <i>Syzygium formosum</i> (Wall.) Masam leaves and its immunoregulatory mechanisms. <i>Journal of Ethnopharmacology</i> , 2018 , 211, 171-179	5	8
423	Soluble epoxide hydrolase inhibitory activity of phenolic glycosides from <i>Polygala tenuifolia</i> and in silico approach. <i>Medicinal Chemistry Research</i> , 2018 , 27, 726-734	2.2	7
422	Three new constituents from the aerial parts of <i>Tetrastigma hemsleyanum</i> . <i>Phytochemistry Letters</i> , 2018 , 27, 25-29	1.9	6
421	Antioxidant and Anti-Osteoporosis Activities of Chemical Constituents of the Stems of <i>Zanthoxylum piperitum</i> . <i>Molecules</i> , 2018 , 23,	4.8	6
420	Alkaloids from and Their Anti-Inflammatory Effects on LPS-Induced RAW264.7 Cells. <i>Molecules</i> , 2018 , 23,	4.8	20
419	Chemical constituents from <i>Sanguisorba officinalis</i> L. and their inhibitory effects on LPS-stimulated pro-inflammatory cytokine production in bone marrow-derived dendritic cells. <i>Archives of Pharmacal Research</i> , 2018 , 41, 497-505	6.1	13
418	Synthesis of Novel 3-N-substituted Carbazole Derivatives and Evaluation of their Abilities to Inhibit Platelet Aggregation. <i>Bulletin of the Korean Chemical Society</i> , 2018 , 39, 726-728	1.2	0

417	Anti-inflammatory Effects of <i>Distylium racemosum</i> Extract in a Mouse Model of Allergic Asthma. <i>Planta Medica International Open</i> , 2018 , 5, e48-e54	0.8	
416	Kushenol A and 8-prenylkaempferol, tyrosinase inhibitors, derived from <i>Sophora flavescens</i> . <i>Journal of Enzyme Inhibition and Medicinal Chemistry</i> , 2018 , 33, 1048-1054	5.6	15
415	The mast cell stabilizing activity of Chaga mushroom critical for its therapeutic effect on food allergy is derived from inotodiol. <i>International Immunopharmacology</i> , 2018 , 54, 286-295	5.8	10
414	Chemical constituents from <i>Epimedium koreanum</i> Nakai and their chemotaxonomic significance. <i>Natural Product Research</i> , 2018 , 32, 2347-2351	2.3	13
413	A new rearranged abietane diterpene from <i>Clerodendrum inerme</i> with antioxidant and cytotoxic activities. <i>Natural Product Research</i> , 2018 , 32, 2001-2007	2.3	12
412	Simultaneous Determination of Four Compounds from <i>Artemisia capillaris</i> using High Performance Liquid Chromatography-Ultraviolet Detector (HPLC-UVD) and Their Quantitative Study in <i>Artemisia</i> Genus. <i>Natural Product Sciences</i> , 2018 , 24, 109	1.1	
411	Lanostane-type Triterpenoids from <i>Ganoderma lucidum</i> and <i>G. multipileum</i> Fruiting Bodies. <i>Natural Product Communications</i> , 2018 , 13, 1934578X1801301	0.9	1
410	Data on the characterization of Raney nickel powder and Raney-nickel-coated electrodes prepared by atmospheric plasma spraying for alkaline water electrolysis. <i>Data in Brief</i> , 2018 , 21, 2059-2062	1.2	2
409	The insight of in vitro and in silico studies on cholinesterase inhibitors from the roots of <i>Cimicifuga dahurica</i> (Turcz.) Maxim. <i>Journal of Enzyme Inhibition and Medicinal Chemistry</i> , 2018 , 33, 1174-1180	5.6	7
408	Isolation and Identification of Benzochroman and Acylglycerols from <i>Massa Medicata Fermentata</i> and Their Inhibitory Effects on LPS-Stimulated Cytokine Production in Bone Marrow-Derived Dendritic Cells. <i>Molecules</i> , 2018 , 23,	4.8	3
407	Identification of Anti-Melanogenesis Constituents from <i>L. Leaves</i> . <i>Molecules</i> , 2018 , 23,	4.8	18
406	Inhibition of Osteoarthritis-Related Molecules by Isomucronulatol 7- β -D-glucoside and Ecliptasaponin A in IL-1 β Stimulated Chondrosarcoma Cell Model. <i>Molecules</i> , 2018 , 23,	4.8	7
405	NMR-Based Investigation of Hydrogen Bonding in a Dihydroanthracen-1(4 H)one from <i>Rubia philippinensis</i> and Its Soluble Epoxide Hydrolase Inhibitory Potential. <i>Journal of Natural Products</i> , 2018 , 81, 2429-2435	4.9	8
404	Ameliorative effect of <i>Alnus japonica</i> ethanol extract on colitis through the inhibition of inflammatory responses and attenuation of intestinal barrier disruption in vivo and in vitro. <i>Biomedicine and Pharmacotherapy</i> , 2018 , 108, 1767-1774	7.5	15
403	Chemicals from <i>Cimicifuga dahurica</i> and Their Inhibitory Effects on Pro-inflammatory Cytokine Production by LPS-stimulated Bone Marrow-derived Dendritic Cells. <i>Natural Product Sciences</i> , 2018 , 24, 194	1.1	6
402	Cholinesterases inhibition studies of biological active compounds from the rhizomes of <i>Alpinia officinarum</i> Hance and in silico molecular dynamics. <i>International Journal of Biological Macromolecules</i> , 2018 , 120, 2442-2447	7.9	8
401	Chemical Constituents from <i>Apios americana</i> and Their Inhibitory Activity on Tyrosinase. <i>Molecules</i> , 2018 , 23,	4.8	10
400	-Amylase and -Glucosidase Inhibitory Activities of Chemical Constituents from (<i>Osbeck.</i>) Merr. Leaves. <i>Journal of Analytical Methods in Chemistry</i> , 2018 , 2018, 2794904	2	8

399	Recycling different eggshell membranes for lithium-ion battery. <i>Materials Letters</i> , 2018 , 228, 504-508	3.3	10
398	Inhibitory Effects of Novel Diarylheptanoids and Other Constituents of the Rhizomes of <i>Curcuma singularis</i> on the Catalytic Activity of Soluble Epoxide Hydrolase. <i>Bulletin of the Korean Chemical Society</i> , 2017 , 38, 112-115	1.2	4
397	A convenient method for phase separation and composition determination of the Bunsen reaction products in sulfur-iodine hydrogen production process. <i>International Journal of Hydrogen Energy</i> , 2017 , 42, 3955-3962	6.7	12
396	In silico investigation of cycloartane triterpene derivatives from <i>Cimicifuga dahurica</i> (Turcz.) Maxim. roots for the development of potent soluble epoxide hydrolase inhibitors. <i>International Journal of Biological Macromolecules</i> , 2017 , 98, 526-534	7.9	23
395	Soluble epoxide hydrolase inhibitors of indolinone alkaloids and phenolic derivatives from <i>Cimicifuga dahurica</i> (Turcz.) Maxim. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2017 , 27, 1874-1879	2.9	16
394	α-Glucosidase inhibition by prenylated and lavandulyl compounds from <i>Sophora flavescens</i> roots and in silico analysis. <i>International Journal of Biological Macromolecules</i> , 2017 , 102, 960-969	7.9	17
393	Soluble epoxide hydrolase inhibitory activity of components from <i>Leonurus japonicus</i> . <i>International Journal of Biological Macromolecules</i> , 2017 , 103, 451-457	7.9	10
392	Inhibition Potential of Cycloartane-Type Glycosides from the Roots of <i>Cimicifuga dahurica</i> against Soluble Epoxide Hydrolase. <i>Journal of Natural Products</i> , 2017 , 80, 1867-1875	4.9	21
391	Chemical constituents of the aerial part of <i>Taraxacum mongolicum</i> and their chemotaxonomic significance. <i>Natural Product Research</i> , 2017 , 31, 2303-2307	2.3	9
390	Antioxidant and anti-osteoporotic effects of anthraquinones and related constituents from the aqueous dissolved <i>Aloe exudates</i> . <i>Natural Product Research</i> , 2017 , 31, 2810-2813	2.3	7
389	Sterols, aromatic compounds, and cerebrosides from the <i>Hericium erinaceus</i> fruiting body. <i>Biochemical Systematics and Ecology</i> , 2017 , 70, 254-259	1.4	10
388	A new saponin from <i>Acanthopanax koreanum</i> with anti-inflammatory activity. <i>Archives of Pharmacal Research</i> , 2017 , 40, 311-317	6.1	7
387	Two new dammarane-type triterpene saponins from Korean red ginseng and their anti-inflammatory effects. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2017 , 27, 5149-5153	2.9	15
386	Anti-inflammatory Activity of Eudesmane-Type Sesquiterpenoids from <i>Salvia plebeia</i> . <i>Journal of Natural Products</i> , 2017 , 80, 2666-2676	4.9	37
385	Standardization of extract mixture of <i>Chaenomeles sinensis</i> and <i>Phyllostachys bambusoides</i> for anti-obesity by HPLC-UV. <i>Archives of Pharmacal Research</i> , 2017 , 40, 1156-1165	6.1	5
384	A dichloromethane fraction of <i>Triticum aestivum</i> sprouts reduces allergic immune response through inhibiting Th2 differentiation in ovalbumin-immunized mice. <i>Molecular Medicine Reports</i> , 2017 , 16, 3535-3541	2.9	2
383	Prenyl-flavonoids from <i>Epimedium koreanum</i> Nakai and their soluble epoxide hydrolase and tyrosinase inhibitory activities. <i>Medicinal Chemistry Research</i> , 2017 , 26, 2761-2767	2.2	3
382	Selective lithium recovery from aqueous solution using a modified membrane capacitive deionization system. <i>Hydrometallurgy</i> , 2017 , 173, 283-288	4	52

381	Impressic acid from <i>Acanthopanax koreanum</i> , possesses matrix metalloproteinase-13 down-regulating capacity and protects cartilage destruction. <i>Journal of Ethnopharmacology</i> , 2017 , 209, 73-81	5	7
380	Quinoxaline-, dopamine-, and amino acid-derived metabolites from the edible insect <i>Protactia brevitarsis seulensis</i> . <i>Archives of Pharmacal Research</i> , 2017 , 40, 1064-1070	6.1	17
379	Anti-allergic effects of <i>Rosae multiflorae fructus</i> via inhibition of T cell proliferation and the mast cell function. <i>Applied Biological Chemistry</i> , 2017 , 60, 391-402	2.9	7
378	Chemical constituents of <i>Piper aduncum</i> and their inhibitory effects on soluble epoxide hydrolase and tyrosinase. <i>Medicinal Chemistry Research</i> , 2017 , 26, 220-226	2.2	6
377	Tyrosinase inhibitory components from <i>Aloe vera</i> and their antiviral activity. <i>Journal of Enzyme Inhibition and Medicinal Chemistry</i> , 2017 , 32, 78-83	5.6	23
376	Annulohpoxylotol A and B, new sesquiterpenoids from the endophytic fungus <i>Annulohypoxylon truncatum</i> , are natural NF- κ B inhibitors. <i>Archives of Pharmacal Research</i> , 2017 , 40, 152-158	6.1	7
375	Prenylated isoflavones from <i>Cudrania tricuspidata</i> inhibit NO production in RAW 264.7 macrophages and suppress HL-60 cells proliferation. <i>Journal of Asian Natural Products Research</i> , 2017 , 19, 510-518	1.5	8
374	Inhibition of Collagen-Induced Platelet Aggregation by the Secobutanolide Secolincomolide A from <i>Blume</i> . <i>Frontiers in Pharmacology</i> , 2017 , 8, 560	5.6	9
373	Antioxidant and Anti-Osteoporotic Activities of Aromatic Compounds and Sterols from <i>Hericium erinaceum</i> . <i>Molecules</i> , 2017 , 22,	4.8	12
372	Soluble Epoxide Hydrolase Inhibitory Activity of Components Isolated from <i>Apios americana</i> Medik. <i>Molecules</i> , 2017 , 22,	4.8	9
371	Effects of the Fruit Extract of on Skin Inflammation in Mice with Oxazolone-Induced Atopic Dermatitis through Regulation of Calcium Channels, Orai-1 and TRPV3, and Mast Cell Activation. <i>Evidence-based Complementary and Alternative Medicine</i> , 2017 , 2017, 8312946	2.3	16
370	Chemical Components from and their Inhibition of Indoleamine 2, 3-dioxygenase. <i>Pharmacognosy Magazine</i> , 2017 , 13, 58-63	0.8	2
369	Inhibition of soluble epoxide hydrolase activity by compounds isolated from the aerial parts of <i>Glycosmis stenocarpa</i> . <i>Journal of Enzyme Inhibition and Medicinal Chemistry</i> , 2016 , 31, 640-4	5.6	19
368	A simple and simultaneous identification method for aloe, catechu and gambir by high performance liquid chromatography. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2016 , 117, 73-8	3.5	4
367	In vitro anti-inflammatory components isolated from the carnivorous plant <i>Nepenthes mirabilis</i> (Lour.) Rafarin. <i>Pharmaceutical Biology</i> , 2016 , 54, 588-94	3.8	15
366	Soluble epoxide hydrolase inhibitory components from <i>Rheum undulatum</i> and in silico approach. <i>Journal of Enzyme Inhibition and Medicinal Chemistry</i> , 2016 , 31, 70-78	5.6	17
365	Eudesmane-type sesquiterpenoids from <i>Salvia plebeia</i> inhibit IL-6-induced STAT3 activation. <i>Phytochemistry</i> , 2016 , 130, 335-42	4	14
364	Sesquiterpenoids from the Rhizomes of <i>Curcuma phaeocaulis</i> and Their Inhibitory Effects on LPS-Induced TLR4 Activation. <i>Chemical and Pharmaceutical Bulletin</i> , 2016 , 64, 1062-6	1.9	5

- 363 Morinlongosides A-C, Two New Naphthalene Glycoside and a New Iridoid Glycoside from the Roots of *Morinda longissima*. *Chemical and Pharmaceutical Bulletin*, **2016**, 64, 1230-4 1.9 7
- 362 Rat intestinal sucrase inhibited by minor constituents from the leaves and twigs of *Archidendron clypearia* (Jack.) Nielsen. *Bioorganic and Medicinal Chemistry Letters*, **2016**, 26, 4272-6 2.9 4
- 361 Characteristic of the Pressurized Continuous Bunsen Reaction using HlxSolution. *MATEC Web of Conferences*, **2016**, 67, 02015 0.3
- 360 Bunsen Reaction using a HlxSolution (HI-I₂-H₂O) with Countercurrent Flow for Sulfur-Iodine Hydrogen Production Process. *MATEC Web of Conferences*, **2016**, 67, 06055 0.3
- 359 Characteristics of Bunsen reaction using Hlx solution (HI-I₂-H₂O) in a co-current flow mode for the sulfur-iodine hydrogen production process. *International Journal of Hydrogen Energy*, **2016**, 41, 10530-10537 6.7 7
- 358 Anti-inflammatory Flavonoid C-Glycosides from *Piper aduncum* Leaves. *Planta Medica*, **2016**, 82, 1475-1481 4.1 14
- 357 Chemical components from the seeds of *Catalpa bungei* and their inhibitions of soluble epoxide hydrolase, cholinesterase and nuclear factor kappa B activities. *RSC Advances*, **2016**, 6, 40706-40716 3.7 8
- 356 (-)-Epicatechin derivate from *Orostachys japonicus* as potential inhibitor of the human butyrylcholinesterase. *International Journal of Biological Macromolecules*, **2016**, 91, 1033-9 7.9 18
- 355 Isolation and identification of chromone and pyrone constituents from *Aloe* and their anti-inflammatory activities. *Journal of Functional Foods*, **2016**, 21, 232-239 5.1 16
- 354 Triticumoside induces apoptosis via caspase-dependent mitochondrial pathway and inhibits migration through downregulation of MMP2/9 in human lung cancer cells. *Acta Biochimica Et Biophysica Sinica*, **2016**, 48, 153-60 2.8 13
- 353 Alkylphloroglucinol derivatives and triterpenoids with soluble epoxide hydrolase inhibitory activity from *Callistemon citrinus*. *Phytotherapy*, **2016**, 109, 39-44 3.2 14
- 352 Identification of six new lupane-type triterpenoids from *Acanthopanax koreanum* leaves and their tyrosinase inhibitory activities. *Bioorganic and Medicinal Chemistry Letters*, **2016**, 26, 1061-1067 2.9 8
- 351 Simultaneous analysis of seven marker compounds from *Saposhnikovia Radix*, *Glehnia Radix* and *Peucedani Japonici Radix* by HPLC/PDA. *Archives of Pharmacal Research*, **2016**, 39, 695-704 6.1 7
- 350 Soluble epoxide hydrolase inhibitory activity by rhizomes of *Kaempferia parviflora* Wall. ex Baker. *Medicinal Chemistry Research*, **2016**, 25, 704-711 2.2 5
- 349 A natural component from *Euphorbia humifusa* Willd displays novel, broad-spectrum anti-influenza activity by blocking nuclear export of viral ribonucleoprotein. *Biochemical and Biophysical Research Communications*, **2016**, 471, 282-9 3.4 16
- 348 Two new simple iridoids from the ant-plant *Myrmecodia tuberosa* and their antimicrobial effects. *Natural Product Research*, **2016**, 30, 2071-6 2.3 6
- 347 Inhibitory Components from on Pepper Mild Mottle Virus. *Journal of Microbiology and Biotechnology*, **2016**, 26, 2138-2140 3.3 2
- 346 Inhibition of Lung Inflammation by *Acanthopanax divaricatus* var. *Albeofructus* and Its Constituents. *Biomolecules and Therapeutics*, **2016**, 24, 67-74 4.2 6

345	The Effect of (1S,2S,3E,7E,11E)-3,7,11,15-Cembratetraen-17,2-Olide (LS-1) from . on the Apoptosis Induction of SNU-C5 Human Colorectal Cancer Cells. <i>Biomolecules and Therapeutics</i> , 2016 , 24, 623-629	4.2	4
344	Nuclear Factor Kappa B Activation and Peroxisome Proliferator-activated Receptor Transactivational Effects of Chemical Components of the Roots of Polygonum multiflorum. <i>Pharmacognosy Magazine</i> , 2016 , 12, 31-5	0.8	7
343	Fabrication of Chitosan-complexed Electrode and Evaluation of Its Efficiency in Removal of Copper Ion from Aqueous Solution. <i>MATEC Web of Conferences</i> , 2016 , 67, 06054	0.3	1
342	The Effect of addition of CuO to Fe ₂ O ₃ /ZrO ₂ Oxygen Carrier for Hydrogen Production by Chemical Looping. <i>Korean Chemical Engineering Research</i> , 2016 , 54, 394-403		
341	Chemical Components from the Stems of Pueraria lobata and Their Tyrosinase Inhibitory Activity. <i>Natural Product Sciences</i> , 2016 , 22, 111	1.1	9
340	Bifunctional Characteristics of Al ₂ O ₃ supported Ni in the HI Decomposition of Sulfur-Iodine Process. <i>MATEC Web of Conferences</i> , 2016 , 67, 06063	0.3	1
339	Anti-osteoporotic and Antioxidant Activities by Rhizomes of Kaempferia parviflora Wall. ex Baker. <i>Natural Product Sciences</i> , 2016 , 22, 13	1.1	12
338	Phenolic Constituents and Their Anti-inflammatory Activity from Echinochloa utilis Grains. <i>Natural Product Sciences</i> , 2016 , 22, 140	1.1	7
337	Isobutylhydroxyamides from Zanthoxylum bungeanum and Their Suppression of NO Production. <i>Molecules</i> , 2016 , 21,	4.8	16
336	Phenolic Constituents of Medicinal Plants with Activity against Trypanosoma brucei. <i>Molecules</i> , 2016 , 21, 480	4.8	14
335	A Facile Preparation Method of ZrO ₂ Hollow Sphere Using PVA Microcapsule as a Template. <i>MATEC Web of Conferences</i> , 2016 , 67, 02012	0.3	
334	Coumarins Isolated from Murraya paniculata in Vietnam and Their Inhibitory Effects against Enzyme Soluble Epoxide Hydrolase (sEH). <i>Planta Medica International Open</i> , 2016 , 3, e68-e71	0.8	4
333	Characteristics of the Dendrite Growth in the Electrochemical Alane Production Process. <i>MATEC Web of Conferences</i> , 2016 , 67, 06056	0.3	
332	Reaction Characteristics of Precious-Metal-Free Ternary MnCuM (M = Ce, Co, Cr, and Fe) Oxide Catalysts for Low-Temperature CO Oxidation. <i>Industrial & Engineering Chemistry Research</i> , 2016 , 55, 4443-4450	3.9	44
331	Identification, characterization, kinetics, and molecular docking of flavonoid constituents from Archidendron clypearia (Jack.) Nielsen leaves and twigs. <i>Bioorganic and Medicinal Chemistry</i> , 2016 , 24, 3125-32	3.4	23
330	Solubilization and formulation of chrysofenol C in solid dispersion with hydrophilic carriers. <i>International Journal of Pharmaceutics</i> , 2016 , 512, 314-321	6.5	26
329	Inhibitory effects of IL-6-induced STAT3 activation of bio-active compounds derived from Salvia plebeia R.Br. <i>Process Biochemistry</i> , 2016 , 51, 2222-2229	4.8	29
328	Identification and discrimination of three common Aloe species by high performance liquid chromatography-tandem mass spectrometry coupled with multivariate analysis. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2016 , 1031, 163-171	3.2	10

- 327 Effects of operating parameters on the pressurized Bunsen reaction for the integrated operation of sulfur dioxide hydrogen production process. *International Journal of Hydrogen Energy*, **2016**, 41, 15133-15140⁹
- 326 Two new naphthalene glucosides and other bioactive compounds from the carnivorous plant *Nepenthes mirabilis*. *Archives of Pharmacal Research*, **2015**, 38, 1774-82 6.1 15
- 325 Lignans, cyclolignans and neolignans from the leaves of *Boscia senegalensis* (Pers.) Lam. ex Poir.. *Biochemical Systematics and Ecology*, **2015**, 59, 226-228 1.4 3
- 324 Cytotoxic triterpene saponins from *Cercodemas anceps*. *Bioorganic and Medicinal Chemistry Letters*, **2015**, 25, 3151-6 2.9 25
- 323 Triterpenoids isolated from the rhizomes and roots of *Gentiana scabra* and their inhibition of indoleamine 2,3-dioxygenase. *Archives of Pharmacal Research*, **2015**, 38, 2124-30 6.1 4
- 322 Antiosteoporotic and antioxidant activities of diterpenoids from the Vietnamese soft corals *Sinularia maxima* and *Lobophytum crassum*. *Medicinal Chemistry Research*, **2015**, 24, 3551-3560 2.2 8
- 321 Chemical constituents of the rhizomes and roots of *Gentiana scabra* (Gentianaceae). *Biochemical Systematics and Ecology*, **2015**, 61, 169-174 1.4 3
- 320 Anti-obesity effect of *Triticum aestivum* sprout extract in high-fat-diet-induced obese mice. *Bioscience, Biotechnology and Biochemistry*, **2015**, 79, 1133-40 2.1 16
- 319 Anti-inflammatory components of the Vietnamese starfish *Protoreaster nodosus*. *Biological Research*, **2015**, 48, 12 7.6 9
- 318 Synthesis of chromonylthiazolidines and their cytotoxicity to human cancer cell lines. *Molecules*, **2015**, 20, 1151-60 4.8 20
- 317 Effects of dihydrotestosterone on rat dermal papilla cells in vitro. *European Journal of Pharmacology*, **2015**, 757, 74-83 5.3 17
- 316 Chemical constituents of the *Annona glabra* fruit and their cytotoxic activity. *Pharmaceutical Biology*, **2015**, 53, 1602-7 3.8 17
- 315 Soluble epoxide hydrolase inhibitory activity of anthraquinone components from *Aloe*. *Bioorganic and Medicinal Chemistry*, **2015**, 23, 6659-65 3.4 12
- 314 Constituents of the seeds of *Cassia tora* with inhibitory activity on soluble epoxide hydrolase. *Bioorganic and Medicinal Chemistry Letters*, **2015**, 25, 5097-101 2.9 23
- 313 Chemical constituents of *Milium balansae* leaves and inhibition of nitric oxide production in lipopolysaccharide-induced RAW 264.7 cells. *Bioorganic and Medicinal Chemistry Letters*, **2015**, 25, 3859-63⁹ 16
- 312 Anti-inflammatory components of *Chrysanthemum indicum* flowers. *Bioorganic and Medicinal Chemistry Letters*, **2015**, 25, 266-9 2.9 49
- 311 Lithium recovery system using electrostatic field assistance. *Hydrometallurgy*, **2015**, 151, 78-83 4 32
- 310 New ent-kauranes from the fruits of *Annona glabra* and their inhibitory nitric oxide production in LPS-stimulated RAW264.7 macrophages. *Bioorganic and Medicinal Chemistry Letters*, **2015**, 25, 254-8 2.9 16

309	Chemical constituents from the root of <i>Polygonum multiflorum</i> and their soluble epoxide hydrolase inhibitory activity. <i>Archives of Pharmacal Research</i> , 2015 , 38, 998-1004	6.1	13
308	In vitro evaluation of the antioxidant and cytotoxic activities of constituents of the mangrove <i>Lumnitzera racemosa</i> Willd. <i>Archives of Pharmacal Research</i> , 2015 , 38, 446-55	6.1	15
307	Isolation and identification of aromatic compounds in Lion's Mane Mushroom and their anticancer activities. <i>Food Chemistry</i> , 2015 , 170, 336-42	8.5	42
306	Steroidal constituents from the edible sea urchin <i>Diadema savignyi</i> Michelin induce apoptosis in human cancer cells. <i>Journal of Medicinal Food</i> , 2015 , 18, 45-53	2.8	14
305	Peroxisome proliferator-activated receptor transactivational effects in HepG2 cells of cembranoids from the soft coral <i>Lobophytum crassum</i> Von Marenzeller. <i>Archives of Pharmacal Research</i> , 2015 , 38, 769-75	6.1	6
304	Terpenes and sterols from the fruits of <i>Prunus mume</i> and their inhibitory effects on osteoclast differentiation by suppressing tartrate-resistant acid phosphatase activity. <i>Archives of Pharmacal Research</i> , 2015 , 38, 186-92	6.1	27
303	Flavonoids from <i>Triticum aestivum</i> inhibit adipogenesis in 3T3-L1 cells by upregulating the insig pathway. <i>Molecular Medicine Reports</i> , 2015 , 12, 3139-45	2.9	33
302	Anti-inflammatory tirucallane saponins from <i>Paramignya scandens</i> . <i>Chemical and Pharmaceutical Bulletin</i> , 2015 , 63, 558-64	1.9	5
301	Cytotoxic Biscembranoids from the Soft Coral <i>Sarcophyton pauciplicatum</i> . <i>Chemical and Pharmaceutical Bulletin</i> , 2015 , 63, 636-40	1.9	7
300	Paratrimerins A and B, Two New Dimeric Monoterpene-Linked Coumarin Glycosides from the Roots and Stems of <i>Paramignya trimera</i> . <i>Chemical and Pharmaceutical Bulletin</i> , 2015 , 63, 945-9	1.9	18
299	Soluble Epoxide Hydrolase Inhibitory Constituents from <i>Selaginella tamariscina</i> . <i>Bulletin of the Korean Chemical Society</i> , 2015 , 36, 300-304	1.2	9
298	Epi-Leptosphaerin: A New L-Isoascorbic Acid Derivative from Marine Sponges. <i>Natural Product Sciences</i> , 2015 , 21, 293	1.1	4
297	Murrayafoline A Induces a G0/G1-Phase Arrest in Platelet-Derived Growth Factor-Stimulated Vascular Smooth Muscle Cells. <i>Korean Journal of Physiology and Pharmacology</i> , 2015 , 19, 421-6	1.8	7
296	<i>Cnidium officinale</i> and its Bioactive Compound, Butylidenephthalide, Inhibit Laser-Induced Choroidal Neovascularization in a Rat Model. <i>Molecules</i> , 2015 , 20, 20699-708	4.8	4
295	The anticancer effect of (1S,2S,3E,7E,11E)-3,7,11, 15-cembratetraen-17,2-olide(LS-1) through the activation of TGF- β signaling in SNU-C5/5-FU, fluorouracil-resistant human colon cancer cells. <i>Marine Drugs</i> , 2015 , 13, 1340-59	6	7
294	Anti-Protozoal Activities of Cembrane-Type Diterpenes from Vietnamese Soft Corals. <i>Molecules</i> , 2015 , 20, 12459-68	4.8	23
293	Soluble Epoxide Hydrolase Inhibitory Activity of Selaginellin Derivatives from <i>Selaginella tamariscina</i> . <i>Molecules</i> , 2015 , 20, 21405-14	4.8	19
292	Iridoid constituents from the male flower of <i>Eucommia ulmoides</i> and their promotion proliferation on ESF-1. <i>Journal of Asian Natural Products Research</i> , 2015 , 17, 867-75	1.5	7

291	Asterosaponins and glycosylated polyhydroxysteroids from the starfish <i>Culcita novaeguineae</i> and their cytotoxic activities. <i>Journal of Asian Natural Products Research</i> , 2015 , 17, 1010-7	1.5	15
290	Sterols from <i>Hericium erinaceum</i> and their inhibition of TNF- α and NO production in lipopolysaccharide-induced RAW 264.7 cells. <i>Phytochemistry</i> , 2015 , 115, 231-8	4	22
289	Exploration of Pharmacophore in Chrysosplenol C as Activator in Ventricular Myocyte Contraction. <i>ACS Medicinal Chemistry Letters</i> , 2015 , 6, 758-63	4.3	8
288	Chemical constituents of <i>Triticum aestivum</i> and their effects on adipogenic differentiation of 3T3-L1 preadipocytes. <i>Archives of Pharmacal Research</i> , 2015 , 38, 1011-8	6.1	17
287	Chemical constituents from <i>Kandelia candel</i> with their inhibitory effects on pro-inflammatory cytokines production in LPS-stimulated bone marrow-derived dendritic cells (BMDCs). <i>Bioorganic and Medicinal Chemistry Letters</i> , 2015 , 25, 1412-6	2.9	13
286	Chemical Constituents of the Aerial Parts of <i>Artemisia iwayomogi</i> . <i>Chemistry of Natural Compounds</i> , 2015 , 51, 1164-1166	0.7	1
285	Sesamin Inhibits PDGF-Mediated Proliferation of Vascular Smooth Muscle Cells by Upregulating p21 and p27. <i>Journal of Agricultural and Food Chemistry</i> , 2015 , 63, 7317-25	5.7	19
284	Soluble epoxide hydrolase inhibitory and anti-inflammatory components from the leaves of <i>Eucommia ulmoides</i> Oliver (duzhong). <i>Journal of Agricultural and Food Chemistry</i> , 2015 , 63, 2198-205	5.7	51
283	The anti-osteoporosis and antioxidant activities of chemical constituents from <i>Chrysanthemum indicum</i> flowers. <i>Phytotherapy Research</i> , 2015 , 29, 540-8	6.7	13
282	Naphthoquinone and flavonoid constituents from the carnivorous plant <i>Nepenthes mirabilis</i> and their anti-osteoporotic and antioxidant activities. <i>Phytochemistry Letters</i> , 2015 , 11, 254-259	1.9	15
281	Soluble epoxide hydrolase inhibitory activity of phenolic components from the rhizomes and roots of <i>Gentiana scabra</i> . <i>Bioscience, Biotechnology and Biochemistry</i> , 2015 , 79, 907-11	2.1	5
280	Effects of Acid Treatment of SAPO-34 on the Catalytic Lifetime and Light Olefin Selectivity during DTO Reaction. <i>Applied Chemistry for Engineering</i> , 2015 , 26, 217-223		1
279	Protective Effect of Liriodendrin Isolated from <i>Kalopanax pictus</i> against Gastric Injury. <i>Biomolecules and Therapeutics</i> , 2015 , 23, 53-9	4.2	12
278	Characteristics of Hydrogen Iodide Decomposition using Alumina-Supported Ni Based Catalyst. <i>Transactions of the Korean Hydrogen and New Energy Society</i> , 2015 , 26, 507-515	0.5	1
277	Effects of Co/Al and Si/Al Molar Ratios on DTO (Dimethyl Ether to Olefins) Reaction over CoAPSO-34 Catalyst. <i>Applied Chemistry for Engineering</i> , 2015 , 26, 138-144		
276	In vitro and In vivo Anti-hyperglycemia Effect of Novel Amadori Rearrangement Compound, Arginyl-fructosyl-galactose. <i>FASEB Journal</i> , 2015 , 29, 573.29	0.9	
275	Improvement of Performance of Anti-reflective Coating Film Using Methyltrimethoxysilane. <i>Applied Chemistry for Engineering</i> , 2015 , 26, 400-405		
274	Discovery of soluble epoxide hydrolase inhibitors from natural products. <i>Food and Chemical Toxicology</i> , 2014 , 64, 225-30	4.7	21

273	Anti-inflammatory components of Euphorbia humifusa Willd. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2014 , 24, 1895-900	2.9	38
272	Inhibition of NF- κ B transcriptional activation in HepG2 cells by diterpenoids from the soft coral <i>Sinularia maxima</i> . <i>Archives of Pharmacal Research</i> , 2014 , 37, 706-12	6.1	10
271	NF- κ B inhibitory activity of polyoxygenated steroids from the Vietnamese soft coral <i>Sarcophyton pauciplicatum</i> . <i>Bioorganic and Medicinal Chemistry Letters</i> , 2014 , 24, 2834-8	2.9	13
270	Triterpenoid saponins from the roots of <i>Rosa rugosa</i> Thunb. as rat intestinal sucrase inhibitors. <i>Archives of Pharmacal Research</i> , 2014 , 37, 1280-5	6.1	9
269	Two new neoclerodane diterpenoids from <i>Scutellaria barbata</i> D. Don growing in Vietnam. <i>Journal of Asian Natural Products Research</i> , 2014 , 16, 364-9	1.5	27
268	Syngas and hydrogen production via stepwise methane reforming over Cu-ferrite/YSZ. <i>International Journal of Energy Research</i> , 2014 , 38, 1522-1530	4.5	19
267	Erinacene D, a new aromatic compound from <i>Hericium erinaceum</i> . <i>Journal of Antibiotics</i> , 2014 , 67, 727-9	3.7	10
266	Evaluation of the anti-osteoporosis and antioxidant activities of phenolic compounds from <i>Euphorbia maculata</i> 2014 , 57, 573-579		4
265	A new phenylpropanoid and an alkylglycoside from <i>Piper retrofractum</i> leaves with their antioxidant and α -glucosidase inhibitory activity. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2014 , 24, 4120-4	2.9	22
264	Phenolic components from the stem of <i>Acanthopanax koreanum</i> and their inhibitory effects on NF- κ B. <i>Bioscience, Biotechnology and Biochemistry</i> , 2014 , 78, 374-7	2.1	9
263	Alterations of contractions and L-type Ca ²⁺ currents by murrayafoline-A in rat ventricular myocytes. <i>European Journal of Pharmacology</i> , 2014 , 740, 81-7	5.3	3
262	A new phenolic component from <i>Triticum aestivum</i> sprouts and its effects on LPS-stimulated production of nitric oxide and TNF- α in RAW 264.7 cells. <i>Phytotherapy Research</i> , 2014 , 28, 1064-70	6.7	22
261	Chemical constituents from the stems of <i>Acanthopanax divaricatus</i> var. <i>albeofructus</i> . <i>Biochemical Systematics and Ecology</i> , 2014 , 57, 164-168	1.4	9
260	A new flavone sulfonic acid from <i>Phyllanthus urinaria</i> . <i>Phytochemistry Letters</i> , 2014 , 7, 182-185	1.9	4
259	Anti-inflammatory and antioxidant activities of phenolic compounds from <i>Desmodium caudatum</i> leaves and stems. <i>Archives of Pharmacal Research</i> , 2014 , 37, 721-7	6.1	20
258	Comparative pharmacokinetics of a marker compound, baicalin in KOB extract after oral administration to normal and allergic-induced rats. <i>Drug Delivery</i> , 2014 , 21, 453-8	7	10
257	Evaluation of the antioxidant and anti-osteoporosis activities of chemical constituents of the fruits of <i>Prunus mume</i> . <i>Food Chemistry</i> , 2014 , 156, 408-15	8.5	54
256	Ursolic acid and its natural derivative corosolic acid suppress the proliferation of APC-mutated colon cancer cells through promotion of β -catenin degradation. <i>Food and Chemical Toxicology</i> , 2014 , 67, 87-95	4.7	65

255	Rat intestinal sucrase inhibition of constituents from the roots of <i>Rosa rugosa</i> Thunb. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2014 , 24, 1192-6	2.9	21
254	Identification and biological evaluation of flavonoids from the fruits of <i>Prunus mume</i> . <i>Bioorganic and Medicinal Chemistry Letters</i> , 2014 , 24, 1397-402	2.9	23
253	Phase separation characteristics of the Bunsen reaction when using Hlx solution (H ₂ O ₂) in the sulfurbdine hydrogen production process. <i>International Journal of Hydrogen Energy</i> , 2014 , 39, 692-701	6.7	22
252	Hericirine, a novel anti-inflammatory alkaloid from <i>Herichium erinaceum</i> . <i>Tetrahedron Letters</i> , 2014 , 55, 4086-4090	2	22
251	Anti-osteoporotic and antioxidant activities of chemical constituents of the aerial parts of <i>Ducrosia ismaelis</i> . <i>Bioorganic and Medicinal Chemistry Letters</i> , 2014 , 24, 3434-9	2.9	12
250	Protective effect of linarin against D-galactosamine and lipopolysaccharide-induced fulminant hepatic failure. <i>European Journal of Pharmacology</i> , 2014 , 738, 66-73	5.3	34
249	Flavonoids from <i>Astragalus membranaceus</i> and their inhibitory effects on LPS-stimulated pro-inflammatory cytokine production in bone marrow-derived dendritic cells. <i>Archives of Pharmacal Research</i> , 2014 , 37, 186-92	6.1	58
248	Secondary metabolites from Vietnamese marine invertebrates with activity against <i>Trypanosoma brucei</i> and <i>T. cruzi</i> . <i>Molecules</i> , 2014 , 19, 7869-80	4.8	16
247	Asterosaponins from the Starfish <i>Astropecten monacanthus</i> suppress growth and induce apoptosis in HL-60, PC-3, and SNU-C5 human cancer cell lines. <i>Biological and Pharmaceutical Bulletin</i> , 2014 , 37, 315-21	2.3	21
246	NF-B inhibitory activities of glycosides and alkaloids from <i>Zanthoxylum schinifolium</i> stems. <i>Chemical and Pharmaceutical Bulletin</i> , 2014 , 62, 196-202	1.9	11
245	Cembranoid diterpenes from the soft coral <i>Lobophytum crassum</i> and their anti-inflammatory activities. <i>Chemical and Pharmaceutical Bulletin</i> , 2014 , 62, 203-8	1.9	15
244	Triterpene Saponins from the Sea Cucumber <i>Stichopus chloronotus</i> . <i>Natural Product Communications</i> , 2014 , 9, 1934578X1400900	0.9	1
243	A New Cycloartane Glucoside from <i>Rhizophora stylosa</i> . <i>Natural Product Communications</i> , 2014 , 9, 1934578X1400900	0.9	1
242	Two Novel Iridoids from <i>Morinda longifolia</i> . <i>Natural Product Communications</i> , 2014 , 9, 1934578X1400900	0.9	2
241	Protein tyrosine phosphatase 1B inhibitory activity of lavandulyl flavonoids from roots of <i>Sophora flavescens</i> . <i>Planta Medica</i> , 2014 , 80, 557-60	3.1	26
240	Two New Phenolic Compounds from <i>Artemisia iwayomogi</i> . <i>Helvetica Chimica Acta</i> , 2014 , 97, 283-289	2	10
239	Sterol fatty acid esters from the mushroom <i>Herichium erinaceum</i> and their PPAR transactivational effects. <i>Journal of Natural Products</i> , 2014 , 77, 2611-8	4.9	19
238	Antiplatelet action of indirubin-3'-monoxime through suppression of glycoprotein VI-mediated signal transduction: a possible role for ERK signaling in platelets. <i>Vascular Pharmacology</i> , 2014 , 63, 182-92	5.9	8

237	Quantification and identification of bioactive metabolites from Kalopanax Cortex by HPLC with evaporative light scattering detection and ESI quadrupole TOF MS. <i>Journal of Separation Science</i> , 2014 , 37, 505-14	3.4	4
236	A New Furfural Diglycoside and Other Carbohydrate Derivatives from Fermented Beverage of Prunus mume Fruit. <i>Bulletin of the Korean Chemical Society</i> , 2014 , 35, 2162-2164	1.2	3
235	Neuraminidase inhibitory activities of quaternary isoquinoline alkaloids from Corydalis turtschaninovii rhizome. <i>Bioorganic and Medicinal Chemistry</i> , 2014 , 22, 6047-52	3.4	46
234	Antitumor effects of dammarane-type saponins from steamed Notoginseng. <i>Pharmacognosy Magazine</i> , 2014 , 10, 314-7	0.8	4
233	Chemical constituents of Zanthoxylum schinifolium (Rutaceae). <i>Biochemical Systematics and Ecology</i> , 2014 , 55, 60-65	1.4	20
232	New anti-inflammatory cembranoid diterpenoids from the Vietnamese soft coral Lobophytum crassum. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2014 , 24, 228-32	2.9	29
231	Dimethyl ether conversion to light olefins over the SAPO-34/ZrO ₂ composite catalysts with high lifetime. <i>Journal of Industrial and Engineering Chemistry</i> , 2014 , 20, 61-67	6.3	36
230	Inhibition of TNF- α -Mediated NF- κ B Transcriptional Activity by Dammarane-Type Ginsenosides from Steamed Flower Buds of Panax ginseng in HepG2 and SK-Hep1 Cells. <i>Biomolecules and Therapeutics</i> , 2014 , 22, 55-61	4.2	18
229	Anti-Inflammatory and PPAR Transactivational Effects of Oleanane-Type Triterpenoid Saponins from the Roots of Pulsatilla koreana. <i>Biomolecules and Therapeutics</i> , 2014 , 22, 334-40	4.2	11
228	Rat Intestinal Sucrase and β -Glucosidase Inhibitory Activities of Isocoumarin and Flavonoids from the Zanthoxylum schinifolium Stems. <i>Bulletin of the Korean Chemical Society</i> , 2014 , 35, 316-318	1.2	4
227	A New Flavonol Glycoside from the Leaves of Boscia senegalensis. <i>Bulletin of the Korean Chemical Society</i> , 2014 , 35, 3447-3452	1.2	6
226	A New Tricyclic Undecose Nucleoside from Streptomyces scopuliridis RB72. <i>Bulletin of the Korean Chemical Society</i> , 2014 , 35, 1215-1217	1.2	8
225	Antithrombotic Phenolics from the Stems of Parthenocissus tricuspidata Possess Anti-inflammatory Effect. <i>Bulletin of the Korean Chemical Society</i> , 2014 , 35, 1763-1768	1.2	6
224	NF- κ B Activation and PPAR Transactivational Effects of a New Aliphatic Acid Amide from Pericarps of Zanthoxylum piperitum. <i>Bulletin of the Korean Chemical Society</i> , 2014 , 35, 2361-2366	1.2	12
223	Anti-inflammatory and PPAR Transactivational Effects of Components from Ginkgo biloba Seeds. <i>Bulletin of the Korean Chemical Society</i> , 2014 , 35, 2843-2846	1.2	8
222	The Characteristics of HI Decomposition using Pt/Al ₂ O ₃ Catalyst Heat Treated in Air and Hydrogen Atmosphere. <i>Transactions of the Korean Hydrogen and New Energy Society</i> , 2014 , 25, 219-226	0.5	1
221	Conversion of DME to Light Olefins over Mesoporous SAPO-34 Catalyst Prepared by Carbon Nanotube Template. <i>Applied Chemistry for Engineering</i> , 2014 , 25, 34-40		2
220	Synthesis of novel derivatives of murrayafoline A and their inhibitory effect on LPS-stimulated production of pro-inflammatory cytokines in bone marrow-derived dendritic cells. <i>Archives of Pharmacal Research</i> , 2013 , 36, 832-9	6.1	8

219	Oleanane-type triterpenoid saponins from the roots of <i>Pulsatilla koreana</i> and their apoptosis-inducing effects on HL-60 human promyelocytic leukemia cells. <i>Archives of Pharmacal Research</i> , 2013 , 36, 768-74	6.1	13
218	Inhibitory effects of oleanane-type triterpenes and saponins from the stem bark of <i>Kalopanax pictus</i> on LPS-stimulated pro-inflammatory cytokine production in bone marrow-derived dendritic cells. <i>Archives of Pharmacal Research</i> , 2013 , 36, 327-34	6.1	7
217	Isolation of xanthenes from adventitious roots of St. John's Wort (<i>Hypericum perforatum</i> L.) and their antioxidant and cytotoxic activities. <i>Food Science and Biotechnology</i> , 2013 , 22, 945-949	3	13
216	NF- κ B inhibitory activity of sucrose fatty acid esters and related constituents from <i>Astragalus membranaceus</i> . <i>Journal of Agricultural and Food Chemistry</i> , 2013 , 61, 7081-8	5.7	18
215	Coumarins and lignans from <i>Zanthoxylum schinifolium</i> and their anticancer activities. <i>Journal of Agricultural and Food Chemistry</i> , 2013 , 61, 10730-40	5.7	55
214	Promotion effect of constituents from the root of <i>Polygonum multiflorum</i> on hair growth. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2013 , 23, 4801-5	2.9	38
213	<i>Artocarpus nigrifolius</i> : Cytotoxic and antibacterial constituents 2013 , 56, 667-672		3
212	Recovery of Lithium by an Electrostatic Field-Assisted Desorption Process. <i>Industrial & Engineering Chemistry Research</i> , 2013 , 52, 13738-13742	3.9	47
211	Anti-inflammatory asterosaponins from the starfish <i>Astropecten monacanthus</i> . <i>Journal of Natural Products</i> , 2013 , 76, 1764-70	4.9	34
210	Anti-inflammatory norditerpenoids from the soft coral <i>Sinularia maxima</i> . <i>Bioorganic and Medicinal Chemistry Letters</i> , 2013 , 23, 228-31	2.9	26
209	Continuous Bunsen reaction and simultaneous separation using a counter-current flow reactor for the sulfur dioxide hydrogen production process. <i>International Journal of Hydrogen Energy</i> , 2013 , 38, 6190-6196	6.7	10
208	Diarylheptanoids and flavonoids from <i>viscum album</i> inhibit LPS-stimulated production of pro-inflammatory cytokines in bone marrow-derived dendritic cells. <i>Journal of Natural Products</i> , 2013 , 76, 495-502	4.9	25
207	Scopoletin and scopolin isolated from <i>Artemisia iwayomogi</i> suppress differentiation of osteoclastic macrophage RAW 264.7 cells by scavenging reactive oxygen species. <i>Journal of Natural Products</i> , 2013 , 76, 615-20	4.9	41
206	Pyrrole and furan oligoglycosides from the starfish <i>Asterina batheri</i> and their inhibitory effect on the production of pro-inflammatory cytokines in lipopolysaccharide-stimulated bone marrow-derived dendritic cells. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2013 , 23, 1823-7	2.9	15
205	Hydrogen Storage and Release Properties of a Cu-Added Fe/YSZ Redox System. <i>Journal of Nanomaterials</i> , 2013 , 2013, 1-7	3.2	
204	Improvement of Lifetime Using Transition Metal-Incorporated SAPO-34 Catalysts in Conversion of Dimethyl Ether to Light Olefins. <i>Journal of Nanomaterials</i> , 2013 , 2013, 1-9	3.2	7
203	Steroidal Constituents from the Soft Coral <i>Sinularia dissecta</i> and Their Inhibitory Effects on Lipopolysaccharide-Stimulated Production of Pro-inflammatory Cytokines in Bone Marrow-Derived Dendritic Cells. <i>Bulletin of the Korean Chemical Society</i> , 2013 , 34, 949-952	1.2	15
202	Sterols isolated from seeds of <i>Panax ginseng</i> and their antiinflammatory activities. <i>Pharmacognosy Magazine</i> , 2013 , 9, 182-5	0.8	13

201	Anti-inflammatory and PPAR transactivational properties of flavonoids from the roots of <i>Sophora flavescens</i> . <i>Phytotherapy Research</i> , 2013 , 27, 1300-7	6.7	18
200	Steroidal constituents from the starfish <i>Astropecten polyacanthus</i> and their anticancer effects. <i>Chemical and Pharmaceutical Bulletin</i> , 2013 , 61, 1044-51	1.9	19
199	Triterpenoid saponins of <i>Pulsatilla koreana</i> root have inhibition effects of tumor necrosis factor- β secretion in lipopolysaccharide-induced RAW264.7 cells. <i>Chemical and Pharmaceutical Bulletin</i> , 2013 , 61, 471-6	1.9	12
198	New Butenolide and Pentenolide from <i>Dysidea cinerea</i> . <i>Natural Product Communications</i> , 2013 , 8, 1934-57, 1300801	0.8	1
197	Anti-inflammatory components of the starfish <i>Astropecten polyacanthus</i> . <i>Marine Drugs</i> , 2013 , 11, 2917-26	2.6	24
196	Isolation of nematocidal triterpenoid saponins from <i>Pulsatilla koreana</i> root and their activities against <i>Meloidogyne incognita</i> . <i>Molecules</i> , 2013 , 18, 5306-16	4.8	14
195	A New Sterol from the Soft Coral <i>Lobophytum crassum</i> . <i>Bulletin of the Korean Chemical Society</i> , 2013 , 34, 249-251	1.2	9
194	Chemical Constituents of <i>Ficus drupacea</i> Leaves and Their β -Glucosidase Inhibitory Activities. <i>Bulletin of the Korean Chemical Society</i> , 2013 , 34, 263-266	1.2	7
193	Chemical Constituents of the Rhizome of <i>Eleutherine bulbosa</i> and Their Inhibitory Effect on the Pro-Inflammatory Cytokines Production in Lipopolysaccharide-Stimulated Bone Marrow-derived Dendritic Cells. <i>Bulletin of the Korean Chemical Society</i> , 2013 , 34, 633-636	1.2	4
192	NF-B Inhibition and PPAR Activation by Phenolic Compounds from <i>Hypericum perforatum</i> L. Adventitious Root. <i>Bulletin of the Korean Chemical Society</i> , 2013 , 34, 1407-1413	1.2	9
191	Chemical Constituents of the <i>Morinda tomentosa</i> Leaves and their β -Glucosidase Inhibitory Activity. <i>Bulletin of the Korean Chemical Society</i> , 2013 , 34, 1555-1558	1.2	6
190	Oleanane-triterpenoids from <i>Panax stipuleanatus</i> inhibit NF-B. <i>Journal of Ginseng Research</i> , 2013 , 37, 74-9	5.8	18
189	Preventive Effect of <i>Artemisia capillaris</i> extract on Bone Loss in Ovariectomized Rat Model. <i>FASEB Journal</i> , 2013 , 27, 637.20	0.9	
188	Anti-hyperglycemic Effect of Arginyl-fructose and Arginylfructosyl- glucose in db/db Mice Model. <i>FASEB Journal</i> , 2013 , 27, 1065.25	0.9	
187	A Study on Characteristics of HI Decomposition Using Pt Catalysts on ZrO ₂ -SiO ₂ Mixed Oxide. <i>Transactions of the Korean Hydrogen and New Energy Society</i> , 2013 , 24, 359-366	0.5	
186	New butenolide and pentenolide from <i>Dysidea cinerea</i> . <i>Natural Product Communications</i> , 2013 , 8, 1751-2.9	2.9	3
185	Anti-inflammatory and PPAR transactivational effects of secondary metabolites from the roots of <i>Asarum sieboldii</i> . <i>Bioorganic and Medicinal Chemistry Letters</i> , 2012 , 22, 2527-33	2.9	39
184	Cytotoxic triterpene saponins from the stem bark of <i>Kalopanax pictus</i> . <i>Phytochemistry Letters</i> , 2012 , 5, 177-182	1.9	12

183	Diterpenoids from the soft coral <i>Sinularia maxima</i> and their inhibitory effects on lipopolysaccharide-stimulated production of pro-inflammatory cytokines in bone marrow-derived dendritic cells. <i>Chemical and Pharmaceutical Bulletin</i> , 2012 , 60, 1581-9	1.9	25
182	Labdane-type diterpenoids from the rhizomes of <i>Hedychium coronarium</i> inhibit lipopolysaccharide-stimulated production of pro-inflammatory cytokines in bone marrow-derived dendritic cells. <i>Chemical and Pharmaceutical Bulletin</i> , 2012 , 60, 246-50	1.9	22
181	(1S,2S,3E,7E,11E)-3,7,11,15-Cembratetraen-17,2-olide, a cembrenolide diterpene from soft coral <i>Lobophytum</i> sp., inhibits growth and induces apoptosis in human colon cancer cells through reactive oxygen species generation. <i>Biological and Pharmaceutical Bulletin</i> , 2012 , 35, 1054-63	2.3	16
180	Plantagiolides I and J, two new withanolide glucosides from <i>Tacca plantaginea</i> with nuclear factor-kappaB inhibitory and peroxisome proliferator-activated receptor transactivational activities. <i>Chemical and Pharmaceutical Bulletin</i> , 2012 , 60, 1494-501	1.9	13
179	Anti-inflammatory and PPAR transactivational effects of components from the stem bark of <i>Ginkgo biloba</i> . <i>Journal of Agricultural and Food Chemistry</i> , 2012 , 60, 2815-24	5.7	16
178	(2S)-naringenin from <i>Typha angustata</i> inhibits vascular smooth muscle cell proliferation via a G0/G1 arrest. <i>Journal of Ethnopharmacology</i> , 2012 , 139, 873-8	5	24
177	Effect of KOB03, a polyherbal medicine, on ovalbumin-induced allergic rhinitis in guinea pigs. <i>Chinese Medicine</i> , 2012 , 7, 27	4.7	4
176	Diarylheptanoid glycosides from <i>Tacca plantaginea</i> and their effects on NF- κ B activation and PPAR transcriptional activity. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2012 , 22, 6681-7	2.9	6
175	Inhibitory effect on TNF- α -induced IL-8 secretion in HT-29 cell line by glyceroglycolipids from the leaves of <i>Ficus microcarpa</i> . <i>Archives of Pharmacal Research</i> , 2012 , 35, 2135-42	6.1	14
174	Promotion effect of acankoreoside J, a lupane-triterpene in <i>Acanthopanax koreanum</i> , on hair growth. <i>Archives of Pharmacal Research</i> , 2012 , 35, 1495-503	6.1	14
173	Inhibition of nuclear transcription factor- κ B and activation of peroxisome proliferator-activated receptors in HepG2 cells by cucurbitane-type triterpene glycosides from <i>Momordica charantia</i> . <i>Journal of Medicinal Food</i> , 2012 , 15, 369-77	2.8	19
172	Cytotoxic oleanane-type triterpene saponins from <i>Glochidion eriocarpum</i> . <i>Archives of Pharmacal Research</i> , 2012 , 35, 19-26	6.1	18
171	A new lupane-type triterpene from the seeds of <i>Panax ginseng</i> with its inhibition of NF- κ B. <i>Archives of Pharmacal Research</i> , 2012 , 35, 647-51	6.1	9
170	Antioxidative and anti-inflammatory effect of quercetin and its glycosides isolated from mampat (<i>Cratoxylum formosum</i>). <i>Food Science and Biotechnology</i> , 2012 , 21, 587-595	3	47
169	Effects of Supports and Reduction Temperature on Pt Dispersion of HI Decomposition Catalyst. <i>Advanced Materials Research</i> , 2012 , 550-553, 392-395	0.5	1
168	Phase Separation Characteristics of Pressurized Bunsen Reaction for Sulfur-Iodine Thermochemical Hydrogen Production Process. <i>Advanced Materials Research</i> , 2012 , 550-553, 554-557	0.5	2
167	Effect of Mo and Ce Additives on Redox Behavior for Hydrogen Storage and Release of Iron Oxide Mediums. <i>Advanced Materials Research</i> , 2012 , 554-556, 616-619	0.5	1
166	Pharmacological effects of ginseng on liver functions and diseases: a minireview. <i>Evidence-based Complementary and Alternative Medicine</i> , 2012 , 2012, 173297	2.3	33

165	The Effect of Oxygen on Bunsen Reaction with HIX Solution in Sulfur-Iodine Hydrogen Production Process. <i>Advanced Materials Research</i> , 2012 , 550-553, 431-434	0.5	2
164	Reaction Characteristic of MeAPSO-34 (Me=Mn, Co) Catalysts for Olefins Production from Dimethyl Ether. <i>Advanced Materials Research</i> , 2012 , 550-553, 416-419	0.5	
163	Ginsenosides from the Leaves and Flower Buds of Panax ginseng and their Pharmacological Effects. <i>Current Bioactive Compounds</i> , 2012 , 8, 159-166	0.9	8
162	Variation in the Volume Ratio of HIX Phase/H ₂ SO ₄ Phase for Improvement of Phase Separation Efficiency in the Bunsen Reaction Section. <i>Advanced Materials Research</i> , 2012 , 550-553, 435-438	0.5	
161	Chemical Constituents of the Ficus elastica Leaves and Their Antioxidant Activities. <i>Bulletin of the Korean Chemical Society</i> , 2012 , 33, 3461-3464	1.2	8
160	α-Glucosidase Inhibitors from the Roots of Sophora flavescens. <i>Bulletin of the Korean Chemical Society</i> , 2012 , 33, 1791-1793	1.2	10
159	Inhibition of TNF- β -mediated NF- κ B Transcriptional Activity in HepG2 Cells by Dammarane-type Saponins from Panax ginseng Leaves. <i>Journal of Ginseng Research</i> , 2012 , 36, 146-52	5.8	55
158	Charateristics of Hydrogen Iodide Decomposition using Ni-Pt Bimetallic Catalyst in Sulfur-Iodine Process. <i>Transactions of the Korean Hydrogen and New Energy Society</i> , 2012 , 23, 1-7	0.5	3
157	An evaluation of the RNase H inhibitory effects of Vietnamese medicinal plant extracts and natural compounds. <i>Pharmaceutical Biology</i> , 2011 , 49, 1046-51	3.8	8
156	Phenylpropanoids from the leaves of Acanthopanax koreanum and their antioxidant activity. <i>Journal of Asian Natural Products Research</i> , 2011 , 13, 56-61	1.5	14
155	Chemical Constituents and Antioxidant Activity of Ficus callosa. <i>Natural Product Communications</i> , 2011 , 6, 1934578X1100600	0.9	1
154	Components from the Steamed Leaves of Acanthopanax koreanum and their Effects on PPAR Activity in HepG2 Cells. <i>Natural Product Communications</i> , 2011 , 6, 1934578X1100600	0.9	
153	Isoconiferoside, a new phenolic glucoside from seeds of Panax ginseng. <i>Molecules</i> , 2011 , 16, 6577-81	4.8	5
152	Chryso splenol C increases contraction in rat ventricular myocytes. <i>Journal of Cardiovascular Pharmacology</i> , 2011 , 57, 259-62	3.1	7
151	Oleanolic triterpene saponins from the roots of Panax bipinnatifidus. <i>Chemical and Pharmaceutical Bulletin</i> , 2011 , 59, 1417-20	1.9	11
150	Oleanane-type triterpene saponins from the bark of Aralia elata and their NF- κ B inhibition and PPAR activation signal pathway. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2011 , 21, 6143-7	2.9	36
149	Chemical constituents of the rhizomes of Hedychium coronarium and their inhibitory effect on the pro-inflammatory cytokines production LPS-stimulated in bone marrow-derived dendritic cells. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2011 , 21, 7460-5	2.9	39
148	Effect of triterpenes and triterpene saponins from the stem bark of Kalopanax pictus on the transactivational activities of three PPAR subtypes. <i>Carbohydrate Research</i> , 2011 , 346, 2567-75	2.9	18

147	Linarin isolated from <i>Buddleja officinalis</i> prevents hydrogen peroxide-induced dysfunction in osteoblastic MC3T3-E1 cells. <i>Cellular Immunology</i> , 2011 , 268, 112-6	4.4	23
146	Buddlejasaponins from the flowers of <i>Buddleja officinalis</i> . <i>Chemistry of Natural Compounds</i> , 2011 , 47, 467-469	0.7	4
145	Inhibitory activity of <i>Plantago major</i> L. on angiotensin I-converting enzyme. <i>Archives of Pharmacal Research</i> , 2011 , 34, 419-23	6.1	10
144	Inhibitory effect of ginsenosides from steamed ginseng-leaves and flowers on the LPS-stimulated IL-12 production in bone marrow-derived dendritic cells. <i>Archives of Pharmacal Research</i> , 2011 , 34, 681-5	6.1	20
143	A new cytotoxic coumarin, 7-[(E)-3',7'-dimethyl-6'-oxo-2',7'-octadienyl] oxy coumarin, from the leaves of <i>Zanthoxylum schinifolium</i> . <i>Archives of Pharmacal Research</i> , 2011 , 34, 723-6	6.1	17
142	Effects of impressic acid from <i>Acanthopanax koreanum</i> on NF- κ B and PPAR α activities. <i>Archives of Pharmacal Research</i> , 2011 , 34, 1347-51	6.1	20
141	Anti-inflammatory activity on LPS-stimulated dendritic cells of lupanetype triterpenoids from the leaves of <i>Acanthopanax koreanum</i> . <i>Archives of Pharmacal Research</i> , 2011 , 34, 1593-8	6.1	18
140	Multiple component quantitative analysis for the pattern recognition and quality evaluation of <i>Kalopanax Cortex</i> using HPLC. <i>Archives of Pharmacal Research</i> , 2011 , 34, 2065-71	6.1	2
139	The antioxidant effects of Joongpoongtang 05 on brain injury after transient focal cerebral ischemia in rats. <i>Journal of Natural Medicines</i> , 2011 , 65, 322-9	3.3	12
138	Protective effect of components isolated from <i>Lindera erythrocarpa</i> against oxidative stress-induced apoptosis of H9c2 cardiomyocytes. <i>Phytotherapy Research</i> , 2011 , 25, 1612-7	6.7	21
137	A new flavan-3-ol and the anti-inflammatory effect of flavonoids from the fruit peels of <i>Wisteria floribunda</i> . <i>Journal of Asian Natural Products Research</i> , 2011 , 13, 1061-8	1.5	4
136	Cytotoxic and anti-inflammatory cembranoids from the Vietnamese soft coral <i>Lobophytum laevigatum</i> . <i>Bioorganic and Medicinal Chemistry</i> , 2011 , 19, 2625-32	3.4	32
135	Antioxidant activity of a new C-glycosylflavone from the leaves of <i>Ficus microcarpa</i> . <i>Bioorganic and Medicinal Chemistry Letters</i> , 2011 , 21, 633-7	2.9	22
134	A new ursane-type triterpenoid glycoside from <i>Centella asiatica</i> leaves modulates the production of nitric oxide and secretion of TNF- α in activated RAW 264.7 cells. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2011 , 21, 1777-81	2.9	42
133	Cytotoxic and antioxidant activities of diterpenes and sterols from the Vietnamese soft coral <i>Lobophytum compactum</i> . <i>Bioorganic and Medicinal Chemistry Letters</i> , 2011 , 21, 2155-9	2.9	17
132	A new iridoid and effect on the rat aortic vascular smooth muscle cell proliferation of isolated compounds from <i>Buddleja officinalis</i> . <i>Bioorganic and Medicinal Chemistry Letters</i> , 2011 , 21, 3462-6	2.9	21
131	Cytotoxic and PPARs transcriptional activities of sterols from the Vietnamese soft coral <i>Lobophytum laevigatum</i> . <i>Bioorganic and Medicinal Chemistry Letters</i> , 2011 , 21, 2845-9	2.9	13
130	New monoterpene glycosides and phenolic compounds from <i>Distylium racemosum</i> and their inhibitory activity against ribonuclease H. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2011 , 21, 2840-4	2.9	5

129	Dimethyl Ether Conversion to Olefins over the SAPO-34/ZrO ₂ Catalysts: Effect of the ZrO ₂ Supporter. <i>Advanced Materials Research</i> , 2011 , 347-353, 3681-3684	0.5	1
128	Hydrogen Storage and Release by Redox Reaction of Iron Oxide Medium with Mo and Zr Additives. <i>Advanced Materials Research</i> , 2011 , 347-353, 3317-3320	0.5	2
127	Bunsen Reaction Using a Counter-Current Flow Reactor in Sulfur-Iodine Hydrogen Production Process: Effects of Reactor Shape and Temperature. <i>Advanced Materials Research</i> , 2011 , 347-353, 3238-3241	0.5	1
126	Benzyl Glycosides from the Aerial Parts of <i>Gynostemma laxum</i> and Their NF- κ B Inhibitory Activity in HepG2 Cells. <i>Bulletin of the Korean Chemical Society</i> , 2011 , 32, 3763-3766	1.2	1
125	Anti-inflammatory and PPAR Subtypes Transactivational Activities of Phenolics and Lignans from the Stem Bark of <i>Kalopanax pictus</i> . <i>Bulletin of the Korean Chemical Society</i> , 2011 , 32, 4049-4054	1.2	3
124	Chemical Components from the Fruit Peels of <i>Wisteria floribunda</i> and their Effects on Rat Aortic Vascular Smooth Muscle Cells. <i>Bulletin of the Korean Chemical Society</i> , 2011 , 32, 2079-2082	1.2	2
123	Antioxidative Sesquiterpenes from <i>Artemisia iwayomogi</i> . <i>Bulletin of the Korean Chemical Society</i> , 2011 , 32, 3493-3496	1.2	7
122	Polyacetylenes from <i>Panax stipuleanatus</i> and their Cytotoxic Effects on Human Cancer Cells. <i>Bulletin of the Korean Chemical Society</i> , 2011 , 32, 3513-3516	1.2	7
121	Components from the steamed leaves of <i>Acanthopanax koreanum</i> and their effects on PPAR activity in HepG2 cells. <i>Natural Product Communications</i> , 2011 , 6, 1233-6	0.9	2
120	Triterpenoids from Aerial Parts of <i>Glochidion eriocarpum</i> . <i>Natural Product Communications</i> , 2010 , 5, 1934578X1000500	0.9	1
119	Inhibitory Effects of Indirubin Derivatives on the Growth of HL-60 Leukemia Cells. <i>Natural Product Communications</i> , 2010 , 5, 1934578X1000500	0.9	1
118	A new diarylheptanoid from the bark of <i>Alnus japonica</i> . <i>Journal of Asian Natural Products Research</i> , 2010 , 12, 921-4	1.5	5
117	Lupane-type triterpene glycosides from the leaves of <i>Acanthopanax koreanum</i> and their in vitro cytotoxicity. <i>Planta Medica</i> , 2010 , 76, 189-94	3.1	13
116	Antioxidative and hepatoprotective diarylheptanoids from the bark of <i>Alnus japonica</i> . <i>Planta Medica</i> , 2010 , 76, 626-9	3.1	39
115	Dammarane-type saponins from the flower buds of <i>Panax ginseng</i> and their intracellular radical scavenging capacity. <i>Journal of Agricultural and Food Chemistry</i> , 2010 , 58, 868-74	5.7	46
114	Gymnasterkoreayne F inhibits osteoclast formation by suppressing NFATc1 and DC-STAMP expression. <i>International Immunopharmacology</i> , 2010 , 10, 1440-7	5.8	8
113	Murrayafoline A attenuates the Wnt/beta-catenin pathway by promoting the degradation of intracellular beta-catenin proteins. <i>Biochemical and Biophysical Research Communications</i> , 2010 , 391, 915-20	3.4	31
112	Yeast β -glucosidase inhibition by isoflavones from plants of Leguminosae as an in vitro alternative to acarbose. <i>Journal of Agricultural and Food Chemistry</i> , 2010 , 58, 9988-93	5.7	69

111	Promotion effect of norgalanthamine, a component of <i>Crinum asiaticum</i> , on hair growth. <i>European Journal of Dermatology</i> , 2010 , 20, 42-8	0.8	17
110	Steamed ginseng-leaf components enhance cytotoxic effects on human leukemia HL-60 cells. <i>Chemical and Pharmaceutical Bulletin</i> , 2010 , 58, 1111-5	1.9	33
109	A new monoterpenoid glycoside from <i>Myrica esculenta</i> and the inhibition of angiotensin I-converting enzyme. <i>Chemical and Pharmaceutical Bulletin</i> , 2010 , 58, 1408-10	1.9	15
108	New pyrano-pyrone from <i>Goniothalamus tamirensis</i> enhances the proliferation and differentiation of osteoblastic MC3T3-E1 cells. <i>Chemical and Pharmaceutical Bulletin</i> , 2010 , 58, 521-5	1.9	22
107	alpha-Glucosidase inhibition properties of cucurbitane-type triterpene glycosides from the fruits of <i>Momordica charantia</i> . <i>Chemical and Pharmaceutical Bulletin</i> , 2010 , 58, 720-4	1.9	61
106	Chemical hydrogen storage and release properties using redox reaction over the Cu-added Fe/Ce/Zr mixed oxide medium. <i>Journal of Industrial and Engineering Chemistry</i> , 2010 , 16, 81-86	6.3	22
105	Phenolic components from the leaves of <i>Panax ginseng</i> and their effects on HL-60 human leukemia cells. <i>Food Science and Biotechnology</i> , 2010 , 19, 271-274	3	11
104	Inhibitory effect of ginsenosides from ginseng leaves and flowers on the LPS-stimulated IL-12 production in bone marrow-derived dendritic cells. <i>Food Science and Biotechnology</i> , 2010 , 19, 1119-1122 ³		5
103	Two new C-glucosyl benzoic acids and flavonoids from <i>Mallotus nanus</i> and their antioxidant activity. <i>Archives of Pharmacal Research</i> , 2010 , 33, 203-8	6.1	21
102	An anti-influenza component of the bark of <i>Alnus japonica</i> . <i>Archives of Pharmacal Research</i> , 2010 , 33, 363-7	6.1	30
101	Chemical components from the Vietnamese soft coral <i>Lobophytum</i> sp. <i>Archives of Pharmacal Research</i> , 2010 , 33, 503-8	6.1	16
100	A potential inhibitor of rat aortic vascular smooth muscle cell proliferation from the pollen of <i>Typha angustata</i> . <i>Archives of Pharmacal Research</i> , 2010 , 33, 1937-42	6.1	10
99	A new norlupane triterpene from the leaves of <i>Acanthopanax koreanum</i> increases the differentiation of osteoblastic MC3T3-e1 cells. <i>Archives of Pharmacal Research</i> , 2010 , 33, 75-80	6.1	20
98	Antibacterial activity of <i>Hylomecon hylomeconoides</i> against methicillin-resistant <i>Staphylococcus aureus</i> . <i>Applied Biochemistry and Biotechnology</i> , 2010 , 160, 2467-74	3.2	14
97	A study on improving reactivity of Cu-ferrite/ZrO ₂ medium for syngas and hydrogen production from two-step thermochemical methane reforming. <i>International Journal of Energy Research</i> , 2010 , 34, 422-430	4.5	21
96	Chrysoeriol isolated from <i>Eurya cillata</i> leaves protects MC3T3-E1 cells against hydrogen peroxide-induced inhibition of osteoblastic differentiation. <i>Journal of Applied Toxicology</i> , 2010 , 30, 666-73 ¹	4.1	21
95	Cucurbitane-type triterpene glycosides from the fruits of <i>Momordica charantia</i> . <i>Magnetic Resonance in Chemistry</i> , 2010 , 48, 392-6	2.1	8
94	Alumina-supported iron oxide nanoparticles as Fischer-Tropsch catalysts: Effect of particle size of iron oxide. <i>Journal of Molecular Catalysis A</i> , 2010 , 323, 84-90		171

93	Dammarane-type saponins from <i>Gynostemma pentaphyllum</i> . <i>Phytochemistry</i> , 2010 , 71, 994-1001	4	37
92	Redox cycling of CuFe ₂ O ₄ supported on ZrO ₂ and CeO ₂ for two-step methane reforming/water splitting. <i>International Journal of Hydrogen Energy</i> , 2010 , 35, 568-576	6.7	56
91	Anti-influenza diarylheptanoids from the bark of <i>Alnus japonica</i> . <i>Bioorganic and Medicinal Chemistry Letters</i> , 2010 , 20, 1000-3	2.9	41
90	Dammarane-type saponins from the flower buds of <i>Panax ginseng</i> and their effects on human leukemia cells. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2010 , 20, 309-14	2.9	39
89	Triterpene compounds isolated from <i>Acer mandshuricum</i> and their anti-inflammatory activity. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2010 , 20, 1528-31	2.9	34
88	Structure-activity relationship of lupane-triterpene glycosides from <i>Acanthopanax koreanum</i> on spleen lymphocyte IL-2 and IFN-gamma. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2010 , 20, 4927-31	2.9	18
87	Inhibitors of osteoclastogenesis from <i>Lawsonia inermis</i> leaves. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2010 , 20, 4782-4	2.9	27
86	Lupane-type triterpenoids from the steamed leaves of <i>Acanthopanax koreanum</i> and their inhibitory effects on the LPS-stimulated pro-inflammatory cytokine production in bone marrow-derived dendritic cells. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2010 , 20, 6703-7	2.9	25
85	Oleanane-type triterpenoids from <i>Panax stipuleanatus</i> and their anticancer activities. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2010 , 20, 7110-5	2.9	38
84	Chemical Constituents from <i>Acer mandshuricum</i> and Their Effects on the Function of Osteoblastic MC3T3-E1 Cells. <i>Bulletin of the Korean Chemical Society</i> , 2010 , 31, 929-933	1.2	6
83	Dammarane-type Saponins from the Black Ginseng. <i>Bulletin of the Korean Chemical Society</i> , 2010 , 31, 3423-3426	1.2	5
82	Dammarane-Type Glycosides from the Steamed Flower-Buds of <i>Panax ginseng</i> . <i>Bulletin of the Korean Chemical Society</i> , 2010 , 31, 1381-1384	1.2	17
81	New Dammarane Saponins from the Steamed Ginseng Leaves. <i>Bulletin of the Korean Chemical Society</i> , 2010 , 31, 2094-2096	1.2	11
80	Iwayoside A, a New Diterpene Glycoside from <i>Artemisia iwayomogi</i> Kitamura that Enhances IL-2 Secretion. <i>Bulletin of the Korean Chemical Society</i> , 2010 , 31, 2422-2423	1.2	2
79	Inhibitory effects of indirubin derivatives on the growth of HL-60 leukemia cells. <i>Natural Product Communications</i> , 2010 , 5, 103-6	0.9	8
78	Triterpenoids from aerial parts of <i>Glochidion eriocarpum</i> . <i>Natural Product Communications</i> , 2010 , 5, 361-4.9	4.9	3
77	Rhusonoside A, a new megastigmane glycoside from <i>Rhus sylvestris</i> , increases the function of osteoblastic MC3T3-E1 cells. <i>Planta Medica</i> , 2009 , 75, 158-62	3.1	11
76	Oxidation of Biginelli Reaction Products: Synthesis of 2-Unsubstituted 1,4-Dihydropyrimidines, Pyrimidines, and 2-Hydroxypyrimidines. <i>Synlett</i> , 2009 , 2009, 599-602	2.2	4

75	Dibenzocyclooctadiene lignans and lanostane derivatives from the roots of <i>Kadsura coccinea</i> and their protective effects on primary rat hepatocyte injury induced by t-butyl hydroperoxide. <i>Planta Medica</i> , 2009 , 75, 1253-7	3.1	23
74	New anthracene glycosides from <i>Rhodomyrtus tomentosa</i> stimulate osteoblastic differentiation of MC3T3-E1 cells. <i>Archives of Pharmacal Research</i> , 2009 , 32, 515-20	6.1	18
73	Phenylpropanoid glycosides from <i>Heterosmilax erythrantha</i> and their antioxidant activity. <i>Archives of Pharmacal Research</i> , 2009 , 32, 1373-7	6.1	13
72	A new C29-sterol with a cyclopropane ring at C-25 and 26 from the Vietnamese marine sponge <i>lanthella</i> sp. <i>Archives of Pharmacal Research</i> , 2009 , 32, 1695-8	6.1	3
71	Stimulation of osteoblastic differentiation and inhibition of interleukin-6 and nitric oxide in MC3T3-E1 cells by pomegranate ethanol extract. <i>Phytotherapy Research</i> , 2009 , 23, 737-9	6.7	19
70	Reaction characteristics of two-step methane reforming over a Cu-ferrite/CeZrO ₂ medium. <i>International Journal of Hydrogen Energy</i> , 2009 , 34, 1801-1808	6.7	48
69	The regulation of inflammatory cytokine secretion in macrophage cell line by the chemical constituents of <i>Rhus sylvestris</i> . <i>Bioorganic and Medicinal Chemistry Letters</i> , 2009 , 19, 3607-10	2.9	35
68	C29 sterols with a cyclopropane ring at C-25 and 26 from the Vietnamese marine sponge <i>lanthella</i> sp. and their anticancer properties. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2009 , 19, 4584-8	2.9	29
67	Chrysoeriol isolated from the leaves of <i>Eurya ciliata</i> stimulates proliferation and differentiation of osteoblastic MC3T3-E1 cells. <i>Journal of Asian Natural Products Research</i> , 2009 , 11, 817-23	1.5	15
66	Inhibitors of osteoclast formation from rhizomes of <i>Cibotium barometz</i> . <i>Journal of Natural Products</i> , 2009 , 72, 1673-7	4.9	28
65	Total peroxynitrite scavenging capacity of phenylethanoid and flavonoid glycosides from the flowers of <i>Buddleja officinalis</i> . <i>Biological and Pharmaceutical Bulletin</i> , 2009 , 32, 1952-6	2.3	26
64	New triterpenoid saponins from <i>Glochidion eriocarpum</i> and their cytotoxic activity. <i>Chemical and Pharmaceutical Bulletin</i> , 2009 , 57, 102-5	1.9	25
63	Two new dammarane-type saponins from the leaves of <i>Panax ginseng</i> . <i>Chemical and Pharmaceutical Bulletin</i> , 2009 , 57, 1412-4	1.9	37
62	New neolignan component from <i>Camellia amplexicaulis</i> and effects on osteoblast differentiation. <i>Chemical and Pharmaceutical Bulletin</i> , 2009 , 57, 65-8	1.9	12
61	Lupane triterpene glycosides from leave of <i>Acanthopanax koreanum</i> and their cytotoxic activity. <i>Chemical and Pharmaceutical Bulletin</i> , 2009 , 57, 986-9	1.9	24
60	A preliminary study of the effects of an extract of <i>Ligularia fischeri</i> leaves on type II collagen-induced arthritis in DBA/1J mice. <i>Food and Chemical Toxicology</i> , 2008 , 46, 375-9	4.7	23
59	Methane Storage on Surface Modified Activated Carbons. <i>Solid State Phenomena</i> , 2008 , 135, 73-76	0.4	1
58	Chemical constituents from the leaves of <i>Manglietia phuthoensis</i> and their effects on osteoblastic MC3T3-E1 cells. <i>Chemical and Pharmaceutical Bulletin</i> , 2008 , 56, 1270-5	1.9	27

57	New cembranoid diterpenes from the Vietnamese soft coral <i>Sarcophyton mililatensis</i> stimulate osteoblastic differentiation in MC3T3-E1 cells. <i>Chemical and Pharmaceutical Bulletin</i> , 2008 , 56, 988-92	1.9	28
56	Hesperetin attenuates the highly reducing sugar-triggered inhibition of osteoblast differentiation. <i>Cell Biology and Toxicology</i> , 2008 , 24, 225-31	7.4	40
55	Chemical constituents of <i>Acanthus ilicifolius</i> L. and effect on osteoblastic MC3T3E1 cells. <i>Archives of Pharmacal Research</i> , 2008 , 31, 823-9	6.1	16
54	New phenylpropanoid esters of sucrose from <i>Polygonum hydropiper</i> and their antioxidant activity. <i>Archives of Pharmacal Research</i> , 2008 , 31, 1477-82	6.1	29
53	The study of controlling pore size on electrospun carbon nanofibers for hydrogen adsorption. <i>Journal of Colloid and Interface Science</i> , 2008 , 318, 42-9	9.3	128
52	Effect of additives on redox behavior of iron oxide for chemical hydrogen storage. <i>Journal of Industrial and Engineering Chemistry</i> , 2008 , 14, 252-260	6.3	42
51	Preparation and characterization of carbon covered TiO ₂ using sucrose for solar photodegradation. <i>Journal of Industrial and Engineering Chemistry</i> , 2008 , 14, 667-671	6.3	32
50	Decomposition of hydrogen iodide on Pt/C-based catalysts for hydrogen production. <i>International Journal of Hydrogen Energy</i> , 2008 , 33, 4974-4980	6.7	55
49	The effect of embedded vanadium catalyst on activated electrospun CFs for hydrogen storage. <i>Microporous and Mesoporous Materials</i> , 2008 , 115, 514-521	5.3	63
48	A New 9,11-Secosterol from the Vietnamese Sea Soft Coral, <i>Sarcophyton Mililatensis</i> , Increases the Function of Osteoblastic MC3T3-E1 Cells. <i>Natural Product Communications</i> , 2007 , 2, 1934578X0700201	0.9	1
47	A new monoterpene glycoside from the roots of <i>Paeonia lactiflora</i> increases the differentiation of osteoblastic MC3T3-E1 cells. <i>Archives of Pharmacal Research</i> , 2007 , 30, 1179-85	6.1	45
46	The adsorption properties of surface modified activated carbon fibers for hydrogen storages. <i>Catalysis Today</i> , 2007 , 120, 420-425	5.3	59
45	Chitosan oligosaccharide (COS) inhibits LPS-induced inflammatory effects in RAW 264.7 macrophage cells. <i>Biochemical and Biophysical Research Communications</i> , 2007 , 358, 954-9	3.4	168
44	Induction of apoptosis in human acute leukemia Jurkat T cells by <i>Albizia julibrissin</i> extract is mediated via mitochondria-dependent caspase-3 activation. <i>Journal of Ethnopharmacology</i> , 2006 , 106, 383-9	5	26
43	Crinamine from <i>Crinum asiaticum</i> var. <i>japonicum</i> inhibits hypoxia inducible factor-1 activity but not activity of hypoxia inducible factor-2. <i>Biological and Pharmaceutical Bulletin</i> , 2006 , 29, 2140-2	2.3	20
42	Inhibition of protein tyrosine phosphatase 1B by diterpenoids isolated from <i>Acanthopanax koreanum</i> . <i>Bioorganic and Medicinal Chemistry Letters</i> , 2006 , 16, 3061-4	2.9	63
41	Capillary electrophoretic method for the determination of diterpenoid isomers in <i>Acanthopanax</i> species. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2006 , 40, 56-61	3.5	22
40	New inhibitor against nuclear factor of activated T cells transcription from <i>Ribes fasciculatum</i> var. <i>chinense</i> . <i>Chemical and Pharmaceutical Bulletin</i> , 2005 , 53, 114-7	1.9	12

39	Gymnasterkoreayne G, a new inhibitory polyacetylene against NFAT transcription factor from <i>Gymnaster koraiensis</i> . <i>Chemical and Pharmaceutical Bulletin</i> , 2005 , 53, 1194-6	1.9	19
38	Caesaldecane, a cassane diterpenoid from the leaves of <i>Caesalpinia decapetala</i> . <i>Chemical and Pharmaceutical Bulletin</i> , 2005 , 53, 428-30	1.9	20
37	LY294002 inhibits LPS-induced NO production through a inhibition of NF-kappaB activation: independent mechanism of phosphatidylinositol 3-kinase. <i>Immunology Letters</i> , 2005 , 99, 45-50	4.1	57
36	Solanoflavone, a new biflavonol glycoside from <i>Solanum melongena</i> : seeking for anti-inflammatory components. <i>Archives of Pharmacal Research</i> , 2005 , 28, 657-9	6.1	10
35	Effect of processed <i>Scutellaria baicalensis</i> on dextran sulfate sodium-induced colitis in mice. <i>International Journal of Molecular Medicine</i> , 2005 , 16, 667-672	4.4	8
34	Kaurane-type diterpene glycoside from the stem bark of <i>Acanthopanax trifoliatum</i> . <i>Planta Medica</i> , 2004 , 70, 282-4	3.1	15
33	Acanthoic acid from <i>Acanthopanax koreanum</i> protects against liver injury induced by tert-butyl hydroperoxide or carbon tetrachloride in vitro and in vivo. <i>Planta Medica</i> , 2004 , 70, 321-7	3.1	13
32	Inhibitory lignans against NFAT transcription factor from <i>Acanthopanax koreanum</i> . <i>Archives of Pharmacal Research</i> , 2004 , 27, 738-41	6.1	23
31	Triterpenoids from <i>Acanthopanax koreanum</i> root and their inhibitory activities on NFAT transcription. <i>Archives of Pharmacal Research</i> , 2004 , 27, 825-8	6.1	24
30	Diterpenoids with inhibitory activity against NFAT transcription factor from <i>Acanthopanax koreanum</i> . <i>Phytotherapy Research</i> , 2004 , 18, 677-80	6.7	8
29	Oleanane triterpenoids with inhibitory activity against NFAT transcription factor from <i>Liquidambar formosana</i> . <i>Biological and Pharmaceutical Bulletin</i> , 2004 , 27, 426-8	2.3	28
28	Lignans with inhibitory activity against NFAT transcription from <i>Schisandra chinensis</i> . <i>Planta Medica</i> , 2003 , 69, 63-4	3.1	16
27	Lupane-triterpene carboxylic acids from the leaves of <i>Acanthopanax trifoliatum</i> . <i>Chemical and Pharmaceutical Bulletin</i> , 2003 , 51, 1432-5	1.9	20
26	Inhibitory effect of TNF-alpha and IL-8 secretion by pimarane-type diterpenoids from <i>Acanthopanax koreanum</i> . <i>Chemical and Pharmaceutical Bulletin</i> , 2003 , 51, 605-7	1.9	19
25	A new 24-nor-lupane-glycoside of <i>Acanthopanax trifoliatum</i> . <i>Archives of Pharmacal Research</i> , 2003 , 26, 706-8	6.1	5
24	Inhibitory effect of kaurane type diterpenoids from <i>Acanthopanax koreanum</i> on TNF-alpha secretion from trypsin-stimulated HMC-1 cells. <i>Archives of Pharmacal Research</i> , 2003 , 26, 731-4	6.1	23
23	Lupane-triterpenes from the leaves of <i>Brassaiopsis glomerulata</i> . <i>Archives of Pharmacal Research</i> , 2003 , 26, 594-6	6.1	12
22	Two new phenylpropanoid glycosides from the stem bark of <i>Acanthopanax trifoliatum</i> . <i>Archives of Pharmacal Research</i> , 2003 , 26, 1014-7	6.1	35

21	Neuroprotective activity of p-terphenyl leucomentins from the mushroom <i>Paxillus panuoides</i> . <i>Bioscience, Biotechnology and Biochemistry</i> , 2003 , 67, 1813-6	2.1	20
20	Stereoselective determination of (R)-lyatein in the plants of the Cupressaceae family by capillary electrophoresis. <i>Journal of Separation Science</i> , 2002 , 25, 1070-1072	3.4	3
19	Monoamine oxidase inhibitory coumarin from <i>Zanthoxylum schinifolium</i> . <i>Planta Medica</i> , 2002 , 68, 84-5	3.1	41
18	A cytotoxic secocycloartenoid from <i>Abies koreana</i> . <i>Archives of Pharmacal Research</i> , 2001 , 24, 527-31	6.1	23
17	Quantitative determination of eleutheroside B and E from <i>Acanthopanax</i> species by high performance liquid chromatography. <i>Archives of Pharmacal Research</i> , 2001 , 24, 407-11	6.1	35
16	Inhibitory effects of Korean plants on HIV-1 activities. <i>Phytotherapy Research</i> , 2001 , 15, 481-6	6.7	36
15	Inhibitory effects of ethaverine, a homologue of papaverine, on monoamine oxidase activity in mouse brain. <i>Biological and Pharmaceutical Bulletin</i> , 2001 , 24, 838-40	2.3	7
14	Cytotoxic alkaloids and a flavan from the bulbs of <i>Crinum asiaticum</i> var. <i>japonicum</i> . <i>Chemical and Pharmaceutical Bulletin</i> , 2001 , 49, 1217-9	1.9	30
13	Synthesis of maleic and phthalic anhydrides from the mixture of cyclopentene and 1-pentene. <i>Korean Journal of Chemical Engineering</i> , 2000 , 17, 357-364	2.8	13
12	Quantitative determination of salidroside and tyrosol from the underground part of <i>Rhodiola rosea</i> by high performance liquid chromatography. <i>Archives of Pharmacal Research</i> , 2000 , 23, 349-52	6.1	68
11	Cytotoxic triterpenes from <i>Crataegus pinnatifida</i> . <i>Archives of Pharmacal Research</i> , 2000 , 23, 155-8	6.1	39
10	Inhibitory activity of monoamine oxidase by coumarins from <i>Peucedanum japonicum</i> . <i>Archives of Pharmacal Research</i> , 1999 , 22, 324-6	6.1	30
9	Acetophenones from the roots of <i>Cynanchum wilfordii</i> H(EMSLEY). <i>Archives of Pharmacal Research</i> , 1999 , 22, 72-4	6.1	18
8	Inhibitory constituents against HIV-1 protease from <i>Agastache rugosa</i> . <i>Archives of Pharmacal Research</i> , 1999 , 22, 75-7	6.1	22
7	Iridoid compounds from <i>Boschniakia rossica</i> . <i>Archives of Pharmacal Research</i> , 1999 , 22, 78-80	6.1	15
6	Inhibition of monoamine oxidase by palmatine. <i>Archives of Pharmacal Research</i> , 1999 , 22, 529-31	6.1	5
5	Screening of Korean plants against human immunodeficiency virus type 1 protease. <i>Phytotherapy Research</i> , 1999 , 13, 680-2	6.7	22
4	Synthesis and in vitro cytotoxicity of 3- or 4-dialkylaminomethyl-1-azaanthraquinones. <i>Archives of Pharmacal Research</i> , 1998 , 21, 749-52	6.1	2

- 3 Synthesis and in vitro evaluation of 4-substituted-1-azaanthraquinones. *Archives of Pharmacal Research*, **1998**, 21, 73-5 6.1 13
- 2 Removal of metal ions by ultrafiltration of a micellar solution containing anionic surfactant. *Korean Journal of Chemical Engineering*, **1996**, 13, 448-452 2.8 5
- 1 Studies on the chemical constituents of *Acanthopanax koreanum* (II). *Archives of Pharmacal Research*, **1988**, 11, 159-162 6.1 2