## Lan Guo

## List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4891482/publications.pdf

Version: 2024-02-01

315357 304368 1,981 81 22 38 citations h-index g-index papers 84 84 84 2346 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Efficacy of omega-3 PUFAs in depression: A meta-analysis. Translational Psychiatry, 2019, 9, 190.	2.4	231
2	Prevalence and correlates of sleep disturbance and depressive symptoms among Chinese adolescents: a cross-sectional survey study. BMJ Open, 2014, 4, e005517-e005517.	0.8	100
3	Self-reported sleep disturbances in HIV-infected people: a meta-analysis of prevalence and moderators. Sleep Medicine, 2015, 16, 901-907.	0.8	88
4	Prevalence and associated factors of myopia among primary and middle school-aged students: a school-based study in Guangzhou. Eye, 2016, 30, 796-804.	1.1	87
5	Association between problematic Internet use, sleep disturbance, and suicidal behavior in Chinese adolescents. Journal of Behavioral Addictions, 2018, 7, 965-975.	1.9	69
6	Association Between Nonmedical Use of Prescription Drugs and Suicidal Behavior Among Adolescents. JAMA Pediatrics, 2016, 170, 971.	3.3	66
7	Rates of Myopia Development in Young Chinese Schoolchildren During the Outbreak of COVID-19. JAMA Ophthalmology, 2021, 139, 1115.	1.4	65
8	Rotating shift work and menstrual characteristics in a cohort of Chinese nurses. BMC Women's Health, 2016, 16, 24.	0.8	59
9	Association between sleep duration, suicidal ideation, and suicidal attempts among Chinese adolescents: The moderating role of depressive symptoms. Journal of Affective Disorders, 2017, 208, 355-362.	2.0	56
10	Epidemiology of Spinal Cord Injuries and Risk Factors for Complete Injuries in Guangdong, China: A Retrospective Study. PLoS ONE, 2014, 9, e84733.	1.1	52
11	Bullying as a Risk for Poor Sleep Quality among High School Students in China. PLoS ONE, 2015, 10, e0121602.	1.1	48
12	Gender differences in the associations between types of childhood maltreatment and sleep disturbance among Chinese adolescents. Journal of Affective Disorders, 2020, 265, 595-602.	2.0	38
13	Bullying, Depression, and Suicidal Ideation Among Adolescents in the Fujian Province of China. Medicine (United States), 2016, 95, e2530.	0.4	37
14	The impact of COVID-19 on subthreshold depressive symptoms: a longitudinal study. Epidemiology and Psychiatric Sciences, 2021, 30, e20.	1.8	35
15	Associations between Sleep Duration and Overweight/Obesity: Results from 66,817 Chinese Adolescents. Scientific Reports, 2015, 5, 16686.	1.6	34
16	Gender differences in the association between cigarette smoking, alcohol consumption and depressive symptoms: a cross-sectional study among Chinese adolescents. Scientific Reports, 2016, 5, 17959.	1.6	34
17	Non-medical use of prescription pain relievers among high school students in China: a multilevel analysis. BMJ Open, 2015, 5, e007569.	0.8	30
18	Alcohol use and alcohol-related problems among adolescents in China. Medicine (United States), 2016, 95, e4533.	0.4	30

#	Article	IF	CITATIONS
19	Is sexual minority status associated with poor sleep quality among adolescents? Analysis of a national cross-sectional survey in Chinese adolescents. BMJ Open, 2017, 7, e017067.	0.8	30
20	Epidemiological Characteristics of Traumatic Spinal Cord Injury in Guangdong, China. Spine, 2017, 42, E555-E561.	1.0	29
21	Associations between depression risk, bullying and current smoking among Chinese adolescents: Modulated by gender. Psychiatry Research, 2016, 237, 282-289.	1.7	28
22	Association between sexual minority status and suicidal behavior among Chinese adolescents: A moderated mediation model. Journal of Affective Disorders, 2018, 239, 85-92.	2.0	28
23	Association of emotional and behavioral problems with single and multiple suicide attempts among Chinese adolescents: Modulated by academic performance. Journal of Affective Disorders, 2019, 258, 25-32.	2.0	28
24	Bullying behaviors among Chinese school-aged youth: A prevalence and Correlates Study in Guangdong Province. Psychiatry Research, 2015, 225, 716-722.	1.7	26
25	Association between maternal lifestyle factors and low birth weight in preterm and term births: a case-control study. Reproductive Health, 2020, 17, 93.	1.2	26
26	Associations Among Screen Time, Sleep Duration and Depressive Symptoms Among Chinese Adolescents. Journal of Affective Disorders, 2021, 284, 69-74.	2.0	25
27	Development and implementation of guidelines for the management of depression: a systematic review. Bulletin of the World Health Organization, 2020, 98, 683-697H.	1.5	25
28	Association between Problematic Internet Use and Sleep Disturbance among Adolescents: The Role of the Child's Sex. International Journal of Environmental Research and Public Health, 2018, 15, 2682.	1.2	24
29	Association between Childhood Maltreatment and Suicidal Ideation and Suicide Attempts among Chinese Adolescents: The Moderating Role of Depressive Symptoms. International Journal of Environmental Research and Public Health, 2020, 17, 6025.	1.2	23
30	Associations between childhood maltreatment and non-medical use of prescription drugs among Chinese adolescents. Addiction, 2017, 112, 1600-1609.	1.7	22
31	Association between nonmedical use of opioids or sedatives and suicidal behavior among Chinese adolescents: An analysis of sex differences. Australian and New Zealand Journal of Psychiatry, 2019, 53, 559-569.	1.3	22
32	Childhood maltreatment predicts subsequent anxiety symptoms among Chinese adolescents: the role of the tendency of coping styles. Translational Psychiatry, 2021, 11, 340.	2.4	22
33	Associations of Childhood Maltreatment with Single and Multiple Suicide Attempts among Older Chinese Adolescents. Journal of Pediatrics, 2018, 196, 244-250.e1.	0.9	21
34	Sexual minority status and suicidal behaviour among Chinese adolescents: a nationally representative cross-sectional study. BMJ Open, 2018, 8, e020969.	0.8	21
35	The associations between sleep situations and mental health among Chinese adolescents: A longitudinal study. Sleep Medicine, 2021, 82, 71-77.	0.8	20
36	Mental health conditions among the general population, healthcare workers and quarantined population during the coronavirus disease 2019 (COVID-19) pandemic. Psychology, Health and Medicine, 2020, , 1-13.	1.3	19

#	Article	IF	CITATIONS
37	Associations Between Poor Sleep Quality, Anxiety Symptoms, and Depressive Symptoms Among Chinese Adolescents Before and During COVID-19: A Longitudinal Study. Frontiers in Psychiatry, 2021, 12, 786640.	1.3	19
38	Associations of emotional and behavioral problems with Internet use among Chinese young adults: the role of academic performance. Journal of Affective Disorders, 2021, 287, 214-221.	2.0	17
39	The prevalences of and association between nonmedical prescription opioid use and poor sleep among Chinese high school students. Scientific Reports, 2016, 6, 30411.	1.6	16
40	Sexual attraction and the nonmedical use of opioids and sedative drugs among Chinese adolescents. Drug and Alcohol Dependence, 2018, 183, 169-175.	1.6	16
41	Association between childhood maltreatment and non-medical prescription opioid use among Chinese senior high school students: The moderating role of gender. Journal of Affective Disorders, 2018, 235, 421-427.	2.0	14
42	Long-term exposure to ambient fine particulate pollution, sleep disturbance and their interaction effects on suicide attempts among Chinese adolescents. Journal of Affective Disorders, 2019, 258, 89-95.	2.0	14
43	Trends in Health-Risk Behaviors among Chinese Adolescents. International Journal of Environmental Research and Public Health, 2019, 16, 1902.	1.2	14
44	<p>Association Between Bullying and Suicidal Behavior Among Chinese Adolescents: An Analysis of Gender Differences</p> . Psychology Research and Behavior Management, 2020, Volume 13, 89-96.	1.3	14
45	The relationship between childhood emotional abuse and depressive symptoms among Chinese college students: The multiple mediating effects of emotional and behavioral problems. Journal of Affective Disorders, 2021, 288, 129-135.	2.0	14
46	Epidemiological and clinical characteristics of humans with avian influenza A (H7N9) infection in Guangdong, China, 2013–2017. International Journal of Infectious Diseases, 2017, 65, 148-155.	1.5	12
47	Association between habitual weekday sleep duration and depressive symptoms among Chinese adolescents:The role of mode of birth delivery. Journal of Affective Disorders, 2020, 265, 583-589.	2.0	12
48	Patterns of Bullying Victimization and Associations with Mental Health Problems in Chinese Adolescents: A Latent Class Analysis. International Journal of Environmental Research and Public Health, 2020, 17, 779.	1.2	12
49	Association between problematic internet use and behavioral/emotional problems among Chinese adolescents: the mediating role of sleep disorders. Peerl, 2021, 9, e10839.	0.9	12
50	The Role of Problematic Smartphone Uses and Psychological Distress in the Relationship Between Sleep Quality and Disordered Eating Behaviors Among Chinese College Students. Frontiers in Psychiatry, 2021, 12, 793506.	1.3	11
51	Association between body weight status and suicidal ideation among Chinese adolescents: the moderating role of the child's sex. Social Psychiatry and Psychiatric Epidemiology, 2019, 54, 823-833.	1.6	10
52	Association between weekday sleep duration and nonmedical use of prescription drug among adolescents: the role of academic performance. European Child and Adolescent Psychiatry, 2019, 28, 1265-1275.	2.8	10
53	The Mediating Effect of Sleep Quality on the Relationship between Emotional and Behavioral Problems and Suicidal Ideation. International Journal of Environmental Research and Public Health, 2019, 16, 4963.	1,2	10
54	Problematic Internet Use, Non-Medical Use of Prescription Drugs, and Depressive Symptoms among Adolescents: A Large-Scale Study in China. International Journal of Environmental Research and Public Health, 2020, 17, 774.	1.2	10

#	Article	IF	CITATIONS
55	Screening Depressive Symptoms and Incident Major Depressive Disorder Among Chinese Community Residents Using a Mobile App–Based Integrated Mental Health Care Model: Cohort Study. Journal of Medical Internet Research, 2022, 24, e30907.	2.1	10
56	Associations of Substance Use Behaviors With Suicidal Ideation and Suicide Attempts Among US and Chinese Adolescents. Frontiers in Psychiatry, 2020, 11, 611579.	1.3	9
57	Association Among Maltreatment, Bullying and Mental Health, Risk Behavior and Sexual Attraction in Chinese Students. Academic Pediatrics, 2021, 21, 849-857.	1.0	8
58	Association of sexual minority status, gender nonconformity with childhood victimization and adulthood depressive symptoms: A path analysis. Child Abuse and Neglect, 2021, 111, 104822.	1.3	8
59	Association of <scp>FKBP5</scp> gene variants with depression susceptibility: A comprehensive metaâ€analysis. Asia-Pacific Psychiatry, 2021, 13, e12464.	1.2	8
60	Sexual orientation and sleep problem among Chinese college students: Mediating roles of interpersonal problems and depressive symptoms. Journal of Affective Disorders, 2021, 295, 569-577.	2.0	8
61	Association between Insulin-Like Growth Factor 1 Gene rs12423791 or rs6214 Polymorphisms and High Myopia: A Meta-Analysis. PLoS ONE, 2015, 10, e0129707.	1.1	7
62	Effect of Sex on the Association Between Nonmedical Use of Opioids and Sleep Disturbance Among Chinese Adolescents: A Cross-Sectional Study. International Journal of Environmental Research and Public Health, 2019, 16, 4339.	1.2	7
63	The Longitudinal Association between Sleep Duration and Suicidal Behavior among Chinese Adolescents: The Role of Nonmedical Use of Prescription Drug. Behavioral Sleep Medicine, 2021, 19, 589-601.	1.1	7
64	The mediating effects of depressive symptoms and sleep quality on the relationship between the non-medical use of prescription drugs and suicidal behaviors among Chinese adolescents. Drug and Alcohol Dependence, 2017, 178, 20-27.	1.6	6
65	Associations Between Child Maltreatment and Depressive Symptoms Among Chinese College Students: An Analysis of Sex Differences. Frontiers in Psychiatry, 2021, 12, 656646.	1.3	6
66	Gender differences in the association of sexual orientation with depressive symptoms: A national cross-sectional study among Chinese college students. Journal of Affective Disorders, 2022, 302, 1-6.	2.0	6
67	The mediating effects of depressive symptoms on the association of childhood maltreatment with non-medical use of prescription drugs. Journal of Affective Disorders, 2018, 229, 14-21.	2.0	5
68	Sex differences in the associations of nonmedical use of prescription drugs with self-injurious thoughts and behaviors among adolescents: A large-scale study in China. Journal of Affective Disorders, 2021, 285, 29-36.	2.0	5
69	A Robust Seven-Gene Signature Associated With Tumor Microenvironment to Predict Survival Outcomes of Patients With Stage Ill–IV Lung Adenocarcinoma. Frontiers in Genetics, 2021, 12, 684281.	1.1	5
70	Childhood trauma and internet addiction among Chinese adolescents: The mediating role of coping styles. Current Psychology, 2023, 42, 16507-16517.	1.7	5
71	Association among emotional and behavioural problems, sexual minority status and suicidal behaviours in adolescents: a cross-sectional study from Guangdong Province in China. BMJ Open, 2021, 11, e051485.	0.8	4
72	Associations of FKBP5 polymorphisms and methylation and parenting style with depressive symptoms among Chinese adolescents. BMC Psychiatry, 2021, 21, 552.	1.1	4

#	Article	IF	CITATIONS
73	Longitudinal associations between problematic Internet use, self-esteem, and depressive symptoms among Chinese adolescents. European Child and Adolescent Psychiatry, 2023, 32, 1273-1283.	2.8	4
74	6-Year trajectories of depressive symptoms and incident stroke in older adults: Results from the Health and Retirement Study. Journal of Affective Disorders, 2022, 309, 229-235.	2.0	4
75	Psychosocial Problems Syndemically Increase Adolescent Substance Use. Medicine (United States), 2015, 94, e2393.	0.4	3
76	Chinese Sexual Minority Male Adolescents' Suicidality and Body Mass Index. International Journal of Environmental Research and Public Health, 2018, 15, 2558.	1.2	3
77	Cross-sectional study on influence of the family environment on the lifetime non-medical use of prescription drugs among Chinese adolescents in Guangdong: an analysis of sex differences. BMJ Open, 2019, 9, e026758.	0.8	3
78	The nonmedical use of alcohol and prescription drugs among adolescents in China. European Journal of Public Health, $2014, 24, .$	0.1	2
79	Associations of childhood maltreatment with subsequent illicit drug use among Chinese adolescents: The moderating role of the child's sex. Psychiatry Research, 2018, 269, 361-368.	1.7	2
80	Comprehensive intervention during pregnancy based on short message service to prevent or alleviate depression in pregnant women: A quasiâ€experimental study. Microbial Biotechnology, 2021, 15, 352-359.	0.9	2
81	Association Between Childhood Maltreatment, FKBP5 Gene Methylation, and Anxiety Symptoms Among Chinese Adolescents: A Nested Case-Control Study. Frontiers in Psychiatry, 2022, 13, 761898.	1.3	2