Rob W Sanson-Fisher

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/489178/rob-w-sanson-fisher-publications-by-year.pdf

Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

410 10,902 50 87 g-index

428 12,143 3.5 6.31 ext. papers ext. citations avg, IF L-index

| # | Paper | IF | Citations |
|-----|--|-----|-----------|
| 410 | The Prevalence and Correlates of Gambling in Australian Secondary School Students <i>Journal of Gambling Studies</i> , 2022 , 1 | 3 | |
| 409 | Optimising diagnosis and post-diagnostic support for people living with dementia: geriatricians' views <i>BMC Geriatrics</i> , 2022 , 22, 143 | 4.1 | |
| 408 | The wellbeing needs of social housing tenants in Australia: an exploratory study <i>BMC Public Health</i> , 2022 , 22, 582 | 4.1 | 1 |
| 407 | Prevalence and type of unmet needs experienced by carers of people living with dementia <i>Aging and Mental Health</i> , 2022 , 1-7 | 3.5 | |
| 406 | Effect of a financial incentive on responses by Australian general practitioners to a postal survey: a randomised controlled trial <i>Medical Journal of Australia</i> , 2022 , | 4 | |
| 405 | The Patients' Perspective: Hematological Cancer Patients' Experiences of Adverse Events as Part of Care. <i>Journal of Patient Safety</i> , 2021 , 17, e387-e392 | 1.9 | 7 |
| 404 | A patient-centred approach to determine optimal supportive care across the cancer trajectory: a cross-sectional study. <i>European Journal of Cancer Care</i> , 2021 , 30, e13455 | 2.4 | |
| 403 | Oncology nurses' perceptions of advance directives for patients with cancer. <i>Australian Journal of Cancer Nursing</i> , 2021 , 23, 439-446 | 1.9 | 1 |
| 402 | Attitude toward dementia and preferences for diagnosis in Japanese health service consumers. <i>BMC Health Services Research</i> , 2021 , 21, 411 | 2.9 | 1 |
| 401 | Top Priorities for Health Service Improvements Among Australian Oncology Patients. <i>Patient Related Outcome Measures</i> , 2021 , 12, 83-95 | 2.9 | 0 |
| 400 | Essential components of health assessment for older people in primary care: a cross-sectional survey of Australian general practitioners. <i>Australian and New Zealand Journal of Public Health</i> , 2021 , 45, 506-511 | 2.3 | 1 |
| 399 | Use of medical services by older Australian women with dementia: a longitudinal cohort study. <i>Australian and New Zealand Journal of Public Health</i> , 2021 , 45, 497-503 | 2.3 | 0 |
| 398 | Preferences for life expectancy discussions following diagnosis with a life-threatening illness: a discrete choice experiment. <i>Supportive Care in Cancer</i> , 2021 , 29, 417-425 | 3.9 | 2 |
| 397 | Perceived problems with involvement in decision making about breast cancer treatment and care: A cross-sectional study. <i>Patient Education and Counseling</i> , 2021 , 104, 505-511 | 3.1 | 2 |
| 396 | Gaps in patient-centered follow-up cancer care: a cross sectional study. <i>Journal of Psychosocial Oncology</i> , 2021 , 39, 161-172 | 2.8 | 1 |
| 395 | Exploring experiences and perceptions of Aboriginal and Torres Strait Islander peoples readmitted to hospital with chronic disease in New South Wales, Australia: a qualitative study. <i>Australian Health Review</i> , 2021 , 45, 411-417 | 1.8 | |
| 394 | Experiences of Patient-Centered Care Among Japanese and Australian Cancer Outpatients: Results of a Cross-Sectional Study. <i>Journal of Patient Experience</i> , 2021 , 8, 23743735211007690 | 1.3 | |

| 393 | Screening for Cognitive Impairment among Community-Dwelling Older Adults: A Comparison of 2 Screening Instruments. <i>Journal of Primary Care and Community Health</i> , 2021 , 12, 21501327211029231 | 2.1 | |
|-----|---|-----|----|
| 392 | Resource allocation for depression management in general practice: A simple data-based filter model. <i>PLoS ONE</i> , 2021 , 16, e0246728 | 3.7 | 1 |
| 391 | Prevalence and predictors of mortality for older adults referred to hospital avoidance program. <i>Geriatrics and Gerontology International</i> , 2021 , 21, 321-326 | 2.9 | |
| 390 | Brain cancer patient and support persons' experiences of psychosocial care: a mapping of research outputs. <i>Supportive Care in Cancer</i> , 2021 , 29, 5559-5569 | 3.9 | |
| 389 | Psychosocial well-being of brain cancer patients and support persons: A mapping review of study types over time. <i>European Journal of Cancer Care</i> , 2021 , 30, e13446 | 2.4 | |
| 388 | How can dementia diagnosis and care for Aboriginal and Torres Strait Islander people be improved? Perspectives of healthcare providers providing care in Aboriginal community controlled health services. <i>BMC Health Services Research</i> , 2021 , 21, 699 | 2.9 | 1 |
| 387 | Nurses' perceptions, experiences and involvement in the provision of end-of-life care in acute hospitals: A mapping review of research output, quality and effectiveness. <i>International Journal of Nursing Studies</i> , 2021 , 122, 104007 | 5.8 | O |
| 386 | Characteristics associated with high levels of patient-reported adherence to self-management strategies prescribed by physiotherapists. <i>International Journal of Therapy and Rehabilitation</i> , 2020 , 27, 1-15 | 0.4 | 1 |
| 385 | Nurses perspectives on healthcare errors in oncology care: A cross-sectional study. <i>European Journal of Oncology Nursing</i> , 2020 , 45, 101741 | 2.8 | 1 |
| 384 | Nurses[perceptions of open disclosure processes in cancer care: a cross-sectional study. <i>Collegian</i> , 2020 , 27, 506-511 | 1.6 | 3 |
| 383 | Advance Research Directives: Legal and Ethical Issues and Insights from a National Survey of Dementia Researchers in Australia. <i>Medical Law Review</i> , 2020 , 28, 375-400 | 0.8 | 2 |
| 382 | Cancer patient preferences for the provision of information regarding emotional concerns in relation to medical procedures: A discrete choice experiment. <i>Patient Education and Counseling</i> , 2020 , 103, 1439-1443 | 3.1 | |
| 381 | Cluster-Randomized Trial of Thrombolysis Implementation Support in Metropolitan and Regional Australian Stroke Centers: Lessons for Individual and Systems Behavior Change. <i>Journal of the American Heart Association</i> , 2020 , 9, e012732 | 6 | 10 |
| 380 | Prevalence and characteristics associated with concurrent smoking and alcohol misuse within Australian general practice patients. <i>Australian Health Review</i> , 2020 , 44, 125-131 | 1.8 | 1 |
| 379 | Prevalence and Predictors of Mortality for Older Adults Referred to a Hospital Avoidance Program. <i>Innovation in Aging</i> , 2020 , 4, 139-139 | 0.1 | 78 |
| 378 | Nurses' perceptions of and barriers to the optimal end-of-life care in hospitals: A cross-sectional study. <i>Journal of Clinical Nursing</i> , 2020 , 29, 1209-1219 | 3.2 | 5 |
| 377 | Preferences for End-of-Life Care and Decision Making Among Older and Seriously Ill Inpatients: A Cross-Sectional Study. <i>Journal of Pain and Symptom Management</i> , 2020 , 59, 187-196 | 4.8 | 10 |
| 376 | Ethical and legal aspects of research involving older people with cognitive impairment: A survey of dementia researchers in Australia. <i>International Journal of Law and Psychiatry</i> , 2020 , 68, 101534 | 2.6 | 5 |

| 375 | A multi-center randomized controlled trial to reduce unmet needs, depression, and anxiety among hematological cancer patients and their support persons. <i>Journal of Psychosocial Oncology</i> , 2020 , 38, 272-292 | 2.8 | 6 |
|-----|---|-----|----|
| 374 | Where would acute care nurses prefer to receive end-of-life care? a cross-sectional survey. <i>International Journal of Nursing Studies</i> , 2020 , 109, 103683 | 5.8 | O |
| 373 | Frequent avoidable admissions amongst Aboriginal and non-Aboriginal people with chronic conditions in New South Wales, Australia: a historical cohort study. <i>BMC Health Services Research</i> , 2020 , 20, 1082 | 2.9 | 2 |
| 372 | Second opinions in medical oncology. <i>BMC Palliative Care</i> , 2020 , 19, 112 | 3 | 3 |
| 371 | Improving depression outcomes among Australian primary care patients: protocol for a cluster randomised controlled trial. <i>BMJ Open</i> , 2020 , 10, e032057 | 3 | 1 |
| 370 | Perceptions of optimal end-of-life care in hospitals: A cross-sectional study of nurses in three locations. <i>Journal of Advanced Nursing</i> , 2020 , 76, 3014-3025 | 3.1 | 1 |
| 369 | Prevalence and Predictors of Symptoms of Depression Among Individuals Seeking Treatment from Australian Drug and Alcohol Outpatient Clinics. <i>Community Mental Health Journal</i> , 2020 , 56, 107-115 | 2.1 | 1 |
| 368 | The System for Patient Assessment of Cancer Experiences (SPACE): a cross-sectional study examining feasibility and acceptability. <i>Supportive Care in Cancer</i> , 2020 , 28, 1737-1745 | 3.9 | 1 |
| 367 | Medical oncology outpatients' preferences and experiences with advanced care planning: a cross-sectional study. <i>BMC Cancer</i> , 2019 , 19, 63 | 4.8 | 20 |
| 366 | Perceptions of Chinese Towards Dementia in Hong Kong-Diagnosis, Symptoms and Impacts. <i>International Journal of Environmental Research and Public Health</i> , 2019 , 16, | 4.6 | 7 |
| 365 | Do haematological cancer patients get the information they need about their cancer and its treatment? Results of a cross-sectional survey. <i>Supportive Care in Cancer</i> , 2019 , 27, 1509-1517 | 3.9 | 7 |
| 364 | Development and Validation of the MiPrep Survey: An Instrument Assessing Patients' Perceived Preparation for Medical Interventions Including Medical Imaging, Radiotherapy, and Surgery. <i>Value in Health</i> , 2019 , 22, 704-711 | 3.3 | 2 |
| 363 | Interactional skills training in undergraduate medical education: ten principles for guiding future research. <i>BMC Medical Education</i> , 2019 , 19, 144 | 3.3 | 3 |
| 362 | Costs and Cost-Effectiveness of Targeted, Personalized Risk Information to Increase Appropriate Screening by First-Degree Relatives of People With Colorectal Cancer. <i>Health Education and Behavior</i> , 2019 , 46, 798-808 | 4.2 | 2 |
| 361 | Assessing patients' experiences of cancer care across the treatment pathway: a mapping review of recent psychosocial cancer care publications. <i>Supportive Care in Cancer</i> , 2019 , 27, 1997-2006 | 3.9 | 6 |
| 360 | Cross-sectional survey to inform the development of a telehealth support model: a feasibility study for women undergoing breast cancer surgery. <i>Pilot and Feasibility Studies</i> , 2019 , 5, 46 | 1.9 | 2 |
| 359 | Radiation oncology outpatients' patterns of life expectancy discussions. <i>European Journal of Cancer Care</i> , 2019 , 28, e13021 | 2.4 | 1 |
| 358 | Oncology patient preferences for depression care: A discrete choice experiment. <i>Psycho-Oncology</i> , 2019 , 28, 807-814 | 3.9 | 3 |

(2018-2019)

| 357 | Patient adherence to an exercise program for chronic low back pain measured by patient-report, physiotherapist-perception and observational data. <i>Physiotherapy Theory and Practice</i> , 2019 , 35, 1304-1 | 1313 | 12 |
|-----|--|------|----|
| 356 | Primary Care Physicians' Perceived Barriers to Optimal Dementia Care: A Systematic Review. <i>Gerontologist, The</i> , 2019 , 59, e697-e708 | 5 | 24 |
| 355 | Planning Ahead for Dementia Research Participation: Insights from a Survey of Older Australians and Implications for Ethics, Law and Practice. <i>Journal of Bioethical Inquiry</i> , 2019 , 16, 415-429 | 1.9 | 7 |
| 354 | Are older and seriously ill inpatients planning ahead for future medical care?. <i>BMC Geriatrics</i> , 2019 , 19, 212 | 4.1 | 10 |
| 353 | Not having adequate time to make a treatment decision can impact on cancer patients' care experience: Results of a cross-sectional study. <i>Patient Education and Counseling</i> , 2019 , 102, 1957-1960 | 3.1 | 3 |
| 352 | What Caused My Cancer? Cancer Patients' Perceptions on What May Have Contributed to the Development of Their Cancer: A Cross-Sectional, Cross-Country Comparison Study. <i>Cancer Control</i> , 2019 , 26, 1073274819863786 | 2.2 | 3 |
| 351 | Electronic Health Literacy Among Magnetic Resonance Imaging and Computed Tomography Medical Imaging Outpatients: Cluster Analysis. <i>Journal of Medical Internet Research</i> , 2019 , 21, e13423 | 7.6 | 4 |
| 350 | The new challenge for improving psychosocial cancer care: shifting to a system-based approach. <i>Supportive Care in Cancer</i> , 2019 , 27, 763-769 | 3.9 | 4 |
| 349 | Receipt of information about diet by pregnant women: A cross-sectional study. <i>Women and Birth</i> , 2019 , 32, e501-e507 | 3.3 | 2 |
| 348 | Agreement between a single-item measure of anxiety and depression and the Hospital Anxiety and Depression Scale: A cross-sectional study. <i>PLoS ONE</i> , 2019 , 14, e0210111 | 3.7 | 26 |
| 347 | Reducing alcohol-related harm in Australia: a simple data-based tool to assist prioritization of research and health care delivery in primary care. <i>Family Practice</i> , 2019 , 36, 473-478 | 1.9 | |
| 346 | Heading in a new direction? Recommendations for future research on patient decision aids. <i>Patient Education and Counseling</i> , 2019 , 102, 1029-1034 | 3.1 | 2 |
| 345 | Barriers to the evaluation of evidence-based public health policy. <i>Journal of Public Health Policy</i> , 2019 , 40, 114-125 | 2.9 | 2 |
| 344 | Effectiveness of interventions to increase participation in advance care planning for people with a diagnosis of dementia: A systematic review. <i>Palliative Medicine</i> , 2019 , 33, 262-273 | 5.5 | 20 |
| 343 | The Patient Perspective on Errors in Cancer Care: Results of a Cross-Sectional Survey. <i>Journal of Patient Safety</i> , 2019 , 15, 322-327 | 1.9 | 11 |
| 342 | Raised Anxiety Levels Among Outpatients Preparing to Undergo a Medical Imaging Procedure: Prevalence and Correlates. <i>Journal of the American College of Radiology</i> , 2018 , 15, 630-638 | 3.5 | 6 |
| 341 | Finding the optimal treatment model: A systematic review of treatment for co-occurring alcohol misuse and depression. <i>Australian and New Zealand Journal of Psychiatry</i> , 2018 , 52, 737-750 | 2.6 | 11 |
| 340 | Screening for recommended antenatal risk factors: How long does it take?. <i>Women and Birth</i> , 2018 , 31, 489-495 | 3.3 | 5 |

| 339 | Examining variation across treatment clinics in cancer patients' psychological outcomes: results of a cross sectional survey. <i>Supportive Care in Cancer</i> , 2018 , 26, 3201-3208 | 3.9 | 5 | |
|-----|--|-----|----|--|
| 338 | A cross-sectional study of agreement between the Hospital Anxiety and Depression Scale and patient- and radiation oncologist-reported single-item assessment of depression and anxiety. <i>Psycho-Oncology</i> , 2018 , 27, 1840-1846 | 3.9 | 3 | |
| 337 | A clinician-centred programme for behaviour change in the optimal use of staging investigations for newly diagnosed prostate cancer. <i>BJU International</i> , 2018 , 121 Suppl 3, 22-27 | 5.6 | 9 | |
| 336 | The Right Place at the Right Time: Medical Oncology Outpatients' Perceptions of Location of End-of-Life Care. <i>Journal of the National Comprehensive Cancer Network: JNCCN</i> , 2018 , 16, 35-41 | 7.3 | 23 | |
| 335 | The timeliness of patients reporting the side effects of chemotherapy. <i>Supportive Care in Cancer</i> , 2018 , 26, 3579-3586 | 3.9 | 11 | |
| 334 | Quality versus quantity in end-of-life choices of cancer patients and support persons: a discrete choice experiment. <i>Supportive Care in Cancer</i> , 2018 , 26, 3593-3599 | 3.9 | 5 | |
| 333 | Consumer input into health care: Time for a new active and comprehensive model of consumer involvement. <i>Health Expectations</i> , 2018 , 21, 707-713 | 3.7 | 28 | |
| 332 | Optimal cancer care: what essential elements of care would help haematological cancer patients obtain and understand information about their disease and its treatment and impact?. <i>Supportive Care in Cancer</i> , 2018 , 26, 2843-2849 | 3.9 | 4 | |
| 331 | Unmet supportive care needs of haematological cancer survivors: rural versus urban residents. <i>Annals of Hematology</i> , 2018 , 97, 1283-1292 | 3 | 21 | |
| 330 | Co-occurring depression and alcohol misuse is under-identified in general practice: A cross-sectional study. <i>Journal of Health Psychology</i> , 2018 , 23, 1085-1095 | 3.1 | 6 | |
| 329 | A discrete choice experiment to assess cancer patients' preferences for when and how to make treatment decisions. <i>Supportive Care in Cancer</i> , 2018 , 26, 1215-1220 | 3.9 | 13 | |
| 328 | The impact of telephone follow up on adverse events for Aboriginal people with chronic disease in new South Wales, Australia: a retrospective cohort study. <i>International Journal for Equity in Health</i> , 2018 , 17, 60 | 4.6 | 4 | |
| 327 | Methodological quality of teaching communication skills to undergraduate medical students: a mapping review. <i>BMC Medical Education</i> , 2018 , 18, 151 | 3.3 | 10 | |
| 326 | Support persons' preferences for the type of consultation and the format of information provided when making a cancer treatment decision. <i>BMC Research Notes</i> , 2018 , 11, 456 | 2.3 | 5 | |
| 325 | Medical Imaging Outpatients' Experiences With Receiving Information Required for Informed Consent and Preparation: A Cross-Sectional Study. <i>Journal of Patient Experience</i> , 2018 , 5, 296-302 | 1.3 | 1 | |
| 324 | Preferences for models of peer support in the digital era: A cross-sectional survey of people with cancer. <i>Psycho-Oncology</i> , 2018 , 27, 2148-2154 | 3.9 | 8 | |
| 323 | A simple filter model to guide the allocation of healthcare resources for improving the treatment of depression among cancer patients. <i>BMC Cancer</i> , 2018 , 18, 125 | 4.8 | 3 | |
| 322 | Increasing advance personal planning: the need for action at the community level. <i>BMC Public Health</i> , 2018 , 18, 606 | 4.1 | 15 | |

| 321 | What is a 'timely' diagnosis? Exploring the preferences of Australian health service consumers regarding when a diagnosis of dementia should be disclosed. <i>BMC Health Services Research</i> , 2018 , 18, 612 | 2.9 | 16 | |
|-----|--|-----|----|--|
| 320 | Prevalence and correlates of patient-centred preparatory information provision to computed tomography and magnetic resonance imaging outpatients: A cross-sectional study. <i>Patient Education and Counseling</i> , 2018 , 101, 1814-1822 | 3.1 | 4 | |
| 319 | Not asking cancer patients about their preferences does make a difference. A cross-sectional study examining cancer patients' preferred and perceived role in decision-making regarding their last important cancer treatment. <i>European Journal of Cancer Care</i> , 2018 , 27, e12871 | 2.4 | 8 | |
| 318 | Three-Factor Structure of the eHealth Literacy Scale Among Magnetic Resonance Imaging and Computed Tomography Outpatients: A Confirmatory Factor Analysis. <i>JMIR Human Factors</i> , 2018 , 5, e6 | 2.5 | 21 | |
| 317 | How accurately do general practitioners detect concurrent tobacco use and risky alcohol consumption? A cross-sectional study in Australian general practice. <i>Australian Journal of Primary Health</i> , 2018 , 24, 378-384 | 1.4 | 1 | |
| 316 | Do medical oncology patients and their support persons agree about end-of-life issues?. <i>Internal Medicine Journal</i> , 2018 , 48, 60-66 | 1.6 | 4 | |
| 315 | Unplanned readmission or death after discharge for Aboriginal and non-Aboriginal people with chronic disease in NSW Australia: a retrospective cohort study. <i>BMC Health Services Research</i> , 2018 , 18, 893 | 2.9 | 3 | |
| 314 | Quality of Patient-Centered Care Provided to Patients Attending Hematological Cancer Treatment Centers. <i>International Journal of Environmental Research and Public Health</i> , 2018 , 15, | 4.6 | 5 | |
| 313 | Dances With Denial: Have Medical Oncology Outpatients Conveyed Their End-of-Life Wishes and Do They Want To?. <i>Journal of the National Comprehensive Cancer Network: JNCCN</i> , 2018 , 16, 498-505 | 7.3 | 3 | |
| 312 | Knowledge of, and participation in, advance care planning: A cross-sectional study of acute and critical care nurses' perceptions. <i>International Journal of Nursing Studies</i> , 2018 , 86, 74-81 | 5.8 | 17 | |
| 311 | Have we increased our efforts to identify strategies which encourage colorectal cancer screening in primary care patients? A review of research outputs over time. <i>Preventive Medicine Reports</i> , 2018 , 11, 100-104 | 2.6 | 3 | |
| 310 | Quantifying the unmet needs of caregivers of people with dementia: a critical review of the quality of measures. <i>International Journal of Geriatric Psychiatry</i> , 2017 , 32, 274-287 | 3.9 | 16 | |
| 309 | An observational study of Australian private practice physiotherapy consultations to explore the prescription of self-management strategies. <i>Musculoskeletal Care</i> , 2017 , 15, 356-363 | 1.6 | 5 | |
| 308 | Psychological morbidity among Australian rural and urban support persons of haematological cancer survivors: Results of a national study. <i>Psycho-Oncology</i> , 2017 , 26, 1952-1958 | 3.9 | 5 | |
| 307 | Improving adherence to colorectal cancer surveillance guidelines: results of a randomised controlled trial. <i>BMC Cancer</i> , 2017 , 17, 106 | 4.8 | 6 | |
| 306 | Who are the support persons of haematological cancer survivors and how is their performance perceived?. <i>Psycho-Oncology</i> , 2017 , 26, 2201-2207 | 3.9 | 1 | |
| 305 | Computer tablet or telephone? A randomised controlled trial exploring two methods of collecting data from drug and alcohol outpatients. <i>Addictive Behaviors</i> , 2017 , 71, 111-117 | 4.2 | 2 | |
| 304 | Clinician identification of elevated symptoms of depression among individuals seeking treatment for substance misuse. <i>Drug and Alcohol Dependence</i> , 2017 , 181, 71-76 | 4.9 | 1 | |

| 303 | Testing for type 2 diabetes in Indigenous Australians: guideline recommendations and current practice. <i>Medical Journal of Australia</i> , 2017 , 207, 206-210 | 4 | 2 |
|-----|---|-----|----|
| 302 | Dyadic interdependence of psychosocial outcomes among haematological cancer survivors and their support persons. <i>Supportive Care in Cancer</i> , 2017 , 25, 3339-3346 | 3.9 | 7 |
| 301 | Do rates of depression vary by level of alcohol misuse in Australian general practice?. <i>Australian Journal of Primary Health</i> , 2017 , 23, 263-267 | 1.4 | 7 |
| 300 | Alcohol management plans in Aboriginal and Torres Strait Islander (Indigenous) Australian communities in Queensland: community residents have experienced favourable impacts but also suffered unfavourable ones. <i>BMC Public Health</i> , 2017 , 17, 55 | 4.1 | 5 |
| 299 | Improving hospital-based end of life care processes and outcomes: a systematic review of research output, quality and effectiveness. <i>BMC Palliative Care</i> , 2017 , 16, 34 | 3 | 16 |
| 298 | Poor uptake of an online intervention in a cluster randomised controlled trial of online diabetes education for rural general practitioners. <i>Trials</i> , 2017 , 18, 137 | 2.8 | 9 |
| 297 | Diet during pregnancy: Women's knowledge of and adherence to food safety guidelines. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 2017 , 57, 315-322 | 1.7 | 3 |
| 296 | Physiotherapists' perceptions of patient adherence to prescribed self-management strategies: a cross-sectional survey of Australian physiotherapists. <i>Disability and Rehabilitation</i> , 2017 , 39, 1932-1938 | 2.4 | 12 |
| 295 | A systematic review of patient-practitioner communication interventions involving treatment decisions. <i>Patient Education and Counseling</i> , 2017 , 100, 199-211 | 3.1 | 8 |
| 294 | Computer and telephone delivered interventions to support caregivers of people with dementia: a systematic review of research output and quality. <i>BMC Geriatrics</i> , 2017 , 17, 265 | 4.1 | 52 |
| 293 | Assisting the bereaved: A systematic review of the evidence for grief counselling. <i>Palliative Medicine</i> , 2016 , 30, 132-48 | 5.5 | 47 |
| 292 | Acceptability of a Touch Screen Tablet Psychosocial Survey Administered to Radiation Therapy Patients in Japan. <i>International Journal of Behavioral Medicine</i> , 2016 , 23, 485-91 | 2.6 | 11 |
| 291 | Prevalence and associates of psychological distress in haematological cancer survivors. <i>Supportive Care in Cancer</i> , 2016 , 24, 4413-22 | 3.9 | 29 |
| 290 | Effectiveness of interventions utilising telephone follow up in reducing hospital readmission within 30 days for individuals with chronic disease: a systematic review. <i>BMC Health Services Research</i> , 2016 , 16, 403 | 2.9 | 41 |
| 289 | Nurse-led group consultation intervention reduces depressive symptoms in men with localised prostate cancer: a cluster randomised controlled trial. <i>BMC Cancer</i> , 2016 , 16, 637 | 4.8 | 18 |
| 288 | Improving self-management of cancer risk factors, underscreening for cancer and depression among general practice patients: study protocol of a randomised controlled trial. <i>BMJ Open</i> , 2016 , 6, e014782 | 3 | 1 |
| 287 | A consumer register: an acceptable and cost-effective alternative for accessing patient populations. <i>BMC Medical Research Methodology</i> , 2016 , 16, 134 | 4.7 | 4 |
| 286 | Women's perceptions of antenatal care: are we following guideline recommended care?. <i>BMC</i> Pregnancy and Childbirth, 2016 , 16, 191 | 3.2 | 15 |

| 285 | Patterns of type 2 diabetes monitoring in rural towns: How does frequency of HbA1c and lipid testing compare with existing guidelines?. <i>Australian Journal of Rural Health</i> , 2016 , 24, 371-377 | 1.3 | 4 |
|-----|--|-----------------------------------|----|
| 284 | Wilfully out of sight? A literature review on the effectiveness of cancer-related decision aids and implementation strategies. <i>BMC Medical Informatics and Decision Making</i> , 2016 , 16, 36 | 3.6 | 15 |
| 283 | The Perspectives of Haematological Cancer Patients on Tissue Banking. <i>Oncology and Therapy</i> , 2016 , 4, 91-102 | 2.7 | |
| 282 | Does screening for physical and psychosocial symptoms vary between medical oncology treatment centres?. <i>Psycho-Oncology</i> , 2016 , 25, 521-8 | 3.9 | 3 |
| 281 | The psychosocial outcomes of individuals with hematological cancers: Are we doing enough high quality research, and what is it telling us?. <i>Critical Reviews in Oncology/Hematology</i> , 2016 , 101, 21-31 | 7 | 5 |
| 280 | Burden and Unmet Needs of Caregivers of Chronic Obstructive Pulmonary Disease Patients: A Systematic Review of the Volume and Focus of Research Output. <i>COPD: Journal of Chronic Obstructive Pulmonary Disease</i> , 2016 , 13, 662-7 | 2 | 25 |
| 279 | Interventions to aid patient adherence to physiotherapist prescribed self-management strategies: a systematic review. <i>Physiotherapy</i> , 2016 , 102, 127-35 | 3 | 70 |
| 278 | Response to Gould et al's Letter to the Editor: Provision of Antenatal Smoking Cessation Support: A Survey With Pregnant Aboriginal and Torres Strait Islander Women. <i>Nicotine and Tobacco Research</i> , 2016 , 18, 106-7 | 4.9 | |
| 277 | Involvement of informal caregivers in supporting patients with COPD: a review of intervention studies. <i>International Journal of COPD</i> , 2016 , 11, 1587-96 | 3 | 28 |
| 276 | Ready, set, go: a cross-sectional survey to understand priorities and preferences for multiple health behaviour change in a highly disadvantaged group. <i>BMC Health Services Research</i> , 2016 , 16, 488 | 2.9 | 7 |
| 275 | Cross-Sectional Data That Explore the Relationship Between Outpatients' Quality of Life and Preferences for Quality Improvement in Oncology Settings. <i>Journal of Oncology Practice</i> , 2016 , 12, e74 | 6 ⁻³ 5 ⁻¹ 4 | 1 |
| 274 | Can a print-based intervention increase screening for first degree relatives of people with colorectal cancer? A randomised controlled trial. <i>Australian and New Zealand Journal of Public Health</i> , 2016 , 40, 582-587 | 2.3 | 4 |
| 273 | Aiding patient adherence to physiotherapist-prescribed self-management strategies: an evidence-based behavioural model in practice. <i>Physical Therapy Reviews</i> , 2016 , 21, 124-130 | 0.7 | 4 |
| 272 | Preparing patients for medical interventions: A systematic review of the psychometric qualities of published instruments. <i>Patient Education and Counseling</i> , 2016 , 99, 960-73 | 3.1 | 6 |
| 271 | What is generated and what is used: a description of public health research output and citation. <i>European Journal of Public Health</i> , 2016 , 26, 523-5 | 2.1 | 14 |
| 270 | Experiences of colorectal cancer patients in the 2-years post-diagnosis and patient factors predicting poor outcome. <i>Supportive Care in Cancer</i> , 2016 , 24, 4921-4928 | 3.9 | 3 |
| 269 | Alcohol control policies in Indigenous communities: A qualitative study of the perceptions of their effectiveness among service providers, stakeholders and community leaders in Queensland (Australia). <i>International Journal of Drug Policy</i> , 2016 , 36, 67-75 | 5.5 | 13 |
| 268 | Aboriginal and Torres Strait Islander health: accuracy of patient self-report of screening for diabetes, high cholesterol and cervical cancer. <i>Australian and New Zealand Journal of Public Health</i> , 2016 , 40 Suppl 1, S3-6 | 2.3 | 7 |

| 267 | Prevalence and correlates of the unmet supportive care needs of individuals diagnosed with a haematological malignancy. <i>Acta Oncolgica</i> , 2015 , 54, 507-14 | 3.2 | 49 |
|-----|---|-----|----|
| 266 | Missed opportunities: general practitioner identification of their patients' smoking status. <i>BMC Family Practice</i> , 2015 , 16, 8 | 2.6 | 10 |
| 265 | What do haematological cancer survivors want help with? A cross-sectional investigation of unmet supportive care needs. <i>BMC Research Notes</i> , 2015 , 8, 221 | 2.3 | 30 |
| 264 | Protocol of a multi-centre randomised controlled trial of a web-based information intervention with nurse-delivered telephone support for haematological cancer patients and their support persons. <i>BMC Cancer</i> , 2015 , 15, 295 | 4.8 | 13 |
| 263 | Agreement with evidence for tissue Plasminogen Activator use among emergency physicians: a cross-sectional survey. <i>BMC Research Notes</i> , 2015 , 8, 267 | 2.3 | 5 |
| 262 | Unassisted detection of depression by GPs: who is most likely to be misclassified?. <i>Family Practice</i> , 2015 , 32, 282-7 | 1.9 | 7 |
| 261 | Are Australian clinicians monitoring medication adherence in hematological cancer survivors? Two cross-sectional studies. <i>Experimental Hematology and Oncology</i> , 2015 , 4, 15 | 7.8 | 3 |
| 260 | Oncology patients overwhelmingly support tissue banking. <i>BMC Cancer</i> , 2015 , 15, 413 | 4.8 | 15 |
| 259 | Preparatory education for cancer patients undergoing surgery: A systematic review of volume and quality of research output over time. <i>Patient Education and Counseling</i> , 2015 , | 3.1 | 41 |
| 258 | Patient-reported areas for quality improvement in general practice: a cross-sectional survey. <i>British Journal of General Practice</i> , 2015 , 65, e312-8 | 1.6 | 1 |
| 257 | Medical Oncology Patients: Are They Offered Help and Does It Provide Relief?. <i>Journal of Pain and Symptom Management</i> , 2015 , 50, 436-44 | 4.8 | 12 |
| 256 | Provision of antenatal smoking cessation support: a survey with pregnant Aboriginal and Torres Strait Islander women. <i>Nicotine and Tobacco Research</i> , 2015 , 17, 746-9 | 4.9 | 17 |
| 255 | Prevalence of FOB testing in eastern-Australian general practice patients: what has a national bowel cancer screening program delivered?. <i>Health Promotion Journal of Australia</i> , 2015 , 26, 39-44 | 1.7 | 3 |
| 254 | Patients' experiences of the management of lower back pain in general practice: use of diagnostic imaging, medication and provision of self-management advice. <i>Australian Journal of Primary Health</i> , 2015 , 21, 342-6 | 1.4 | 8 |
| 253 | Development and psychometric evaluation of the Quality of Patient-Centered Cancer Care measure with hematological cancer survivors. <i>Cancer</i> , 2015 , 121, 2383-92 | 6.4 | 12 |
| 252 | The quality of patient-centred care: haematological cancer survivors' perceptions. <i>Psycho-Oncology</i> , 2015 , 24, 796-803 | 3.9 | 9 |
| 251 | A cross-sectional study of radiation oncology outpatients' concern about, preferences for, and perceived barriers to discussing anxiety and depression. <i>Psycho-Oncology</i> , 2015 , 24, 1392-7 | 3.9 | 9 |
| 250 | Measuring the quality of patient-centered care: why patient-reported measures are critical to reliable assessment. <i>Patient Preference and Adherence</i> , 2015 , 9, 831-5 | 2.4 | 67 |

| 249 | Life expectancy discussions in a multisite sample of Australian medical oncology outpatients. <i>Medical Journal of Australia</i> , 2015 , 203, 405-5.e7 | 4 | 6 |
|-----|--|-----|----|
| 248 | Patient adherence to physiotherapist prescribed self-management strategies: A critical review. <i>International Journal of Therapy and Rehabilitation</i> , 2015 , 22, 535-543 | 0.4 | 7 |
| 247 | GP detection of health risk factors among general practice patients at risk of primary and secondary stroke. <i>Family Practice</i> , 2015 , 32, 336-42 | 1.9 | 4 |
| 246 | Is identification of smoking, risky alcohol consumption and overweight and obesity by General Practitioners improving? A comparison over time. <i>Family Practice</i> , 2015 , 32, 664-71 | 1.9 | 4 |
| 245 | The Role of eHealth in Optimizing Preventive Care in the Primary Care Setting. <i>Journal of Medical Internet Research</i> , 2015 , 17, e126 | 7.6 | 26 |
| 244 | Optimizing Patient Preparation and Surgical Experience Using eHealth Technology. <i>JMIR Medical Informatics</i> , 2015 , 3, e29 | 3.6 | 21 |
| 243 | Supporting pregnant Aboriginal and Torres Strait Islander women to quit smoking: views of antenatal care providers and pregnant indigenous women. <i>Maternal and Child Health Journal</i> , 2014 , 18, 2293-9 | 2.4 | 16 |
| 242 | Development and validation of the Short-Form Survivor Unmet Needs Survey (SF-SUNS). <i>Supportive Care in Cancer</i> , 2014 , 22, 1071-9 | 3.9 | 27 |
| 241 | Keeping the 'Goose' on the Menu: Response to Commentaries on Financial Incentives in Health Behaviour Change. <i>International Journal of Behavioral Medicine</i> , 2014 , 21, 206-209 | 2.6 | 5 |
| 240 | Are we missing the Institute of Medicine's mark? A systematic review of patient-reported outcome measures assessing quality of patient-centred cancer care. <i>BMC Cancer</i> , 2014 , 14, 41 | 4.8 | 36 |
| 239 | A systematic review of the quality of reporting in published smoking cessation trials for pregnant women: an explanation for the evidence-practice gap?. <i>Implementation Science</i> , 2014 , 9, 94 | 8.4 | 12 |
| 238 | Patient-centred care: making cancer treatment centres accountable. <i>Supportive Care in Cancer</i> , 2014 , 22, 1989-97 | 3.9 | 30 |
| 237 | A randomized controlled trial of the effectiveness of a pre-recruitment primer letter to increase participation in a study of colorectal screening and surveillance. <i>BMC Medical Research Methodology</i> , 2014 , 14, 44 | 4.7 | 5 |
| 236 | Under the radar: a cross-sectional study of the challenge of identifying at-risk alcohol consumption in the general practice setting. <i>BMC Family Practice</i> , 2014 , 15, 74 | 2.6 | 14 |
| 235 | A cross-sectional survey assessing the acceptability and feasibility of self-report electronic data collection about health risks from patients attending an Aboriginal Community Controlled Health Service. <i>BMC Medical Informatics and Decision Making</i> , 2014 , 14, 34 | 3.6 | 15 |
| 234 | The Survivor Unmet Needs Survey (SUNS) for haematological cancer survivors: a cross-sectional study assessing the relevance and psychometric properties. <i>BMC Health Services Research</i> , 2014 , 14, 211 | 2.9 | 15 |
| 233 | Examining and addressing evidence-practice gaps in cancer care: a systematic review. <i>Implementation Science</i> , 2014 , 9, 37 | 8.4 | 24 |
| 232 | Anxiety and depression among haematological cancer patients attending treatment centres: prevalence and predictors. <i>Journal of Affective Disorders</i> , 2014 , 165, 176-81 | 6.6 | 26 |

| 231 | Evaluation of systems-oriented public health interventions: alternative research designs. <i>Annual Review of Public Health</i> , 2014 , 35, 9-27 | 20.6 | 104 |
|-----|---|------|-----|
| 230 | Factors associated with haematological cancer survivors experiencing a high level of unmet need across multiple items of supportive care: a cross-sectional survey study. <i>Supportive Care in Cancer</i> , 2014 , 22, 2899-909 | 3.9 | 28 |
| 229 | Tobacco, alcohol and cannabis use during pregnancy: clustering of risks. <i>Drug and Alcohol Dependence</i> , 2014 , 134, 44-50 | 4.9 | 90 |
| 228 | Aboriginal health: agreement between general practitioners and patients on their health risk status and screening history. <i>Australian and New Zealand Journal of Public Health</i> , 2014 , 38, 563-6 | 2.3 | 6 |
| 227 | Prevalence of comorbid depression and obesity in general practice: a cross-sectional survey. <i>British Journal of General Practice</i> , 2014 , 64, e122-7 | 1.6 | 90 |
| 226 | Enablers of the implementation of tissue plasminogen activator in acute stroke care: a cross-sectional survey. <i>PLoS ONE</i> , 2014 , 9, e114778 | 3.7 | 7 |
| 225 | Thrombolysis ImPlementation in Stroke (TIPS): evaluating the effectiveness of a strategy to increase the adoption of best evidence practiceprotocol for a cluster randomised controlled trial in acute stroke care. <i>Implementation Science</i> , 2014 , 9, 38 | 8.4 | 19 |
| 224 | Accuracy of general practitioner unassisted detection of depression. <i>Australian and New Zealand Journal of Psychiatry</i> , 2014 , 48, 571-8 | 2.6 | 37 |
| 223 | The effectiveness of community action in reducing risky alcohol consumption and harm: a cluster randomised controlled trial. <i>PLoS Medicine</i> , 2014 , 11, e1001617 | 11.6 | 37 |
| 222 | Measuring the unmet supportive care needs of cancer support persons: the development of the support person's unmet needs surveyshort form. <i>European Journal of Cancer Care</i> , 2014 , 23, 255-62 | 2.4 | 13 |
| 221 | A randomized clinical trial of a financial education intervention with nicotine replacement therapy (NRT) for low socio-economic status Australian smokers: a study protocol. <i>Addiction</i> , 2014 , 109, 1602-11 | 4.6 | 12 |
| 220 | Identifying individual- and population-level characteristics that influence rates of risky alcohol consumption in regional communities. <i>Australian and New Zealand Journal of Public Health</i> , 2014 , 38, 60-5 | 2.3 | 5 |
| 219 | Recruitment of healthcare specialists. <i>EMA - Emergency Medicine Australasia</i> , 2014 , 26, 516-7 | 1.5 | 1 |
| 218 | Study ProtocolAlcohol Management Plans (AMPs) in remote indigenous communities in Queensland: their impacts on injury, violence, health and social indicators and their cost-effectiveness. <i>BMC Public Health</i> , 2014 , 14, 15 | 4.1 | 15 |
| 217 | Health research priority setting in selected high income countries: a narrative review of methods used and recommendations for future practice. <i>Cost Effectiveness and Resource Allocation</i> , 2014 , 12, 23 | 2.4 | 40 |
| 216 | Comparison of a single self-assessment item with the PHQ-9 for detecting depression in general practice. <i>Family Practice</i> , 2014 , 31, 483-489 | 1.9 | 18 |
| 215 | Assessing awareness of appropriate responses to symptoms of stroke. <i>Patient Education and Counseling</i> , 2014 , 95, 400-5 | 3.1 | 1 |
| 214 | Tailored and integrated Web-based tools for improving psychosocial outcomes of cancer patients: the DoTTI development framework. <i>Journal of Medical Internet Research</i> , 2014 , 16, e76 | 7.6 | 22 |

(2013-2013)

| 213 | providers in altering diabetes outcomes at a population level: protocol for a cluster randomised controlled trial. <i>Implementation Science</i> , 2013 , 8, 30 | 8.4 | 14 |
|-----|---|------|----|
| 212 | Individual- and provider-level factors associated with colorectal cancer screening in accordance with guideline recommendation: a community-level perspective across varying levels of risk. <i>BMC Public Health</i> , 2013 , 13, 248 | 4.1 | 13 |
| 211 | What's good for the goose is good for the gander. Guiding principles for the use of financial incentives in health behaviour change. <i>International Journal of Behavioral Medicine</i> , 2013 , 20, 114-20 | 2.6 | 60 |
| 210 | Prevalence and predictors of anxiety and depression among family caregivers of cancer patients: a nationwide survey of patient-family caregiver dyads in Korea. <i>Supportive Care in Cancer</i> , 2013 , 21, 2799 | -809 | 67 |
| 209 | Supportive care needs of hematological cancer survivors: a critical review of the literature. <i>Critical Reviews in Oncology/Hematology</i> , 2013 , 88, 102-16 | 7 | 34 |
| 208 | Improving medication adherence in chronic obstructive pulmonary disease: a systematic review. <i>Respiratory Research</i> , 2013 , 14, 109 | 7.3 | 92 |
| 207 | Prostate specific antigen testing in family practice: a cross sectional survey of self-reported rates of and reasons for testing participation and risk disclosure. <i>BMC Family Practice</i> , 2013 , 14, 186 | 2.6 | 5 |
| 206 | A population-based cross-sectional study of colorectal cancer screening practices of first-degree relatives of colorectal cancer patients. <i>BMC Cancer</i> , 2013 , 13, 13 | 4.8 | 41 |
| 205 | Format and readability of an enhanced invitation letter did not affect participation rates in a cancer registry-based study: a randomized controlled trial. <i>Journal of Clinical Epidemiology</i> , 2013 , 66, 85-94 | 5.7 | 25 |
| 204 | Radiation oncology outpatient perceptions of patient-centred care: a cross-sectional survey. <i>BMJ Open</i> , 2013 , 3, | 3 | 14 |
| 203 | The impact of web-based approaches on psychosocial health in chronic physical and mental health conditions. <i>Health Education Research</i> , 2013 , 28, 450-71 | 1.8 | 33 |
| 202 | A systematic review of behavioural weight-loss interventions involving primary-care physicians in overweight and obese primary-care patients (1999-2011). <i>Public Health Nutrition</i> , 2013 , 16, 2083-99 | 3.3 | 22 |
| 201 | Do we get it right? Radiation oncology outpatients' perceptions of the patient centredness of life expectancy disclosure. <i>Psycho-Oncology</i> , 2013 , 22, 2720-8 | 3.9 | 9 |
| 200 | Unmet needs of Australian and Canadian haematological cancer survivors: a cross-sectional international comparative study. <i>Psycho-Oncology</i> , 2013 , 22, 2032-8 | 3.9 | 42 |
| 199 | Prevalence and correlates of overweight and obesity in adult Australian general practice patients. <i>Australian and New Zealand Journal of Public Health</i> , 2013 , 37, 586 | 2.3 | |
| 198 | Suicidal ideation and suicide attempts in anxious or depressed family caregivers of patients with cancer: a nationwide survey in Korea. <i>PLoS ONE</i> , 2013 , 8, e60230 | 3.7 | 26 |
| 197 | How will we close the gap in smoking rates for pregnant Indigenous women?. <i>Medical Journal of Australia</i> , 2013 , 199, 39-41 | 4 | 36 |
| 196 | An intensive smoking intervention for pregnant Aboriginal and Torres Strait Islander women: a randomised controlled trial. <i>Medical Journal of Australia</i> , 2013 , 198, 23-4 | 4 | 7 |

| 195 | How well are we meeting haematological cancer survivors' preferences for involvement in treatment decision making?. <i>Patient Education and Counseling</i> , 2012 , 88, 87-92 | 3.1 | 25 |
|-----|---|-----|-----|
| 194 | Factors associated with antenatal smoking among Aboriginal and Torres Strait Islander women in two jurisdictions. <i>Drug and Alcohol Review</i> , 2012 , 31, 608-16 | 3.2 | 29 |
| 193 | The risk status, screening history and health concerns of Aboriginal and Torres Strait Islander people attending an Aboriginal Community Controlled Health Service. <i>Drug and Alcohol Review</i> , 2012 , 31, 617-24 | 3.2 | 11 |
| 192 | A response to: Evidence that community-based prevention reduces adolescent alcohol use: A commentary on Gilligan et al. (2011), Drug and Alcohol Review (November 2011), 30(6), 659 B 63. <i>Drug and Alcohol Review</i> , 2012 , 31, 932-932 | 3.2 | 1 |
| 191 | Colorectal cancer risk assessment and screening recommendation: a community survey of healthcare providers' practice from a patient perspective. <i>BMC Family Practice</i> , 2012 , 13, 17 | 2.6 | 6 |
| 190 | Improving adherence to surveillance and screening recommendations for people with colorectal cancer and their first degree relatives: a randomized controlled trial. <i>BMC Cancer</i> , 2012 , 12, 62 | 4.8 | 12 |
| 189 | Knowledge, attitudes and other factors associated with assessment of tobacco smoking among pregnant Aboriginal women by health care providers: a cross-sectional survey. <i>BMC Public Health</i> , 2012 , 12, 165 | 4.1 | 33 |
| 188 | An empirical approach to selecting community-based alcohol interventions: combining research evidence, rural community views and professional opinion. <i>BMC Public Health</i> , 2012 , 12, 25 | 4.1 | 9 |
| 187 | Preliminary development and psychometric evaluation of an unmet needs measure for adolescents and young adults with cancer: the Cancer Needs Questionnaire - Young People (CNQ-YP). <i>Health and Quality of Life Outcomes</i> , 2012 , 10, 13 | 3 | 27 |
| 186 | The unfulfilled promise: a systematic review of interventions to reduce the unmet supportive care needs of cancer patients. <i>Supportive Care in Cancer</i> , 2012 , 20, 207-19 | 3.9 | 103 |
| 185 | On-line information and support for supporters and carers of haematological cancer patients: is access an issue?. <i>Supportive Care in Cancer</i> , 2012 , 20, 2687-95 | 3.9 | 5 |
| 184 | Factors associated with consultation behaviour for primary symptoms potentially indicating colorectal cancer: a cross-sectional study on response to symptoms. <i>BMC Gastroenterology</i> , 2012 , 12, 100 | 3 | 9 |
| 183 | Advancing the evidence base in cancer: psychosocial multicenter trials. <i>Trials</i> , 2012 , 13, 171 | 2.8 | 2 |
| 182 | Colorectal cancer screening in Australia: a community-level perspective. <i>Medical Journal of Australia</i> , 2012 , 196, 516-20 | 4 | 17 |
| 181 | An intensive smoking intervention for pregnant Aboriginal and Torres Strait Islander women: a randomised controlled trial. <i>Medical Journal of Australia</i> , 2012 , 197, 42-6 | 4 | 55 |
| 180 | Cancer Treatment Survey (CaTS): development and validation of a new instrument to measure patients' preparation for chemotherapy and radiotherapy. <i>Psycho-Oncology</i> , 2012 , 21, 307-15 | 3.9 | 19 |
| 179 | Validation of the needs assessment for advanced lung cancer patients (NA-ALCP). <i>Psycho-Oncology</i> , 2012 , 21, 451-5 | 3.9 | 11 |
| 178 | Can a tailored telephone intervention delivered by volunteers reduce the supportive care needs, anxiety and depression of people with colorectal cancer? A randomised controlled trial. <i>Psycho-Oncology</i> , 2012 , 21, 1053-62 | 3.9 | 33 |

(2010-2012)

| 177 | Identifying psychological morbidity among people with cancer using the Hospital Anxiety and Depression Scale: time to revisit first principles?. <i>Psycho-Oncology</i> , 2012 , 21, 229-38 | 3.9 | 44 |
|-----|---|-------------|----|
| 176 | An RCT protocol of varying financial incentive amounts for smoking cessation among pregnant women. <i>BMC Public Health</i> , 2012 , 12, 1032 | 4.1 | 7 |
| 175 | Type 2 diabetes in Indigenous populations: quality of intervention research over 20 years. <i>Preventive Medicine</i> , 2011 , 52, 3-9 | 4.3 | 73 |
| 174 | Strategies to increase community-based intervention research aimed at reducing excessive alcohol consumption and alcohol-related harm. <i>Drug and Alcohol Review</i> , 2011 , 30, 659-63 | 3.2 | 4 |
| 173 | "It's almost expected": rural Australian Aboriginal women's reflections on smoking initiation and maintenance: a qualitative study. <i>BMC Womenis Health</i> , 2011 , 11, 55 | 2.9 | 48 |
| 172 | The development and application of a proxy measure of alcohol-related traffic crashes for rural communities. <i>Accident Analysis and Prevention</i> , 2011 , 43, 2160-2165 | 6.1 | 3 |
| 171 | Recruitment of representative samples for low incidence cancer populations: do registries deliver?. <i>BMC Medical Research Methodology</i> , 2011 , 11, 5 | 4.7 | 17 |
| 170 | RCT of a client-centred, caseworker-delivered smoking cessation intervention for a socially disadvantaged population. <i>BMC Public Health</i> , 2011 , 11, 70 | 4.1 | 15 |
| 169 | Discordance in perceived needs between patients and physicians in oncology practice: a nationwide survey in Korea. <i>Journal of Clinical Oncology</i> , 2011 , 29, 4424-9 | 2.2 | 25 |
| 168 | Paying women to quit smoking during pregnancy? Acceptability among pregnant women. <i>Nicotine and Tobacco Research</i> , 2011 , 13, 1029-36 | 4.9 | 23 |
| 167 | Improving access to information and support for patients with less common cancers: hematologic cancer patients' views about Web-based approaches. <i>Journal of Medical Internet Research</i> , 2011 , 13, e11 | 7 .6 | 16 |
| 166 | Psychometric properties of cancer survivors' unmet needs survey. <i>Supportive Care in Cancer</i> , 2010 , 19, 221-30 | 3.9 | 81 |
| 165 | Quality of life research: types of publication output over time for cancer patients, a systematic review. <i>European Journal of Cancer Care</i> , 2010 , 19, 581-8 | 2.4 | 11 |
| 164 | Quality of life research: is there a difference in output between the major cancer types?. <i>European Journal of Cancer Care</i> , 2010 , 19, 714-20 | 2.4 | 15 |
| 163 | Cost-effectiveness of follow-up contact for a postal survey: a randomised controlled trial. <i>Australian and New Zealand Journal of Public Health</i> , 2010 , 34, 508-12 | 2.3 | 30 |
| 162 | Forming a national multicentre collaboration to conduct clinical trials: increasing high-quality research in the drug and alcohol field. <i>Drug and Alcohol Review</i> , 2010 , 29, 469-74 | 3.2 | 5 |
| 161 | Strategies for increasing high-quality intervention research in Aboriginal and Torres Strait Islander health: views of leading researchers. <i>Medical Journal of Australia</i> , 2010 , 192, 612-5 | 4 | 6 |
| 160 | Appropriate research designs for evaluating community-level alcohol interventions: what next?. <i>Alcohol and Alcoholism</i> , 2010 , 45, 481-7 | 3.5 | 10 |

| 159 | Determining research priorities for young people with haematological cancer: a value-weighting approach. <i>European Journal of Cancer</i> , 2010 , 46, 3263-70 | 7.5 | 18 | |
|-----|--|--------|----|--|
| 158 | The relationship between risky alcohol consumption, crime and traffic accidents in Australian rural communities. <i>Addictive Behaviors</i> , 2010 , 35, 359-62 | 4.2 | 13 | |
| 157 | The validity and reliability of an interactive computer tobacco and alcohol use survey in general practice. <i>Addictive Behaviors</i> , 2010 , 35, 492-8 | 4.2 | 20 | |
| 156 | BASIC CONCEPTS OF BEHAVIOUR THERAPY: AN EXPERIMENT INVOLVING DISTURBED ADOLESCENT GIRLS. <i>Australian Occupational Therapy Journal</i> , 2010 , 23, 101-108 | 1.7 | 1 | |
| 155 | Assessing the accuracy of self-reported smoking status and impact of passive smoke exposure among pregnant Aboriginal and Torres Strait Islander women using cotinine biochemical validation. <i>Drug and Alcohol Review</i> , 2010 , 29, 35-40 | 3.2 | 33 | |
| 154 | Whole-of-community approaches to reducing alcohol-related harm: What do communities think?. <i>Zeitschrift Fur Gesundheitswissenschaften</i> , 2010 , 18, 543-551 | 1.4 | 10 | |
| 153 | Measuring the psychosocial health of adolescent and young adult (AYA) cancer survivors: a critical review. <i>Health and Quality of Life Outcomes</i> , 2010 , 8, 25 | 3 | 51 | |
| 152 | Solar protection behaviours: a study of beachgoers. <i>Australian Journal of Public Health</i> , 2010 , 17, 209-27 | 14 | 31 | |
| 151 | Trends in publications regarding evidence-practice gaps: a literature review. <i>Implementation Science</i> , 2010 , 5, 11 | 8.4 | 25 | |
| 150 | The cycle of change: implementing best-evidence clinical practice. <i>International Journal for Quality in Health Care</i> , 2009 , 21, 37-43 | 1.9 | 24 | |
| 149 | The cancer support person's unmet needs survey: psychometric properties. <i>Cancer</i> , 2009 , 115, 3351-9 | 6.4 | 56 | |
| 148 | Reducing inequities in cancer care: the role of cancer registries. <i>Cancer</i> , 2009 , 115, 3597-605 | 6.4 | 14 | |
| 147 | Reducing alcohol-related harm: the untapped potential of pre-hospital care workers. <i>International Journal of Emergency Medicine</i> , 2009 , 2, 237-40 | 3.9 | 3 | |
| 146 | Effectiveness of strategies to encourage general practitioners to accept an offer of free access to online evidence-based information: a randomised controlled trial. <i>Implementation Science</i> , 2009 , 4, 68 | 8.4 | 7 | |
| 145 | A systematic review of work-place interventions for alcohol-related problems. <i>Addiction</i> , 2009 , 104, 365 | 5-7.76 | 68 | |
| 144 | Australian universities' open door policies on alcohol industry research funding. <i>Addiction</i> , 2009 , 104, 1765-7 | 4.6 | 3 | |
| 143 | Differences in licensee, police and public opinions regarding interventions to reduce alcohol-related harm associated with licensed premises. <i>Australian and New Zealand Journal of Public Health</i> , 2009 , 33, 160-6 | 2.3 | 10 | |
| 142 | Knowledge and attitudes regarding smoking during pregnancy among Aboriginal and Torres Strait Islander women. <i>Medical Journal of Australia</i> , 2009 , 190, 557-61 | 4 | 30 | |

(2004-2008)

| 141 | Systematic review and meta-analyses of strategies targeting alcohol problems in emergency departments: interventions reduce alcohol-related injuries. <i>Addiction</i> , 2008 , 103, 368-76; discussion 377 | .4 .6 | 197 |
|-----|--|--------------|-----|
| 140 | Interactional skills of students from traditional and non-traditional medical schools before and after alcohol education. <i>Medical Education</i> , 2008 , 35, 211-216 | 3.7 | |
| 139 | The relationship between alcohol consumption and self-reported health status using the EQ5D: evidence from rural Australia. <i>Social Science and Medicine</i> , 2008 , 67, 1717-26 | 5.1 | 32 |
| 138 | Enhancing self-report of adolescent smoking: the effects of bogus pipeline and anonymity. <i>Addictive Behaviors</i> , 2008 , 33, 1291-6 | 4.2 | 33 |
| 137 | We are what we do: research outputs of public health. <i>American Journal of Preventive Medicine</i> , 2008 , 35, 380-5 | 6.1 | 49 |
| 136 | Measuring quality of life in cancer survivors: a methodological review of existing scales. <i>Psycho-Oncology</i> , 2008 , 17, 629-40 | 3.9 | 80 |
| 135 | One-to-one volunteer support programs for people with cancer: a review of the literature. <i>Patient Education and Counseling</i> , 2008 , 70, 10-24 | 3.1 | 61 |
| 134 | A systematic review of medical skills laboratory training: where to from here?. <i>Medical Education</i> , 2007 , 41, 879-87 | 3.7 | 120 |
| 133 | Reducing the unmet needs of patients with colorectal cancer: a feasibility study of The Pathfinder Volunteer Program. <i>Supportive Care in Cancer</i> , 2007 , 15, 293-9 | 3.9 | 34 |
| 132 | The multiple baseline design for evaluating population-based research. <i>American Journal of Preventive Medicine</i> , 2007 , 33, 162-8 | 6.1 | 151 |
| 131 | Limitations of the randomized controlled trial in evaluating population-based health interventions. <i>American Journal of Preventive Medicine</i> , 2007 , 33, 155-61 | 6.1 | 302 |
| 130 | Is a computer questionnaire of childhood asthma acceptable in general practice?. <i>Family Practice</i> , 2006 , 23, 88-90 | 1.9 | 6 |
| 129 | Indigenous health research: a critical review of outputs over time. <i>Medical Journal of Australia</i> , 2006 , 184, 502-5 | 4 | 108 |
| 128 | Barriers to the provision of evidence-based psychosocial care in oncology. <i>Psycho-Oncology</i> , 2006 , 15, 863-72 | 3.9 | 68 |
| 127 | A systematic review of school-based studies involving alcohol and the community. <i>Australian and New Zealand Journal of Public Health</i> , 2006 , 30, 541-9 | 2.3 | 16 |
| 126 | Competency based teaching: the need for a new approach to teaching clinical skills in the undergraduate medical education course. <i>Medical Teacher</i> , 2005 , 27, 29-36 | 3 | 33 |
| 125 | Problem-based learning: a dissemination success story?. <i>Medical Journal of Australia</i> , 2005 , 183, 258-60 | 4 | 46 |
| 124 | Diffusion of innovation theory for clinical change. <i>Medical Journal of Australia</i> , 2004 , 180, S55-6 | 4 | 92 |

| 123 | Community-based alcohol counselling: a randomized clinical trial. <i>Addiction</i> , 2002 , 97, 1449-63 | 4.6 | 30 |
|--------------------------|---|------------------------|-----------------------|
| 122 | Community-based drug and alcohol counselling: who attends and why?. <i>Drug and Alcohol Review</i> , 2002 , 21, 153-62 | 3.2 | 15 |
| 121 | Effect of a community action intervention on cervical cancer screening rates in rural Australian towns: the CART project. <i>Preventive Medicine</i> , 2001 , 32, 109-17 | 4.3 | 14 |
| 120 | Preventive and other interactional skills of general practitioners, surgeons, and physicians: perceived competence and endorsement of postgraduate training. <i>Preventive Medicine</i> , 2001 , 32, 73-81 | 4.3 | 11 |
| 119 | Effect of a community action program on adult quit smoking rates in rural australian towns: the CART project. <i>Preventive Medicine</i> , 2001 , 32, 118-27 | 4.3 | 16 |
| 118 | The effect of a community action intervention on adolescent smoking rates in rural australian towns: the CART project. Cancer Action in Rural Towns. <i>Preventive Medicine</i> , 2001 , 32, 332-40 | 4.3 | 21 |
| 117 | Smoking status in pregnant women assessment of self-report against carbon monoxide (CO). <i>Addictive Behaviors</i> , 2001 , 26, 1-9 | 4.2 | 57 |
| 116 | Interactional skills of students from traditional and non-traditional medical schools before and after alcohol education. <i>Medical Education</i> , 2001 , 35, 211-6 | 3.7 | 10 |
| 115 | Evaluation of an instrument to assess the needs of patients with cancer. Supportive Care Review Group. <i>Cancer</i> , 2000 , 88, 217-25 | 6.4 | 322 |
| | | | |
| 114 | The unmet supportive care needs of patients with cancer 2000 , 88, 226-237 | | 588 |
| 114 | The unmet supportive care needs of patients with cancer 2000, 88, 226-237 Perceived needs of women diagnosed with breast cancer: rural versus urban location. Australian and New Zealand Journal of Public Health, 2000, 24, 166-73 | 2.3 | 588 153 |
| · · | Perceived needs of women diagnosed with breast cancer: rural versus urban location. <i>Australian</i> | 2.3 | |
| 113 | Perceived needs of women diagnosed with breast cancer: rural versus urban location. <i>Australian and New Zealand Journal of Public Health</i> , 2000 , 24, 166-73 Accidents in older people living at home: a community-based study assessing prevalence, type, | | 153 |
| 113 | Perceived needs of women diagnosed with breast cancer: rural versus urban location. <i>Australian and New Zealand Journal of Public Health</i> , 2000 , 24, 166-73 Accidents in older people living at home: a community-based study assessing prevalence, type, location and injuries. <i>Australian and New Zealand Journal of Public Health</i> , 2000 , 24, 633-6 Tobacco taxes are no insurance against litigation. <i>Australian and New Zealand Journal of Public</i> | 2.3 | 153 |
| 113 | Perceived needs of women diagnosed with breast cancer: rural versus urban location. <i>Australian and New Zealand Journal of Public Health</i> , 2000 , 24, 166-73 Accidents in older people living at home: a community-based study assessing prevalence, type, location and injuries. <i>Australian and New Zealand Journal of Public Health</i> , 2000 , 24, 633-6 Tobacco taxes are no insurance against litigation. <i>Australian and New Zealand Journal of Public Health</i> , 2000 , 24, 103-4 Australian oncologists'self-reported knowledge and attitudes about non-traditional therapies used | 2.3 | 153 45 |
| 113 112 111 110 | Perceived needs of women diagnosed with breast cancer: rural versus urban location. <i>Australian and New Zealand Journal of Public Health</i> , 2000 , 24, 166-73 Accidents in older people living at home: a community-based study assessing prevalence, type, location and injuries. <i>Australian and New Zealand Journal of Public Health</i> , 2000 , 24, 633-6 Tobacco taxes are no insurance against litigation. <i>Australian and New Zealand Journal of Public Health</i> , 2000 , 24, 103-4 Australian oncologists'self-reported knowledge and attitudes about non-traditional therapies used by cancer patients. <i>Medical Journal of Australia</i> , 2000 , 172, 110-113 Assessing the Perceived Needs of Patients Attending an Outpatient Melanoma Clinic. <i>Journal of</i> | 2.3 | 153 45 70 |
| 113 112 111 110 | Perceived needs of women diagnosed with breast cancer: rural versus urban location. <i>Australian and New Zealand Journal of Public Health</i> , 2000 , 24, 166-73 Accidents in older people living at home: a community-based study assessing prevalence, type, location and injuries. <i>Australian and New Zealand Journal of Public Health</i> , 2000 , 24, 633-6 Tobacco taxes are no insurance against litigation. <i>Australian and New Zealand Journal of Public Health</i> , 2000 , 24, 103-4 Australian oncologists'self-reported knowledge and attitudes about non-traditional therapies used by cancer patients. <i>Medical Journal of Australia</i> , 2000 , 172, 110-113 Assessing the Perceived Needs of Patients Attending an Outpatient Melanoma Clinic. <i>Journal of Psychosocial Oncology</i> , 2000 , 17, 101-118 The unmet supportive care needs of patients with cancer. Supportive Care Review Group. <i>Cancer</i> , | 2.3 2.3 4 2.8 | 153 45 70 43 |

| 105 | The accuracy of self-reported health behaviors and risk factors relating to cancer and cardiovascular disease in the general population: a critical review. <i>American Journal of Preventive Medicine</i> , 1999 , 17, 211-29 | 6.1 | 286 |
|-----|---|--------------|-----|
| 104 | A comparison of two retrospective measures of weekly alcohol consumption: diary and quantity/frequency index. <i>Alcohol and Alcoholism</i> , 1999 , 34, 636-45 | 3.5 | 45 |
| 103 | . Substance Abuse, 1998 , 19, 191-203 | 3.8 | |
| 102 | Researchers' views about priorities for research on alcohol, tobacco and other drugs. <i>Drug and Alcohol Review</i> , 1998 , 17, 111-5 | 3.2 | 2 |
| 101 | Cervical cancer screening in rural NSW: Health Insurance Commission data compared to self-report. <i>Australian and New Zealand Journal of Public Health</i> , 1998 , 22, 307-12 | 2.3 | 9 |
| 100 | Smoking by adolescents: three years later, there's even larger revenue but little for prevention. <i>Australian and New Zealand Journal of Public Health</i> , 1998 , 22, 321-3 | 2.3 | 1 |
| 99 | How well do Medical oncologists' perceptions reflect their patients' reported physical and psychosocial problems?. <i>Cancer</i> , 1998 , 83, 1640-1651 | 6.4 | 219 |
| 98 | General practitioners' role in preventive medicine: scenario analysis using smoking as a case study. <i>Addiction</i> , 1998 , 93, 1013-22 | 4.6 | 6 |
| 97 | Computers in community-based drug and alcohol clinical settings: are they acceptable to respondents?. <i>Drug and Alcohol Dependence</i> , 1998 , 50, 177-80 | 4.9 | 31 |
| 96 | Testing the equivalence of translations of widely used response choice labels: results from the IQOLA Project. International Quality of Life Assessment. <i>Journal of Clinical Epidemiology</i> , 1998 , 51, 933- | 4 547 | 80 |
| 95 | Adaptation and validation of the SF-36 Health Survey for use in Australia. <i>Journal of Clinical Epidemiology</i> , 1998 , 51, 961-7 | 5.7 | 147 |
| 94 | An examination of self- and telephone-administered modes of administration for the Australian SF-36. <i>Journal of Clinical Epidemiology</i> , 1998 , 51, 969-73 | 5.7 | 94 |
| 93 | Breaking bad news. 3: Encouraging the adoption of best practices. <i>Behavioral Medicine</i> , 1998 , 24, 73-80 | 4.4 | 18 |
| 92 | How valid is adolescents' self-report as a way of assessing sun protection practices?. <i>Preventive Medicine</i> , 1998 , 27, 385-90 | 4.3 | 33 |
| 91 | The prevalence and predictors of solar protection use among adolescents. <i>Preventive Medicine</i> , 1998 , 27, 391-9 | 4.3 | 40 |
| 90 | Breaking bad news. 1: Current best advice for clinicians. <i>Behavioral Medicine</i> , 1998 , 24, 53-9 | 4.4 | 115 |
| 89 | Comparison of Three Methods to Assess Binge Consumption: One-Week Retrospective Drinking Diary, AUDIT, and Quantity/Frequency. <i>Substance Abuse</i> , 1998 , 19, 191-203 | 3.8 | 16 |
| 88 | Breaking bad news. 2: What evidence is available to guide clinicians?. <i>Behavioral Medicine</i> , 1998 , 24, 61-7 | 72.4 | 51 |

| 87 | SF-36 Health Profiles of Recently Discharged Hospital Patients in Australia. <i>Journal of Health Psychology</i> , 1998 , 3, 551-63 | 3.1 | 1 |
|----------------|--|-----|-----|
| 86 | Special Section: Breaking Bad News: Encouraging the Adoption of Best Practices. <i>Hospital Topics</i> , 1998 , 76, 17-26 | 1.1 | |
| 85 | Special Section: Breaking Bad News: Current Best Advice for Clinicians. <i>Hospital Topics</i> , 1998 , 76, 9-16 | 1.1 | 5 |
| 84 | Factors associated with waiting time for surgery. Medical Journal of Australia, 1998, 169, 464-8 | 4 | 9 |
| 83 | Patient-provider agreement on guidelines for preparation for breast cancer treatment. <i>Behavioral Medicine</i> , 1997 , 23, 36-45 | 4.4 | 8 |
| 82 | Patient-Provider Agreement on Guidelines for Preparation for Breast Cancer Treatment. <i>Hospital Topics</i> , 1997 , 75, 18-26 | 1.1 | 1 |
| 81 | Are Touchscreen Computer Surveys Acceptable to Medical Oncology Patients?. <i>Journal of Psychosocial Oncology</i> , 1997 , 15, 37-46 | 2.8 | 49 |
| 80 | Environmental hazards in the homes of older people. <i>Age and Ageing</i> , 1997 , 26, 195-202 | 3 | 129 |
| 79 | A controlled trial of educational strategies to teach medical students brief intervention skills for alcohol problems. <i>Preventive Medicine</i> , 1997 , 26, 78-85 | 4.3 | 41 |
| 78 | Community Action for Health Promotion: A Review of Methods and Outcomes 1990-1995. <i>American Journal of Preventive Medicine</i> , 1997 , 13, 229-239 | 6.1 | 45 |
| 77 | Communicating with patients: surgeons' perceptions of their skills and need for training. <i>ANZ Journal of Surgery</i> , 1997 , 67, 775-80 | 1 | 39 |
| 76 | Accuracy of women's recall of opportunistic recruitment for cervical cancer screening in general practice. <i>Australian and New Zealand Journal of Public Health</i> , 1997 , 21, 335-6 | 2.3 | 2 |
| 75 | Interventions with retailers to reduce cigarette sales to minors: a randomised controlled trial. <i>Australian and New Zealand Journal of Public Health</i> , 1997 , 21, 590-6 | 2.3 | 5 |
| 74 | Behavioural alcohol research: new directions or more of the same?. <i>Addiction</i> , 1997 , 92, 1411-1422 | 4.6 | 20 |
| 73 | Training experiences immediately after medical school. <i>Medical Education</i> , 1997 , 31, 9-16 | 3.7 | 29 |
| 7 2 | Practitioner provision of preventive care in general practice consultations: association with patient educational and occupational status. <i>Social Science and Medicine</i> , 1997 , 44, 137-46 | 5.1 | 32 |
| 71 | Duration of general practice consultations: association with patient occupational and educational status. <i>Social Science and Medicine</i> , 1997 , 44, 925-34 | 5.1 | 37 |
| 70 | The accuracy of self-reported Pap smear utilisation. <i>Social Science and Medicine</i> , 1997 , 44, 969-76 | 5.1 | 84 |

| 69 | Developing methodologies for evaluating community-wide health promotion. <i>Health Promotion International</i> , 1996 , 11, 227-236 | 3 | 21 |
|----|---|-----|----|
| 68 | Important components of antenatal care: midwives' and obstetricians views. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 1996 , 36, 411-6 | 1.7 | 8 |
| 67 | Two sequential randomized trials of community participation to recruit women for mammographic screening. <i>Preventive Medicine</i> , 1996 , 25, 126-34 | 4.3 | 27 |
| 66 | Teaching smoking cessation skills to senior medical students: a block-randomized controlled trial of four different approaches. <i>Preventive Medicine</i> , 1996 , 25, 251-8 | 4.3 | 65 |
| 65 | Correlates of physician counseling associated with obesity and smoking. <i>Preventive Medicine</i> , 1996 , 25, 268-76 | 4.3 | 31 |
| 64 | Experts' agreement on the relative effectiveness of 29 smoking reduction strategies. <i>Preventive Medicine</i> , 1996 , 25, 517-26 | 4.3 | 9 |
| 63 | Does a 3-day workshop for family medicine trainees improve preventive care? A randomized control trial. <i>Preventive Medicine</i> , 1996 , 25, 741-7 | 4.3 | 39 |
| 62 | Training medical students in HIV/AIDS test counselling: results of a randomized trial. <i>Medical Education</i> , 1996 , 30, 134-41 | 3.7 | 16 |
| 61 | Mass mailing campaigns to promote screening for cervical cancer: do they work, and do they continue to work?. <i>Australian and New Zealand Journal of Public Health</i> , 1996 , 20, 254-60 | 2.3 | 17 |
| 60 | Community based health education: general practitioners' perceptions of their role and willingness to participate. <i>Australian and New Zealand Journal of Public Health</i> , 1996 , 20, 381-5 | 2.3 | 8 |
| 59 | A cost-benefit analysis of the average smoker: a government perspective. <i>Australian and New Zealand Journal of Public Health</i> , 1996 , 20, 607-11 | 2.3 | 4 |
| 58 | Knowledge of cancer risk reduction practices in rural towns of New South Wales. <i>Australian and New Zealand Journal of Public Health</i> , 1996 , 20, 529-37 | 2.3 | 16 |
| 57 | The relative effectiveness of educational and behavioral instruction programs for patients with NIDDM: a randomized trial. <i>The Diabetes Educator</i> , 1996 , 22, 379-86 | 2.5 | 78 |
| 56 | Community action for cancer prevention: overview of the Cancer Action in Rural Towns (CART) project, Australia. <i>Health Promotion International</i> , 1996 , 11, 277-290 | 3 | 20 |
| 55 | Smoking by adolescents: large revenue but little for prevention. <i>Australian Journal of Public Health</i> , 1995 , 19, 29-33 | | 4 |
| 54 | Recall, retention, utilisation and acceptability of written health education materials. <i>Australian Journal of Public Health</i> , 1995 , 19, 368-74 | | 9 |
| 53 | Prevalence and frequency of health service use: associations with occupational prestige and educational attainment. <i>Australian Journal of Public Health</i> , 1995 , 19, 512-19 | | 7 |
| 52 | What are women told about Pap smears that lack endocervical cells?. <i>Journal of Medical Screening</i> , 1995 , 2, 105-8 | 1.4 | 2 |

| 51 | Reducing systematic bias in studies of general practitioners: the use of a medical peer in the recruitment of general practitioners in research. <i>Family Practice</i> , 1995 , 12, 227-31 | 1.9 | 40 |
|----|--|------|-----|
| 50 | Is The Australian National Heart Foundation programme effective in reducing cholesterol levels among general practice patients?. <i>Health Promotion International</i> , 1995 , 10, 293-303 | 3 | 4 |
| 49 | Effectiveness of two direct-mail strategies to encourage women to have cervical (Pap) smears. Health Promotion International, 1995 , 10, 5-16 | 3 | 20 |
| 48 | A randomised controlled trial of strategies to prompt attendance for a Pap smear. <i>Journal of Medical Screening</i> , 1995 , 2, 211-8 | 1.4 | 36 |
| 47 | A skin cancer training programme: evaluation of a postgraduate training for family doctors. <i>Medical Education</i> , 1995 , 29, 364-71 | 3.7 | 20 |
| 46 | Effectiveness of three community based strategies to promote screening for cervical cancer. <i>Journal of Medical Screening</i> , 1994 , 1, 150-8 | 1.4 | 39 |
| 45 | Preventing accidental injury to young children in the home using volunteers. <i>Health Promotion International</i> , 1994 , 9, 241-248 | 3 | 26 |
| 44 | Allocation of research funds in the drug and alcohol field: report of the Consensus Workshop. <i>Drug and Alcohol Review</i> , 1994 , 13, 79-85 | 3.2 | 3 |
| 43 | Training Medical Students in Behavioural and Cognitive Strategies. <i>Behaviour Change</i> , 1994 , 11, 6-18 | 1.1 | 12 |
| 42 | General Practitioners as Agents of Health Risk Behaviour Change: Opportunities for Behavioural Science in Patient Smoking Cessation. <i>Behaviour Change</i> , 1994 , 11, 167-176 | 1.1 | 8 |
| 41 | Responses of women and their doctors to the occurrence of a breast symptom: a community study. Health Promotion International, 1993 , 8, 177-187 | 3 | 1 |
| 40 | Evaluation of interventions to improve solar protection in primary schools. <i>Health Education Quarterly</i> , 1993 , 20, 275-87 | | 103 |
| 39 | Skin cancer: do early childcare centres provide protection?. Health Promotion International, 1993, 8, 243 | -347 | 12 |
| 38 | Behaviour Therapy's Role in Preventing Physical Illness. <i>Behaviour Change</i> , 1993 , 10, 25-31 | 1.1 | 2 |
| 37 | Patterns of non-fatal farm injury in New England, NSW. Australian Journal of Rural Health, 1993, 1, 3-10 | 1.3 | 6 |
| 36 | Aspirin use in children: heeding the warning?. Australian Journal of Public Health, 1992, 16, 35-7 | | |
| 35 | Identifying hazards and risk opportunity in child farm injury. <i>Australian Journal of Public Health</i> , 1992 , 16, 122-8 | | 8 |
| 34 | Availability of cigarettes to minors. Australian Journal of Public Health, 1992, 16, 354-9 | | 20 |

| 33 | Factors affecting nonadherence with antibiotics. <i>Diagnostic Microbiology and Infectious Disease</i> , 1992 , 15, 103S-109S | 2.9 | 29 |
|----|--|-----|-----|
| 32 | Interns' performances with simulated patients at the beginning and the end of the intern year. Journal of General Internal Medicine, 1992, 7, 57-62 | 4 | 24 |
| 31 | Solar protection issues for schools: policy, practice and recommendations. <i>Australian Journal of Public Health</i> , 1991 , 15, 135-41 | | 21 |
| 30 | The effects of gender on diagnosis of psychological disturbance. <i>Journal of Behavioral Medicine</i> , 1991 , 14, 527-40 | 3.6 | 32 |
| 29 | Agreement between two measures of drug use in a low-prevalence population. <i>Addictive Behaviors</i> , 1991 , 16, 507-16 | 4.2 | 16 |
| 28 | The reliability and stability of a quantity-frequency method and a diary method of measuring alcohol consumption. <i>Drug and Alcohol Dependence</i> , 1991 , 27, 223-31 | 4.9 | 37 |
| 27 | Increasing Women Compliance With Opportunistic Cervical Cancer Screening: A Randomized Trial. <i>American Journal of Preventive Medicine</i> , 1991 , 7, 285-291 | 6.1 | 40 |
| 26 | Prevalence and characteristics of women who have had a hysterectomy in a community survey. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 1991 , 31, 153-8 | 1.7 | 31 |
| 25 | A Community Approach to Smoking Prevention: A Review. <i>Behaviour Change</i> , 1991 , 8, 17-25 | 1.1 | 8 |
| 24 | A critical review of Australian cancer organizations' public education material. <i>Community Health Studies</i> , 1990 , 14, 171-9 | | 3 |
| 23 | The prevalence and sociodemographic correlates of high-risk and problem drinking at an industrial worksite. <i>Addiction</i> , 1990 , 85, 495-507 | 4.6 | 24 |
| 22 | Drug research: a comparison of ongoing research and perceived research priorities. <i>Addiction</i> , 1990 , 85, 943-52 | 4.6 | 6 |
| 21 | Cancer patient satisfaction with care. <i>Cancer</i> , 1990 , 66, 610-6 | 6.4 | 206 |
| 20 | General practitioners and the provision of Papanicolaou smear-tests: current practice, knowledge and attitudes. <i>Medical Journal of Australia</i> , 1990 , 152, 178-83 | 4 | 23 |
| 19 | Breast self-examination and breast examination by a health care provider: prevalence and predictors of screening in a randomly selected sample of Australian women. <i>Medical Journal of Australia</i> , 1990 , 152, 640-5 | 4 | 15 |
| 18 | The role of mass media in changing health-related behaviour: a critical appraisal of two models. <i>Health Promotion International</i> , 1990 , 5, 85-101 | 3 | 81 |
| 17 | Patient-provider interactions and patient outcomes. <i>The Diabetes Educator</i> , 1989 , 15, 134-8 | 2.5 | 27 |
| 16 | Community views about the role of general practitioners in disease prevention. <i>Family Practice</i> , 1989 , 6, 203-9 | 1.9 | 52 |

| 15 | The assessment of reactivity in direct observation studies of doctor-patient interactions. <i>Psychology and Health</i> , 1989 , 3, 17-28 | 2.9 | 32 |
|----|--|-----|----|
| 14 | Rehabilitation programs for drink drivers: a critical appraisal. <i>Community Health Studies</i> , 1988 , 12, 418-7 | 27 | 1 |
| 13 | The Assessment of Alcohol-Related Problems: a Need for a New Perspective. <i>Australian Drug and Alcohol Review</i> , 1988 , 7, 127-130 | | 2 |
| 12 | A cost-effectiveness analysis of alternative strategies for the prevention of heart disease. <i>Medical Journal of Australia</i> , 1988 , 148, 273-7 | 4 | 41 |
| 11 | Assessing women's health needs. <i>Medical Journal of Australia</i> , 1988 , 148, 123-7 | 4 | 29 |
| 10 | Frequency of cervical smear-tests among patients of general practitioners. <i>Medical Journal of Australia</i> , 1988 , 148, 128-31 | 4 | 36 |
| 9 | Measuring general practitioners' attitudes towards medical care. Family Practice, 1987, 4, 192-9 | 1.9 | 52 |
| 8 | Alcohol Consumption and Alcohol-Related Problems: Prevalence amongst a General Practice Population. <i>Australian Drug and Alcohol Review</i> , 1987 , 6, 245-252 | | 9 |
| 7 | Interventions in Preschools to Increase the Use of Safety Restraints by Preschool Children. <i>Pediatrics</i> , 1987 , 79, 103-109 | 7.4 | 10 |
| 6 | Patient satisfaction with primary-care consultations. <i>Journal of Behavioral Medicine</i> , 1986 , 9, 389-99 | 3.6 | 45 |
| 5 | The Measurement of Alcohol Consumption and Alcohol-Related Problems. <i>Australian Drug and Alcohol Review</i> , 1986 , 5, 309-310 | | 4 |
| 4 | Team care: an analysis of verbal behavior during patient rounds in a rehabilitation hospital. <i>Archives of Physical Medicine and Rehabilitation</i> , 1986 , 67, 118-22 | 2.8 | 13 |
| 3 | The way we teach medical students professional skills. <i>Medical Teacher</i> , 1985 , 7, 37-44 | 3 | 10 |
| 2 | The Validity Of A Behavioral Rating Scale: Application Of A Psychophysical Technique. <i>Multivariate Behavioral Research</i> , 1977 , 12, 357-72 | 2.3 | 3 |
| 1 | Training institutional staff to alter delinquents' conversation. <i>Journal of Behavior Therapy and Experimental Psychiatry</i> , 1976 , 7, 243-247 | 2.6 | 12 |