

Koichiro Minami

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4892722/publications.pdf>

Version: 2024-02-01

31
papers

693
citations

623574

14
h-index

580701

25
g-index

33
all docs

33
docs citations

33
times ranked

1040
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | Senolytics prevent mt-DNA-induced inflammation and promote the survival of aged organs following transplantation. <i>Nature Communications</i> , 2020, 11, 4289. | 5.8 | 125 |
| 2 | microRNA-145 Mediates the Inhibitory Effect of Adipose Tissue-Derived Stromal Cells on Prostate Cancer. <i>Stem Cells and Development</i> , 2016, 25, 1290-1298. | 1.1 | 87 |
| 3 | Adipose-derived stromal cells inhibit prostate cancer cell proliferation inducing apoptosis. <i>Biochemical and Biophysical Research Communications</i> , 2014, 446, 1102-1107. | 1.0 | 46 |
| 4 | A Panel of MicroRNA Signature as a Tool for Predicting Survival of Patients with Urothelial Carcinoma of the Bladder. <i>Disease Markers</i> , 2018, 2018, 1-6. | 0.6 | 39 |
| 5 | A Novel Combination RNAi toward Warburg Effect by Replacement with miR-145 and Silencing of PTBP1 Induces Apoptotic Cell Death in Bladder Cancer Cells. <i>International Journal of Molecular Sciences</i> , 2017, 18, 179. | 1.8 | 37 |
| 6 | C-reactive protein-albumin ratio as a prognostic factor in renal cell carcinoma – A data from multi-institutional study in Japan. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2019, 37, 812.e1-812.e8. | 0.8 | 29 |
| 7 | Preoperative Measurement of the Modified Glasgow Prognostic Score Predicts Patient Survival in Non-Metastatic Renal Cell Carcinoma Prior to Nephrectomy. <i>Annals of Surgical Oncology</i> , 2017, 24, 2787-2793. | 0.7 | 28 |
| 8 | Intravesical administration of exogenous microRNA-145 as a therapy for mouse orthotopic human bladder cancer xenograft. <i>Oncotarget</i> , 2015, 6, 21628-21635. | 0.8 | 27 |
| 9 | MicroRNA-143/Musashi2/KRAS cascade contributes positively to carcinogenesis in human bladder cancer. <i>Cancer Science</i> , 2019, 110, 2189-2199. | 1.7 | 27 |
| 10 | The combination of preoperative platelet count and neutrophil lymphocyte ratio as a prognostic indicator in localized renal cell carcinoma. <i>Oncotarget</i> , 2017, 8, 110311-110325. | 0.8 | 24 |
| 11 | Mast cells regulate CD4+ T-cell differentiation in the absence of antigen presentation. <i>Journal of Allergy and Clinical Immunology</i> , 2018, 142, 1894-1908.e7. | 1.5 | 23 |
| 12 | Targeting of intragraft reactive oxygen species by APP-103, a novel polymer product, mitigates ischemia/reperfusion injury and promotes the survival of renal transplants. <i>American Journal of Transplantation</i> , 2020, 20, 1527-1537. | 2.6 | 21 |
| 13 | Recipient sex and estradiol levels affect transplant outcomes in an age-specific fashion. <i>American Journal of Transplantation</i> , 2021, 21, 3239-3255. | 2.6 | 21 |
| 14 | The systemic inflammation-based Glasgow Prognostic Score as a powerful prognostic factor in patients with upper tract urothelial carcinoma. <i>Oncotarget</i> , 2017, 8, 113248-113257. | 0.8 | 20 |
| 15 | Targeting age-specific changes in CD4 ⁺ T cell metabolism ameliorates alloimmune responses and prolongs graft survival. <i>Aging Cell</i> , 2021, 20, e13299. | 3.0 | 16 |
| 16 | Could Transurethral Resection of the Prostate Using the TURis System Take Over Conventional Monopolar Transurethral Resection of the Prostate? A Randomized Controlled Trial and Midterm Results. <i>Urology</i> , 2014, 84, 405-411. | 0.5 | 13 |
| 17 | The novel bladder preservation therapy BOAI-CDDP-radiation (OMC-regimen): A new treatment option for invasive bladder cancer patients with lymph node metastasis. <i>International Journal of Oncology</i> , 2014, 44, 1895-1903. | 1.4 | 13 |
| 18 | Novel Bladder Preservation Therapy with Osaka Medical College Regimen. <i>Journal of Urology</i> , 2015, 193, 443-450. | 0.2 | 13 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Rapamycin Prolongs Graft Survival and Induces CD4+IFN- γ +IL-10+ Regulatory Type 1 Cells in Old Recipient Mice. <i>Transplantation</i> , 2018, 102, 59-69. | 0.5 | 13 |
| 20 | The CANLPH Score, an Integrative Model of Systemic Inflammation and Nutrition Status (SINS), Predicts Clinical Outcomes After Surgery in Renal Cell Carcinoma: Data From a Multicenter Cohort in Japan. <i>Annals of Surgical Oncology</i> , 2019, 26, 2994-3004. | 0.7 | 13 |
| 21 | Changes of T-cell Immunity Over a Lifetime. <i>Transplantation</i> , 2019, 103, 2227-2233. | 0.5 | 13 |
| 22 | The Anti-Proliferative Effect of Boron Neutron Capture Therapy in a Prostate Cancer Xenograft Model. <i>PLoS ONE</i> , 2015, 10, e0136981. | 1.1 | 12 |
| 23 | CTLA4-Ig prolongs graft survival specifically in young but not old mice. <i>American Journal of Transplantation</i> , 2021, 21, 488-502. | 2.6 | 10 |
| 24 | Adjuvant chemotherapy improves overall survival in patients with localized upper tract urothelial carcinoma harboring pathologic vascular invasion: a propensity score-matched analysis of multi-institutional cohort. <i>World Journal of Urology</i> , 2020, 38, 3183-3190. | 1.2 | 5 |
| 25 | Taurodeoxycholic acid and valine reverse obesity-associated augmented alloimmune responses and prolong allograft survival. <i>American Journal of Transplantation</i> , 2022, 22, 402-413. | 2.6 | 5 |
| 26 | E74-like factor inhibition induces reacquisition of hormone sensitiveness decreasing period circadian protein homolog 1A expression in prostate cancer cells. <i>Prostate International</i> , 2015, 3, 16-21. | 1.2 | 3 |
| 27 | Recall features and allorecognition in innate immunity. <i>Transplant International</i> , 2018, 31, 6-13. | 0.8 | 3 |
| 28 | Influence of the Body Mass Index and its Effect on Tumor Characteristics and Survival among a Population with Access to Surgical Management of Upper Tract Urothelial Carcinoma. <i>Current Urology</i> , 2019, 12, 201-209. | 0.4 | 3 |
| 29 | Distinct effect of body mass index by sex as a prognostic factor in localized renal cell carcinoma treated with nephrectomy – data from a multi-institutional study in Japan –. <i>BMC Cancer</i> , 2021, 21, 201. | 1.1 | 3 |
| 30 | Tetramodal therapy using balloon-occluded arterial infusion of anticancer agents, the Azuma regimen, for lymph node-involved bladder cancer. <i>International Journal of Oncology</i> , 2019, 54, 167-176. | 1.4 | 1 |
| 31 | Successful Treatment of Antibody-Mediated Rejection by De Novo Donor Specific Antibody After Primary Renal Transplantation in a Recipient From a Cadaveric Donor: A Case Report. <i>Transplantation Proceedings</i> , 2020, 52, 1928-1930. | 0.3 | 0 |