

Peter K Weber

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/489325/peter-k-weber-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

105
papers

7,091
citations

39
h-index

83
g-index

126
ext. papers

8,202
ext. citations

8
avg, IF

5.68
L-index

#	Paper	IF	Citations
105	Hyphae move matter and microbes to mineral microsites: Integrating the hyphosphere into conceptual models of soil organic matter stabilization.. <i>Global Change Biology</i> , 2022 ,	11.4	7
104	Wavefront shaping with a Hadamard basis for scattering soil imaging.. <i>Applied Optics</i> , 2022 , 61, F47-F54	1.7	2
103	NanoSIP: NanoSIMS Applications for Microbial Biology. <i>Methods in Molecular Biology</i> , 2022 , 2349, 91-136	1.4	0
102	Active virus-host interactions at sub-freezing temperatures in Arctic peat soil. <i>Microbiome</i> , 2021 , 9, 208	16.6	6
101	Threatened salmon rely on a rare life history strategy in a warming landscape. <i>Nature Climate Change</i> , 2021 , 11, 982-988	21.4	4
100	Plants and mycorrhizal symbionts acquire substantial soil nitrogen from gaseous ammonia transport. <i>New Phytologist</i> , 2021 , 231, 1746-1757	9.8	4
99	Community RNA-Seq: multi-kingdom responses to living versus decaying roots in soil. <i>ISME Communications</i> , 2021 , 1,		1
98	Correlated Imaging of Topology and Composition Within Phase-separated Supported Lipid Membranes. <i>Microscopy and Microanalysis</i> , 2020 , 26, 1602-1603	0.5	
97	Adaptive optics multiphoton microscope for imaging microbial processes in highly scattering soil and roots 2020 ,		1
96	The role of soil redox conditions in microbial phosphorus cycling in humid tropical forests. <i>Ecology</i> , 2020 , 101, e02928	4.6	9
95	Uncovering uranium isotopic heterogeneity of fuel pellets from the fifth collaborative materials exercise of The Nuclear Forensics International Technical Working Group. <i>Journal of Radioanalytical and Nuclear Chemistry</i> , 2020 , 326, 1853-1866	1.5	5
94	Bidirectional C and N transfer and a potential role for sulfur in an epiphytic diazotrophic mutualism. <i>ISME Journal</i> , 2020 , 14, 3068-3078	11.9	6
93	Selective collection of iron-rich dust particles by natural <i>Trichodesmium</i> colonies. <i>ISME Journal</i> , 2020 , 14, 91-103	11.9	11
92	Influence of Light on Particulate Organic Matter Utilization by Attached and Free-Living Marine Bacteria. <i>Frontiers in Microbiology</i> , 2019 , 10, 1204	5.7	9
91	Chip-SIP: Stable Isotope Probing Analyzed with rRNA-Targeted Microarrays and NanoSIMS. <i>Methods in Molecular Biology</i> , 2019 , 2046, 71-87	1.4	3
90	Microscale Isotopic Variation in Uranium Fuel Pellets with Implications for Nuclear Forensics. <i>Analytical Chemistry</i> , 2019 , 91, 11598-11605	7.8	13
89	Manganese co-localizes with calcium and phosphorus in acidocalcisomes and is mobilized in manganese-deficient conditions. <i>Journal of Biological Chemistry</i> , 2019 , 294, 17626-17641	5.4	32

88	Characterizing Chemoautotrophy and Heterotrophy in Marine Archaea and Bacteria With Single-Cell Multi-isotope NanoSIP. <i>Frontiers in Microbiology</i> , 2019 , 10, 2682	5.7	16
87	Multimodal LA-ICP-MS and nanoSIMS imaging enables copper mapping within photoreceptor megamitochondria in a zebrafish model of Menkes disease. <i>Metallomics</i> , 2018 , 10, 474-485	4.5	20
86	Endangered winter-run Chinook salmon rely on diverse rearing habitats in a highly altered landscape. <i>Biological Conservation</i> , 2018 , 217, 358-362	6.2	19
85	High Initial Sputter Rate Found for Vaccinia Virions Using Isotopic Labeling, NanoSIMS, and AFM. <i>Analytical Chemistry</i> , 2018 , 90, 1613-1620	7.8	7
84	Quantitative isotope incorporation reveals substrate partitioning in a coastal microbial community. <i>FEMS Microbiology Ecology</i> , 2018 , 94,	4.3	4
83	Attachment between heterotrophic bacteria and microalgae influences symbiotic microscale interactions. <i>Environmental Microbiology</i> , 2018 , 20, 4385-4400	5.2	25
82	Cholesterol is enriched in the sphingolipid patches on the substrate near nonpolarized MDCK cells, but not in the sphingolipid domains in their plasma membranes. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 2018 , 1860, 2004-2011	3.8	7
81	Metagenomics reveals niche partitioning within the phototrophic zone of a microbial mat. <i>PLoS ONE</i> , 2018 , 13, e0202792	3.7	1
80	Deposition of vaporized species onto glassy fallout from a near-surface nuclear test. <i>Geochimica Et Cosmochimica Acta</i> , 2017 , 201, 410-426	5.5	17
79	Identification and characterization of Nanobodies targeting the EphA4 receptor. <i>Journal of Biological Chemistry</i> , 2017 , 292, 11452-11465	5.4	13
78	Elevated temperature increases carbon and nitrogen fluxes between phytoplankton and heterotrophic bacteria through physical attachment. <i>ISME Journal</i> , 2017 , 11, 641-650	11.9	35
77	Metagenomic analysis of intertidal hypersaline microbial mats from Elkhorn Slough, California, grown with and without molybdate. <i>Standards in Genomic Sciences</i> , 2017 , 12, 67		3
76	Phylogenetically conserved resource partitioning in the coastal microbial loop. <i>ISME Journal</i> , 2017 , 11, 2781-2792	11.9	24
75	Hydrogen self-diffusion in single crystal olivine and electrical conductivity of the Earth's mantle. <i>Scientific Reports</i> , 2017 , 7, 5344	4.9	28
74	Measuring Cyanobacterial Metabolism in Biofilms with NanoSIMS Isotope Imaging and Scanning Electron Microscopy (SEM). <i>Bio-protocol</i> , 2017 , 7, e2263	0.9	1
73	Tracking microbial interactions with NanoSIMS. <i>Current Opinion in Biotechnology</i> , 2016 , 41, 114-121	11.4	69
72	Oxygen isotopic variations in the outer margins and Warköflövering rims of refractory inclusions. <i>Geochimica Et Cosmochimica Acta</i> , 2016 , 186, 242-276	5.5	18
71	Genome Evolution and Nitrogen Fixation in Bacterial Ectosymbionts of a Protist Inhabiting Wood-Feeding Cockroaches. <i>Applied and Environmental Microbiology</i> , 2016 , 82, 4682-4695	4.8	30

70	Cyanobacterial reuse of extracellular organic carbon in microbial mats. <i>ISME Journal</i> , 2016 , 10, 1240-51	11.9	74
69	Isotopes and genes reveal freshwater origins of Chinook salmon <i>Oncorhynchus tshawytscha</i> aggregations in California's coastal ocean. <i>Marine Ecology - Progress Series</i> , 2016 , 548, 181-196	2.6	7
68	Light Regimes Shape Utilization of Extracellular Organic C and N in a Cyanobacterial Biofilm. <i>MBio</i> , 2016 , 7,	7.8	13
67	Three-dimensional imaging of cholesterol and sphingolipids within a Madin-Darby canine kidney cell. <i>Biointerphases</i> , 2016 , 11, 02A309	1.8	20
66	Temporal succession in carbon incorporation from macromolecules by particle-attached bacteria in marine microcosms. <i>Environmental Microbiology Reports</i> , 2016 , 8, 68-75	3.7	14
65	Establishment of stable synthetic mutualism without co-evolution between microalgae and bacteria demonstrated by mutual transfer of metabolites (NanoSIMS isotopic imaging) and persistent physical association (Fluorescent in situ hybridization). <i>Algal Research</i> , 2016 , 15, 179-186	5	48
64	Hydrogen accumulation in and at the perimeter of U ₃ O ₈ inclusions in uranium. A SIMS analysis. <i>Journal of Alloys and Compounds</i> , 2015 , 645, S225-S229	5.7	9
63	Hemagglutinin clusters in the plasma membrane are not enriched with cholesterol and sphingolipids. <i>Biophysical Journal</i> , 2015 , 108, 1652-1659	2.9	38
62	Mineral protection of soil carbon counteracted by root exudates. <i>Nature Climate Change</i> , 2015 , 5, 588-595	21.4	443
61	In search of the dead zone: Use of otoliths for tracking fish exposure to hypoxia. <i>Journal of Marine Systems</i> , 2015 , 141, 167-178	2.7	102
60	Revisiting N ₂ fixation in Guerrero Negro intertidal microbial mats with a functional single-cell approach. <i>ISME Journal</i> , 2015 , 9, 485-96	11.9	52
59	High-Resolution Imaging of the Distributions of Cholesterol, Sphingolipids, and Specific Proteins in the Plasma Membrane with Secondary Ion Mass Spectrometry. <i>Microscopy and Microanalysis</i> , 2015 , 21, 2397-2398	0.5	1
58	Reconstructing the Migratory Behavior and Long-Term Survivorship of Juvenile Chinook Salmon under Contrasting Hydrologic Regimes. <i>PLoS ONE</i> , 2015 , 10, e0122380	3.7	35
57	Identification of Desulfobacterales as primary hydrogenotrophs in a complex microbial mat community. <i>Geobiology</i> , 2014 , 12, 221-30	4.3	24
56	Subcellular metal imaging identifies dynamic sites of Cu accumulation in <i>Chlamydomonas</i> . <i>Nature Chemical Biology</i> , 2014 , 10, 1034-42	11.7	106
55	Spatially resolved chemical imaging of individual atmospheric particles using nanoscale imaging mass spectrometry: insight into particle origin and chemistry. <i>Analytical Methods</i> , 2014 , 6, 2444-2451	3.2	19
54	Fermentation couples Chloroflexi and sulfate-reducing bacteria to Cyanobacteria in hypersaline microbial mats. <i>Frontiers in Microbiology</i> , 2014 , 5, 61	5.7	43
53	Qingsongite, natural cubic boron nitride: The first boron mineral from the Earth's mantle. <i>American Mineralogist</i> , 2014 , 99, 764-772	2.9	42

52	Phylogenetic patterns in the microbial response to resource availability: amino acid incorporation in San Francisco Bay. <i>PLoS ONE</i> , 2014 , 9, e95842	3.7	29
51	Sphingolipid domains in the plasma membranes of fibroblasts are not enriched with cholesterol. <i>Journal of Biological Chemistry</i> , 2013 , 288, 16855-16861	5.4	113
50	Advances in the Analysis of Biogeochemical Interfaces. <i>Advances in Agronomy</i> , 2013 , 1-46	7.7	57
49	Taxon-specific C/N relative use efficiency for amino acids in an estuarine community. <i>FEMS Microbiology Ecology</i> , 2013 , 83, 402-12	4.3	18
48	Direct chemical evidence for sphingolipid domains in the plasma membranes of fibroblasts. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2013 , 110, E613-22	11.5	157
47	An arbuscular mycorrhizal fungus significantly modifies the soil bacterial community and nitrogen cycling during litter decomposition. <i>Environmental Microbiology</i> , 2013 , 15, 1870-81	5.2	196
46	Secondary ion mass spectrometry imaging of biological membranes at high spatial resolution. <i>Methods in Molecular Biology</i> , 2013 , 950, 483-501	1.4	19
45	Anoxic carbon flux in photosynthetic microbial mats as revealed by metatranscriptomics. <i>ISME Journal</i> , 2013 , 7, 817-29	11.9	47
44	Correlated SEM, FIB-SEM, TEM, and NanoSIMS imaging of microbes from the hindgut of a lower termite: methods for in situ functional and ecological studies of uncultivable microbes. <i>Microscopy and Microanalysis</i> , 2013 , 19, 1490-501	0.5	33
43	Size, growth, and origin-dependent mortality of juvenile Chinook salmon <i>Oncorhynchus tshawytscha</i> during early ocean residence. <i>Marine Ecology - Progress Series</i> , 2013 , 487, 163-175	2.6	65
42	Fluorinated colloidal gold immunolabels for imaging select proteins in parallel with lipids using high-resolution secondary ion mass spectrometry. <i>Bioconjugate Chemistry</i> , 2012 , 23, 450-60	6.3	31
41	Nano-scale investigation of the association of microbial nitrogen residues with iron (hydr)oxides in a forest soil O-horizon. <i>Geochimica Et Cosmochimica Acta</i> , 2012 , 95, 213-226	5.5	77
40	High-throughput isotopic analysis of RNA microarrays to quantify microbial resource use. <i>ISME Journal</i> , 2012 , 6, 1210-21	11.9	51
39	NanoSIP: NanoSIMS applications for microbial biology. <i>Methods in Molecular Biology</i> , 2012 , 881, 375-408	1.4	68
38	Hydrogen production in photosynthetic microbial mats in the Elkhorn Slough estuary, Monterey Bay. <i>ISME Journal</i> , 2012 , 6, 863-74	11.9	41
37	Identification of a novel cyanobacterial group as active diazotrophs in a coastal microbial mat using NanoSIMS analysis. <i>ISME Journal</i> , 2012 , 6, 1427-39	11.9	56
36	Managed metapopulations: do salmon hatchery 'sources' lead to in-river 'sinks' in conservation?. <i>PLoS ONE</i> , 2012 , 7, e28880	3.7	28
35	Oxygen isotope variations at the margin of a CAI records circulation within the solar nebula. <i>Science</i> , 2011 , 331, 1175-8	33.3	63

34	Evaluating otolith Sr/Ca as a tool for reconstructing estuarine habitat use. <i>Canadian Journal of Fisheries and Aquatic Sciences</i> , 2011 , 68, 360-373	2.4	33
33	Correlated AFM and NanoSIMS imaging to probe cholesterol-induced changes in phase behavior and non-ideal mixing in ternary lipid membranes. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 2011 , 1808, 307-15	3.8	36
32	A bacterium that can grow by using arsenic instead of phosphorus. <i>Science</i> , 2011 , 332, 1163-6	33.3	331
31	FORMATION OF THE SHORT-LIVED RADIONUCLIDE ³⁶ Cl IN THE PROTOPLANETARY DISK DURING LATE-STAGE IRRADIATION OF A VOLATILE-RICH RESERVOIR. <i>Astrophysical Journal Letters</i> , 2011 , 731, L28	7.9	30
30	Response to Comments on "A Bacterium That Can Grow Using Arsenic Instead of Phosphorus". <i>Science</i> , 2011 , 332, 1149-1149	33.3	21
29	Constraints on the formation age of cometary material from the NASA Stardust mission. <i>Science</i> , 2010 , 328, 483-6	33.3	61
28	Spatially resolved characterization of water and ion incorporation in Bacillus spores. <i>Applied and Environmental Microbiology</i> , 2010 , 76, 3275-82	4.8	27
27	NanoSIMS imaging of Bacillus spores sectioned by focused ion beam. <i>Journal of Microscopy</i> , 2010 , 238, 189-99	1.9	23
26	Object-oriented engineering data exchange as a base for automatic generation of simulation models 2009 ,		17
25	Correction for Finzi-Hart et al., Fixation and fate of C and N in the cyanobacterium Trichodesmium using nanometer-scale secondary ion mass spectrometry. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009 , 106, 9931-9931	11.5	4
24	Fixation and fate of C and N in the cyanobacterium Trichodesmium using nanometer-scale secondary ion mass spectrometry. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009 , 106, 6345-50	11.5	133
23	High-pressure highly reduced nitrides and oxides from chromitite of a Tibetan ophiolite. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009 , 106, 19233-8	11.5	109
22	N-doping of graphene through electrothermal reactions with ammonia. <i>Science</i> , 2009 , 324, 768-71	33.3	1842
21	Advances in imaging secondary ion mass spectrometry for biological samples. <i>Annual Review of Biophysics</i> , 2009 , 38, 53-74	21.1	246
20	Element partitioning between magnesium silicate perovskite and ferropericlaes: New insights into bulk lower-mantle geochemistry. <i>Earth and Planetary Science Letters</i> , 2008 , 269, 164-174	5.3	107
19	Applied focused ion beam techniques for sample preparation of astromaterials for integrated nanoanalysis. <i>Meteoritics and Planetary Science</i> , 2008 , 43, 561-569	2.8	18
18	Linking microbial phylogeny to metabolic activity at the single-cell level by using enhanced element labeling-catalyzed reporter deposition fluorescence in situ hybridization (EL-FISH) and NanoSIMS. <i>Applied and Environmental Microbiology</i> , 2008 , 74, 3143-50	4.8	200
17	Imaging and 3D elemental characterization of intact bacterial spores by high-resolution secondary ion mass spectrometry. <i>Analytical Chemistry</i> , 2008 , 80, 5986-92	7.8	73

16	Extracellular proteins limit the dispersal of biogenic nanoparticles. <i>Science</i> , 2007 , 316, 1600-3	33.3	221
15	Carbon and nitrogen fixation and metabolite exchange in and between individual cells of <i>Anabaena oscillarioides</i> . <i>ISME Journal</i> , 2007 , 1, 354-60	11.9	123
14	Chemical imaging with NanoSIMS: A window into deep-Earth geochemistry. <i>Earth and Planetary Science Letters</i> , 2007 , 262, 543-551	5.3	21
13	Formation of spinel-, hibonite-rich inclusions found in CM2 carbonaceous chondrites. <i>American Mineralogist</i> , 2006 , 91, 1675-1687	2.9	28
12	Experimental determination of the sources of otolith carbon and associated isotopic fractionation. <i>Canadian Journal of Fisheries and Aquatic Sciences</i> , 2006 , 63, 79-89	2.4	94
11	Quantitative analysis of supported membrane composition using the NanoSIMS. <i>Applied Surface Science</i> , 2006 , 252, 6950-6956	6.7	30
10	Phase separation of lipid membranes analyzed with high-resolution secondary ion mass spectrometry. <i>Science</i> , 2006 , 313, 1948-51	33.3	239
9	Ion microprobe measurement of strontium isotopes in calcium carbonate with application to salmon otoliths. <i>Geochimica Et Cosmochimica Acta</i> , 2005 , 69, 1225-1239	5.5	28
8	Supported membrane composition analysis by secondary ion mass spectrometry with high lateral resolution. <i>Biophysical Journal</i> , 2005 , 88, 2965-75	2.9	45
7	An astronomical 2175 angstrom feature in interplanetary dust particles. <i>Science</i> , 2005 , 307, 244-7	33.3	64
6	Studies on bacteria-like particles sampled from the stratosphere. <i>Aerobiologia</i> , 2004 , 20, 237-240	2.4	12
5	Migration and rearing histories of chinook salmon (<i>Oncorhynchus tshawytscha</i>) determined by ion microprobe Sr isotope and Sr/Ca transects of otoliths. <i>Canadian Journal of Fisheries and Aquatic Sciences</i> , 2004 , 61, 2425-2439	2.4	48
4	A Phased Array System for the Acquisition of Ultrasonic RF-Data up to 20 MHZ. <i>Acoustical Imaging</i> , 2004 , 25-32		3
3	Otolith sulfur isotope method to reconstruct salmon (<i>Oncorhynchus tshawytscha</i>) life history. <i>Canadian Journal of Fisheries and Aquatic Sciences</i> , 2002 , 59, 587-591	2.4	55
2	Salmon origin in California's Sacramento-San Joaquin river system as determined by otolith strontium isotopic composition. <i>Geology</i> , 1999 , 27, 851	5	64
1	Ecology of active viruses and their bacterial hosts in frozen Arctic peat soil revealed with H218O stable isotope probing metagenomics		1