

# Paul Sellin

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4895217/publications.pdf>

Version: 2024-02-01

132  
papers

3,398  
citations

159585

30  
h-index

175258

52  
g-index

132  
all docs

132  
docs citations

132  
times ranked

2952  
citing authors

#	ARTICLE	IF	CITATIONS
1	In-beam $\hat{3}$ -ray spectroscopy above Sn100 using the new technique of recoil decay tagging. Physical Review C, 1995, 51, 78-87.	2.9	219
2	Thermal and electrical transport in multi-walled carbon nanotubes. Physics Letters, Section A: General, Atomic and Solid State Physics, 2004, 329, 207-213.	2.1	165
3	Radioactivity of neutron deficient isotopes in the region $N > 82 > Z$ . Physical Review C, 1996, 53, 660-670.	2.9	161
4	Multi-walled carbon nanotube-based gas sensors for NH <sub>3</sub> detection. Diamond and Related Materials, 2004, 13, 1327-1332.	3.9	136
5	DNA biosensors based on self-assembled carbon nanotubes. Biochemical and Biophysical Research Communications, 2004, 325, 1433-1437.	2.1	119
6	Pixellated Cd(Zn)Te high-energy X-ray instrument. Journal of Instrumentation, 2011, 6, C12009-C12009.	1.2	97
7	Enhanced X-ray Sensitivity of MAPbBr <sub>3</sub> Detector by Tailoring the Interface-States Density. ACS Applied Materials & Interfaces, 2019, 11, 7522-7528.	8.0	96
8	Locking Carbon Nanotubes in Confined Lattice Geometries $\hat{a}$ ' A Route to Low Percolation in Conducting Composites. Journal of Physical Chemistry B, 2011, 115, 6395-6400.	2.6	90
9	Drift mobility and mobility-lifetime products in CdTe:Cl grown by the travelling heater method. IEEE Transactions on Nuclear Science, 2005, 52, 3074-3078.	2.0	84
10	Toward Low-voltage and Bendable X-ray Direct Detectors Based on Organic Semiconducting Single Crystals. Advanced Materials, 2015, 27, 7213-7220.	21.0	72
11	Proton spectroscopy beyond the drip line near $A=150$ . Physical Review C, 1993, 47, 1933-1942.	2.9	71
12	Decays of odd-odd $N-Z=2$ nuclei above Sn100: The observation of proton radioactivity from Cs112. Physical Review Letters, 1994, 72, 1798-1801.	7.8	69
13	Discovery of new proton emitters Re160 and Ta156. Physical Review Letters, 1992, 68, 1287-1290.	7.8	63
14	Electric field distributions in CdZnTe due to reduced temperature and x-ray irradiation. Applied Physics Letters, 2010, 96, 133509.	3.3	63
15	Heavy metallic oxide nanoparticles for enhanced sensitivity in semiconducting polymer x-ray detectors. Nanotechnology, 2012, 23, 235502.	2.6	60
16	High charge-carrier mobilities in blends of poly(triarylamine) and TIPS-pentacene leading to better performing X-ray sensors. Organic Electronics, 2011, 12, 1903-1908.	2.6	56
17	Deformed intruder band in Te112: First evidence for rotational behavior in the tellurium isotopes. Physical Review C, 1994, 50, 698-706.	2.9	51
18	Enhanced x-ray detection sensitivity in semiconducting polymer diodes containing metallic nanoparticles. Journal Physics D: Applied Physics, 2013, 46, 275102.	2.8	50

#	ARTICLE	IF	CITATIONS
19	Achieving a Stable Time Response in Polymeric Radiation Sensors under Charge Injection by X-rays. ACS Applied Materials & Interfaces, 2010, 2, 1692-1699.	8.0	49
20	First Experimental Limit on the $^{19}\text{F}(p, \hat{1}^3)\text{Na}^{20}\text{Resonance}$ Strength, of Astrophysical Interest. Physical Review Letters, 1994, 73, 3066-3069.	7.8	46
21	Alpha radioactivity above $\text{Sn}^{100}$ including the decay of $\text{f}^{108}$ . Physical Review C, 1994, 49, 3312-3315.	2.9	46
22	Solution-Grown Formamidinium Hybrid Perovskite ( $\text{FAPbBr}_3$ ) Single Crystals for $\hat{1}^\pm$ -Particle and $\hat{1}^3$ -Ray Detection at Room Temperature. ACS Applied Materials & Interfaces, 2021, 13, 15383-15390.	8.0	41
23	Effect of dislocations on charge carrier mobility-lifetime product in synthetic single crystal diamond. Applied Physics Letters, 2007, 90, 102111.	3.3	40
24	Evaluation of Scintillator Detection Materials for Application within Airborne Environmental Radiation Monitoring. Sensors, 2019, 19, 3828.	3.8	40
25	Intruder bands in $(Z=53)\text{I}^{113}$ : Band termination interpretation. Physical Review C, 1995, 51, 2427-2438.	2.9	37
26	Imaging of charge transport in polycrystalline diamond using ion-beam-induced charge microscopy. Applied Physics Letters, 2000, 77, 913-915.	3.3	34
27	An ASIC for the Study of Charge Sharing Effects in Small Pixel CdZnTe X-Ray Detectors. IEEE Transactions on Nuclear Science, 2011, 58, 2357-2362.	2.0	34
28	Towards superior X-ray detection performance of two-dimensional halide perovskite crystals by adjusting the anisotropic transport behavior. Journal of Materials Chemistry A, 2021, 9, 13209-13219.	10.3	34
29	Imaging of high field regions in semi-insulating GaAs under bias. Materials Science and Engineering B: Solid-State Materials for Advanced Technology, 1994, 28, 485-487.	3.5	33
30	Digital pulse-shape algorithms for scintillation-based neutron detectors. IEEE Transactions on Nuclear Science, 2002, 49, 1824-1828.	2.0	32
31	Modification induced by proton irradiation in Makrofol-DE polycarbonate. Radiation Measurements, 2007, 42, 1655-1660.	1.4	32
32	Characterization of CdZnTe Crystals Grown Using a Seeded Modified Vertical Bridgman Method. IEEE Transactions on Nuclear Science, 2009, 56, 2808-2813.	2.0	31
33	Multiple Module Pixellated CdTe Spectroscopic X-Ray Detector. IEEE Transactions on Nuclear Science, 2013, 60, 1197-1200.	2.0	28
34	Comparison of the pulse shape discrimination performance of plastic scintillators coupled to a SiPM. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2018, 908, 148-154.	1.6	28
35	An XPS study of bromine in methanol etching and hydrogen peroxide passivation treatments for cadmium zinc telluride radiation detectors. Applied Surface Science, 2013, 264, 681-686.	6.1	27
36	CdZnTe position-sensitive drift detectors with thicknesses up to 5%cm. Applied Physics Letters, 2016, 108,	3.3	27

#	ARTICLE	IF	CITATIONS
37	Melt-grown large-sized Cs <sub>2</sub> Te <sub>6</sub> crystals for X-ray detection. CrystEngComm, 2020, 22, 5130-5136.	2.6	27
38	Radiation induced control of electric field in Au/CdTe/In structures. Applied Physics Letters, 2011, 98, 232115.	3.3	26
39	Deformed intruder band in <sup>113</sup> In. Physical Review C, 1993, 48, R490-R493.	2.9	24
40	Pronounced hysteresis and high charge storage stability of single-walled carbon nanotube-based field-effect transistors. Applied Physics Letters, 2005, 87, 133117.	3.3	24
41	Investigation into the potential of GAGG:Ce as a neutron detector. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2019, 931, 121-126.	1.6	24
42	Isomeric proton emission from the drip-line nucleus <sup>156</sup> Ta. Physical Review C, 1993, 48, R2151-R2153.	2.9	23
43	Recent advances in lead-free double perovskites for x-ray and photodetection. Nanotechnology, 2022, 33, 312001.	2.6	22
44	Characterization of the metal-semiconductor interface of gold contacts on CdZnTe formed by electroless deposition. Journal Physics D: Applied Physics, 2015, 48, 275304.	2.8	21
45	Purely organic 4HCB single crystals exhibiting high hole mobility for direct detection of ultralow-dose X-radiation. Journal of Materials Chemistry A, 2020, 8, 5217-5226.	10.3	21
46	Low temperature time of flight mobility measurements on synthetic single crystal diamond. Diamond and Related Materials, 2009, 18, 1338-1342.	3.9	20
47	The effect of annealing on the X-ray induced photocurrent characteristics of CVD diamond radiation detectors with different electrical contacts. Physica Status Solidi (A) Applications and Materials Science, 2011, 208, 2079-2086.	1.8	20
48	Investigation of Te inclusion induced glides and the corresponding dislocations in CdZnTe crystal. CrystEngComm, 2012, 14, 417-420.	2.6	20
49	A CdTe detector for hyperspectral SPECT imaging. Journal of Instrumentation, 2012, 7, P08027-P08027.	1.2	20
50	GaN detector development for particle and X-ray detection. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2012, 695, 303-305.	1.6	20
51	Direct detection of 6 MV x-rays from a medical linear accelerator using a semiconducting polymer diode. Physics in Medicine and Biology, 2013, 58, 4471-4482.	3.0	20
52	High-resolution pixel detectors for second generation digital mammography. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2003, 497, 21-29.	1.6	19
53	Investigation of the internal electric field distribution under in situ x-ray irradiation and under low temperature conditions by the means of the Pockels effect. Journal Physics D: Applied Physics, 2010, 43, 085102.	2.8	19
54	Charged-particle spectroscopy in organic semiconducting single crystals. Applied Physics Letters, 2016, 108, .	3.3	19

#	ARTICLE	IF	CITATIONS
55	Development of large area polycrystalline diamond detectors for fast timing application of high-energy heavy-ion beams. <i>Journal of Instrumentation</i> , 2012, 7, P05005-P05005.	1.2	18
56	A multi-technique characterization of electroless gold contacts on single crystal CdZnTe radiation detectors. <i>Journal Physics D: Applied Physics</i> , 2013, 46, 455502.	2.8	18
57	Chemical etching and surface oxidation studies of cadmium zinc telluride radiation detectors. <i>Surface and Interface Analysis</i> , 2010, 42, 795-798.	1.8	17
58	Influence of Contacts on Electric Field in an Au/(CdZn)Te/Au Detector: A Simulation. <i>IEEE Transactions on Nuclear Science</i> , 2010, 57, 2349-2358.	2.0	17
59	Flux-dependent electric field changes in semi-insulating CdZnTe. <i>Journal Physics D: Applied Physics</i> , 2013, 46, 235306.	2.8	17
60	Stability of Silicon Carbide Particle Detector Performance at Elevated Temperatures. <i>IEEE Transactions on Nuclear Science</i> , 2015, 62, 2360-2366.	2.0	17
61	Control of electric field in CdZnTe radiation detectors by above-bandgap light. <i>Journal of Applied Physics</i> , 2015, 117, 165702.	2.5	17
62	Characterization of silicon carbide and diamond detectors for neutron applications. <i>Measurement Science and Technology</i> , 2017, 28, 105501.	2.6	17
63	Neutron detection performance of silicon carbide and diamond detectors with incomplete charge collection properties. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , 2017, 847, 1-9.	1.6	17
64	De-polarization of a CdZnTe radiation detector by pulsed infrared light. <i>Applied Physics Letters</i> , 2015, 107, .	3.3	16
65	Use of the drift-time method to measure the electron lifetime in long-drift-length CdZnTe detectors. <i>Journal of Applied Physics</i> , 2016, 120, .	2.5	16
66	Comparison of the surfaces and interfaces formed for sputter and electroless deposited gold contacts on CdZnTe. <i>Applied Surface Science</i> , 2018, 427, 1257-1270.	6.1	16
67	Morphology evolution of micron-scale secondary phases in CdZnTe crystals grown by vertical Bridgman method. <i>Journal of Alloys and Compounds</i> , 2011, 509, 2338-2342.	5.5	15
68	Characterization of an organic semiconductor diode for dosimetry in radiotherapy. <i>Medical Physics</i> , 2020, 47, 3658-3668.	3.0	15
69	Polymer Photodetectors for Printable, Flexible, and Fully Tissue Equivalent X-ray Detection with Zero Bias Operation and Ultrafast Temporal Responses. <i>Advanced Materials Technologies</i> , 2021, 6, 2001298.	5.8	15
70	High Energy Resolution Hyperspectral X-Ray Imaging for Low-Dose Contrast-Enhanced Digital Mammography. <i>IEEE Transactions on Medical Imaging</i> , 2017, 36, 1784-1795.	8.9	14
71	Digital pulse height correction in $\text{HgI}_2$ $\gamma$ -ray detectors. <i>Journal of Instrumentation</i> , 2012, 7, T04002-T04002.	1.2	13
72	X-Ray Beam Studies of Charge Sharing in Small Pixel, Spectroscopic, CdZnTe Detectors. <i>IEEE Transactions on Nuclear Science</i> , 2012, 59, 1563-1568.	2.0	13

#	ARTICLE	IF	CITATIONS
73	Growth by the Multi-tube Physical Vapour Transport method and characterisation of bulk (Cd,Zn)Te. Journal of Crystal Growth, 2012, 352, 120-123.	1.5	13
74	Edge effects in a small pixel CdTe for X-ray imaging. Journal of Instrumentation, 2013, 8, P10018-P10018.	1.2	13
75	Characterization of a plastic dosimeter based on organic semiconductor photodiodes and scintillator. Physics and Imaging in Radiation Oncology, 2020, 14, 48-52.	2.9	13
76	Searches for proton radioactivity in oddZdrip-line nuclei fromZ=61 to 67. Physical Review C, 1993, 48, 3113-3114.	2.9	12
77	Nonvolatile Memory from Single-walled Carbon Nanotube-based Field Effect Transistors. Current Nanoscience, 2005, 1, 43-46.	1.2	12
78	Neutron-gamma discrimination via PSD plastic scintillator and SiPMs. Journal of Physics: Conference Series, 2016, 763, 012007.	0.4	12
79	Ion Migration Controlled Stability in $\alpha$ -Particle Response of CsPbBr <sub>2.4</sub> Cl <sub>0.6</sub> Detectors. Journal of Physical Chemistry C, 2021, 125, 4235-4242.	3.1	12
80	Flexible Polymer X-ray Detectors with Non-fullerene Acceptors for Enhanced Stability: Toward Printable Tissue Equivalent Devices for Medical Applications. ACS Applied Materials & Interfaces, 2021, 13, 57703-57712.	8.0	12
81	Formamidinium Lead Halide Perovskite Nanocomposite Scintillators. Nanomaterials, 2022, 12, 2141.	4.1	12
82	A Pixel-Array Detector for Time-Resolved X-ray Diffraction. Journal of Synchrotron Radiation, 1998, 5, 252-255.	2.4	11
83	Temperature-dependent hole detrapping for unprimed polycrystalline chemical vapor deposited diamond. Applied Physics Letters, 2006, 88, 023501.	3.3	11
84	The effect of fast neutron irradiation on the performance of synthetic single crystal diamond particle detectors. Diamond and Related Materials, 2010, 19, 841-845.	3.9	11
85	Neutron/gamma pulse shape discrimination in EJ-299-34 at high flux. , 2015, , .		11
86	EBIC and IBIC Imaging on Polycrystalline CdTe. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2007, 576, 5-9.	1.6	10
87	A study of timing properties of Silicon Photomultipliers. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2012, 695, 257-260.	1.6	10
88	High sensitivity H <sub>2</sub> S gas sensors using lead halide perovskite nanoparticles. Results in Physics, 2022, 35, 105333.	4.1	10
89	Improvement of Electron Field Emission in Patterned Carbon Nanotubes by High Temperature Hydrogen Plasma Treatment. Current Nanoscience, 2009, 5, 54-57.	1.2	9
90	Carbon Nanotube Based DNA Biosensor for Rapid Detection of Anti-Cancer Drug of Cyclophosphamide. Current Nanoscience, 2009, 5, 312-317.	1.2	9

#	ARTICLE	IF	CITATIONS
91	Time walk correction of CdTe detectors using depth sensing technique. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2010, 621, 506-512.	1.6	9
92	Epitaxial Growth of High-Resistivity CdTe Thick Films Grown Using a Modified Close Space Sublimation Method. Japanese Journal of Applied Physics, 2010, 49, 025504.	1.5	9
93	Alpha particle transient response of a polycrystalline diamond detector. Carbon, 2005, 43, 3167-3171.	10.3	8
94	Performance comparison of small-pixel CdZnTe radiation detectors with gold contacts formed by sputter and electroless deposition. Journal of Instrumentation, 2017, 12, P06015-P06015.	1.2	8
95	High-resolution alpha spectrometry with a thin-window silicon carbide semiconductor detector. , 2009, , .		7
96	Optimization of K-edge subtraction imaging using a pixellated spectroscopic detector. , 2012, , .		7
97	Electrical Characteristics and Fast Neutron Response of Semi-Insulating Bulk Silicon Carbide. IEEE Transactions on Nuclear Science, 2013, 60, 1432-1435.	2.0	7
98	Imaging of Ra-223 with a small-pixel CdTe detector. Journal of Instrumentation, 2015, 10, C01029-C01029.	1.2	7
99	Alpha radiation induced space charge stability effects in semi-insulating silicon carbide semiconductors compared to diamond. Diamond and Related Materials, 2017, 78, 49-57.	3.9	7
100	Exploration of Fourier based algorithms and detector designs for pulse shape discrimination. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2019, 930, 64-73.	1.6	7
101	Boron-Loaded Polymeric Sensor for the Direct Detection of Thermal Neutrons. ACS Applied Materials & Interfaces, 2020, 12, 33050-33057.	8.0	7
102	Towards high spatial resolution tissue-equivalent dosimetry for microbeam radiation therapy using organic semiconductors. Journal of Synchrotron Radiation, 2021, 28, 1444-1454.	2.4	7
103	Direct Detection of Fast Neutrons by Organic Semiconducting Single Crystal Detectors. Advanced Functional Materials, 2022, 32, 2108857.	14.9	7
104	Polycrystalline Formamidinium Lead Bromide X-ray Detectors. Applied Sciences (Switzerland), 2022, 12, 2013.	2.5	7
105	X-ray induced photocurrent characteristics of CVD diamond detectors with different carbon electrodes. Journal of Instrumentation, 2013, 8, C12046-C12046.	1.2	6
106	Comparison of the X-ray performance of small pixel CdTe and CZT detectors. , 2010, , .		5
107	Laser-induced pulse shapes in partially depleted epitaxial GaAs radiation detectors. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2003, 509, 65-69.	1.6	4
108	Application of pulse-shape discrimination to coplanar CdZnTe detectors. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2013, 729, 541-545.	1.6	4

#	ARTICLE	IF	CITATIONS
109	Temporal and temperature evolution of electric field in CdTe:In radiation detectors. Journal of Applied Physics, 2014, 116, 053702.	2.5	4
110	Performance characteristics of CdTe drift ring detector. Journal of Instrumentation, 2014, 9, C03029-C03029.	1.2	4
111	A digital pulse shortening method for the mitigation of pulse pile-up effect in scintillation radiation detectors. Journal of Instrumentation, 2019, 14, P04012-P04012.	1.2	4
112	Fast-neutron response of the novel scintillator caesium hafnium chloride. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2021, 1012, 165224.	1.6	4
113	Evaluation of a new small-pixel CdTe spectroscopic detector in dual-tracer SPECT brain imaging. , 2012, , .		3
114	Simulation of active-edge pixelated CdTe radiation detectors. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2016, 806, 139-145.	1.6	3
115	Investigating the small pixel effect in CdZnTe Hard X-ray detectors &#x2014; The PIXIE ASIC. , 2010, , .		2
116	Charge transport optimization in CZT ring-drift detectors. Journal Physics D: Applied Physics, 2015, 48, 485101.	2.8	2
117	Retrofitting an environmental monitor with a silicon photomultiplier sensor. Journal of Radiological Protection, 2020, 40, N31-N38.	1.1	2
118	X-ray performance of pixelated CdZnTe detectors. , 2008, , .		1
119	X-ray photoelectron study of high-energy He<sup>+</sup>-implanted a-SiC:H thin films. Journal of Physics: Conference Series, 2010, 253, 012052.	0.4	1
120	The effect of digitizer properties on the pulse shape discrimination performance of CLYC. , 2016, , .		1
121	Using the TOF method to measure the electron lifetime in long-drift CdZnTe detectors (Conference) Tj ETQq1 1 0.784314 rgBT /Over		1
122	Sensitive X-ray Detectors Synthesised from CsPbBr3. , 2019, , .		1
123	Optimizing the Sensitivity of a GAGG:Ce-Based Thermal Neutron Detector. IEEE Transactions on Nuclear Science, 2020, 67, 603-608.	2.0	1
124	Editorial Conference Comments by the Editors. IEEE Transactions on Nuclear Science, 2009, 56, 724-724.	2.0	0
125	Non-destructive characterization and selection of x/β-ray detector-grade CdZnTe crystals. , 2009, , .		0
126	Semiconductor neutron detector for harsh radiation applications. , 2014, , .		0



#	ARTICLE	IF	CITATIONS
127	RadICAL stack: A localisation method for dynamic gamma/neutron fields. , 2015, , .		0
128	Investigation into neutron damage of EJ-299 and EJ-200 plastic scintillators. , 2016, , .		0
129	Assessment of Quantum Dots for Nuclear Security and X-Ray Dosimetry. , 2017, , .		0
130	Optical Pattern Fabrication in Amorphous Silicon Carbide with High-Energy Focused Ion Beams. Acta Physica Polonica A, 2011, 120, 56-59.	0.5	0
131	Assessing the suitability of three proxy sources for the development of detectors of special nuclear materials. Journal of Radiological Protection, 2020, 40, 1138-1153.	1.1	0
132	Polycrystalline Perovskite X-ray Detectors. , 2020, , .		0