Vincent Ribrag

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4895356/publications.pdf

Version: 2024-02-01

52 4,331 26 50 papers citations h-index g-index

55 55 55 5566

times ranked

citing authors

docs citations

all docs

| # | Article | IF | CITATIONS |
|----|--|------|-----------|
| 1 | Programmed Death-1 Blockade With Pembrolizumab in Patients With Classical Hodgkin Lymphoma After Brentuximab Vedotin Failure. Journal of Clinical Oncology, 2016, 34, 3733-3739. | 0.8 | 586 |
| 2 | Tazemetostat, an EZH2 inhibitor, in relapsed or refractory B-cell non-Hodgkin lymphoma and advanced solid tumours: a first-in-human, open-label, phase 1 study. Lancet Oncology, The, 2018, 19, 649-659. | 5.1 | 450 |
| 3 | Addition of high-dose cytarabine to immunochemotherapy before autologous stem-cell transplantation in patients aged 65 years or younger with mantle cell lymphoma (MCL Younger): a randomised, open-label, phase 3 trial of the European Mantle Cell Lymphoma Network. Lancet, The, 2016, 388, 565-575. | 6.3 | 328 |
| 4 | Rituximab after Autologous Stem-Cell Transplantation in Mantle-Cell Lymphoma. New England Journal of Medicine, 2017, 377, 1250-1260. | 13.9 | 313 |
| 5 | Tazemetostat for patients with relapsed or refractory follicular lymphoma: an open-label, single-arm, multicentre, phase 2 trial. Lancet Oncology, The, 2020, 21, 1433-1442. | 5.1 | 306 |
| 6 | Safety and tolerability of pembrolizumab in patients with relapsed/refractory primary mediastinal large B-cell lymphoma. Blood, 2017, 130, 267-270. | 0.6 | 255 |
| 7 | Pembrolizumab in relapsed or refractory Hodgkin lymphoma: 2-year follow-up of KEYNOTE-087. Blood, 2019, 134, 1144-1153. | 0.6 | 255 |
| 8 | CHOP and DHAP plus rituximab followed by autologous stem cell transplantation in mantle cell lymphoma: a phase 2 study from the Groupe d'Etude des Lymphomes de l'Adulte. Blood, 2013, 121, 48-53. | 0.6 | 243 |
| 9 | Pembrolizumab in Relapsed or Refractory Primary Mediastinal Large B-Cell Lymphoma. Journal of Clinical Oncology, 2019, 37, 3291-3299. | 0.8 | 195 |
| 10 | Pembrolizumab plus pomalidomide and dexamethasone for patients with relapsed or refractory multiple myeloma (KEYNOTE-183): a randomised, open-label, phase 3 trial. Lancet Haematology,the, 2019, 6, e459-e469. | 2.2 | 174 |
| 11 | Rituximab and dose-dense chemotherapy for adults with Burkitt's lymphoma: a randomised, controlled, open-label, phase 3 trial. Lancet, The, 2016, 387, 2402-2411. | 6.3 | 157 |
| 12 | High-dose cytarabine does not overcome the adverse prognostic value of CDKN2A and TP53 deletions in mantle cell lymphoma. Blood, 2015, 126, 604-611. | 0.6 | 130 |
| 13 | Phase I Study of the Novel Enhancer of Zeste Homolog 2 (EZH2) Inhibitor GSK2816126 in Patients with Advanced Hematologic and Solid Tumors. Clinical Cancer Research, 2019, 25, 7331-7339. | 3.2 | 110 |
| 14 | Safety and efficacy of abexinostat, a pan-histone deacetylase inhibitor, in non-Hodgkin lymphoma and chronic lymphocytic leukemia: results of a phase II study. Haematologica, 2017, 102, 903-909. | 1.7 | 64 |
| 15 | Phase 1b trial of pembrolizumab monotherapy for relapsed/refractory multiple myeloma: <scp>KEYNOTE</scp> â€013. British Journal of Haematology, 2019, 186, e41-e44. | 1.2 | 59 |
| 16 | Alternating Courses of 3x CHOP and 3x DHAP Plus Rituximab Followed by a High Dose ARA-C Containing Myeloablative Regimen and Autologous Stem Cell Transplantation (ASCT) Increases Overall Survival When Compared to 6 Courses of CHOP Plus Rituximab Followed by Myeloablative Radiochemotherapy and ASCT in Mantle Cell Lymphoma: Final Analysis of the MCL Younger Trial of the European Mantle | 0.6 | 52 |
| 17 | Cell Lymphoma Network (MCL net). Blood, 2012, 120, 151-151. Avadomide monotherapy in relapsed/refractory DLBCL: safety, efficacy, and a predictive gene classifier. Blood, 2020, 135, 996-1007. | 0.6 | 49 |
| 18 | A LYSA Phase Ib Study of Tazemetostat (EPZ-6438) plus R-CHOP in Patients with Newly Diagnosed Diffuse Large B-Cell Lymphoma (DLBCL) with Poor Prognosis Features. Clinical Cancer Research, 2020, 26, 3145-3153. | 3.2 | 48 |

| # | Article | IF | Citations |
|----|--|-----|-----------|
| 19 | Obinutuzumab vs rituximab for advanced DLBCL: a PET-guided and randomized phase 3 study by LYSA. Blood, 2021, 137, 2307-2320. | 0.6 | 48 |
| 20 | Phase I Dose-Escalation Study of the Anti-CD70 Antibody ARGX-110 in Advanced Malignancies. Clinical Cancer Research, 2017, 23, 6411-6420. | 3.2 | 43 |
| 21 | Droplet Digital PCR Quantification of Mantle Cell Lymphoma Followâ€up Samples From Four Prospective Trials of the European MCL Network. HemaSphere, 2020, 4, e347. | 1.2 | 36 |
| 22 | Expression of the Immune Checkpoint Regulators LAC-3 and TIM-3 in Classical Hodgkin Lymphoma. Clinical Lymphoma, Myeloma and Leukemia, 2021, 21, 257-266.e3. | 0.2 | 35 |
| 23 | Phase 1 study of the oral histone deacetylase inhibitor abexinostat in patients with Hodgkin lymphoma, non-Hodgkin lymphoma, or chronic lymphocytic leukaemia. Investigational New Drugs, 2015, 33, 423-431. | 1.2 | 33 |
| 24 | Concurrent Etoposide, Steroid, High-dose Ara-C and Platinum chemotherapy with radiation therapy in localised extranodal natural killer (NK)/T-cell lymphoma, nasal type. European Journal of Cancer, 2015, 51, 2386-2395. | 1.3 | 32 |
| 25 | Kinetics and nadir of responses to immune checkpoint blockade by anti-PD1 in patients with classical Hodgkin lymphoma. European Journal of Cancer, 2018, 91, 136-144. | 1.3 | 32 |
| 26 | Pembrolizumab in relapsed or refractory Richter syndrome. British Journal of Haematology, 2020, 190, e117-e120. | 1.2 | 29 |
| 27 | Burkitt and Burkitt-Like Lymphomas: a Systematic Review. Current Oncology Reports, 2020, 22, 33. | 1.8 | 28 |
| 28 | Poor predictive value of positive interim FDG-PET/CT in primary mediastinal large B-cell lymphoma. European Journal of Nuclear Medicine and Molecular Imaging, 2017, 44, 2018-2024. | 3.3 | 27 |
| 29 | Avadomide plus obinutuzumab in patients with relapsed or refractory B-cell non-Hodgkin lymphoma (CC-122-NHL-001): a multicentre, dose escalation and expansion phase 1 study. Lancet Haematology,the, 2020, 7, e649-e659. | 2.2 | 24 |
| 30 | Treatment for patients with relapsed/refractory mantle cell lymphoma: European-based recommendations. Leukemia and Lymphoma, 2018, 59, 1814-1828. | 0.6 | 23 |
| 31 | Screening a Broad Range of Solid and Haematological Tumour Types for CD70 Expression Using a Uniform IHC Methodology as Potential Patient Stratification Method. Cancers, 2019, 11, 1611. | 1.7 | 23 |
| 32 | Can Next-Generation PI3K Inhibitors Unlock the Full Potential of the Class in Patients With B-Cell Lymphoma?. Clinical Lymphoma, Myeloma and Leukemia, 2021, 21, 8-20.e3. | 0.2 | 23 |
| 33 | A Phase 1b Study to Evaluate the Safety and Efficacy of Durvalumab in Combination With Tremelimumab or Danvatirsen in Patients With Relapsed or Refractory Diffuse Large B-Cell Lymphoma. Clinical Lymphoma, Myeloma and Leukemia, 2021, 21, 309-317.e3. | 0.2 | 17 |
| 34 | Primary mediastinal large B-cell lymphomas treated with dose-intensified CHOP alone or CHOP combined with radiotherapy. Leukemia and Lymphoma, 2008, 49, 1510-1515. | 0.6 | 16 |
| 35 | Treatment of Younger Patients With Mantle Cell Lymphoma. Seminars in Hematology, 2011, 48, 194-207. | 1.8 | 10 |
| 36 | Pembrolizumab for myelodysplastic syndromes after failure of hypomethylating agents in the phase 1b KEYNOTE-013 study. Leukemia and Lymphoma, 2022, 63, 1660-1668. | 0.6 | 10 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Pirtobrutinib shows evidence to inaugurate a third generation of BTK inhibitors. Lancet, The, 2021, 397, 855-857. | 6.3 | 9 |
| 38 | Repeated courses of lowâ€dose 2Â×Â2ÂGy radiation therapy in patients with indolent Bâ€cell nonâ€Hodgkin lymphomas. Cancer Medicine, 2020, 9, 3725-3732. | 1.3 | 8 |
| 39 | Novel agents for mantle cell lymphoma: molecular rational and clinical data. Expert Opinion on Investigational Drugs, 2020, 29, 555-566. | 1.9 | 7 |
| 40 | Deep-Learning Assessed Muscular Hypodensity Independently Predicts Mortality in DLBCL Patients Younger Than 60 Years. Cancers, 2021, 13, 4503. | 1.7 | 7 |
| 41 | Phase Ib study of avadomide (CCâ€122) in combination with rituximab in patients with relapsed/refractory diffuse large Bâ€cell lymphoma and follicular lymphoma. EJHaem, 2022, 3, 394-405. | 0.4 | 7 |
| 42 | Outcomes of Transplant-Eligible Patients With Relapsed or Refractory Diffuse Large B-Cell Lymphoma After Second-Line Salvage Chemotherapy: The Gustave Roussy Experience. Clinical Lymphoma, Myeloma and Leukemia, 2021, 21, e373-e380. | 0.2 | 6 |
| 43 | Oxaliplatin before autologous transplantation in combination with high-dose cytarabine and rituximab provides longer disease control than cisplatin or carboplatin in patients with mantle-cell lymphoma: results from the LyMA prospective trial. Bone Marrow Transplantation, 2021, 56, 1700-1709. | 1.3 | 6 |
| 44 | Phase Ib study of combinations of avadomide (CCâ€122), CCâ€223, CCâ€292, and rituximab in patients with relapsed/refractory diffuse large Bâ€cell lymphoma. EJHaem, 2022, 3, 139-153. | 0.4 | 4 |
| 45 | Pembrolizumab in the treatment of refractory primary mediastinal large B-cell lymphoma: safety and efficacy. Expert Review of Anticancer Therapy, 2021, 21, 941-956. | 1.1 | 3 |
| 46 | Novel targeted therapeutics for mantle cell lymphoma – What's on the horizon?. Expert Review of Hematology, 2016, 9, 271-281. | 1.0 | 2 |
| 47 | Clinical significance of the loss of CD20 antigen on tumor cells in patients with relapsed or refractory follicular lymphoma., 2021, 4, 710-718. | | 2 |
| 48 | Quality of life of survivors 1 year after the diagnosis of diffuse large B-cell lymphoma: a LYSA study. Annals of Hematology, 2022, 101, 317-332. | 0.8 | 2 |
| 49 | Attenuated cytarabine, etoposide, dexamethasone plus rituximab (Râ€Miniâ€CYVE) regimen for patients with relapsed or refractory Bâ€cell non–Hodgkin's lymphoma not eligible for intensive chemotherapy. European Journal of Haematology, 2021, 106, 574-583. | 1.1 | 1 |
| 50 | Molecular Profiling Feasibility on Cell-Free Tumoral DNA in Relapse/Refractory (R/R) Multiple Myeloma (MM) Patients Screened for Phase I Trials. Blood, 2021, 138, 3763-3763. | 0.6 | 1 |
| 51 | Cell-free DNA sequencing as a potential screening tool for phase I targeted treatment in refractory/relapse diffuse large B-cell lymphoma. Haematologica, 2022, 107, 1928-1932. | 1.7 | 1 |
| 52 | Relapsed and refractory classical Hodgkin lymphoma: could virotherapy help solve the equation?. Human Vaccines and Immunotherapeutics, 2021, 17, 3502-3510. | 1.4 | 0 |