

# Mentore Ribolsi

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/48978/publications.pdf>

Version: 2024-02-01

65  
papers

2,165  
citations

218677

26  
h-index

233421

45  
g-index

65  
all docs

65  
docs citations

65  
times ranked

1483  
citing authors

#	ARTICLE	IF	CITATIONS
1	Association between postâ€reflux swallowâ€induced peristaltic wave index and esophageal mucosal integrity in patients with GERD symptoms. <i>Neurogastroenterology and Motility</i> , 2023, 35, e14344.	3.0	4
2	Relevance of Excessive Air Swallowing in GERD Patients With Concomitant Functional Dyspepsia and Poor Response to PPI Therapy. <i>Journal of Clinical Gastroenterology</i> , 2023, 57, 466-471.	2.2	2
3	Reflux characteristics triggering postâ€reflux swallowâ€induced peristaltic wave (PSPW) in patients with GERD symptoms. <i>Neurogastroenterology and Motility</i> , 2022, 34, e14183.	3.0	10
4	Application of Lyon Consensus criteria for GORD diagnosis: evaluation of conventional and new impedance-pH parameters. <i>Gut</i> , 2022, 71, 1062-1067.	12.1	32
5	Letter to the Editor: Relevance of a Correct GERD Patient Classification Before Anti-reflux Procedures. <i>Journal of Gastrointestinal Surgery</i> , 2022, 26, 721-722.	1.7	0
6	Applying Lyon Consensus criteria in the workâ€up of patients with proton pump inhibitoryâ€refractory heartburn. <i>Alimentary Pharmacology and Therapeutics</i> , 2022, 55, 1423-1430.	3.7	24
7	Nonachalasic esophageal motor disorders, from diagnosis to therapy. <i>Expert Review of Gastroenterology and Hepatology</i> , 2022, 16, 205-216.	3.0	2
8	Letter: the potential link between oesophageal hypervigilance, visceral anxiety, increased swallow rate and oesophageal mucosal integrity. <i>Alimentary Pharmacology and Therapeutics</i> , 2022, 55, 756-757.	3.7	2
9	Editorial: Lyon consensus metricsâ€”towards personalised diagnosis of nonâ€erosive reflux disease: Authors' reply. <i>Alimentary Pharmacology and Therapeutics</i> , 2022, 55, 1216-1217.	3.7	0
10	Advancements in the use of 24-hour impedance-pH monitoring for GERD diagnosis. <i>Current Opinion in Pharmacology</i> , 2022, 65, 102264.	3.5	4
11	Normal values and regional differences in oesophageal impedance-pH metrics: a consensus analysis of impedance-pH studies from around the world. <i>Gut</i> , 2021, 70, 1441-1449.	12.1	49
12	Postreflux swallowâ€induced peristaltic wave index from pHâ€impedance monitoring associates with esophageal body motility and esophageal acid burden. <i>Neurogastroenterology and Motility</i> , 2021, 33, e13973.	3.0	14
13	Esophageal pH increments associated with postâ€reflux swallowâ€induced peristaltic waves show the occurrence and relevance of esophagoâ€salivary reflex in clinical setting. <i>Neurogastroenterology and Motility</i> , 2021, 33, e14085.	3.0	20
14	Association between Dietary Habits and Fecal Microbiota Composition in Irritable Bowel Syndrome Patients: A Pilot Study. <i>Nutrients</i> , 2021, 13, 1479.	4.1	15
15	Impaired Colonic Contractility and Intestinal Permeability in Symptomatic Uncomplicated Diverticular Disease. <i>Journal of Neurogastroenterology and Motility</i> , 2021, 27, 292-301.	2.4	6
16	Patients With Definite and Inconclusive Evidence of Reflux According to Lyon Consensus Display Similar Motility and Esophagogastric Junction Characteristics. <i>Journal of Neurogastroenterology and Motility</i> , 2021, 27, 565-573.	2.4	7
17	Novel impedanceâ€pH parameters are associated with proton pump inhibitor response in patients with inconclusive diagnosis of gastroâ€oesophageal reflux disease according to Lyon Consensus. <i>Alimentary Pharmacology and Therapeutics</i> , 2021, 54, 412-418.	3.7	42
18	Diagnostic delay and misdiagnosis in eosinophilic oesophagitis. <i>Digestive and Liver Disease</i> , 2021, 53, 1632-1639.	0.9	28

#	ARTICLE	IF	CITATIONS
19	The Results From Up-Front Esophageal Testing Predict Proton Pump Inhibitor Response in Patients With Chronic Cough. <i>American Journal of Gastroenterology</i> , 2021, 116, 2199-2206.	0.4	14
20	Editorial: inconclusive diagnosis of GERD: are new parameters in impedance-pHmetry ready for clinical use? Authors' reply. <i>Alimentary Pharmacology and Therapeutics</i> , 2021, 54, 498-499.	3.7	2
21	Exploring the association between esophageal mucosal inflammation, impaired motility, and GERD severity. <i>Neurogastroenterology and Motility</i> , 2021, 33, e14211.	3.0	2
22	Letter: is wireless oesophageal pH monitoring the best technique to evaluate night-time reflux?. <i>Alimentary Pharmacology and Therapeutics</i> , 2021, 54, 974-975.	3.7	1
23	An update of pharmacology, efficacy, and safety of vonoprazan in acid-related disorders. <i>Expert Review of Gastroenterology and Hepatology</i> , 2021, , 1-10.	3.0	4
24	Post-reflux swallow-induced peristaltic wave index and mean nocturnal baseline impedance predict PPI response in GERD patients with extra esophageal symptoms. <i>Digestive and Liver Disease</i> , 2020, 52, 173-177.	0.9	22
25	Correlation between reflux burden, peristaltic function, and mucosal integrity in GERD patients. <i>Neurogastroenterology and Motility</i> , 2020, 32, e13752.	3.0	27
26	Fragmented and failed swallows on esophageal high-resolution manometry associate with abnormal reflux burden better than weak swallows. <i>Neurogastroenterology and Motility</i> , 2020, 32, e13736.	3.0	32
27	Role of Overweight and Obesity in Gastrointestinal Disease. <i>Nutrients</i> , 2020, 12, 111.	4.1	59
28	Understanding the relationship between esophageal motor disorders and reflux disease. <i>Expert Review of Gastroenterology and Hepatology</i> , 2020, 14, 933-940.	3.0	3
29	Palmitic Acid Affects Intestinal Epithelial Barrier Integrity and Permeability In Vitro. <i>Antioxidants</i> , 2020, 9, 417.	5.1	23
30	Clinical impact of proton pump inhibitor response and dependence. <i>Neurogastroenterology and Motility</i> , 2020, 32, e13846.	3.0	0
31	High-resolution Manometry Determinants of Refractoriness of Reflux Symptoms to Proton Pump Inhibitor Therapy. <i>Journal of Neurogastroenterology and Motility</i> , 2020, 26, 447-454.	2.4	19
32	The Lyon Consensus: Does It Differ From the Previous Ones?. <i>Journal of Neurogastroenterology and Motility</i> , 2020, 26, 311-321.	2.4	26
33	Nutritional Aspects in Inflammatory Bowel Diseases. <i>Nutrients</i> , 2020, 12, 372.	4.1	127
34	New classifications of gastroesophageal reflux disease: an improvement for patient management?. <i>Expert Review of Gastroenterology and Hepatology</i> , 2019, 13, 761-769.	3.0	11
35	High-resolution Manometry Findings During Solid Swallows Correlate With Delayed Reflux Clearance and Acid Exposure Time in Non-erosive Reflux Disease Patients. <i>Journal of Neurogastroenterology and Motility</i> , 2019, 25, 68-74.	2.4	11
36	Role of Esophageal Motility, Acid Reflux, and of Acid Suppression in Nonobstructive Dysphagia. <i>Journal of Clinical Gastroenterology</i> , 2018, 52, 607-613.	2.2	4

#	ARTICLE	IF	CITATIONS
37	Prevalence and clinical characteristics of refractoriness to optimal proton pump inhibitor therapy in non-erosive reflux disease. <i>Alimentary Pharmacology and Therapeutics</i> , 2018, 48, 1074-1081.	3.7	32
38	Role of Mixed Reflux and Hypomotility with Delayed Reflux Clearance in Patients with Non-cardiac Chest Pain. <i>Journal of Neurogastroenterology and Motility</i> , 2016, 22, 606-612.	2.4	14
39	Practice guidelines on the use of esophageal manometry – A GISMAD-SIGE-AIGO medical position statement. <i>Digestive and Liver Disease</i> , 2016, 48, 1124-1135.	0.9	82
40	Reply. <i>Gastroenterology</i> , 2015, 148, 1067.	1.3	0
41	Acid reflux episodes sensitize the esophagus to perception of weakly acidic and mixed reflux in non-erosive reflux disease patients. <i>Neurogastroenterology and Motility</i> , 2014, 26, 108-114.	3.0	15
42	Impedance-High Resolution Manometry Analysis of Patients With Nonerosive Reflux Disease. <i>Clinical Gastroenterology and Hepatology</i> , 2014, 12, 52-57.	4.4	27
43	Reflux pattern and role of impedance-pH variables in predicting PPI response in patients with suspected GERD-related chronic cough. <i>Alimentary Pharmacology and Therapeutics</i> , 2014, 40, 966-973.	3.7	63
44	Dilated intercellular space diameter as marker of reflux-related mucosal injury in children with chronic cough and gastroesophageal reflux disease. <i>Alimentary Pharmacology and Therapeutics</i> , 2014, 39, 733-742.	3.7	13
45	Weak Peristalsis With Large Breaks Is Associated With Higher Acid Exposure and Delayed Reflux Clearance in the Supine Position in GERD Patients. <i>American Journal of Gastroenterology</i> , 2014, 109, 46-51.	0.4	85
46	Proton pump inhibitor resistance, the real challenge in gastro-esophageal reflux disease. <i>World Journal of Gastroenterology</i> , 2013, 19, 6529.	3.3	64
47	Impedance baseline and reflux perception in responder and non-responder non-erosive reflux disease patients. <i>Scandinavian Journal of Gastroenterology</i> , 2012, 47, 1266-1273.	1.5	32
48	Baseline Impedance Levels and Structural and Functional Integrity of the Esophageal Mucosa: Is Acid Still the Only Player?. <i>American Journal of Gastroenterology</i> , 2012, 107, 1104.	0.4	5
49	Increased frequency and enhanced perception of reflux in non-erosive reflux disease patients non-responders to proton pump inhibitors. <i>Digestive and Liver Disease</i> , 2012, 44, 549-554.	0.9	30
50	Oesophageal mucosal intercellular space diameter and reflux pattern in childhood erosive and non-erosive reflux disease. <i>Digestive and Liver Disease</i> , 2012, 44, 981-987.	0.9	13
51	Relationship between baseline impedance levels and esophageal mucosal integrity in children with erosive and non-erosive reflux disease. <i>Neurogastroenterology and Motility</i> , 2012, 24, 828.	3.0	53
52	Platelet-activating factor and distinct chemokines are elevated in mucosal biopsies of erosive compared with non-erosive reflux disease patients and controls. <i>Neurogastroenterology and Motility</i> , 2012, 24, 943.	3.0	22
53	Measurement of acid exposure of proximal esophagus: a better tool for diagnosing non-erosive reflux disease. <i>Neurogastroenterology and Motility</i> , 2011, 23, 711-e324.	3.0	1
54	Regional oesophageal sensitivity to acid and weakly acidic reflux in patients with non-erosive reflux disease. <i>Neurogastroenterology and Motility</i> , 2009, 21, 253-258.	3.0	46

#	ARTICLE	IF	CITATIONS
55	Intercellular space diameters of the oesophageal epithelium in NERD patients: Head to head comparison between light and electron microscopy analysis. <i>Digestive and Liver Disease</i> , 2009, 41, 9-14.	0.9	28
56	Dynamic contrast enhanced magnetic resonance imaging of the terminal ileum: differentiation of activity of Crohn's disease. <i>Abdominal Imaging</i> , 2008, 33, 417-424.	2.0	114
57	Characteristics of the Esophageal Low-Pressure Zone in Healthy Volunteers and Patients With Esophageal Symptoms: Assessment by High-Resolution Manometry. <i>American Journal of Gastroenterology</i> , 2008, 103, 2544-2549.	0.4	41
58	Presence of gas in the refluxate enhances reflux perception in non-erosive patients with physiological acid exposure of the oesophagus. <i>Gut</i> , 2007, 57, 443-447.	12.1	100
59	Effect of oesophagitis on proximal extent of gastro-oesophageal reflux. <i>Neurogastroenterology and Motility</i> , 2007, 19, 459-464.	3.0	15
60	Dilated intercellular spaces and acid reflux at the distal and proximal oesophagus in patients with non-erosive gastro-oesophageal reflux disease. <i>Alimentary Pharmacology and Therapeutics</i> , 2007, 25, 629-636.	3.7	107
61	Effect of hiatal hernia on proximal oesophageal acid clearance in gastro-oesophageal reflux disease patients. <i>Alimentary Pharmacology and Therapeutics</i> , 2006, 23, 751-757.	3.7	46
62	Infliximab reverses growth hormone resistance associated with inflammatory bowel disease. <i>Alimentary Pharmacology and Therapeutics</i> , 2005, 21, 1063-1071.	3.7	48
63	Effect of endoscopic augmentation of the lower oesophageal sphincter (Gatekeeper reflux repair) Tj ETQq1 1 0.784314 rgBT /Overloc	12.1	60
64	Dilated Intercellular Spaces of Esophageal Epithelium in Nonerosive Reflux Disease Patients with Physiological Esophageal Acid Exposure. <i>American Journal of Gastroenterology</i> , 2005, 100, 543-548.	0.4	221
65	Intra-oesophageal distribution and perception of acid reflux in patients with non-erosive gastro-oesophageal reflux disease. <i>Alimentary Pharmacology and Therapeutics</i> , 2003, 18, 605-613.	3.7	140