

Yong-Sheng Hu

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4899386/publications.pdf>

Version: 2024-02-01

184
papers

30,292
citations

5574

82
h-index

4645

170
g-index

189
all docs

189
docs citations

189
times ranked

17681
citing authors

#	ARTICLE	IF	CITATIONS
1	Modification of NASICON Electrolyte and Its Application in Real Na-Ion Cells. <i>Engineering</i> , 2022, 8, 170-180.	6.7	12
2	Mn-Rich Phosphate Cathodes for Na-Ion Batteries with Superior Rate Performance. <i>ACS Energy Letters</i> , 2022, 7, 97-107.	17.4	91
3	Screening Heteroatom Configurations for Reversible Sloping Capacity Promises High-Power Na-Ion Batteries. <i>Angewandte Chemie - International Edition</i> , 2022, 61, .	13.8	58
4	Origin of Air-Stability for Transition Metal Oxide Cathodes in Sodium-Ion Batteries. <i>ACS Applied Materials & Interfaces</i> , 2022, 14, 5338-5345.	8.0	32
5	All-in-One Ionic-Electronic Dual-Carrier Conducting Framework Thickening All-Solid-State Electrode. <i>ACS Energy Letters</i> , 2022, 7, 766-772.	17.4	7
6	Regulated Synthesis of NaVOPO_4 with an Enhanced Conductive Network as a High-Performance Cathode for Aqueous Na-Ion Batteries. <i>ACS Applied Materials & Interfaces</i> , 2022, 14, 6841-6851.	8.0	12
7	Large Scale One-Pot Synthesis of Monodispersed $\text{Na}_3(\text{VOPO}_4)_2$ F Cathode for Na-Ion Batteries. <i>Energy Material Advances</i> , 2022, 2022, .	11.0	16
8	Mg-doped layered oxide cathode for Na-ion batteries. <i>Chinese Physics B</i> , 2022, 31, 068201.	1.4	6
9	Topologically protected oxygen redox in a layered manganese oxide cathode for sustainable batteries. <i>Nature Sustainability</i> , 2022, 5, 214-224.	23.7	44
10	The Role of Hydrothermal Carbonization in Sustainable Sodium-Ion Battery Anodes. <i>Advanced Energy Materials</i> , 2022, 12, .	19.5	61
11	A Better Choice to Achieve High Volumetric Energy Density: Anode-Free Lithium-Metal Batteries. <i>Advanced Materials</i> , 2022, 34, e2110323.	21.0	46
12	Using High-Entropy Configuration Strategy to Design Na-Ion Layered Oxide Cathodes with Superior Electrochemical Performance and Thermal Stability. <i>Journal of the American Chemical Society</i> , 2022, 144, 8286-8295.	13.7	112
13	Preferential Extraction of Lithium from Spent Cathodes and the Regeneration of Layered Oxides for Li/Na-Ion Batteries. <i>ACS Applied Materials & Interfaces</i> , 2022, 14, 24255-24264.	8.0	7
14	Achieving high initial Coulombic efficiency for competent Na storage by microstructure tailoring from chiral nematic nanocrystalline cellulose. , 2022, 4, 914-923.		13
15	Interfacial engineering to achieve an energy density of over 200 Wh kg^{-1} in sodium batteries. <i>Nature Energy</i> , 2022, 7, 511-519.	39.5	130
16	Epitaxial Induced Plating Current-Collector Lasting Lifespan of Anode-Free Lithium Metal Battery. <i>Advanced Energy Materials</i> , 2021, 11, 2003709.	19.5	119
17	Homogenous metallic deposition regulated by defect-rich skeletons for sodium metal batteries. <i>Energy and Environmental Science</i> , 2021, 14, 6381-6393.	30.8	70
18	Li-Rich $\text{Li}_2[\text{Ni}_{0.8}\text{Co}_{0.1}\text{Mn}_{0.1}]\text{O}_2$ for Anode-Free Lithium Metal Batteries. <i>Angewandte Chemie</i> , 2021, 133, 8370-8377.	2.0	2

#	ARTICLE	IF	CITATIONS
19	Li ₂ Rich Li ₂ [Ni _{0.8} Co _{0.1} Mn _{0.1}]O ₂ for Anode-Free Lithium Metal Batteries. <i>Angewandte Chemie - International Edition</i> , 2021, 60, 8289-8296.	13.8	71
20	Engineering Solid Electrolyte Interface at Nano-Scale for High-Performance Hard Carbon in Sodium-Ion Batteries. <i>Advanced Functional Materials</i> , 2021, 31, 2100278.	14.9	90
21	Additive-Free Self-Presodiation Strategy for High-Performance Na-Ion Batteries. <i>Advanced Functional Materials</i> , 2021, 31, 2101475.	14.9	36
22	A Novel NASICON-Typed Na ₄ VMn _{0.5} Fe _{0.5} (PO ₄) ₃ Cathode for High-Performance Na-Ion Batteries. <i>Advanced Energy Materials</i> , 2021, 11, 2100729.	19.5	108
23	Dense All-Electrochem-Active Electrodes for All-Solid-State Lithium Batteries. <i>Advanced Materials</i> , 2021, 33, e2008723.	21.0	26
24	Hunting Sodium Dendrites in NASICON-Based Solid-State Electrolytes. <i>Energy Material Advances</i> , 2021, 2021, .	11.0	57
25	Rapid mechanochemical synthesis of polyanionic cathode with improved electrochemical performance for Na-ion batteries. <i>Nature Communications</i> , 2021, 12, 2848.	12.8	108
26	Ultralight Electrolyte for High-Energy Lithium-Sulfur Pouch Cells. <i>Angewandte Chemie - International Edition</i> , 2021, 60, 17547-17555.	13.8	72
27	Ultralight Electrolyte for High-Energy Lithium-Sulfur Pouch Cells. <i>Angewandte Chemie</i> , 2021, 133, 17688-17696.	2.0	13
28	Amorphous Redox-Rich Polysulfides for Mg Cathodes. <i>Jacs Au</i> , 2021, 1, 1266-1274.	7.9	14
29	Fundamentals, status and promise of sodium-based batteries. <i>Nature Reviews Materials</i> , 2021, 6, 1020-1035.	48.7	496
30	O ₃ -NaFe _{(1/3)Ni_{1/3}Mn_{1/3}Al_xO₂} Cathodes with Improved Air Stability for Na-Ion Batteries. <i>ACS Applied Materials & Interfaces</i> , 2021, 13, 33015-33023.	8.0	31
31	Thermal Stability of High Power 26650-Type Cylindrical Na-Ion Batteries. <i>Chinese Physics Letters</i> , 2021, 38, 076501.	3.3	13
32	Recycling Cathodes from Spent Lithium-Ion Batteries Based on the Selective Extraction of Lithium. <i>ACS Sustainable Chemistry and Engineering</i> , 2021, 9, 10196-10204.	6.7	23
33	Disordered carbon anodes for Na-ion batteries—quo vadis?. <i>Science China Chemistry</i> , 2021, 64, 1679-1692.	8.2	44
34	Low-Density Fluorinated Silane Solvent Enhancing Deep Cycle Lithium-Sulfur Batteries™ Lifetime. <i>Advanced Materials</i> , 2021, 33, e2102034.	21.0	39
35	Amorphous anion-rich titanium polysulfides for aluminum-ion batteries. <i>Science Advances</i> , 2021, 7, .	10.3	63
36	Electronic Conductive Inorganic Cathodes Promising High-Energy Organic Batteries. <i>Advanced Materials</i> , 2021, 33, e2005781.	21.0	12

#	ARTICLE	IF	CITATIONS
37	Aqueous interphase formed by CO ₂ brings electrolytes back to salt-in-water regime. Nature Chemistry, 2021, 13, 1061-1069.	13.6	57
38	Unlocking Sustainable Na-Ion Batteries into Industry. ACS Energy Letters, 2021, 6, 4115-4117.	17.4	76
39	High-Entropy Layered Oxide Cathodes for Sodium-Ion Batteries. Angewandte Chemie - International Edition, 2020, 59, 264-269.	13.8	335
40	Flexible Na batteries. Informa-Materially, 2020, 2, 126-138.	17.3	108
41	High-Entropy Layered Oxide Cathodes for Sodium-Ion Batteries. Angewandte Chemie, 2020, 132, 270-275.	2.0	15
42	Iodine Vapor Transport-Triggered Preferential Growth of Chevrel Mo ₆ S ₈ Nanosheets for Advanced Multivalent Batteries. ACS Nano, 2020, 14, 1102-1110.	14.6	72
43	High-Voltage Aqueous Na-Ion Battery Enabled by Inert-Cation-Assisted Water-in-Salt Electrolyte. Advanced Materials, 2020, 32, e1904427.	21.0	221
44	The Mystery of Electrolyte Concentration: From Superhigh to Ultralow. ACS Energy Letters, 2020, 5, 3633-3636.	17.4	96
45	Ultrastable All-Solid-State Sodium Rechargeable Batteries. ACS Energy Letters, 2020, 5, 2835-2841.	17.4	142
46	Interface Concentrated-Confinement Suppressing Cathode Dissolution in Water-in-Salt Electrolyte. Advanced Energy Materials, 2020, 10, 2000665.	19.5	70
47	Joint Cationic and Anionic Redox Chemistry for Advanced Mg Batteries. Nano Letters, 2020, 20, 6852-6858.	9.1	25
48	Simplifying and accelerating kinetics enabling fast-charge Al batteries. Journal of Materials Chemistry A, 2020, 8, 23834-23843.	10.3	12
49	Interface chemistry of an amide electrolyte for highly reversible lithium metal batteries. Nature Communications, 2020, 11, 4188.	12.8	226
50	Rational design of layered oxide materials for sodium-ion batteries. Science, 2020, 370, 708-711.	12.6	616
51	Wearable Bipolar Rechargeable Aluminum Battery. , 2020, 2, 808-813.		19
52	Ultralow-Concentration Electrolyte for Na-Ion Batteries. ACS Energy Letters, 2020, 5, 1156-1158.	17.4	120
53	PEO-NaPF ₆ Blended Polymer Electrolyte for Solid State Sodium Battery. Journal of the Electrochemical Society, 2020, 167, 070523.	2.9	37
54	Constructing Na-Ion Cathodes via Alkali-Site Substitution. Advanced Functional Materials, 2020, 30, 1910840.	14.9	28

#	ARTICLE	IF	CITATIONS
55	Revealing High Na-Content P2-Type Layered Oxides as Advanced Sodium-Ion Cathodes. <i>Journal of the American Chemical Society</i> , 2020, 142, 5742-5750.	13.7	206
56	Failure analysis with a focus on thermal aspect towards developing safer Na-ion batteries*. <i>Chinese Physics B</i> , 2020, 29, 048201.	1.4	26
57	Comprehensive Studies on the Hydrothermal Strategy for the Synthesis of Na ₃ (VO _{1-x}) ₂ (PO ₄) ₂ F _{1+2x} (0 ≤ x ≤ 1) and their Na-Storage Performance. <i>Small Methods</i> , 2019, 3, 1800111.		
58	A new Tin-based O ₃ -Na _{0.9} [Ni _{0.45} ~ ² /2Mn Sn _{0.55} ~ ²] ₂ O ₂ as sodium-ion battery cathode. <i>Journal of Energy Chemistry</i> , 2019, 31, 132-137.	12.9	39
59	Intercalation chemistry of graphite: alkali metal ions and beyond. <i>Chemical Society Reviews</i> , 2019, 48, 4655-4687.	38.1	534
60	All-Cellulose-Based Quasi-Solid-State Sodium-Ion Hybrid Capacitors Enabled by Structural Hierarchy. <i>Advanced Functional Materials</i> , 2019, 29, 1903895.	14.9	75
61	Hard carbons derived from pine nut shells as anode materials for Na-ion batteries*. <i>Chinese Physics B</i> , 2019, 28, 068203.	1.4	10
62	Water-in-Salt Electrolyte Promotes High-Capacity FeFe(CN) ₆ Cathode for Aqueous Al-Ion Battery. <i>ACS Applied Materials & Interfaces</i> , 2019, 11, 41356-41362.	8.0	93
63	Revealing an Interconnected Interfacial Layer in Solid-State Polymer Sodium Batteries. <i>Angewandte Chemie</i> , 2019, 131, 17182-17188.	2.0	7
64	Regulating Pore Structure of Hierarchical Porous Waste Cork-Derived Hard Carbon Anode for Enhanced Na Storage Performance. <i>Advanced Energy Materials</i> , 2019, 9, 1902852.	19.5	212
65	2019 Nobel Prize for the Li-Ion Batteries and New Opportunities and Challenges in Na-Ion Batteries. <i>ACS Energy Letters</i> , 2019, 4, 2689-2690.	17.4	109
66	Correlated Migration Invokes Higher Na ⁺ -Ion Conductivity in NaSICON-Type Solid Electrolytes. <i>Advanced Energy Materials</i> , 2019, 9, 1902373.	19.5	162
67	Revealing an Interconnected Interfacial Layer in Solid-State Polymer Sodium Batteries. <i>Angewandte Chemie - International Edition</i> , 2019, 58, 17026-17032.	13.8	48
68	Controlled Synthesis of Na ₃ (VOPO ₄) ₂ F Cathodes with an Ultralong Cycling Performance. <i>ACS Applied Energy Materials</i> , 2019, 2, 7474-7482.	5.1	31
69	Tuning the Closed Pore Structure of Hard Carbons with the Highest Na Storage Capacity. <i>ACS Energy Letters</i> , 2019, 4, 2608-2612.	17.4	205
70	Slope-Dominated Carbon Anode with High Specific Capacity and Superior Rate Capability for High Safety Na-Ion Batteries. <i>Angewandte Chemie</i> , 2019, 131, 4405-4409.	2.0	36
71	Slope-Dominated Carbon Anode with High Specific Capacity and Superior Rate Capability for High Safety Na-Ion Batteries. <i>Angewandte Chemie - International Edition</i> , 2019, 58, 4361-4365.	13.8	171
72	In Situ Formation of a Stable Interface in Solid-State Batteries. <i>ACS Energy Letters</i> , 2019, 4, 1650-1657.	17.4	93

#	ARTICLE	IF	CITATIONS
73	Na ₃ V ₂ (PO ₄) ₃ as the Sole Solid Energy Storage Material for Redox Flow Sodium-Ion Battery. <i>Advanced Energy Materials</i> , 2019, 9, 1901188.	19.5	38
74	Ni-based cathode materials for Na-ion batteries. <i>Nano Research</i> , 2019, 12, 2018-2030.	10.4	67
75	Sodium-Ion Batteries: Hard-Soft Carbon Composite Anodes with Synergistic Sodium Storage Performance (<i>Adv. Funct. Mater.</i> 24/2019). <i>Advanced Functional Materials</i> , 2019, 29, 1970164.	14.9	4
76	Building aqueous K-ion batteries for energy storage. <i>Nature Energy</i> , 2019, 4, 495-503.	39.5	630
77	A New Emerging Technology: Na-Ion Batteries. <i>Small Methods</i> , 2019, 3, 1900184.	8.6	37
78	A novel NASICON-based glass-ceramic composite electrolyte with enhanced Na-ion conductivity. <i>Energy Storage Materials</i> , 2019, 23, 514-521.	18.0	97
79	Hard-Soft Carbon Composite Anodes with Synergistic Sodium Storage Performance. <i>Advanced Functional Materials</i> , 2019, 29, 1901072.	14.9	191
80	Stabilizing a sodium-metal battery with the synergy effects of a sodiophilic matrix and fluorine-rich interface. <i>Journal of Materials Chemistry A</i> , 2019, 7, 24857-24867.	10.3	48
81	Unveiling the role of hydrothermal carbon dots as anodes in sodium-ion batteries with ultrahigh initial coulombic efficiency. <i>Journal of Materials Chemistry A</i> , 2019, 7, 27567-27575.	10.3	69
82	High-Charge Density Polymerized Ionic Networks Boosting High Ionic Conductivity as Quasi-Solid Electrolytes for High-Voltage Batteries. <i>ACS Applied Materials & Interfaces</i> , 2019, 11, 4001-4010.	8.0	47
83	We Editors Are Authors, Too. <i>ACS Energy Letters</i> , 2019, 4, 249-250.	17.4	2
84	Advanced Characterization Techniques in Promoting Mechanism Understanding for Lithium-Sulfur Batteries. <i>Advanced Functional Materials</i> , 2018, 28, 1707543.	14.9	81
85	Core-Shell Fe ₁ S@Na _{2.9} PS _{3.95} Se _{0.05} Nanorods for Room Temperature All-Solid-State Sodium Batteries with High Energy Density. <i>ACS Nano</i> , 2018, 12, 2809-2817.	14.6	68
86	An O ₃ -type Oxide with Low Sodium Content as the Phase-Transition-Free Anode for Sodium-Ion Batteries. <i>Angewandte Chemie - International Edition</i> , 2018, 57, 7056-7060.	13.8	87
87	An O ₃ -type Oxide with Low Sodium Content as the Phase-Transition-Free Anode for Sodium-Ion Batteries. <i>Angewandte Chemie</i> , 2018, 130, 7174-7178.	2.0	14
88	NASICON-structured Na _{3.1} Zr _{1.95} Mg _{0.05} Si ₂ PO ₁₂ solid electrolyte for solid-state sodium batteries. <i>Rare Metals</i> , 2018, 37, 480-487.	7.1	63
89	Solid-State Sodium Batteries. <i>Advanced Energy Materials</i> , 2018, 8, 1703012.	19.5	478
90	3D Flexible Carbon Felt Host for Highly Stable Sodium Metal Anodes. <i>Advanced Energy Materials</i> , 2018, 8, 1702764.	19.5	274

#	ARTICLE	IF	CITATIONS
91	Ionic liquids and derived materials for lithium and sodium batteries. <i>Chemical Society Reviews</i> , 2018, 47, 2020-2064.	38.1	452
92	TiS ₂ as a high performance potassium ion battery cathode in ether-based electrolyte. <i>Energy Storage Materials</i> , 2018, 12, 216-222.	18.0	129
93	Drawing a Soft Interface: An Effective Interfacial Modification Strategy for Garnet-Type Solid-State Li Batteries. <i>ACS Energy Letters</i> , 2018, 3, 1212-1218.	17.4	321
94	Nanoscaled Na ₃ PS ₄ Solid Electrolyte for All-Solid-State FeS ₂ /Na Batteries with Ultrahigh Initial Coulombic Efficiency of 95% and Excellent Cyclic Performances. <i>ACS Applied Materials & Interfaces</i> , 2018, 10, 12300-12304.	8.0	64
95	Advanced Na metal anodes. <i>Journal of Energy Chemistry</i> , 2018, 27, 1584-1596.	12.9	99
96	Integrated Surface Functionalization of Li-Rich Cathode Materials for Li-Ion Batteries. <i>ACS Applied Materials & Interfaces</i> , 2018, 10, 41802-41813.	8.0	56
97	Suppressing the voltage decay of low-cost P2-type iron-based cathode materials for sodium-ion batteries. <i>Journal of Materials Chemistry A</i> , 2018, 6, 20795-20803.	10.3	54
98	Structural Engineering of Multishelled Hollow Carbon Nanostructures for High-Performance Na-Ion Battery Anode. <i>Advanced Energy Materials</i> , 2018, 8, 1800855.	19.5	121
99	Pre-Oxidation-Tuned Microstructures of Carbon Anodes Derived from Pitch for Enhancing Na Storage Performance. <i>Advanced Energy Materials</i> , 2018, 8, 1800108.	19.5	179
100	Three-dimensional atomic-scale observation of structural evolution of cathode material in a working all-solid-state battery. <i>Nature Communications</i> , 2018, 9, 3341.	12.8	60
101	New horizons for inorganic solid state ion conductors. <i>Energy and Environmental Science</i> , 2018, 11, 1945-1976.	30.8	894
102	Sodium-Ion Batteries. <i>Advanced Energy Materials</i> , 2018, 8, 1800880.	19.5	56
103	Novel Concentrated Li[(FSO ₂)(n-C ₄ F ₉ SO ₂) ₂ N]-Based Ether Electrolyte for Superior Stability of Metallic Lithium Anode. <i>ACS Applied Materials & Interfaces</i> , 2017, 9, 4282-4289.	8.0	62
104	In situ synthesis of hierarchical poly(ionic liquid)-based solid electrolytes for high-safety lithium-ion and sodium-ion batteries. <i>Nano Energy</i> , 2017, 33, 45-54.	16.0	205
105	NASICON-Structured Materials for Energy Storage. <i>Advanced Materials</i> , 2017, 29, 1601925.	21.0	394
106	In Situ Atomic-Scale Observation of Electrochemical Delithiation Induced Structure Evolution of LiCoO ₂ Cathode in a Working All-Solid-State Battery. <i>Journal of the American Chemical Society</i> , 2017, 139, 4274-4277.	18.7	142
107	Enhanced Structural and Electrochemical Stability of Self-Similar Rice-Shaped SnO ₂ Nanoparticles. <i>ACS Applied Materials & Interfaces</i> , 2017, 9, 9747-9755.	8.0	47
108	A class of liquid anode for rechargeable batteries with ultralong cycle life. <i>Nature Communications</i> , 2017, 8, 14629.	12.8	71

#	ARTICLE	IF	CITATIONS
109	A sodium–aluminum hybrid battery. <i>Journal of Materials Chemistry A</i> , 2017, 5, 6589-6596.	10.3	25
110	Atomic-Scale Structure-Property Relationships in Lithium Ion Battery Electrode Materials. <i>Annual Review of Materials Research</i> , 2017, 47, 175-198.	9.3	23
111	Reversible multi-electron redox chemistry of π -conjugated N-containing heteroaromatic molecule-based organic cathodes. <i>Nature Energy</i> , 2017, 2, .	39.5	486
112	A new Na[(FSO ₂)(n-C ₄ F ₉ SO ₂)N]-based polymer electrolyte for solid-state sodium batteries. <i>Journal of Materials Chemistry A</i> , 2017, 5, 7738-7743.	10.3	76
113	Novel Methods for Sodium-Ion Battery Materials. <i>Small Methods</i> , 2017, 1, 1600063.	8.6	84
114	Recent advances of electrode materials for low-cost sodium-ion batteries towards practical application for grid energy storage. <i>Energy Storage Materials</i> , 2017, 7, 130-151.	18.0	469
115	Design and Comparative Study of O3/P2 Hybrid Structures for Room Temperature Sodium-Ion Batteries. <i>ACS Applied Materials & Interfaces</i> , 2017, 9, 40215-40223.	8.0	95
116	Atomic-Scale Monitoring of Electrode Materials in Lithium-Ion Batteries using In Situ Transmission Electron Microscopy. <i>Advanced Energy Materials</i> , 2017, 7, 1700709.	19.5	53
117	Advanced Nanostructured Anode Materials for Sodium-Ion Batteries. <i>Small</i> , 2017, 13, 1701835.	10.0	206
118	Water-in-Salt Electrolyte Makes Aqueous Sodium-Ion Battery Safe, Green, and Long-Lasting. <i>Advanced Energy Materials</i> , 2017, 7, 1701189.	19.5	487
119	Sodium vanadium titanium phosphate electrode for symmetric sodium-ion batteries with high power and long lifespan. <i>Nature Communications</i> , 2017, 8, 15888.	12.8	188
120	A Self-Forming Composite Electrolyte for Solid-State Sodium Battery with Ultralong Cycle Life. <i>Advanced Energy Materials</i> , 2017, 7, 1601196.	19.5	231
121	Hard Carbon Microtubes Made from Renewable Cotton as High-Performance Anode Material for Sodium-Ion Batteries. <i>Advanced Energy Materials</i> , 2016, 6, 1600659.	19.5	655
122	Improved Cycling Stability of Lithium-Metal Anode with Concentrated Electrolytes Based on Lithium (Fluorosulfonyl)(trifluoromethanesulfonyl)imide. <i>ChemElectroChem</i> , 2016, 3, 531-536.	3.4	67
123	Single Lithium-Conducting Polymer Electrolytes Based on a Super-Delocalized Polyanion. <i>Angewandte Chemie - International Edition</i> , 2016, 55, 2521-2525.	13.8	411
124	Novel 1.5 V anode materials, ATiOPO ₄ (A = NH ₄ , K, Na), for room-temperature sodium-ion batteries. <i>Journal of Materials Chemistry A</i> , 2016, 4, 7141-7147.	10.3	35
125	Novel Li[(CF ₃ SO ₂)(n-C ₄ F ₉ SO ₂)N]-Based Polymer Electrolytes for Solid-State Lithium Batteries with Superior Electrochemical Performance. <i>ACS Applied Materials & Interfaces</i> , 2016, 8, 29705-29712.	8.0	87
126	A ceramic/polymer composite solid electrolyte for sodium batteries. <i>Journal of Materials Chemistry A</i> , 2016, 4, 15823-15828.	10.3	152

#	ARTICLE	IF	CITATIONS
127	Sodium Bis(fluorosulfonyl)imide/Poly(ethylene oxide) Polymer Electrolytes for Sodium-Ion Batteries. ChemElectroChem, 2016, 3, 1741-1745.	3.4	76
128	Advanced sodium-ion batteries using superior low cost pyrolyzed anthracite anode: towards practical applications. Energy Storage Materials, 2016, 5, 191-197.	18.0	239
129	Toothpaste-like Electrode: A Novel Approach to Optimize the Interface for Solid-State Sodium-Ion Batteries with Ultralong Cycle Life. ACS Applied Materials & Interfaces, 2016, 8, 32631-32636.	8.0	71
130	Phase Separation of Li_2S at Nanoscale during Electrochemical Lithiation of the Solid-State Lithium-Sulfur Battery Using In Situ TEM. Advanced Energy Materials, 2016, 6, 1600806.	19.5	69
131	A waste biomass derived hard carbon as a high-performance anode material for sodium-ion batteries. Journal of Materials Chemistry A, 2016, 4, 13046-13052.	10.3	246
132	Improved Li storage performance in SnO_2 nanocrystals by a synergetic doping. Scientific Reports, 2016, 6, 18978.	3.3	67
133	Batteries: Getting solid. Nature Energy, 2016, 1, .	39.5	295
134	High-Energy All-Solid-State Lithium Batteries with Ultralong Cycle Life. Nano Letters, 2016, 16, 7148-7154.	9.1	309
135	Sodium-Deficient $\text{O}_3\text{Na}_{0.9}[\text{Ni}_{0.4}\text{Mn}_x\text{Ti}_{0.6-x}\text{O}_2]$ Layered-Oxide Cathode Materials for Sodium-Ion Batteries. Particle and Particle Systems Characterization, 2016, 33, 538-544.	2.3	47
136	Impact of Anionic Structure of Lithium Salt on the Cycling Stability of Lithium-Metal Anode in Li-S Batteries. Journal of the Electrochemical Society, 2016, 163, A1776-A1783.	2.9	40
137	Single Lithium-Ion Conducting Polymer Electrolytes Based on a Super-Delocalized Polyanion. Angewandte Chemie, 2016, 128, 2567-2571.	2.0	26
138	Impact of the functional group in the polyanion of single lithium-ion conducting polymer electrolytes on the stability of lithium metal electrodes. RSC Advances, 2016, 6, 32454-32461.	3.6	90
139	MWCNT porous microspheres with an efficient 3D conductive network for high performance lithium-sulfur batteries. Journal of Materials Chemistry A, 2016, 4, 775-780.	10.3	79
140	A superior low-cost amorphous carbon anode made from pitch and lignin for sodium-ion batteries. Journal of Materials Chemistry A, 2016, 4, 96-104.	10.3	322
141	A High-Power Symmetric Na-Ion Pseudocapacitor. Advanced Functional Materials, 2015, 25, 5778-5785.	14.9	105
142	Superior Na-Storage Performance of Low-Temperature-Synthesized $\text{Na}_3(\text{VO}_2)_2\text{PO}_4\text{F}_{1+2x}$ ($0 \leq x \leq 1$) Nanoparticles for Na-Ion Batteries. Angewandte Chemie - International Edition, 2015, 54, 9911-9916.	13.8	191
143	Alkali-Ion Storage Behaviour in Spinel Lithium Titanate Electrodes. ChemElectroChem, 2015, 2, 1678-1681.	3.4	5
144	Prototype Sodium-Ion Batteries Using an Air-Stable and Co/Ni-Free O_3 -Layered Metal Oxide Cathode. Advanced Materials, 2015, 27, 6928-6933.	21.0	504

#	ARTICLE	IF	CITATIONS
145	Metal-Insulator Transition Induced by Oxygen Vacancies from Electrochemical Reaction in Ionic Liquid-Gated Manganite Films. <i>Advanced Materials Interfaces</i> , 2015, 2, 1500407.	3.7	68
146	A Novel High Capacity Positive Electrode Material with Tunnel-Type Structure for Aqueous Sodium-Ion Batteries. <i>Advanced Energy Materials</i> , 2015, 5, 1501005.	19.5	161
147	Na-deficient O3-type cathode material Na _{0.8} [Ni _{0.3} Co _{0.2} Ti _{0.5}]O ₂ for room-temperature sodium-ion batteries. <i>Electrochimica Acta</i> , 2015, 158, 258-263.	5.2	43
148	Selective adsorption-deposition of gold nanoparticles onto monodispersed hydrothermal carbon spherules: a reduction-deposition coupled mechanism. <i>Journal of Materials Chemistry A</i> , 2015, 3, 1666-1674.	10.3	34
149	Carbon cage encapsulating nano-cluster Li ₂ S by ionic liquid polymerization and pyrolysis for high performance Li-S batteries. <i>Nano Energy</i> , 2015, 13, 467-473.	16.0	76
150	Novel Large-Scale Synthesis of a C/S Nanocomposite with Mixed Conducting Networks through a Spray Drying Approach for Li-S Batteries. <i>Advanced Energy Materials</i> , 2015, 5, 1500046.	19.5	96
151	Anti-P2 structured Na _{0.5} NbO ₂ and its negative strain effect. <i>Energy and Environmental Science</i> , 2015, 8, 2753-2759.	30.8	14
152	A spray drying approach for the synthesis of a Na ₂ C ₆ H ₂ O ₄ /CNT nanocomposite anode for sodium-ion batteries. <i>Journal of Materials Chemistry A</i> , 2015, 3, 13193-13197.	10.3	75
153	Ti-substituted tunnel-type Na _{0.44} MnO ₂ oxide as a negative electrode for aqueous sodium-ion batteries. <i>Nature Communications</i> , 2015, 6, 6401.	12.8	316
154	P2-Na _{0.6} [Cr _{0.6} Ti _{0.4}]O ₂ cation-disordered electrode for high-rate symmetric rechargeable sodium-ion batteries. <i>Nature Communications</i> , 2015, 6, 6954.	12.8	426
155	Unraveling the storage mechanism in organic carbonyl electrodes for sodium-ion batteries. <i>Science Advances</i> , 2015, 1, e1500330.	10.3	170
156	Amorphous monodispersed hard carbon micro-spherules derived from biomass as a high performance negative electrode material for sodium-ion batteries. <i>Journal of Materials Chemistry A</i> , 2015, 3, 71-77.	10.3	432
157	Direct Observation of Ordered Oxygen Defects on the Atomic Scale in Li ₂ O ₂ for Li-O ₂ Batteries. <i>Advanced Energy Materials</i> , 2015, 5, 1400664.	19.5	32
158	Amorphous iron phosphate: potential host for various charge carrier ions. <i>NPG Asia Materials</i> , 2014, 6, e138-e138.	7.9	213
159	Ambient Lithium-SO ₂ Batteries with Ionic Liquids as Electrolytes. <i>Angewandte Chemie - International Edition</i> , 2014, 53, 2099-2103.	13.8	62
160	Carbon-coated rhombohedral Li ₃ V ₂ (PO ₄) ₃ as both cathode and anode materials for lithium-ion batteries: electrochemical performance and lithium storage mechanism. <i>Journal of Materials Chemistry A</i> , 2014, 2, 20231-20236.	10.3	44
161	Novel copper redox-based cathode materials for room-temperature sodium-ion batteries. <i>Chinese Physics B</i> , 2014, 23, 118202.	1.4	105
162	Cereus-Shaped Mesoporous Rutile TiO ₂ Formed in Ionic Liquid: Synthesis and Li-Storage Properties. <i>ChemElectroChem</i> , 2014, 1, 549-553.	3.4	13

#	ARTICLE	IF	CITATIONS
163	Atomic Structure and Kinetics of NASICON Na _x V ₂ (PO ₄) ₃ Cathode for Sodium-ion Batteries. <i>Advanced Functional Materials</i> , 2014, 24, 4265-4272.	14.9	323
164	A phase transfer assisted solvo-thermal strategy for the synthesis of REF ₃ and Ln ³⁺ -doped REF ₃ nano-/microcrystals. <i>Journal of Colloid and Interface Science</i> , 2014, 436, 171-178.	9.4	6
165	Novel approach for a high-energy-density Li-air battery: tri-dimensional growth of Li ₂ O ₂ crystals tailored by electrolyte Li ⁺ ion concentrations. <i>Journal of Materials Chemistry A</i> , 2014, 2, 9020.	10.3	41
166	Remarkably Improved Electrode Performance of Bulk MnS by Forming a Solid Solution with FeS – Understanding the Li Storage Mechanism. <i>Advanced Functional Materials</i> , 2014, 24, 5557-5566.	14.9	49
167	A long-life lithium-ion battery with a highly porous TiNb ₂ O ₇ anode for large-scale electrical energy storage. <i>Energy and Environmental Science</i> , 2014, 7, 2220-2226.	30.8	312
168	Room-temperature stationary sodium-ion batteries for large-scale electric energy storage. <i>Energy and Environmental Science</i> , 2013, 6, 2338.	30.8	2,799
169	A zero-strain layered metal oxide as the negative electrode for long-life sodium-ion batteries. <i>Nature Communications</i> , 2013, 4, 2365.	12.8	515
170	A Size-Dependent Sodium Storage Mechanism in Li ₄ Ti ₅ O ₁₂ Investigated by a Novel Characterization Technique Combining in Situ X-ray Diffraction and Chemical Sodiation. <i>Nano Letters</i> , 2013, 13, 4721-4727.	9.1	212
171	Highly Ordered Mesoporous Crystalline MoSe ₂ Material with Efficient Visible-Light-Driven Photocatalytic Activity and Enhanced Lithium Storage Performance. <i>Advanced Functional Materials</i> , 2013, 23, 1832-1838.	14.9	285
172	Superior Electrochemical Performance and Storage Mechanism of Na ₃ V ₂ (PO ₄) ₃ Cathode for Room-Temperature Sodium-ion Batteries. <i>Advanced Energy Materials</i> , 2013, 3, 156-160.	19.5	817
173	Direct atomic-scale confirmation of three-phase storage mechanism in Li ₄ Ti ₅ O ₁₂ anodes for room-temperature sodium-ion batteries. <i>Nature Communications</i> , 2013, 4, 1870.	12.8	628
174	Sodium Storage and Transport Properties in Layered Na ₂ Ti ₃ O ₇ for Room-Temperature Sodium-ion Batteries. <i>Advanced Energy Materials</i> , 2013, 3, 1186-1194.	19.5	456
175	Sodium-Ion Batteries: Superior Electrochemical Performance and Storage Mechanism of Na ₃ V ₂ (PO ₄) ₃ Cathode for Room-Temperature Sodium-Ion Batteries (<i>Adv. Energy Mater.</i> 2/2013). <i>Advanced Energy Materials</i> , 2013, 3, 138-138.	19.5	4
176	The low-temperature (400 Å°C) coating of few-layer graphene on porous Li ₄ Ti ₅ O ₁₂ via C ₂₈ H ₁₆ Br ₂ pyrolysis for lithium-ion batteries. <i>RSC Advances</i> , 2012, 2, 1751.	3.6	40
177	Disodium Terephthalate (Na ₂ C ₈ H ₄ O ₄) as High Performance Anode Material for Low-Cost Room-Temperature Sodium-ion Battery. <i>Advanced Energy Materials</i> , 2012, 2, 962-965.	19.5	498
178	Carbon coated Na ₃ V ₂ (PO ₄) ₃ as novel electrode material for sodium ion batteries. <i>Electrochemistry Communications</i> , 2012, 14, 86-89.	4.7	693
179	Atomic-scale investigation on lithium storage mechanism in TiNb ₂ O ₇ . <i>Energy and Environmental Science</i> , 2011, 4, 2638.	30.8	256
180	Porosity Li ₄ Ti ₅ O ₁₂ Coated with N-Doped Carbon from Ionic Liquids for Li-ion Batteries. <i>Advanced Materials</i> , 2011, 23, 1385-1388.	21.0	742

#	ARTICLE	IF	CITATIONS
181	Highly Stable Lithium Storage Performance in a Porous Carbon/Silicon Nanocomposite. ChemSusChem, 2010, 3, 231-235.	6.8	31
182	Electrodeposited Aluminum-Doped Fe_2O_3 Photoelectrodes: Experiment and Theory. Chemistry of Materials, 2010, 22, 510-517.	6.7	240
183	Hollow Fe-containing carbon fibers with tubular tertiary structure: preparation and Li-storage properties. Journal of Materials Chemistry, 2009, 19, 1616.	6.7	28
184	Screening Heteroatom Configurations for Reversible Sloping Capacity Promises High-Power Na-Ion Batteries. Angewandte Chemie, 0, , .	2.0	23