

# Zhongchao Bai

## List of Publications by Citations

**Source:** <https://exaly.com/author-pdf/489972/zhongchao-bai-publications-by-citations.pdf>

**Version:** 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

184  
papers

11,364  
citations

61  
h-index

101  
g-index

199  
ext. papers

13,800  
ext. citations

11.2  
avg, IF

6.84  
L-index

#	Paper	IF	Citations
184	Sn/graphene nanocomposite with 3D architecture for enhanced reversible lithium storage in lithium ion batteries. <i>Journal of Materials Chemistry</i> , <b>2009</b> , 19, 8378		482
183	Metal-Free Carbon Materials for CO Electrochemical Reduction. <i>Advanced Materials</i> , <b>2017</b> , 29, 1701784	24	385
182	Double-Walled Sb@TiO <sub>2-x</sub> Nanotubes as a Superior High-Rate and Ultralong-Lifespan Anode Material for Na-Ion and Li-Ion Batteries. <i>Advanced Materials</i> , <b>2016</b> , 28, 4126-33	24	340
181	Ultrathin MoS <sub>2</sub> Nanosheets as Anode Materials for Sodium-Ion Batteries with Superior Performance. <i>Advanced Energy Materials</i> , <b>2015</b> , 5, 1401205	21.8	301
180	Bismuth Oxybromide with Reasonable Photocatalytic Reduction Activity under Visible Light. <i>ACS Catalysis</i> , <b>2014</b> , 4, 954-961	13.1	258
179	Prussian Blue@C Composite as an Ultrahigh-Rate and Long-Life Sodium-Ion Battery Cathode. <i>Advanced Functional Materials</i> , <b>2016</b> , 26, 5315-5321	15.6	241
178	Anatase TiO <sub>2</sub> : Better Anode Material Than Amorphous and Rutile Phases of TiO <sub>2</sub> for Na-Ion Batteries. <i>Chemistry of Materials</i> , <b>2015</b> , 27, 6022-6029	9.6	233
177	Two-Dimensional Tin Disulfide Nanosheets for Enhanced Sodium Storage. <i>ACS Nano</i> , <b>2015</b> , 9, 11371-81	16.7	231
176	Ambient Aqueous Synthesis of Ultrasmall PEGylated Cu Se Nanoparticles as a Multifunctional Theranostic Agent for Multimodal Imaging Guided Photothermal Therapy of Cancer. <i>Advanced Materials</i> , <b>2016</b> , 28, 8927-8936	24	223
175	Nitrogen-Doped Graphene Ribbon Assembled Core-Shell MnO@Graphene Scrolls as Hierarchically Ordered 3D Porous Electrodes for Fast and Durable Lithium Storage. <i>Advanced Functional Materials</i> , <b>2016</b> , 26, 7754-7765	15.6	210
174	Three-dimensional controlled growth of monodisperse sub-50 nm heterogeneous nanocrystals. <i>Nature Communications</i> , <b>2016</b> , 7, 10254	17.4	205
173	Ever-Increasing Pseudocapacitance in RGOMnORGO Sandwich Nanostructures for Ultrahigh-Rate Lithium Storage. <i>Advanced Functional Materials</i> , <b>2016</b> , 26, 2198-2206	15.6	204
172	2D Frameworks of C N and C N as New Anode Materials for Lithium-Ion Batteries. <i>Advanced Materials</i> , <b>2017</b> , 29, 1702007	24	196
171	Recent Progress in the Design of Advanced Cathode Materials and Battery Models for High-Performance Lithium-X (X = O, S, Se, Te, I, Br) Batteries. <i>Advanced Materials</i> , <b>2017</b> , 29, 1606454	24	194
170	Bismuth: A new anode for the Na-ion battery. <i>Nano Energy</i> , <b>2015</b> , 12, 88-95	17.1	192
169	Facile and Large-Scale Fabrication of a Cactus-Inspired Continuous Fog Collector. <i>Advanced Functional Materials</i> , <b>2014</b> , 24, 3235-3240	15.6	185
168	Heterostructured Nanorings of Fe-FeO@C Hybrid with Enhanced Microwave Absorption Performance. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2018</b> , 10, 9369-9378	9.5	180

167	A Green and Facile Way to Prepare Granadilla-Like Silicon-Based Anode Materials for Li-Ion Batteries. <i>Advanced Functional Materials</i> , <b>2016</b> , 26, 440-446	15.6	161
166	Facile synthesis of loaf-like ZnMnO <sub>2</sub> nanorods and their excellent performance in Li-ion batteries. <i>Nanoscale</i> , <b>2013</b> , 5, 2442-7	7.7	161
165	Direct large-scale synthesis of 3D hierarchical mesoporous NiO microspheres as high-performance anode materials for lithium ion batteries. <i>Nanoscale</i> , <b>2014</b> , 6, 3268-73	7.7	158
164	Single crystalline Co <sub>3</sub> O <sub>4</sub> nanocrystals exposed with different crystal planes for Li-O <sub>2</sub> batteries. <i>Scientific Reports</i> , <b>2014</b> , 4, 5767	4.9	152
163	Edge-Fluorinated Graphene Nanoplatelets as High Performance Electrodes for Dye-Sensitized Solar Cells and Lithium Ion Batteries. <i>Advanced Functional Materials</i> , <b>2015</b> , 25, 1170-1179	15.6	146
162	A Flexible 3D Multifunctional MgO-Decorated Carbon Foam@CNTs Hybrid as Self-Supported Cathode for High-Performance Lithium-Sulfur Batteries. <i>Advanced Functional Materials</i> , <b>2017</b> , 27, 1702573	15.6	138
161	High thermoelectric and mechanical performance in highly dense Cu <sub>2</sub> S bulks prepared by a melt-solidification technique. <i>Journal of Materials Chemistry A</i> , <b>2015</b> , 3, 9432-9437	13	129
160	Bio-Nanotechnology in High-Performance Supercapacitors. <i>Advanced Energy Materials</i> , <b>2017</b> , 7, 1700592	21.8	126
159	MOFs-derived porous Mn <sub>2</sub> O <sub>3</sub> as high-performance anode material for Li-ion battery. <i>Journal of Materials Chemistry A</i> , <b>2015</b> , 3, 5266-5269	13	123
158	Superhydrophobic Shape Memory Polymer Arrays with Switchable Isotropic/Anisotropic Wetting. <i>Advanced Functional Materials</i> , <b>2018</b> , 28, 1705002	15.6	120
157	Desert Beetle-Inspired Superwetable Patterned Surfaces for Water Harvesting. <i>Small</i> , <b>2017</b> , 13, 1701403	11	110
156	Facile synthesis of mesoporous Mn <sub>3</sub> O <sub>4</sub> nanotubes and their excellent performance for lithium-ion batteries. <i>Journal of Materials Chemistry A</i> , <b>2013</b> , 1, 10985	13	108
155	Rayleigh-Instability-Induced Bismuth Nanorod@Nitrogen-Doped Carbon Nanotubes as A Long Cycling and High Rate Anode for Sodium-Ion Batteries. <i>Nano Letters</i> , <b>2019</b> , 19, 1998-2004	11.5	101
154	Anodic Oxidation Strategy toward Structure-Optimized VO <sub>2</sub> Cathode Electrolyte Regulation for Zn-Ion Storage. <i>ACS Nano</i> , <b>2020</b> , 14, 7328-7337	16.7	101
153	Comprehensive New Insights and Perspectives into Ti-Based Anodes for Next-Generation Alkaline Metal (Na <sup>+</sup> , K <sup>+</sup> ) Ion Batteries. <i>Advanced Energy Materials</i> , <b>2018</b> , 8, 1801888	21.8	100
152	High-performance room-temperature sodium-sulfur battery enabled by electrocatalytic sodium polysulfides full conversion. <i>Energy and Environmental Science</i> , <b>2020</b> , 13, 562-570	35.4	98
151	CuO single crystal with exposed {001} facets--a highly efficient material for gas sensing and Li-ion battery applications. <i>Scientific Reports</i> , <b>2014</b> , 4, 5753	4.9	94
150	Nanoconfined SnS in 3D interconnected macroporous carbon as durable anodes for lithium/sodium ion batteries. <i>Carbon</i> , <b>2018</b> , 134, 222-231	10.4	94

149	Heterostructures of NiCoAl layered double hydroxide assembled on V4C3 MXene for high-energy hybrid supercapacitors. <i>Journal of Materials Chemistry A</i> , <b>2019</b> , 7, 2291-2300	13	93
148	Enhanced Kinetics Harvested in Heteroatom Dual-Doped Graphitic Hollow Architectures toward High Rate Printable Potassium-Ion Batteries. <i>Advanced Energy Materials</i> , <b>2020</b> , 10, 2001161	21.8	91
147	Positive and negative exchange bias effects in the simple perovskite manganite NdMnO3. <i>Applied Physics Letters</i> , <b>2012</b> , 101, 102411	3.4	89
146	Co9S8@carbon nanospheres as high-performance anodes for sodium ion battery. <i>Chemical Engineering Journal</i> , <b>2018</b> , 343, 512-519	14.7	86
145	A novel reusable superhydrophilic NiO/Ni mesh produced by a facile fabrication method for superior oil/water separation. <i>Journal of Materials Chemistry A</i> , <b>2017</b> , 5, 10821-10826	13	83
144	Recent progress in thermoelectric materials. <i>Science Bulletin</i> , <b>2014</b> , 59, 2073-2091		83
143	Atomically Thin Transition-Metal Dichalcogenides for Electrocatalysis and Energy Storage. <i>Small Methods</i> , <b>2017</b> , 1, 1700156	12.8	82
142	ZIF-8@ZIF-67-Derived Nitrogen-Doped Porous Carbon Confined CoP Polyhedron Targeting Superior Potassium-Ion Storage. <i>Small</i> , <b>2020</b> , 16, e1906566	11	78
141	A colossal dielectric constant of an amorphous TiO2:(Nb, In) film with low loss fabrication at room temperature. <i>Journal of Materials Chemistry C</i> , <b>2014</b> , 2, 6790-6795	7.1	78
140	Construction of Structure-Tunable Si@Void@C Anode Materials for Lithium-Ion Batteries through Controlling the Growth Kinetics of Resin. <i>ACS Nano</i> , <b>2019</b> , 13, 12219-12229	16.7	76
139	In Operando Mechanism Analysis on Nanocrystalline Silicon Anode Material for Reversible and Ultrafast Sodium Storage. <i>Advanced Materials</i> , <b>2017</b> , 29, 1604708	24	75
138	A dye-sensitized visible light photocatalyst-Bi24O31Cl10. <i>Scientific Reports</i> , <b>2014</b> , 4, 7384	4.9	73
137	Facile synthesis of mesoporous Mn3O4 nanorods as a promising anode material for high performance lithium-ion batteries. <i>Journal of Materials Chemistry A</i> , <b>2014</b> , 2, 16755-16760	13	72
136	Monodisperse core-shell structured magnetic mesoporous aluminosilicate nanospheres with large dendritic mesochannels. <i>Nano Research</i> , <b>2015</b> , 8, 2503-2514	10	70
135	One-Dimensional Yolk-Shell Sb@Ti-O-P Nanostructures as a High-Capacity and High-Rate Anode Material for Sodium Ion Batteries. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2017</b> , 9, 447-454	9.5	68
134	Interconnected honeycomb-like porous carbon derived from plane tree fluff for high performance supercapacitors. <i>Journal of Materials Chemistry A</i> , <b>2016</b> , 4, 10869-10877	13	68
133	Mesoporous hexagonal Co3O4 for high performance lithium ion batteries. <i>Scientific Reports</i> , <b>2014</b> , 4, 6519	4.9	67
132	FeS2 nanoparticles embedded in N/S co-doped porous carbon fibers as anode for sodium-ion batteries. <i>Chemical Engineering Journal</i> , <b>2020</b> , 380, 122455	14.7	67

131	Lead-free SnTe-based thermoelectrics: enhancement of thermoelectric performance by doping with Gd/Ag. <i>Journal of Materials Chemistry A</i> , <b>2016</b> , 4, 7936-7942	13	66
130	Non-carbon-supported single-atom site catalysts for electrocatalysis. <i>Energy and Environmental Science</i> , <b>2021</b> , 14, 2809-2858	35.4	66
129	Nanostructured Bi <sub>2</sub> S <sub>3</sub> encapsulated within three-dimensional N-doped graphene as active and flexible anodes for sodium-ion batteries. <i>Nano Research</i> , <b>2018</b> , 11, 4614-4626	10	65
128	Interwoven V <sub>2</sub> O <sub>5</sub> nanowire/graphene nanoscroll hybrid assembled as efficient polysulfide-trapping-conversion interlayer for long-life lithium-sulfur batteries. <i>Journal of Materials Chemistry A</i> , <b>2018</b> , 6, 19358-19370	13	65
127	Reverse Microemulsion Synthesis of Sulfur/Graphene Composite for Lithium/Sulfur Batteries. <i>ACS Nano</i> , <b>2017</b> , 11, 9048-9056	16.7	64
126	High-strength scalable MXene films through bridging-induced densification. <i>Science</i> , <b>2021</b> , 374, 96-99	33.3	64
125	Defect Sites-Rich Porous Carbon with Pseudocapacitive Behaviors as an Ultrafast and Long-Term Cycling Anode for Sodium-Ion Batteries. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2018</b> , 10, 9353-9361	9.5	63
124	Mesocrystal Co <sub>3</sub> O <sub>4</sub> nanoplatelets as high capacity anode materials for Li-ion batteries. <i>Nano Research</i> , <b>2014</b> , 7, 794-803	10	63
123	Electrospinning of crystalline MoO <sub>3</sub> @C nanofibers for high-rate lithium storage. <i>Journal of Materials Chemistry A</i> , <b>2015</b> , 3, 3257-3260	13	61
122	Boosting Sodium Storage of Double-Shell Sodium Titanate Microspheres Constructed from 2D Ultrathin Nanosheets via Sulfur Doping. <i>Advanced Materials</i> , <b>2018</b> , 30, e1804157	24	61
121	Prelithiation: A Crucial Strategy for Boosting the Practical Application of Next-Generation Lithium Ion Battery. <i>ACS Nano</i> , <b>2021</b> , 15, 2197-2218	16.7	58
120	Polypyrrole hollow nanospheres: stable cathode materials for sodium-ion batteries. <i>Chemical Communications</i> , <b>2015</b> , 51, 16092-5	5.8	57
119	Fabrication of Hierarchical Porous Carbon Nanoflakes for High-Performance Supercapacitors. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2017</b> , 9, 34944-34953	9.5	57
118	Interfacial and Electronic Modulation via Localized Sulfurization for Boosting Lithium Storage Kinetics. <i>Advanced Materials</i> , <b>2020</b> , 32, e2000151	24	56
117	Solid Electrolyte Interphases on Sodium Metal Anodes. <i>Advanced Functional Materials</i> , <b>2020</b> , 30, 2004891	15.6	56
116	Ultra-Tough Inverse Artificial Nacre Based on Epoxy-Graphene by Freeze-Casting. <i>Angewandte Chemie - International Edition</i> , <b>2019</b> , 58, 7636-7640	16.4	53
115	Nanoarrays: design, preparation and supercapacitor applications. <i>RSC Advances</i> , <b>2015</b> , 5, 55856-55869	3.7	53
114	Design strategies for developing non-precious metal based bi-functional catalysts for alkaline electrolyte based zinc-air batteries. <i>Materials Horizons</i> , <b>2019</b> , 6, 1812-1827	14.4	52

113	A S/N-doped high-capacity mesoporous carbon anode for Na-ion batteries. <i>Journal of Materials Chemistry A</i> , <b>2019</b> , 7, 11976-11984	13	50
112	One-pot synthesis of ultra-small magnetite nanoparticles on the surface of reduced graphene oxide nanosheets as anodes for sodium-ion batteries. <i>Journal of Materials Chemistry A</i> , <b>2015</b> , 3, 4793-4798	13	50
111	An engineered self-supported electrocatalytic cathode and dendrite-free composite anode based on 3D double-carbon hosts for advanced Li <sub>2</sub> S <sub>2</sub> batteries. <i>Journal of Materials Chemistry A</i> , <b>2020</b> , 8, 2969-2983	13	49
110	Aqueous preparation of surfactant-free copper selenide nanowires. <i>Journal of Colloid and Interface Science</i> , <b>2015</b> , 442, 140-6	9.3	48
109	Recent progress on liquid metals and their applications. <i>Advances in Physics: X</i> , <b>2018</b> , 3, 1446359	5.1	48
108	Gold nanocrystals with variable index facets as highly effective cathode catalysts for lithium-oxygen batteries. <i>NPG Asia Materials</i> , <b>2015</b> , 7, e155-e155	10.3	48
107	Hierarchical MoS <sub>2</sub> @Carbon Microspheres as Advanced Anodes for Li-Ion Batteries. <i>Chemistry - A European Journal</i> , <b>2015</b> , 21, 18187-91	4.8	47
106	Interfacial Manipulation via In Situ Grown ZnSe Cultivator toward Highly Reversible Zn Metal Anodes. <i>Advanced Materials</i> , <b>2021</b> , e2105951	24	45
105	A 3D conductive scaffold with lithiophilic modification for stable lithium metal batteries. <i>Journal of Materials Chemistry A</i> , <b>2018</b> , 6, 17967-17976	13	45
104	Facile Synthesis of Sulfur Polypyrrole as Cathodes for Lithium-Sulfur Batteries. <i>ChemElectroChem</i> , <b>2017</b> , 4, 115-121	4.3	43
103	Synergistically Enhanced Interfacial Interaction to Polysulfide via N,O Dual-Doped Highly Porous Carbon Microrods for Advanced Lithium-Sulfur Batteries. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2018</b> , 10, 13573-13580	9.5	42
102	Bio-Inspired Multifunctional Metallic Foams Through the Fusion of Different Biological Solutions. <i>Advanced Functional Materials</i> , <b>2014</b> , 24, 2721-2726	15.6	42
101	Realizing Reversible Conversion-Alloying of Sb(V) in Polyantimonic Acid for Fast and Durable Lithium- and Potassium-Ion Storage. <i>Advanced Energy Materials</i> , <b>2020</b> , 10, 1903119	21.8	41
100	Ambient controlled synthesis of advanced core-shell plasmonic Ag@ZnO photocatalysts. <i>CrystEngComm</i> , <b>2016</b> , 18, 1713-1722	3.3	40
99	The Effects of Te <sub>2</sub> and I <sub>2</sub> Substitutions on the Electronic Structures, Thermoelectric Performance, and Hardness in Melt-Quenched Highly Dense Cu <sub>2-x</sub> Se. <i>Advanced Electronic Materials</i> , <b>2015</b> , 1, 1400015	6.4	40
98	Promoting solar-to-hydrogen evolution on Schottky interface with mesoporous TiO-Cu hybrid nanostructures. <i>Journal of Colloid and Interface Science</i> , <b>2019</b> , 545, 116-127	9.3	39
97	Porous ZnMn <sub>2</sub> O <sub>4</sub> nanowires as an advanced anode material for lithium ion battery. <i>Electrochimica Acta</i> , <b>2015</b> , 182, 1140-1144	6.7	39
96	Confining MOF-derived SnSe nanoplatelets in nitrogen-doped graphene cages via direct CVD for durable sodium ion storage. <i>Nano Research</i> , <b>2019</b> , 12, 3051-3058	10	39

95	Ruthenium nanocrystal decorated vertical graphene nanosheets@Ni foam as highly efficient cathode catalysts for lithium-oxygen batteries. <i>NPG Asia Materials</i> , <b>2016</b> , 8, e286-e286	10.3	39
94	Microwave Synthesis of Homogeneous YAG Nanopowder Leading to a Transparent Ceramic. <i>Journal of the American Ceramic Society</i> , <b>2009</b> , 92, 1217-1223	3.8	38
93	Three-Stage Inter-Orthorhombic Evolution and High Thermoelectric Performance in Ag-Doped Nanolaminar SnSe Polycrystals. <i>Advanced Energy Materials</i> , <b>2017</b> , 7, 1700573	21.8	37
92	Chevrel Phase Mo T (T = S, Se) as Electrodes for Advanced Energy Storage. <i>Small</i> , <b>2017</b> , 13, 1701441	11	37
91	Tuning the morphology of Co <sub>3</sub> O <sub>4</sub> on Ni foam for supercapacitor application. <i>RSC Advances</i> , <b>2016</b> , 6, 45783-45790	9.7	37
90	Understanding of the capacity contribution of carbon in phosphorus-carbon composites for high-performance anodes in lithium ion batteries. <i>Nano Research</i> , <b>2017</b> , 10, 1268-1281	10	36
89	Nitrogen-doped carbon nanofibers with effectively encapsulated GeO <sub>2</sub> nanocrystals for highly reversible lithium storage. <i>Journal of Materials Chemistry A</i> , <b>2015</b> , 3, 21699-21705	13	36
88	Hierarchical Vanadium Pentoxide Spheres as High-Performance Anode Materials for Sodium-Ion Batteries. <i>ChemSusChem</i> , <b>2015</b> , 8, 2877-82	8.3	35
87	Perspective on solid-electrolyte interphase regulation for lithium metal batteries. <i>SmartMat</i> , <b>2021</b> , 2, 5-11	22.8	35
86	Ultratough nacre-inspired epoxy-graphene composites with shape memory properties. <i>Journal of Materials Chemistry A</i> , <b>2019</b> , 7, 2787-2794	13	34
85	Uncoupled surface spin induced exchange bias in MnO <sub>2</sub> nanowires. <i>Scientific Reports</i> , <b>2014</b> , 4, 6641	4.9	34
84	Mass Production and Pore Size Control of Holey Carbon Microcages. <i>Angewandte Chemie - International Edition</i> , <b>2017</b> , 56, 13790-13794	16.4	34
83	Stress Distortion Restraint to Boost the Sodium Ion Storage Performance of a Novel Binary Hexacyanoferrate. <i>Advanced Energy Materials</i> , <b>2020</b> , 10, 1903006	21.8	34
82	Hierarchical assembly and superior lithium/sodium storage properties of a flowerlike C/SnS@C nanocomposite. <i>Electrochimica Acta</i> , <b>2019</b> , 296, 891-900	6.7	34
81	Selenium@Hollow mesoporous carbon composites for high-rate and long-cycling lithium/sodium-ion batteries. <i>Chemical Engineering Journal</i> , <b>2020</b> , 392, 123676	14.7	33
80	Hydrostatic pressure: a very effective approach to significantly enhance critical current density in granular iron pnictide superconductors. <i>Scientific Reports</i> , <b>2015</b> , 5, 8213	4.9	32
79	Enhanced Reaction Kinetics and Structure Integrity of Ni/SnO <sub>2</sub> Nanocluster toward High-Performance Lithium Storage. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2015</b> , 7, 26367-73	9.5	31
78	Ambient synthesis of a multifunctional 1D/2D hierarchical Ag@Ag <sub>2</sub> S nanowire/nanosheet heterostructure with diverse applications. <i>CrystEngComm</i> , <b>2016</b> , 18, 930-937	3.3	31

77	Bio-Derived Hierarchical Multicore-Shell FeN-Nanoparticle-Impregnated N-Doped Carbon Nanofiber Bundles: A Host Material for Lithium-/Potassium-Ion Storage. <i>Nano-Micro Letters</i> , <b>2019</b> , 11, 56	19.5	31
76	Recent Advances in Cu-Based Cocatalysts toward Solar-to-Hydrogen Evolution: Categories and Roles. <i>Solar Rrl</i> , <b>2019</b> , 3, 1900256	7.1	31
75	Hierarchical nanoarchitected hybrid electrodes based on ultrathin MoSe <sub>2</sub> nanosheets on 3D ordered macroporous carbon frameworks for high-performance sodium-ion batteries. <i>Journal of Materials Chemistry A</i> , <b>2020</b> , 8, 2843-2850	13	31
74	Laser-Generated Supranano Liquid Metal as Efficient Electron Mediator in Hybrid Perovskite Solar Cells. <i>Advanced Materials</i> , <b>2020</b> , 32, e2001571	24	30
73	Overcritical state in superconducting round wires sheathed by iron. <i>Journal of Applied Physics</i> , <b>2004</b> , 96, 1146-1153	2.5	30
72	Thickness-independent scalable high-performance Li-S batteries with high areal sulfur loading via electron-enriched carbon framework. <i>Nature Communications</i> , <b>2021</b> , 12, 4519	17.4	29
71	Metal-Organic Framework-Derived Sea-Cucumber-like FeS <sub>2</sub> @C Nanorods with Outstanding Pseudocapacitive Na-Ion Storage Properties. <i>ACS Applied Energy Materials</i> , <b>2018</b> , 1, 6234-6241	6.1	29
70	Self-Supported Nonprecious MXene/Ni <sub>3</sub> S <sub>2</sub> Electrocatalysts for Efficient Hydrogen Generation in Alkaline Media. <i>ACS Applied Energy Materials</i> , <b>2019</b> , 2, 6931-6938	6.1	26
69	A GBH/LiBH <sub>4</sub> coordination system with favorable dehydrogenation. <i>Journal of Materials Chemistry</i> , <b>2011</b> , 21, 7138		26
68	Facile Fabrication of Dendritic Mesoporous SiO <sub>2</sub> @CdTe@SiO <sub>2</sub> Fluorescent Nanoparticles for Bioimaging. <i>Particle and Particle Systems Characterization</i> , <b>2016</b> , 33, 261-270	3.1	26
67	Improvement of thermoelectric properties and their correlations with electron effective mass in CuSSe. <i>Scientific Reports</i> , <b>2017</b> , 7, 40436	4.9	25
66	Revealing the Critical Factor in Metal Sulfide Anode Performance in Sodium-Ion Batteries: An Investigation of Polysulfide Shuttling Issues. <i>Small Methods</i> , <b>2020</b> , 4, 1900673	12.8	25
65	A facile way to fabricate double-shell pomegranate-like porous carbon microspheres for high-performance Li-ion batteries. <i>Journal of Materials Chemistry A</i> , <b>2017</b> , 5, 12073-12079	13	24
64	Catalytic Activity Boosting of Nickel Sulfide toward Oxygen Evolution Reaction via Confined Overdoping Engineering. <i>ACS Applied Energy Materials</i> , <b>2019</b> , 2, 5363-5372	6.1	24
63	Interpreting Abnormal Charge-Discharge Plateau Migration in Cu S during Long-Term Cycling. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2019</b> , 11, 3961-3970	9.5	23
62	General Synthetic Strategy for Pomegranate-like Transition-Metal [email protected] Carbon Nanostructures with High Lithium Storage Capacity <b>2019</b> , 1, 265-271		20
61	Giant enhancement in critical current density, up to a hundredfold, in superconducting NaFe <sub>0.97</sub> Co <sub>0.03</sub> As single crystals under hydrostatic pressure. <i>Scientific Reports</i> , <b>2015</b> , 5, 10606	4.9	20
60	Evidence for superior current carrying capability of iron pnictide tapes under hydrostatic pressure. <i>Physical Review Materials</i> , <b>2017</b> , 1,	3.2	20



59	Stabilizing the structure of LiMnFePO via the formation of concentration-gradient hollow spheres with Fe-rich surfaces. <i>Nanoscale</i> , <b>2019</b> , 11, 3933-3944	7.7	19
58	Prussian blue analogues for sodium-ion batteries: past, present and future.. <i>Advanced Materials</i> , <b>2021</b> , e2108384	24	19
57	Confining TiO Nanotubes in PECVD-Enabled Graphene Capsules Toward Ultrafast K-Ion Storage: In Situ TEM/XRD Study and DFT Analysis. <i>Nano-Micro Letters</i> , <b>2020</b> , 12, 123	19.5	18
56	A new reflowing strategy based on lithiophilic substrates towards smooth and stable lithium metal anodes. <i>Journal of Materials Chemistry A</i> , <b>2019</b> , 7, 18126-18134	13	18
55	Aging effect evolution during ferroelectric-ferroelectric phase transition: A mechanism study. <i>AIP Advances</i> , <b>2013</b> , 3, 062105	1.5	17
54	Recent advanced skeletons in sodium metal anodes. <i>Energy and Environmental Science</i> ,	35.4	16
53	Crossover of Magnetoresistance from Fourfold to Twofold Symmetry in SmB <sub>6</sub> Single Crystal, a Topological Kondo Insulator. <i>Journal of the Physical Society of Japan</i> , <b>2015</b> , 84, 044717	1.5	15
52	Hollow Li <sub>1.2</sub> Mn <sub>0.54</sub> Ni <sub>0.13</sub> Co <sub>0.13</sub> O <sub>2</sub> micro-spheres synthesized by a co-precipitation method as a high-performance cathode material for Li-ion batteries. <i>RSC Advances</i> , <b>2016</b> , 6, 70091-70098	3.7	15
51	Growth of Ca <sub>3</sub> Co <sub>4</sub> O <sub>9</sub> films: Simple chemical solution deposition and stress induced spontaneous dewetting. <i>Journal of Applied Physics</i> , <b>2007</b> , 102, 103519	2.5	15
50	Lithium Storage Properties of Ball Milled Ni-57 mass%Sn Alloy. <i>Materials Transactions</i> , <b>2002</b> , 43, 63-66	1.3	15
49	Suppressed Shuttle via Inhibiting the Formation of Long-Chain Lithium Polysulfides and Functional Separator for Greatly Improved Lithium/Organosulfur Batteries Performance. <i>Advanced Energy Materials</i> , <b>2020</b> , 10, 1902695	21.8	15
48	Strategies for boosting carbon electrocatalysts for the oxygen reduction reaction in non-aqueous metal/air battery systems. <i>Journal of Materials Chemistry A</i> , <b>2021</b> , 9, 6671-6693	13	15
47	Large-scale synthesis of NiO polyhedron nanocrystals as high-performance anode materials for lithium ion batteries. <i>Materials Letters</i> , <b>2016</b> , 168, 5-8	3.3	14
46	Ultrathin MoSe <sub>2</sub> Nanosheets Confined in N-doped Macroporous Carbon Frame for Enhanced Potassium Ion Storage. <i>ChemistrySelect</i> , <b>2020</b> , 5, 2412-2418	1.8	13
45	Mo <sub>2</sub> C@3D ultrathin macroporous carbon realizing efficient and stable nitrogen fixation. <i>Science China Chemistry</i> , <b>2020</b> , 63, 1570-1577	7.9	13
44	Extremely rapid engineering of zinc oxide nanoaggregates with structure-dependent catalytic capability towards removal of ciprofloxacin antibiotic. <i>Inorganic Chemistry Frontiers</i> , <b>2018</b> , 5, 2432-2444	6.8	13
43	Microstructure and metal/ dielectric transition behaviour in a percolative Al <sub>2</sub> O <sub>3</sub> /Fe composite via selective reduction. <i>RSC Advances</i> , <b>2013</b> , 3, 26110	3.7	13
42	Chemical Solution Deposition of Transparent and Metallic La <sub>0.5</sub> Sr <sub>0.5</sub> TiO <sub>3+x/2</sub> Films Using Topotactic Reduction. <i>Journal of the American Ceramic Society</i> , <b>2009</b> , 92, 800-804	3.8	12

41	Spherical nano Sb@HCMS as high-rate and superior cycle performance anode material for sodium-ion batteries. <i>Journal of Alloys and Compounds</i> , <b>2019</b> , 795, 141-150	5.7	11
40	Tuning the magnetic and structural transitions in TbCo <sub>2</sub> Mnx compounds. <i>Physical Review B</i> , <b>2017</b> , 96,	3.3	11
39	Electrochemical performance and morphological evolution of hollow Sn microspheres. <i>Solid State Ionics</i> , <b>2018</b> , 325, 120-127	3.3	11
38	Insights into the structure-induced catalysis dependence of simply engineered one-dimensional zinc oxide nanocrystals towards photocatalytic water purification. <i>Inorganic Chemistry Frontiers</i> , <b>2017</b> , 4, 2075-2087	6.8	10
37	Facile Synthesis of Ni Zn Fe O (x=0, 0.25, 0.5, 0.75, 1) as Anode Materials for Lithium Storage. <i>ChemPlusChem</i> , <b>2016</b> , 81, 1174-1181	2.8	10
36	One dimensional hierarchical nanostructures composed of CdS nanosheets/nanoparticles and Ag nanowires with promoted photocatalytic performance. <i>Inorganic Chemistry Frontiers</i> , <b>2018</b> , 5, 903-915	6.8	9
35	Pressure induced magneto-structural phase transitions in layered RMn <sub>2</sub> X <sub>2</sub> compounds (invited). <i>Journal of Applied Physics</i> , <b>2014</b> , 115, 172617	2.5	9
34	Processing Rusty Metals into Versatile Prussian Blue for Sustainable Energy Storage. <i>Advanced Energy Materials</i> , <b>2021</b> , 11, 2102356	21.8	9
33	Mass Production and Pore Size Control of Holey Carbon Microcages. <i>Angewandte Chemie</i> , <b>2017</b> , 129, 13978-13982	3.6	8
32	A P3-Type KMnMgNiO Cathode Material for Potassium-Ion Batteries with High Structural Reversibility Secured by the Mg-Ni Pinning Effect. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2021</b> , 13, 28369-28377	9.5	8
31	Structural Degradation of Cu Current Collector During Electrochemical Cycling of Sn-Based Lithium-Ion Batteries. <i>Journal of Electronic Materials</i> , <b>2019</b> , 48, 7543-7550	1.9	7
30	Porous Co <sub>2</sub> O <sub>4</sub> Nanorods as High Performance Anode Material for Lithium Ion Batteries. <i>Jom</i> , <b>2016</b> , 68, 2952-2957	2.1	7
29	FeS <sub>2</sub> @TiO <sub>2</sub> nanorods as high-performance anode for sodium ion battery. <i>Chinese Journal of Chemical Engineering</i> , <b>2020</b> , 28, 2699-2706	3.2	7
28	Photothermal Therapy: Ambient Aqueous Synthesis of Ultrasmall PEGylated Cu <sub>2</sub> Se Nanoparticles as a Multifunctional Theranostic Agent for Multimodal Imaging Guided Photothermal Therapy of Cancer (Adv. Mater. 40/2016). <i>Advanced Materials</i> , <b>2016</b> , 28, 8788-8788	24	6
27	Fluorine: Edge-Fluorinated Graphene Nanoplatelets as High Performance Electrodes for Dye-Sensitized Solar Cells and Lithium Ion Batteries (Adv. Funct. Mater. 8/2015). <i>Advanced Functional Materials</i> , <b>2015</b> , 25, 1328-1328	15.6	6
26	Compressed Nanolamella-Stacked Ni(OH) <sub>2</sub> /NiCo <sub>2</sub> O <sub>4</sub> Composite as Electrode for Battery-Type Supercapacitor. <i>Batteries and Supercaps</i> , <b>2020</b> , 3, 548-556	5.6	6
25	Metallic Transition Metal Dichalcogenides of Group VIB: Preparation, Stabilization, and Energy Applications. <i>Small</i> , <b>2021</b> , 17, e2005573	11	6
24	Ultra-Tough Inverse Artificial Nacre Based on Epoxy-Graphene by Freeze-Casting. <i>Angewandte Chemie</i> , <b>2019</b> , 131, 7718-7722	3.6	5

23	The Progress of Cobalt-Based Anode Materials for Lithium Ion Batteries and Sodium Ion Batteries. <i>Applied Sciences (Switzerland)</i> , <b>2020</b> , 10, 3098	2.6	5
22	FeS <sub>2</sub> @C nanorods embedded in three-dimensional graphene as high-performance anode for sodium-ion batteries. <i>Frontiers of Materials Science</i> , <b>2020</b> , 14, 255-265	2.5	5
21	Fog Collection: Facile and Large-Scale Fabrication of a Cactus-Inspired Continuous Fog Collector (Adv. Funct. Mater. 21/2014). <i>Advanced Functional Materials</i> , <b>2014</b> , 24, 3234-3234	15.6	5
20	LARGE PIEZOELECTRIC EFFECT IN LOW-TEMPERATURE-SINTERED LEAD-FREE (Ba <sub>0.85</sub> Ca <sub>0.15</sub> )(Zr <sub>0.1</sub> Ti <sub>0.9</sub> )O <sub>3</sub> THICK FILMS. <i>Functional Materials Letters</i> , <b>2012</b> , 05, 1250029	1.2	5
19	New insight into magneto-structural phase transitions in layered TbMnGe-based compounds. <i>Scientific Reports</i> , <b>2017</b> , 7, 45814	4.9	4
18	Research Progress of Electromagnetic Properties of MgB <sub>2</sub> Induced by Carbon-Containing Materials Addition and Process Techniques. <i>Acta Metallurgica Sinica (English Letters)</i> , <b>2020</b> , 33, 471-489	2.5	4
17	Point defect induced giant enhancement of flux pinning in Co-doped FeSe <sub>0.5</sub> Te <sub>0.5</sub> superconducting single crystals. <i>AIP Advances</i> , <b>2017</b> , 7, 115016	1.5	4
16	Superhydrophobic Materials: Peanut Leaf Inspired Multifunctional Surfaces (Small 2/2014). <i>Small</i> , <b>2014</b> , 10, 214-214	11	4
15	Competition between the crystal field and the exchange field in Er <sup>3+</sup> doped NdMnO <sub>3</sub> . <i>Applied Physics Letters</i> , <b>2012</b> , 101, 121913	3.4	4
14	Giant Interlayer Magnetoresistances and Strong Anisotropy in p-type Sb <sub>2</sub> Te <sub>3</sub> Single Crystals. <i>Integrated Ferroelectrics</i> , <b>2012</b> , 140, 155-160	0.8	4
13	Boosting Superconducting Properties of Fe(Se, Te) via Dual-Oscillation Phenomena Induced by Fluorine Doping. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2019</b> , 11, 18825-18832	9.5	3
12	Effect of Ti Doping on the Superconductivities of MgB <sub>2</sub> /Fe Wires. <i>Journal of Low Temperature Physics</i> , <b>2003</b> , 131, 687-692	1.3	3
11	Effect of Polypyrrole Coating on Lithium Storage for Hollow Sb Microspheres. <i>Journal of Electronic Materials</i> , <b>2019</b> , 48, 2233-2241	1.9	2
10	One-pot aqueous synthesis of cysteine-capped CdTe/CdS core-shell nanowires. <i>Journal of Nanoparticle Research</i> , <b>2014</b> , 16, 1	2.3	2
9	Chemical Solution Deposition of LaMnO <sub>3</sub> Buffer Layers for Coated Conductors. <i>IEEE Transactions on Applied Superconductivity</i> , <b>2007</b> , 17, 3880-3885	1.8	2
8	Homologous Nitrogen-Doped Hierarchical Carbon Architectures Enabling Compatible Anode and Cathode for Potassium-Ion Hybrid Capacitors.. <i>Small</i> , <b>2022</b> , e2107139	11	2
7	Recent Advances and Perspective on Electrochemical Ammonia Synthesis under Ambient Conditions.. <i>Small Methods</i> , <b>2021</b> , 5, e2100460	12.8	2
6	Anode Materials: Realizing Reversible Conversion-Alloying of Sb(V) in Polyantimonic Acid for Fast and Durable Lithium- and Potassium-Ion Storage (Adv. Energy Mater. 1/2020). <i>Advanced Energy Materials</i> , <b>2020</b> , 10, 2070002	21.8	1

- 5 Lithium-Ion Batteries: A Green and Facile Way to Prepare Granadilla-Like Silicon-Based Anode Materials for Li-Ion Batteries (Adv. Funct. Mater. 3/2016). *Advanced Functional Materials*, **2016**, 26, 468-478 15.6 1
- 4 Molybdenum chalcogenides based anode materials for alkali metal ions batteries: Beyond lithium ion batteries. *Energy Storage Materials*, **2022**, 50, 308-333 19.4 1
- 3 R&Ktitelbild: Ultra-Tough Inverse Artificial Nacre Based on Epoxy-Graphene by Freeze-Casting (Angew. Chem. 23/2019). *Angewandte Chemie*, **2019**, 131, 7962-7962 3.6
- 2 Magnetic phase diagram and correlation between metamagnetism and superconductivity in Ru<sub>0.9</sub>Sr<sub>2</sub>YCu<sub>2.1</sub>O<sub>7.9</sub>. *European Physical Journal B*, **2013**, 86, 1 1.2
- 1 Surface Chemistry: Bio-Inspired Multifunctional Metallic Foams Through the Fusion of Different Biological Solutions (Adv. Funct. Mater. 18/2014). *Advanced Functional Materials*, **2014**, 24, 2720-2720 15.6