## Marit Otterlei

## List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/4900455/marit-otterlei-publications-by-year.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

68 66 4,462 31 h-index g-index citations papers 4,857 4.77 72 7.4 L-index avg, IF ext. citations ext. papers

#	Paper	IF	Citations
68	Broad-Spectrum Antibacterial Peptide Kills Extracellular and Intracellular Bacteria Without Affecting Epithelialization <i>Frontiers in Microbiology</i> , <b>2021</b> , 12, 764451	5.7	O
67	Novel Peptides Targeting the Eclamp Rapidly Kill Planktonic and Biofilm Both and. <i>Frontiers in Microbiology</i> , <b>2021</b> , 12, 631557	5.7	2
66	Synthetic Strategies towards Imidazopyridinones and 7-Azaoxindoles and their Evaluation as Antibacterial Agents. <i>European Journal of Organic Chemistry</i> , <b>2021</b> , 2021, 2701-2712	3.2	O
65	Safety profile and disease stabilization in late stage, heavily pretreated, solid tumor patients in a first-in-human (FIH) study of ATX-101, a drug targeting proliferating cell nuclear antigen (PCNA) <i>Journal of Clinical Oncology</i> , <b>2021</b> , 39, 3067-3067	2.2	0
64	Differentially Expressed Extracellular Vesicle-Contained microRNAs before and after Transurethral Resection of Bladder Tumors. <i>Current Issues in Molecular Biology</i> , <b>2021</b> , 43, 286-300	2.9	2
63	Activating the Cpx response induces tolerance to antisense PNA delivered by an arginine-rich peptide in. <i>Molecular Therapy - Nucleic Acids</i> , <b>2021</b> , 25, 444-454	10.7	2
62	The Human RAD5 Homologs, HLTF and SHPRH, Have Separate Functions in DNA Damage Tolerance Dependent on The DNA Lesion Type. <i>Biomolecules</i> , <b>2020</b> , 10,	5.9	1
61	Helicase-Like Transcription Factor HLTF and E3 Ubiquitin Ligase SHPRH Confer DNA Damage Tolerance through Direct Interactions with Proliferating Cell Nuclear Antigen (PCNA). <i>International Journal of Molecular Sciences</i> , <b>2020</b> , 21,	6.3	12
60	Peptides containing the PCNA interacting motif APIM bind to the Etlamp and inhibit bacterial growth and mutagenesis. <i>Nucleic Acids Research</i> , <b>2020</b> , 48, 5540-5554	20.1	9
59	The PCNA interaction motifs revisited: thinking outside the PIP-box. <i>Cellular and Molecular Life Sciences</i> , <b>2019</b> , 76, 4923-4943	10.3	39
58	5-hydroxymethylcytosine Marks Mammalian Origins Acting as a Barrier to Replication. <i>Scientific Reports</i> , <b>2019</b> , 9, 11065	4.9	5
57	Targeting the non-canonical roles of PCNA modifies and increases the response to targeted anti-cancer therapy. <i>Oncotarget</i> , <b>2019</b> , 10, 7185-7197	3.3	6
56	Alkyladenine DNA glycosylase associates with transcription elongation to coordinate DNA repair with gene expression. <i>Nature Communications</i> , <b>2019</b> , 10, 5460	17.4	12
55	The role of PCNA as a scaffold protein in cellular signaling is functionally conserved between yeast and humans. <i>FEBS Open Bio</i> , <b>2018</b> , 8, 1135-1145	2.7	13
54	APIM-peptide targeting PCNA improves the efficacy of docetaxel treatment in the TRAMP mouse model of prostate cancer. <i>Oncotarget</i> , <b>2018</b> , 9, 11752-11766	3.3	18
53	"Two hits - one stone"; increased efficacy of cisplatin-based therapies by targeting PCNA's role in both DNA repair and cellular signaling. <i>Oncotarget</i> , <b>2018</b> , 9, 32448-32465	3.3	20
52	APIM-Mediated REV3L?PCNA Interaction Important for Error Free TLS Over UV-Induced DNA Lesions in Human Cells. <i>International Journal of Molecular Sciences</i> , <b>2018</b> , 20,	6.3	9

## (2011-2018)

51	Anti-Cancer Potential of Homemade Fresh Garlic Extract Is Related to Increased Endoplasmic Reticulum Stress. <i>Nutrients</i> , <b>2018</b> , 10,	6.7	32
50	On-column trypsinization allows for re-use of matrix in modified multiplexed inhibitor beads assay. <i>Analytical Biochemistry</i> , <b>2017</b> , 523, 10-16	3.1	6
49	Changes in cellular signaling proteins in extracts from A549, H460, and U2OS cells treated with cisplatin or docetaxel. <i>Data in Brief</i> , <b>2017</b> , 12, 18-21	1.2	
48	p38 MAPK signaling and phosphorylations in the BRCT1 domain regulate XRCC1 recruitment to sites of DNA damage. <i>Scientific Reports</i> , <b>2017</b> , 7, 6322	4.9	7
47	Monitoring of the spatial and temporal dynamics of BER/SSBR pathway proteins, including MYH, UNG2, MPG, NTH1 and NEIL1-3, during DNA replication. <i>Nucleic Acids Research</i> , <b>2017</b> , 45, 8291-8301	20.1	18
46	A-kinase anchoring protein AKAP95 is a novel regulator of ribosomal RNA synthesis. <i>FEBS Journal</i> , <b>2016</b> , 283, 757-70	5.7	4
45	PCNA-interacting peptides reduce Akt phosphorylation and TLR-mediated cytokine secretion suggesting a role of PCNA in cellular signaling. <i>Cellular Signalling</i> , <b>2015</b> , 27, 1478-87	4.9	30
44	Increased Anticancer Efficacy of Intravesical Mitomycin C Therapy when Combined with a PCNA Targeting Peptide. <i>Translational Oncology</i> , <b>2014</b> , 7, 812-23	4.9	27
43	Enhanced efficacy of bleomycin in bladder cancer cells by photochemical internalization. <i>BioMed Research International</i> , <b>2014</b> , 2014, 921296	3	11
42	Multiple microRNAs may regulate the DNA repair enzyme uracil-DNA glycosylase. <i>DNA Repair</i> , <b>2013</b> , 12, 80-6	4.3	15
41	Targeting proliferating cell nuclear antigen and its protein interactions induces apoptosis in multiple myeloma cells. <i>PLoS ONE</i> , <b>2013</b> , 8, e70430	3.7	64
40	The region of XRCC1 which harbours the three most common nonsynonymous polymorphic variants, is essential for the scaffolding function of XRCC1. <i>DNA Repair</i> , <b>2012</b> , 11, 357-66	4.3	28
39	The UNG2 Arg88Cys variant abrogates RPA-mediated recruitment of UNG2 to single-stranded DNA. <i>DNA Repair</i> , <b>2012</b> , 11, 559-69	4.3	15
38	Human ALKBH4 interacts with proteins associated with transcription. <i>PLoS ONE</i> , <b>2012</b> , 7, e49045	3.7	24
37	X-ray repair cross complementing protein 1 in base excision repair. <i>International Journal of Molecular Sciences</i> , <b>2012</b> , 13, 17210-29	6.3	38
36	Nucleotide excision repair is associated with the replisome and its efficiency depends on a direct interaction between XPA and PCNA. <i>PLoS ONE</i> , <b>2012</b> , 7, e49199	3.7	48
35	A new high resolution screening method for study of phenotype stress responses of Saccharomyces cerevisae mutants. <i>Journal of Microbiological Methods</i> , <b>2011</b> , 87, 363-7	2.8	5
34	XRCC1 coordinates disparate responses and multiprotein repair complexes depending on the nature and context of the DNA damage. <i>Environmental and Molecular Mutagenesis</i> , <b>2011</b> , 52, 623-35	3.2	51

33	A rat model of intravesical delivery of small interfering RNA for studying urinary carcinoma. <i>World Journal of Urology</i> , <b>2010</b> , 28, 479-85	4	7
32	Direct interaction between XRCC1 and UNG2 facilitates rapid repair of uracil in DNA by XRCC1 complexes. <i>DNA Repair</i> , <b>2010</b> , 9, 785-95	4.3	45
31	Human immunodeficiency virus type 1 Vpr modulates cellular expression of UNG2 via a negative transcriptional effect. <i>Journal of Virology</i> , <b>2009</b> , 83, 10256-63	6.6	25
30	Identification of a novel, widespread, and functionally important PCNA-binding motif. <i>Journal of Cell Biology</i> , <b>2009</b> , 186, 645-54	7.3	112
29	Uracil in DNA and its processing by different DNA glycosylases. <i>Philosophical Transactions of the Royal Society B: Biological Sciences</i> , <b>2009</b> , 364, 563-8	5.8	78
28	Extracts of proliferating and non-proliferating human cells display different base excision pathways and repair fidelity. <i>DNA Repair</i> , <b>2009</b> , 8, 834-43	4.3	35
27	Cell cycle-specific UNG2 phosphorylations regulate protein turnover, activity and association with RPA. <i>EMBO Journal</i> , <b>2008</b> , 27, 51-61	13	100
26	Mitochondrial base excision repair of uracil and AP sites takes place by single-nucleotide insertion and long-patch DNA synthesis. <i>DNA Repair</i> , <b>2008</b> , 7, 605-16	4.3	103
25	Human AlkB homolog 1 is a mitochondrial protein that demethylates 3-methylcytosine in DNA and RNA. <i>Journal of Biological Chemistry</i> , <b>2008</b> , 283, 25046-56	5.4	135
24	Uracil in DNAgeneral mutagen, but normal intermediate in acquired immunity. <i>DNA Repair</i> , <b>2007</b> , 6, 505-16	4.3	132
23	RNA base damage and repair. Current Pharmaceutical Biotechnology, 2007, 8, 326-31	2.6	19
22	Werner syndrome protein participates in a complex with RAD51, RAD54, RAD54B and ATR in response to ICL-induced replication arrest. <i>Journal of Cell Science</i> , <b>2006</b> , 119, 5137-46	5.3	71
21	Genomic uracil and human disease. Experimental Cell Research, 2006, 312, 2666-72	4.2	33
20	B cells from hyper-IgM patients carrying UNG mutations lack ability to remove uracil from ssDNA and have elevated genomic uracil. <i>Journal of Experimental Medicine</i> , <b>2005</b> , 201, 2011-21	16.6	94
19	Dynamic relocalization of hOGG1 during the cell cycle is disrupted in cells harbouring the hOGG1-Cys326 polymorphic variant. <i>Nucleic Acids Research</i> , <b>2005</b> , 33, 1813-24	20.1	73
18	An in vivo analysis of the localisation and interactions of human p66 DNA polymerase delta subunit. <i>BMC Molecular Biology</i> , <b>2005</b> , 6, 17	4.5	19
17	XRCC1 co-localizes and physically interacts with PCNA. <i>Nucleic Acids Research</i> , <b>2004</b> , 32, 2193-201	20.1	152
16	Repair of U/G and U/A in DNA by UNG2-associated repair complexes takes place predominantly by short-patch repair both in proliferating and growth-arrested cells. <i>Nucleic Acids Research</i> , <b>2004</b> , 32, 548	36 <sup>29</sup> 8 <sup>1</sup>	79

## LIST OF PUBLICATIONS

15	WRN helicase and FEN-1 form a complex upon replication arrest and together process branchmigrating DNA structures associated with the replication fork. <i>Molecular Biology of the Cell</i> , <b>2004</b> , 15, 734-50	3.5	117
14	Alkylation damage in DNA and RNArepair mechanisms and medical significance. <i>DNA Repair</i> , <b>2004</b> , 3, 1389-407	4.3	456
13	The Werner syndrome helicase and exonuclease cooperate to resolve telomeric D loops in a manner regulated by TRF1 and TRF2. <i>Molecular Cell</i> , <b>2004</b> , 14, 763-74	17.6	264
12	Human and bacterial oxidative demethylases repair alkylation damage in both RNA and DNA. <i>Nature</i> , <b>2003</b> , 421, 859-63	50.4	486
11	WRN interacts physically and functionally with the recombination mediator protein RAD52. <i>Journal of Biological Chemistry</i> , <b>2003</b> , 278, 36476-86	5.4	94
10	hUNG2 is the major repair enzyme for removal of uracil from U:A matches, U:G mismatches, and U in single-stranded DNA, with hSMUG1 as a broad specificity backup. <i>Journal of Biological Chemistry</i> , <b>2002</b> , 277, 39926-36	5.4	240
9	Properties and functions of human uracil-DNA glycosylase from the UNG gene. <i>Progress in Molecular Biology and Translational Science</i> , <b>2001</b> , 68, 365-86		69
8	Analysis of uracil-DNA glycosylases from the murine Ung gene reveals differential expression in tissues and in embryonic development and a subcellular sorting pattern that differs from the human homologues. <i>Nucleic Acids Research</i> , <b>2000</b> , 28, 2277-85	20.1	28
7	Base excision repair of DNA in mammalian cells. FEBS Letters, 2000, 476, 73-7	3.8	282
6	Human Uracil-DNA Glycosylase <b>1999</b> , 221-236		
5	Nuclear and mitochondrial splice forms of human uracil-DNA glycosylase contain a complex nuclear localisation signal and a strong classical mitochondrial localisation signal, respectively. <i>Nucleic Acids Research</i> , <b>1998</b> , 26, 4611-7	20.1	96
4	A sequence in the N-terminal region of human uracil-DNA glycosylase with homology to XPA interacts with the C-terminal part of the 34-kDa subunit of replication protein A. <i>Journal of Biological Chemistry</i> , <b>1997</b> , 272, 6561-6	5.4	116
3	Soluble CD14 from urine copurifies with a potent inducer of cytokines. <i>European Journal of Immunology</i> , <b>1994</b> , 24, 1779-84	6.1	14
2	Induction of cytokine production from human monocytes stimulated with alginate. <i>Journal of Immunotherapy</i> , <b>1991</b> , 10, 286-91	5	314
1	PCNA has specific functions in regulation of metabolism in haematological cells		1