## **Baldassare Canino**

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/490116/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Effects of red orange juice intake on endothelial function and inflammatory markers in adult subjects with increased cardiovascular risk. American Journal of Clinical Nutrition, 2012, 95, 1089-1095.	2.2	124
2	Immune-inflammatory markers and arterial stiffness indexes in subjects with acute ischemic stroke with and without metabolic syndrome. Diabetology and Metabolic Syndrome, 2014, 6, 28.	1.2	54
3	Relationships between maximal oxygen uptake and endothelial function in healthy male adults: a preliminary study. Acta Diabetologica, 2013, 50, 135-141.	1.2	31
4	Granulocyte integrins before and after activation in acute ischaemic stroke. Journal of the Neurological Sciences, 2001, 186, 23-26.	0.3	24
5	Evaluation of nitric oxide metabolites in a group of subjects with metabolic syndrome. Diabetes and Metabolic Syndrome: Clinical Research and Reviews, 2012, 6, 132-135.	1.8	21
6	Gelatinases and their tissue inhibitors in a group of subjects with obstructive sleep apnea syndrome. Clinical Hemorheology and Microcirculation, 2016, 62, 27-34.	0.9	17
7	Lipid peroxidation and total antioxidant status in unprofessional athletes before and after a cardiopulmonary test. Clinical Hemorheology and Microcirculation, 2009, 43, 233-239.	0.9	15
8	Lipid Peroxidation, Nitric Oxide Metabolites, and Their Ratio in a Group of Subjects with Metabolic Syndrome. Oxidative Medicine and Cellular Longevity, 2014, 2014, 1-8.	1.9	15
9	Residual vein thrombosis and onset of post-thrombotic syndrome: Influence of the 4G/5G polymorphism of plasminogen activator inhibitor-1 gene. Thrombosis Research, 2014, 133, 371-374.	0.8	13
10	Protein oxidation in a group of subjects with metabolic syndrome. Diabetes and Metabolic Syndrome: Clinical Research and Reviews, 2013, 7, 38-41.	1.8	12
11	Nitric oxide metabolites and erythrocyte deformability in a group of subjects with obstructive sleep apnea syndrome. Clinical Hemorheology and Microcirculation, 2015, 59, 45-52.	0.9	10
12	Endothelial function and other biomarkers of cardiovascular risk in frequent consumers of street food. Clinical Nutrition, 2012, 31, 934-939.	2.3	9
13	Diabetes mellitus: Polymorphonuclear leukocyte (PMN) filtration parameters and PMN membrane fluidity after chemotactic activation. Metabolism: Clinical and Experimental, 1999, 48, 30-33.	1.5	6
14	Behaviour of carbonyl groups in several clinical conditions: Analysis of our survey. Clinical Hemorheology and Microcirculation, 2020, 74, 299-313.	0.9	6
15	Behavior of the total antioxidant status in a group of subjects with metabolic syndrome. Diabetes and Metabolic Syndrome: Clinical Research and Reviews, 2014, 8, 166-169.	1.8	5
16	The function of matrix metalloproteinase-9 (MMP-9) and its tissue inhibitor (TIMP-1) in several clinical conditions: Results and analysis of our survey. Clinical Hemorheology and Microcirculation, 2021, 78, 401-416.	0.9	5
17	Erythrocyte Deformability and Nitric Oxide Metabolites in Athletes Before and After a Cardiopulmonary Test. Clinical Journal of Sport Medicine, 2009, 19, 306-310.	0.9	4
18	Behaviour of nitric oxide metabolites in unprofessional athletes before and after a cardiopulmonary test. Clinical Hemorheology and Microcirculation, 2010, 44, 283-286.	0.9	3

#	Article	IF	CITATIONS
19	Relationship between elastase and total antioxidant status in young subjects with recent myocardial infarction. Clinical Hemorheology and Microcirculation, 2008, 40, 31-36.	0.9	1
20	Lipid peroxidation and nitric oxide metabolites in sedentary subjects and sportsmen before and after a cardiopulmonary test. Clinical Hemorheology and Microcirculation, 2013, 54, 39-49.	0.9	1
21	Lipid peroxidation and nitric oxide metabolites in a group of subjects with obstructive sleep apnea syndrome. Clinical Hemorheology and Microcirculation, 2016, 63, 163-168.	0.9	1
22	Interrelationships between lipid peroxidation and total antioxidant status in sedentary controls and unprofessional athletes. Clinical Hemorheology and Microcirculation, 2010, 45, 35-38.	0.9	0