

Lang Yang

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4901716/publications.pdf>

Version: 2024-02-01

33
papers

1,565
citations

430874

18
h-index

377865

34
g-index

37
all docs

37
docs citations

37
times ranked

3114
citing authors

#	ARTICLE	IF	CITATIONS
1	Endoscopic resections for superficial esophageal squamous cell epithelial neoplasia: focus on histological discrepancies between biopsy and resected specimens. <i>BMC Gastroenterology</i> , 2021, 21, 114.	2.0	2
2	Dihydroartemisinin Sensitizes Esophageal Squamous Cell Carcinoma to Cisplatin by Inhibiting Sonic Hedgehog Signaling. <i>Frontiers in Cell and Developmental Biology</i> , 2020, 8, 596788.	3.7	12
3	Clinical characterization and mutation spectrum in patients with familial adenomatous polyposis in China. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2019, 34, 1497-1503.	2.8	13
4	Serum metabolite profiling of familial adenomatous polyposis using ultra performance liquid chromatography and tandem mass spectrometry. <i>Cancer Biology and Therapy</i> , 2019, 20, 1017-1028.	3.4	19
5	Transcription Factor Myeloid Zinc-Finger 1 Suppresses Human Gastric Carcinogenesis by Interacting with Metallothionein 2A. <i>Clinical Cancer Research</i> , 2019, 25, 1050-1062.	7.0	34
6	A Novel Method to Detect Early Colorectal Cancer Based on Chromosome Copy Number Variation in Plasma. <i>Cellular Physiology and Biochemistry</i> , 2018, 45, 1444-1454.	1.6	27
7	Capillary morphogenesis gene 2 maintains gastric cancer stem-like cell phenotype by activating a Wnt/ β -catenin pathway. <i>Oncogene</i> , 2018, 37, 3953-3966.	5.9	34
8	Kir2.1 Interaction with Stk38 Promotes Invasion and Metastasis of Human Gastric Cancer by Enhancing MEK1/2 \rightarrow ERK1/2 Signaling. <i>Cancer Research</i> , 2018, 78, 3041-3053.	0.9	49
9	Risk factors associated with histological upgrade of gastric low \rightarrow grade dysplasia on pretreatment biopsy. <i>Journal of Digestive Diseases</i> , 2018, 19, 596-604.	1.5	15
10	RAC1-GTP promotes epithelial-mesenchymal transition and invasion of colorectal cancer by activation of STAT3. <i>Laboratory Investigation</i> , 2018, 98, 989-998.	3.7	48
11	Germline mutations in patients with multiple colorectal polyps in China. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2017, 32, 1723-1729.	2.8	6
12	Clinical Significance of Myeloid Zinc Finger 1 Expression in the Progression of Gastric Tumourigenesis. <i>Cellular Physiology and Biochemistry</i> , 2017, 44, 1242-1250.	1.6	7
13	A Decrease of Histone Deacetylase 6 Expression Caused by Helicobacter Pylori Infection is Associated with Oncogenic Transformation in Gastric Cancer. <i>Cellular Physiology and Biochemistry</i> , 2017, 42, 1326-1335.	1.6	22
14	Cripto-1 acts as a functional marker of cancer stem-like cells and predicts prognosis of the patients in esophageal squamous cell carcinoma. <i>Molecular Cancer</i> , 2017, 16, 81.	19.2	56
15	Predictive Value of Stemness Factor Sox2 in Gastric Cancer Is Associated with Tumor Location and Stage. <i>PLoS ONE</i> , 2017, 12, e0169124.	2.5	13
16	Axon guidance repulsant SEMA3F increases chemosensitivity to oxaliplatin and inhibits epithelial-mesenchymal transition of colorectal cancer cells. <i>Translational Cancer Research</i> , 2017, 6, 206-217.	1.0	5
17	Endoscopic Approach for Superficial Colorectal Neoplasms. <i>Gastrointestinal Tumors</i> , 2016, 3, 69-80.	0.7	9
18	Transcription factor RUNX2 up-regulates chemokine receptor CXCR4 to promote invasive and metastatic potentials of human gastric cancer. <i>Oncotarget</i> , 2016, 7, 20999-21012.	1.8	46

#	ARTICLE	IF	CITATIONS
19	Performance of a second-generation methylated <i>SEPT9</i> test in detecting colorectal neoplasm. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2015, 30, 830-833.	2.8	115
20	MÄ©ttrier's disease with normal albumin level. <i>Endoscopy</i> , 2015, 47, E9-E10.	1.8	0
21	Immunoglobulin G4-related disease (IgG4-RD) affecting the esophagus, stomach, and liver. <i>Endoscopy</i> , 2015, 47, E96-E97.	1.8	20
22	Factors for Endoscopic Submucosal Dissection in Early Colorectal Neoplasms: A Single Center Clinical Experience in China. <i>Clinical Endoscopy</i> , 2015, 48, 405.	1.5	9
23	Activation of toll-like receptor 2 promotes invasion by upregulating MMPs in glioma stem cells. <i>American Journal of Translational Research (discontinued)</i> , 2015, 7, 607-15.	0.0	19
24	Endothelial cells promote stem-like phenotype of glioma cells through activating the Hedgehog pathway. <i>Journal of Pathology</i> , 2014, 234, 11-22.	4.5	112
25	ALDH1A1 defines invasive cancer stem-like cells and predicts poor prognosis in patients with esophageal squamous cell carcinoma. <i>Modern Pathology</i> , 2014, 27, 775-783.	5.5	106
26	Metastatic Consequences of Immune Escape from NK Cell Cytotoxicity by Human Breast Cancer Stem Cells. <i>Cancer Research</i> , 2014, 74, 5746-5757.	0.9	163
27	Increased pro-angiogenic factors, infiltrating neutrophils and CD163+ macrophages in bronchoalveolar lavage fluid from lung cancer patients. <i>International Immunopharmacology</i> , 2014, 20, 74-80.	3.8	12
28	Glioma stem cells enhance endothelial cell migration and proliferation via the Hedgehog pathway. <i>Oncology Letters</i> , 2013, 6, 1524-1530.	1.8	23
29	β -Catenin/POU5F1/SOX2 Transcription Factor Complex Mediates IGF-I Receptor Signaling and Predicts Poor Prognosis in Lung Adenocarcinoma. <i>Cancer Research</i> , 2013, 73, 3181-3189.	0.9	85
30	Tumor-Associated Microglia/Macrophages Enhance the Invasion of Glioma Stem-like Cells via TGF- β 1 Signaling Pathway. <i>Journal of Immunology</i> , 2012, 189, 444-453.	0.8	390
31	Gastric cancer stem-like cells possess higher capability of invasion and metastasis in association with a mesenchymal transition phenotype. <i>Cancer Letters</i> , 2011, 310, 46-52.	7.2	59
32	Study of the biological function and penetration pathways of the mouse epidermal growth factor ethosomal delivery system. <i>Experimental Dermatology</i> , 2011, 20, 945-947.	2.9	11
33	Sesamin Inhibits Bacterial Formylpeptide-Induced Inflammatory Responses in a Murine Air-Pouch Model and in THP-1 Human Monocytes. <i>Journal of Nutrition</i> , 2010, 140, 377-381.	2.9	14