Sang-Won Kim

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4904031/publications.pdf

Version: 2024-02-01

19	148	8	11
papers	citations	h-index	g-index
19	19	19	311 citing authors
all docs	docs citations	times ranked	

#	Article	IF	CITATIONS
1	A dummy-run evaluation of postoperative hypofractionated intensity-modulated radiation therapy (POHIM-RT) trials for cervical cancer. Journal of Radiation Research, 2021, 62, 149-154.	1.6	4
2	Impact of Body Mass Index on Local Recurrence according to Intrinsic Subtype Approximation in Korean Women with Early Stage Invasive Breast Cancer Receiving Contemporary Treatments. Journal of Cancer, 2021, 12, 4648-4654.	2.5	4
3	Loco-regional outcomes of adjusted breast radiotherapy with conventional fractionation after breast conserving surgery. Medicine (United States), 2020, 99, e19916.	1.0	1
4	Identification of Korean cancer survivors' unmet needs and desired psychosocial assistance: A focus group study. PLoS ONE, 2020, 15, e0228054.	2. 5	9
5	Is tumor bed boost necessary in patients who achieved ypCR following neoadjuvant chemotherapy and breast conserving therapy? (KROG 12-05 and 16-16). Breast, 2019, 45, 43-47.	2.2	2
6	Role of Elective Nodal Irradiation in Patients With ypNO After Neoadjuvant Chemotherapy Followed by Breast-Conserving Surgery (KROG 16-16). Clinical Breast Cancer, 2019, 19, 78-86.	2.4	7
7	The Benefit of Post-Mastectomy Radiotherapy in ypNO Patients after Neoadjuvant Chemotherapy According to Molecular Subtypes. Journal of Breast Cancer, 2019, 22, 285.	1.9	13
8	Selecting patients for hyperthermia combined with preoperative chemoradiotherapy for locally advanced rectal cancer. International Journal of Clinical Oncology, 2018, 23, 287-297.	2.2	5
9	Salvage radiotherapy with or without concurrent chemotherapy for pelvic recurrence after hysterectomy alone for early-stage uterine cervical cancer. Strahlentherapie Und Onkologie, 2017, 193, 534-542.	2.0	16
10	Adjuvant concurrent chemoradiotherapy with low-dose daily cisplatin for extrahepatic bile duct cancer. Cancer Chemotherapy and Pharmacology, 2017, 79, 1161-1167.	2.3	2
11	Long-term results of early adjuvant concurrent chemoradiotherapy for high-risk, early stage uterine cervical cancer patients after radical hysterectomy. BMC Cancer, 2017, 17, 297.	2.6	13
12	Low-dose radiation therapy for massive chylous leakage after subtotal gastrectomy. Radiation Oncology Journal, 2017, 35, 380-384.	1.5	9
13	Young Age Is Associated with Increased Locoregional Recurrence in Node-Positive Breast Cancer with Luminal Subtypes. Cancer Research and Treatment, 2017, 49, 484-493.	3.0	12
14	Lymph Node Ratio as a Risk Factor for Locoregional Recurrence in Breast Cancer Patients with 10 or More Axillary Nodes. Journal of Breast Cancer, 2016, 19, 169.	1.9	11
15	Evaluation of quality of life using a tablet PC-based survey in cancer patients treated with radiotherapy: a multi-institutional prospective randomized crossover comparison of paper and tablet PC-based questionnaires (KROG 12–01). Supportive Care in Cancer, 2016, 24, 4399-4406.	2.2	10
16	Comparison of Treatment Outcomes between Breast Conserving Surgery Followed by Radiotherapy and Mastectomy Alone in Patients with T1-2 Stage and 1-3 Axillary Lymph Nodes in the Era of Modern Adjuvant Systemic Treatments. PLoS ONE, 2016, 11 , e0163748.	2. 5	3
17	Comparison of concurrent chemoradiotherapy versus sequential radiochemotherapy in patients with completely resected non-small cell lung cancer. Radiation Oncology Journal, 2016, 34, 202-208.	1.5	4
18	Salvage Radiation Therapy for Isolated Local Recurrence of Extrahepatic Cholangiocarcinoma After Radical Surgery: A Retrospective Study. Annals of Surgical Oncology, 2015, 22, 1308-1314.	1.5	8

Sang-Won Kim

#	Article	IF	CITATIONS
19	Clinical outcomes of radiation therapy for early-stage gastric mucosa-associated lymphoid tissue lymphoma. World Journal of Gastroenterology, 2013, 19, 6062.	3.3	15