

Misa Takegami

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4904642/publications.pdf>

Version: 2024-02-01

80
papers

1,687
citations

471509

17
h-index

315739

38
g-index

84
all docs

84
docs citations

84
times ranked

2692
citing authors

#	ARTICLE	IF	CITATIONS
1	Prospective Registry Study of Primary Dyslipidemia (PROLIPID): Rationale and Study Design. <i>Journal of Atherosclerosis and Thrombosis</i> , 2022, 29, 953-969.	2.0	6
2	Effect of Low Body Mass Index on the Clinical Outcomes of Japanese Patients With Acute Myocardial Infarction—Results From the Prospective Japan Acute Myocardial Infarction Registry (JAMIR) —. <i>Circulation Journal</i> , 2022, 86, 632-639.	1.6	7
3	Sleep Apnea Syndrome (SAS) Clinical Practice Guidelines 2020. <i>Sleep and Biological Rhythms</i> , 2022, 20, 5.	1.0	5
4	Sleep Apnea Syndrome (SAS) Clinical Practice Guidelines 2020. <i>Respiratory Investigation</i> , 2022, 60, 3-32.	1.8	16
5	Effect of Infarction-Related Artery Location on Clinical Outcome of Patients With Acute Myocardial Infarction in the Contemporary Era of Percutaneous Coronary Intervention—Subanalysis From the Prospective Japan Acute Myocardial Infarction Registry (JAMIR) —. <i>Circulation Journal</i> , 2022, 86, 651-659.	1.6	2
6	Japanese Lead EXtraction (Jâ€LEX) registry: Annual report 2019. <i>Journal of Arrhythmia</i> , 2022, 38, 187-191.	1.2	3
7	Association of kyphotic posture with loss of independence and mortality in a community-based prospective cohort study: the Locomotive Syndrome and Health Outcomes in Aizu Cohort Study (LOHAS). <i>BMJ Open</i> , 2022, 12, e052421.	1.9	3
8	Joint effect of cognitive decline and walking ability on incidence of wandering behavior in older adults with dementia: A cohort study. <i>International Journal of Geriatric Psychiatry</i> , 2022, 37, .	2.7	3
9	The Japanese lead extraction registry (<sc>Jâ€LEX</sc>): Annual report 2020. <i>Journal of Arrhythmia</i> , 2022, 38, 271-274.	1.2	4
10	Risk Assessment of Cnm-Positive Streptococcus mutans in Stroke Survivors (RAMESSSES): Protocol for a Multicenter Prospective Cohort Study. <i>Frontiers in Neurology</i> , 2022, 13, .	2.4	4
11	Difference in the in-hospital prognosis between ST-segment elevation myocardial infarction and non-ST-segment elevation myocardial infarction with high Killip class: Data from the Japan Acute Myocardial Infarction Registry. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2021, 10, 503-512.	1.0	8
12	The Risk of Fasting Triglycerides and its Related Indices for Ischemic Cardiovascular Diseases in Japanese Community Dwellers: the Suita Study. <i>Journal of Atherosclerosis and Thrombosis</i> , 2021, 28, 1275-1288.	2.0	17
13	Impact of bleeding on mortality in patients with acute myocardial infarction complicated by cardiogenic shock. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2021, 10, 388-396.	1.0	9
14	Incidence and Mortality of Dementia-Related Missing and Their Associated Factors: An Ecological Study in Japan. <i>Journal of Epidemiology</i> , 2021, 31, 361-368.	2.4	5
15	Circulating Mature PCSK9 Level Predicts Diminished Response to Statin Therapy. <i>Journal of the American Heart Association</i> , 2021, 10, e019525.	3.7	8
16	Heatstroke predictions by machine learning, weather information, and an all-population registry for 12-hour heatstroke alerts. <i>Nature Communications</i> , 2021, 12, 4575.	12.8	22
17	Characteristics and clinical outcomes of patients with de-escalation from prasugrel to clopidogrel after acute myocardial infarction - Insights from the prospective Japan Acute Myocardial Infarction Registry (JAMIR) - . <i>Journal of Cardiology</i> , 2021, 78, 99-106.	1.9	3
18	Estimating Incidence of Acute Heart Failure Syndromes in Japan—An Analysis From the KUNIUMI Registry —. <i>Circulation Journal</i> , 2021, 85, 1860-1868.	1.6	14

#	ARTICLE	IF	CITATIONS
19	Interaction of cognitive decline and walking ability to influence wandering behavior: a cohort study. <i>International Journal of Epidemiology</i> , 2021, 50, .	1.9	0
20	AI-Assisted In-House Power Monitoring for the Detection of Cognitive Impairment in Older Adults. <i>Sensors</i> , 2021, 21, 6249.	3.8	8
21	The Japanese Catheter Ablation Registry (Jâ€AB): Annual report in 2019. <i>Journal of Arrhythmia</i> , 2021, 37, 1443-1447.	1.2	7
22	Impact of mitral versus aortic bioprosthetic valve position on thromboembolism and bleeding risk in patients with atrial fibrillation. <i>Journal of Cardiology</i> , 2021, , .	1.9	2
23	Additional Effects of Antiplatelet Therapy on Anticoagulant Agents in Patients With Bioprosthetic Valves and Atrial Fibrillation. <i>Circulation Journal</i> , 2021, , .	1.6	2
24	Hypercholesterolemia and Lifetime Risk of Coronary Heart Disease in the General Japanese Population: Results from the Suita Cohort Study. <i>Journal of Atherosclerosis and Thrombosis</i> , 2020, 27, 60-70.	2.0	9
25	Deficiency of Cardiac Natriuretic Peptide Signaling Promotes Peripartum Cardiomyopathy-Like Remodeling in the Mouse Heart. <i>Circulation</i> , 2020, 141, 571-588.	1.6	9
26	In-hospital mortality associated with acute myocardial infarction was inversely related with the number of coronary risk factors in patients from a Japanese nation-wide real-world database. <i>International Journal of Cardiology: Hypertension</i> , 2020, 6, 100039.	2.2	6
27	A Nationwide Survey and Multicenter Registry-Based Database of Cerebral Autosomal Dominant Arteriopathy With Subcortical Infarcts and Leukoencephalopathy in Japan. <i>Frontiers in Aging Neuroscience</i> , 2020, 12, 216.	3.4	11
28	Rationale, Design, and Baseline Characteristics of the BioProsthetic Valves with Atrial Fibrillation (BPV-AF) Study. <i>Cardiovascular Drugs and Therapy</i> , 2020, 34, 689-696.	2.6	8
29	Clinical profiles and outcomes in the treatment of acute myocardial infarction in Japan of aging society. <i>Heart and Vessels</i> , 2020, 35, 1681-1688.	1.2	6
30	Study Design of the Nationwide Japanese Lead Extraction (Jâ€LEX) Registry: Protocol for a Prospective, Multicenter, Open Registry. <i>Journal of Arrhythmia</i> , 2020, 36, 849-853.	1.2	3
31	The Japanese Catheter Ablation Registry (Jâ€AB): A prospective nationwide multicenter registry in Japan. Annual report in 2018. <i>Journal of Arrhythmia</i> , 2020, 36, 953-961.	1.2	16
32	Oral Carriage of <i>Streptococcus mutans</i> Harboring the <i>cnm</i> Gene Relates to an Increased Incidence of Cerebral Microbleeds. <i>Stroke</i> , 2020, 51, 3632-3639.	2.0	27
33	Registry of antithrombotic therapy in atrial fibrillation patients with bioprosthetic valves: A retrospective observational study. <i>Journal of Cardiology</i> , 2020, 76, 44-50.	1.9	12
34	Development of a Cardiovascular Disease Risk Prediction Model Using the Suita Study, a Population-Based Prospective Cohort Study in Japan. <i>Journal of Atherosclerosis and Thrombosis</i> , 2020, 27, 1160-1175.	2.0	30
35	Optimal sampling in derivation studies was associated with improved discrimination in external validation for heart failure prognostic models. <i>Journal of Clinical Epidemiology</i> , 2020, 121, 71-80.	5.0	4
36	Effect of treatment modality and cerebral vasospasm agent on patient outcomes after aneurysmal subarachnoid hemorrhage in the elderly Aged 75 years and older. <i>PLoS ONE</i> , 2020, 15, e0230953.	2.5	20

#	ARTICLE	IF	CITATIONS
37	Contemporary Antiplatelet Therapy and Clinical Outcomes of Japanese Patients With Acute Myocardial Infarction—Results From the Prospective Japan Acute Myocardial Infarction Registry (JAMIR). <i>Circulation Journal</i> , 2019, 83, 1633-1643.	1.6	17
38	Study design of nationwide Japanese Catheter Ablation Registry: Protocol for a prospective, multicenter, open registry. <i>Journal of Arrhythmia</i> , 2019, 35, 167-170.	1.2	9
39	Level of Low Back Pain-Related Disability Is Associated with Risk of Subsequent Falls in an Older Population: Locomotive Syndrome and Health Outcomes in Aizu Cohort Study (LOHAS). <i>Pain Medicine</i> , 2019, 20, 2377-2384.	1.9	15
40	Longitudinal Trajectories of Fasting Plasma Glucose and Risks of Cardiovascular Diseases in Middle Age to Elderly People Within the General Japanese Population: The Suita Study. <i>Journal of the American Heart Association</i> , 2019, 8, e010628.	3.7	13
41	Rationale, Design, and Baseline Characteristics of the Prospective Japan Acute Myocardial Infarction Registry (JAMIR). <i>Cardiovascular Drugs and Therapy</i> , 2019, 33, 97-103.	2.6	18
42	Association Between the Discrepancy in Self-Reported and Performance-Based Physical Functioning Levels and Risk of Future Falls Among Community-Dwelling Older Adults: The Locomotive Syndrome and Health Outcomes in Aizu Cohort Study (LOHAS). <i>Journal of the American Medical Directors Association</i> , 2019, 20, 195-200.e1.	2.5	9
43	Longitudinal Association Between Subjective Fatigue and Future Falls in Community-Dwelling Older Adults: The Locomotive Syndrome and Health Outcomes in the Aizu Cohort Study (LOHAS). <i>Journal of Aging and Health</i> , 2019, 31, 67-84.	1.7	17
44	Clinical Characteristics and In-Hospital Mortality According to Left Main and Non-Left Main Culprit Lesions—Report From the Japan Acute Myocardial Infarction Registry (JAMIR). <i>Circulation Reports</i> , 2019, 1, 601-609.	1.0	10
45	Association Between Subjective Sleep Quality and Future Risk of Falls in Older People: Results From LOHAS. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2018, 73, 1205-1211.	3.6	44
46	The Serum High LDL Cholesterol Levels and Lifetime Risk of Coronary Heart Disease in a Japanese General Population: Suita Study. <i>Atherosclerosis Supplements</i> , 2018, 32, 77.	1.2	1
47	Nationwide real-world database of 20,462 patients enrolled in the Japanese Acute Myocardial Infarction Registry (JAMIR): Impact of emergency coronary intervention in a super-aging population. <i>IJC Heart and Vasculature</i> , 2018, 20, 1-6.	1.1	26
48	Abstract P357: Trajectories of Stroke Risk Factors Before Stroke Onset With a 24-year Follow-up of Japanese People Living in an Urban Area: The Suita Study. <i>Circulation</i> , 2018, 137, .	1.6	0
49	Diabetes and lifetime risk of stroke and subtypes in an urban middle-aged population. <i>Journal of Diabetes and Its Complications</i> , 2017, 31, 831-835.	2.3	5
50	Psychosocial Stress After a Disaster and Low Back Pain-Related Interference With Daily Living Among College Students. <i>Spine</i> , 2017, 42, 1255-1260.	2.0	9
51	Diabetes and lifetime risk of coronary heart disease. <i>Primary Care Diabetes</i> , 2017, 11, 461-466.	1.8	11
52	Risk for metabolic diseases in normal weight individuals with visceral fat accumulation: a cross-sectional study in Japan. <i>BMJ Open</i> , 2017, 7, e013831.	1.9	39
53	The Japanese Respiratory Society Noninvasive Positive Pressure Ventilation (NPPV) Guidelines (second) <i>TJ ETQq1 1 0.784314 rrgBT /Over</i>	1.8	38
54	Abstract WP197: Increased Carotid Intima-Media Thickness is Associated with Incident Coronary Heart Disease and Stroke in a Japanese General Population With a 12.6-year Follow-up: The Suita Study. <i>Stroke</i> , 2017, 48, .	2.0	0

#	ARTICLE	IF	CITATIONS
55	Predicting Coronary Heart Disease Using Risk Factor Categories for a Japanese Urban Population, and Comparison with the Framingham Risk Score: The Suita Study. <i>Journal of Atherosclerosis and Thrombosis</i> , 2016, 23, 1138-1139.	2.0	17
56	Retinal vessel diameters in a Japanese population: the Locomotive Syndrome and Health Outcome in Aizu Cohort Study. <i>Acta Ophthalmologica</i> , 2016, 94, e432-41.	1.1	13
57	Hypertension and lifetime risk of stroke. <i>Journal of Hypertension</i> , 2016, 34, 116-122.	0.5	73
58	Low Testosterone Levels and Reduced Kidney Function in Japanese Adult Men: The Locomotive Syndrome and Health Outcome in Aizu Cohort Study. <i>Journal of the American Medical Directors Association</i> , 2016, 17, 371.e1-371.e6.	2.5	20
59	Serum luteinizing hormone concentration is significantly associated with recovery of urinary function after radical prostatectomy. <i>BJU International</i> , 2016, 117, 450-455.	2.5	4
60	Impact of hypertension on the lifetime risk of coronary heart disease. <i>Hypertension Research</i> , 2016, 39, 548-551.	2.7	23
61	Comparison of Cardiovascular Mortality in the Great East Japan and the Great Hanshin-Awaji Earthquakes – A Large-Scale Data Analysis of Death Certificates. <i>Circulation Journal</i> , 2015, 79, 1000-1008.	1.6	26
62	Changes in Waist Circumference and the Incidence of Type 2 Diabetes in Community-Dwelling Men and Women: The Suita Study. <i>Journal of Epidemiology</i> , 2015, 25, 489-495.	2.4	14
63	Chronic hyperglycemia increases the risk of lateral epicondylitis: the Locomotive Syndrome and Health Outcome in Aizu Cohort Study (LOHAS). <i>SpringerPlus</i> , 2015, 4, 407.	1.2	19
64	Association between hand-grip strength and depressive symptoms: Locomotive Syndrome and Health Outcomes in Aizu Cohort Study (LOHAS). <i>Age and Ageing</i> , 2015, 44, 592-598.	1.6	130
65	Patient-reported disability in the general Japanese population was associated with medical care visits for low back pain, regardless of pain intensity. <i>Journal of Orthopaedic Science</i> , 2015, 20, 742-749.	1.1	10
66	Abstract 204: Cross-sectional Survey of Quality of Life and Workload Among Japanese Physicians Working in Stroke Care: The Nationwide Survey of Acute Stroke Care Capacity for Proper Designation of Comprehensive Stroke Center in Japan (J-ASPECT) Study. <i>Circulation: Cardiovascular Quality and Outcomes</i> , 2015, 8, .	2.2	1
67	Predicting Coronary Heart Disease Using Risk Factor Categories for a Japanese Urban Population, and Comparison with the Framingham Risk Score: The Suita Study. <i>Journal of Atherosclerosis and Thrombosis</i> , 2014, 21, 784-798.	2.0	165
68	Cross-Sectional Survey of Workload and Burnout Among Japanese Physicians Working in Stroke Care. <i>Circulation: Cardiovascular Quality and Outcomes</i> , 2014, 7, 414-422.	2.2	45
69	Associations among Chronic Obstructive Pulmonary Disease and Sleep-Disordered Breathing in an Urban Male Working Population in Japan. <i>Respiration</i> , 2014, 88, 234-243.	2.6	12
70	Vegetarian Diets and Blood Pressure. <i>JAMA Internal Medicine</i> , 2014, 174, 577.	5.1	417
71	Low Testosterone Levels, Depressive Symptoms, and Falls in Older Men: A Cross-Sectional Study. <i>Journal of the American Medical Directors Association</i> , 2014, 15, 30-35.	2.5	16
72	Blood Pressure, Low-Density Lipoprotein Cholesterol, and Incidences of Coronary Artery Disease and Ischemic Stroke in Japanese: The Suita Study. <i>American Journal of Hypertension</i> , 2014, 27, 1362-1369.	2.0	20

#	ARTICLE	IF	CITATIONS
73	Association between kyphosis and subacromial impingement syndrome: LOHAS study. Journal of Shoulder and Elbow Surgery, 2014, 23, e300-e307.	2.6	44
74	Work Performance Assessed by a Newly Developed Japanese Version of the Work Limitation Questionnaire in a General Japanese Adult Population. Journal of Occupational Health, 2014, 56, 124-133.	2.1	23
75	Abstract P390: Relationship between BMI and Risk of Hypertension in an urban Japanese cohort study: the Suita study. Circulation, 2014, 129, .	1.6	0
76	Abstract P388: Which Obesity-related Indicator is Better for Predicting Incident Hypertension? Results from the population-based cohort study of Japan. Circulation, 2014, 129, .	1.6	0
77	Abstract 11167: Effects of Conversion to Everolimus With Low-Dose Calcineurin Inhibitors From Mycophenolate Mofetil on Cardiac Allograft Vasculopathy in Maintenance Heart Transplant Recipient: Serial Three-Dimensional Intravascular Ultrasound Analysis at 2 Years. Circulation, 2014, 130, .	1.6	0
78	Abstract 11675: Influence of Donor-Transmitted Lesions on Vessel Remodeling and Plaque Progression in Coronary Artery After Heart Transplant Recipients: Serial Three-Dimensional Intravascular Ultrasound Analysis. Circulation, 2014, 130, .	1.6	0
79	Abstract 11585: Is Brachial Flow-Mediated Dilation the Predictor of Development of Cardiac Allograft Vasculopathy in Recipients With Heart Transplantation?. Circulation, 2014, 130, .	1.6	1
80	Abstract 432: Comparison of Body Mass Index with Waist Circumference, Waist-to-height Ratio and Waist-to-hip Ratio as a Predictor of Incident Hypertension in Japan. Hypertension, 2014, 64, .	2.7	1