

# Andrea O Y Luk

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4906512/publications.pdf>

Version: 2024-02-01

127  
papers

4,666  
citations

196777

29  
h-index

139680

61  
g-index

130  
all docs

130  
docs citations

130  
times ranked

6710  
citing authors

#	ARTICLE	IF	CITATIONS
1	Perinatal famine is associated with excess risk of proliferative retinopathy in patients with type 2 diabetes. <i>Acta Ophthalmologica</i> , 2022, 100, .	0.6	5
2	Skin autofluorescence is associated with progression of kidney disease in type 2 diabetes: A prospective cohort study from the Hong Kong diabetes biobank. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2022, 32, 436-446.	1.1	11
3	<i>CYP2C19</i> Loss-of-function Polymorphisms are Associated with Reduced Risk of Sulfonylurea Treatment Failure in Chinese Patients with Type 2 Diabetes. <i>Clinical Pharmacology and Therapeutics</i> , 2022, 111, 461-469.	2.3	5
4	Data Resource Profile: The Hong Kong Diabetes Surveillance Database (HKDSD). <i>International Journal of Epidemiology</i> , 2022, 51, e9-e17.	0.9	20
5	Risk associations of long-term HbA1c variability and obesity on cancer events and cancer-specific death in 15,286 patients with diabetes - A prospective cohort study. <i>The Lancet Regional Health - Western Pacific</i> , 2022, 18, 100315.	1.3	13
6	Risk Associations of Glycemic Burden and Obesity With Liver Cancer—A 10-Year Analysis of 15,280 Patients With Type 2 Diabetes. <i>Hepatology Communications</i> , 2022, 6, 1350-1360.	2.0	13
7	Shortened Leukocyte Telomere Length Is Associated With Glycemic Progression in Type 2 Diabetes: A Prospective and Mendelian Randomization Analysis. <i>Diabetes Care</i> , 2022, 45, 701-709.	4.3	37
8	Nonalbuminuric Diabetic Kidney Disease and Risk of All-Cause Mortality and Cardiovascular and Kidney Outcomes in Type 2 Diabetes: Findings From the Hong Kong Diabetes Biobank. <i>American Journal of Kidney Diseases</i> , 2022, 80, 196-206.e1.	2.1	12
9	Clinical Predictors and Long-term Impact of Acute Kidney Injury on Progression of Diabetic Kidney Disease in Chinese Patients With Type 2 Diabetes. <i>Diabetes</i> , 2022, 71, 520-529.	0.3	6
10	Trends in all-cause mortality among people with diagnosed diabetes in high-income settings: a multicountry analysis of aggregate data. <i>Lancet Diabetes and Endocrinology</i> , 2022, 10, 112-119.	5.5	37
11	Time-varying risk associations of renin angiotensin system inhibitors with pneumonia and related deaths in a cohort of 252,616 patients with diabetes (2002–2019). <i>Diabetes Research and Clinical Practice</i> , 2022, 185, 109233.	1.1	6
12	Effect of a Web-Based Management Guide on Risk Factors in Patients With Type 2 Diabetes and Diabetic Kidney Disease. <i>JAMA Network Open</i> , 2022, 5, e223862.	2.8	13
13	Associations of the HOMA2-%B and HOMA2-%R with progression to diabetes and glycaemic deterioration in young and middle-aged Chinese. <i>Diabetes/Metabolism Research and Reviews</i> , 2022, 38, e3525.	1.7	12
14	Worldwide estimates of incidence of type 2 diabetes in children and adolescents in 2021. <i>Diabetes Research and Clinical Practice</i> , 2022, 185, 109785.	1.1	37
15	Relative leukocyte telomere length is associated with incident end-stage kidney disease and rapid decline of kidney function in type 2 diabetes: analysis from the Hong Kong Diabetes Register. <i>Diabetologia</i> , 2022, 65, 375-386.	2.9	11
16	International comparison of glycaemic control in people with type 1 diabetes: an update and extension. <i>Diabetic Medicine</i> , 2022, 39, e14766.	1.2	28
17	Multi-ancestry genetic study of type 2 diabetes highlights the power of diverse populations for discovery and translation. <i>Nature Genetics</i> , 2022, 54, 560-572.	9.4	250
18	Neuronal Dysfunction Is Linked to the Famine-Associated Risk of Proliferative Retinopathy in Patients With Type 2 Diabetes. <i>Frontiers in Neuroscience</i> , 2022, 16, .	1.4	1

#	ARTICLE	IF	CITATIONS
19	Glucose-lowering drug use, glycemic outcomes, and severe hypoglycemia: 18-Year trends in 0.9 million adults with Diabetes in Hong Kong (2002–2019). <i>The Lancet Regional Health - Western Pacific</i> , 2022, 26, 100509.	1.3	12
20	Combined associations of family history and self-management with age at diagnosis and cardiometabolic risk in 86,931 patients with type 2 diabetes: Joint Asia Diabetes Evaluation (JADE) Register from 11 countries. <i>BMC Medicine</i> , 2022, 20, .	2.3	2
21	Use of sodium–glucose co–transporter–2 inhibitors in <sc>Asian</sc> patients with type 2 diabetes and kidney disease: An <sc>Asian</sc> perspective and expert recommendations. <i>Diabetes, Obesity and Metabolism</i> , 2021, 23, 299-317.	2.2	20
22	Temporal trends in rates of infection-related hospitalisations in Hong Kong people with and without diabetes, 2001–2016: a retrospective study. <i>Diabetologia</i> , 2021, 64, 109-118.	2.9	24
23	Impact of age at type 2 diabetes mellitus diagnosis on mortality and vascular complications: systematic review and meta-analyses. <i>Diabetologia</i> , 2021, 64, 275-287.	2.9	140
24	Development of genome-wide polygenic risk scores for lipid traits and clinical applications for dyslipidemia, subclinical atherosclerosis, and diabetes cardiovascular complications among East Asians. <i>Genome Medicine</i> , 2021, 13, 29.	3.6	18
25	Association of hip fractures with cardiometabolic–renal risk factors in Southern Chinese patients with type 2 diabetes – the Hong Kong Diabetes Register. <i>Journal of Diabetes Investigation</i> , 2021, 12, 1739-1748.	1.1	0
26	Impact of diabetes on COVID–19 and other infection: Report from the 22nd Hong Kong Diabetes and Cardiovascular Risk Factors–East Meets West Symposium. <i>Diabetic Medicine</i> , 2021, 38, e14547.	1.2	9
27	Glycemic Variability and Time in Range During Self-titration of Once Daily Insulin Glargine 300 U/ml Versus Neutral Protamine Hagedorn Insulin in Insulin-naïve Chinese Type 2 Diabetes Patients. <i>Diabetes Therapy</i> , 2021, 12, 1399-1413.	1.2	5
28	Shortened relative leukocyte telomere length is associated with all-cause mortality in type 2 diabetes-analysis from the Hong Kong Diabetes Register. <i>Diabetes Research and Clinical Practice</i> , 2021, 173, 108649.	1.1	10
29	Long-term metformin use and risk of pneumonia and related death in type 2 diabetes: a registry-based cohort study. <i>Diabetologia</i> , 2021, 64, 1760-1765.	2.9	13
30	Effects of a Technology-Assisted Integrated Diabetes Care Program on Cardiometabolic Risk Factors Among Patients With Type 2 Diabetes in the Asia-Pacific Region. <i>JAMA Network Open</i> , 2021, 4, e217557.	2.8	15
31	Trends in the incidence of diagnosed diabetes: a multicountry analysis of aggregate data from 22 million diagnoses in high-income and middle-income settings. <i>Lancet Diabetes and Endocrinology</i> , 2021, 9, 203-211.	5.5	85
32	Young age at diabetes diagnosis amplifies the effect of diabetes duration on risk of chronic kidney disease: a prospective cohort study. <i>Diabetologia</i> , 2021, 64, 1990-2000.	2.9	22
33	Trends in kidney failure and kidney replacement therapy in people with diabetes in Hong Kong, 2002-2015: A retrospective cohort study. <i>The Lancet Regional Health - Western Pacific</i> , 2021, 11, 100165.	1.3	11
34	Migration and diabetes incidence among Chinese adults in Canada, China, Hong Kong, and Taiwan: An international population-based comparative study from 2000 to 2017. <i>Diabetes Research and Clinical Practice</i> , 2021, 180, 109062.	1.1	4
35	Detection of increased serum miR-122-5p and miR-455-3p levels before the clinical diagnosis of liver cancer in people with type 2 diabetes. <i>Scientific Reports</i> , 2021, 11, 23756.	1.6	13
36	Cardiovascular outcomes trials in type 2 diabetes: Time to include young adults. <i>Diabetes, Obesity and Metabolism</i> , 2020, 22, 3-5.	2.2	25

#	ARTICLE	IF	CITATIONS
37	Association of technologically assisted integrated care with clinical outcomes in type 2 diabetes in Hong Kong using the prospective JADE Program: A retrospective cohort analysis. <i>PLoS Medicine</i> , 2020, 17, e1003367.	3.9	24
38	Secular trends in rates of hospitalisation for lower extremity amputation and 1-year mortality in people with diabetes in Hong Kong, 2001-2016: a retrospective cohort study. <i>Diabetologia</i> , 2020, 63, 2689-2698.	2.9	14
39	Trends in Glucose-Lowering Drug Use, Glycemic Control, and Severe Hypoglycemia in Adults With Diabetes in Hong Kong, 2002-2016. <i>Diabetes Care</i> , 2020, 43, 2967-2974.	4.3	29
40	Shortened Relative Leukocyte Telomere Length Is Associated With Prevalent and Incident Cardiovascular Complications in Type 2 Diabetes: Analysis From the Hong Kong Diabetes Register. <i>Diabetes Care</i> , 2020, 43, 2257-2265.	4.3	31
41	The Lancet Commission on diabetes: using data to transform diabetes care and patient lives. <i>Lancet</i> , 2020, 396, 2019-2082.	6.3	327
42	Obesity, clinical, and genetic predictors for glycemic progression in Chinese patients with type 2 diabetes: A cohort study using the Hong Kong Diabetes Register and Hong Kong Diabetes Biobank. <i>PLoS Medicine</i> , 2020, 17, e1003209.	3.9	31
43	Age at diagnosis, glycemic trajectories, and responses to oral glucose-lowering drugs in type 2 diabetes in Hong Kong: A population-based observational study. <i>PLoS Medicine</i> , 2020, 17, e1003316.	3.9	27
44	Identification of type 2 diabetes loci in 433,540 East Asian individuals. <i>Nature</i> , 2020, 582, 240-245.	13.7	282
45	Trends in diabetes-related complications in Hong Kong, 2001-2016: a retrospective cohort study. <i>Cardiovascular Diabetology</i> , 2020, 19, 60.	2.7	24
46	Young-onset diabetes, nutritional therapy and novel insulin delivery systems: a report from the 21st Hong Kong Diabetes and Cardiovascular Risk Factors - East Meets West Symposium. <i>Diabetic Medicine</i> , 2020, 37, 1234-1243.	1.2	0
47	Development and validation of algorithms to classify type 1 and 2 diabetes according to age at diagnosis using electronic health records. <i>BMC Medical Research Methodology</i> , 2020, 20, 35.	1.4	13
48	Secular trends in incidence of type 1 and type 2 diabetes in Hong Kong: A retrospective cohort study. <i>PLoS Medicine</i> , 2020, 17, e1003052.	3.9	49
49	Circulating branched-chain amino acids and incident heart failure in type 2 diabetes: The Hong Kong Diabetes Register. <i>Diabetes/Metabolism Research and Reviews</i> , 2020, 36, e3253.	1.7	20
50	Secular trends in all-cause and cause-specific mortality rates in people with diabetes in Hong Kong, 2001-2016: a retrospective cohort study. <i>Diabetologia</i> , 2020, 63, 757-766.	2.9	80
51	Serial Transient Elastography Examinations to Monitor Patients With Type 2 Diabetes: A Prospective Cohort Study. <i>Hepatology</i> , 2020, 72, 1230-1241.	3.6	59
52	Use of SGLT-2 Inhibitors in Patients with Type 2 Diabetes Mellitus and Abdominal Obesity: An Asian Perspective and Expert Recommendations. <i>Diabetes and Metabolism Journal</i> , 2020, 44, 11.	1.8	30
53	Title is missing!. , 2020, 17, e1003316.		0
54	Title is missing!. , 2020, 17, e1003316.		0

#	ARTICLE	IF	CITATIONS
55	Title is missing!. , 2020, 17, e1003316.		0
56	Title is missing!. , 2020, 17, e1003316.		0
57	Title is missing!. , 2020, 17, e1003052.		0
58	Title is missing!. , 2020, 17, e1003052.		0
59	Title is missing!. , 2020, 17, e1003052.		0
60	Title is missing!. , 2020, 17, e1003052.		0
61	Title is missing!. , 2020, 17, e1003052.		0
62	Insulin glargine compared to neutral protamine Hagedorn (NPH) insulin in patients with type-2 diabetes uncontrolled with oral anti-diabetic agents alone in Hong Kong: a cost-effectiveness analysis. <i>Cost Effectiveness and Resource Allocation</i> , 2019, 17, 13.	0.6	5
63	Use of sodium-glucose co-transporter <sup>2</sup> inhibitors in patients with type 2 diabetes mellitus and multiple cardiovascular risk factors: An Asian perspective and expert recommendations. <i>Diabetes, Obesity and Metabolism</i> , 2019, 21, 2354-2367.	2.2	22
64	Progression of glucose intolerance and cardiometabolic risk factors over a decade in Chinese women with polycystic ovary syndrome: A case-control study. <i>PLoS Medicine</i> , 2019, 16, e1002953.	3.9	38
65	Sex differences in the association between socioeconomic status and diabetes prevalence and incidence in China: cross-sectional and prospective studies of 0.5 million adults. <i>Diabetologia</i> , 2019, 62, 1420-1429.	2.9	29
66	Diabetes management and treatment approaches outside of North America and West Europe in 2006 and 2015. <i>Acta Diabetologica</i> , 2019, 56, 889-897.	1.2	4
67	Diabetes-Related Complications and Mortality in Patients With Young-Onset Latent Autoimmune Diabetes: A 14-Year Analysis of the Prospective Hong Kong Diabetes Register. <i>Diabetes Care</i> , 2019, 42, 1042-1050.	4.3	24
68	Temporal changes in obesity and sleep habits in Hong Kong Chinese school children: a prospective study. <i>Scientific Reports</i> , 2019, 9, 5881.	1.6	6
69	Gender differences in the associations between insomnia and glycemic control in patients with type 2 diabetes: a cross-sectional study. <i>Sleep</i> , 2019, 42, .	0.6	8
70	Excess Burden of Mental Illness and Hospitalization in Young-Onset Type 2 Diabetes. <i>Annals of Internal Medicine</i> , 2019, 171, 78.	2.0	4
71	From Hong Kong Diabetes Register to JADE Program to RAMP-DM for Data-Driven Actions. <i>Diabetes Care</i> , 2019, 42, 2022-2031.	4.3	79
72	Sudomotor dysfunction independently predicts incident cardiovascular renal events and all-cause death in type 2 diabetes: the Joint Asia Diabetes Evaluation register. <i>Nephrology Dialysis Transplantation</i> , 2019, 34, 1320-1328.	0.4	6

#	ARTICLE	IF	CITATIONS
73	Progression of diabetic kidney disease and trajectory of kidney function decline in Chinese patients with Type 2 diabetes. <i>Kidney International</i> , 2019, 95, 178-187.	2.6	105
74	Cardiovascular disease management in people with diabetes outside North America and Western Europe in 2006 and 2015. <i>Diabetic Medicine</i> , 2019, 36, 878-887.	1.2	5
75	Excess Burden of Mental Illness and Hospitalization in Young-Onset Type 2 Diabetes. <i>Annals of Internal Medicine</i> , 2019, 170, 145.	2.0	53
76	Interactive effects of testosterone and the androgen receptor CAG repeat length polymorphism on cardiovascular and renal events and mortality in men with diabetes. <i>Diabetes/Metabolism Research and Reviews</i> , 2019, 35, e3081.	1.7	8
77	The Relationship of Quantitative Retinal Capillary Network to Kidney Function in Type 2 Diabetes. <i>American Journal of Kidney Diseases</i> , 2018, 71, 916-918.	2.1	12
78	Cross-sectional survey of biosimilar insulin utilization in Asia: The Joint Asia Diabetes Evaluation Program. <i>Journal of Diabetes Investigation</i> , 2018, 9, 1312-1322.	1.1	3
79	A Genome-Wide Association Study of Diabetic Kidney Disease in Subjects With Type 2 Diabetes. <i>Diabetes</i> , 2018, 67, 1414-1427.	0.3	136
80	MicroRNA and Diabetic Complications: A Clinical Perspective. <i>Antioxidants and Redox Signaling</i> , 2018, 29, 1041-1063.	2.5	27
81	Advanced liver fibrosis but not steatosis is independently associated with albuminuria in Chinese patients with type 2 diabetes. <i>Journal of Hepatology</i> , 2018, 68, 147-156.	1.8	72
82	Association between educational level and cardiovascular disease and all-cause mortality in patients with type 2 diabetes: a prospective study in the Joint Asia Diabetes Evaluation Program. <i>Clinical Epidemiology</i> , 2018, Volume 10, 1561-1571.	1.5	15
83	A proof-of-concept study to evaluate the efficacy and safety of BTI320 on post-prandial hyperglycaemia in Chinese subjects with pre-diabetes. <i>BMC Endocrine Disorders</i> , 2018, 18, 59.	0.9	2
84	Depressive Symptoms, Co-Morbidities, and Glycemic Control in Hong Kong Chinese Elderly Patients With Type 2 Diabetes Mellitus. <i>Frontiers in Endocrinology</i> , 2018, 9, 261.	1.5	21
85	Short-term association between ambient temperature and acute myocardial infarction hospitalizations for diabetes mellitus patients: A time series study. <i>PLoS Medicine</i> , 2018, 15, e1002612.	3.9	54
86	Determinants of hospitalization in Chinese patients with type 2 diabetes receiving a peer support intervention and JADE integrated care: the PEARL randomised controlled trial. <i>Clinical Diabetes and Endocrinology</i> , 2018, 4, 5.	1.3	13
87	Effect of CYP2C19 *2 and *3 variants on sulphonylurea monotherapy treatment failure in Chinese patients with Type 2 diabetes. <i>Proceedings for Annual Meeting of the Japanese Pharmacological Society</i> , 2018, WCP2018, PO3-14-18.	0.0	0
88	Regular mailing of personalized feedback reports improves glycemic control in diabetes: a randomized controlled trial. <i>Journal of Diabetes</i> , 2017, 9, 536-538.	0.8	11
89	Declining Trends of Cardiovascular-Renal Complications and Mortality in Type 2 Diabetes: The Hong Kong Diabetes Database. <i>Diabetes Care</i> , 2017, 40, 928-935.	4.3	80
90	What next after basal insulin? Treatment intensification with lixisenatide in Asian patients with type 2 diabetes mellitus. <i>Journal of Diabetes</i> , 2017, 9, 562-574.	0.8	2

#	ARTICLE	IF	CITATIONS
91	Low testosterone and clinical outcomes in Chinese men with type 2 diabetes mellitus " Hong Kong Diabetes Registry. <i>Diabetes Research and Clinical Practice</i> , 2017, 123, 97-105.	1.1	17
92	High risk of conversion to diabetes in first-degree relatives of individuals with young-onset type 2 diabetes: a 12-year follow-up analysis. <i>Diabetic Medicine</i> , 2017, 34, 1701-1709.	1.2	17
93	Glycaemia control and the risk of hospitalisation for infection in patients with type 2 diabetes: Hong Kong Diabetes Registry. <i>Diabetes/Metabolism Research and Reviews</i> , 2017, 33, e2923.	1.7	23
94	Curvilinear associations of sleep patterns during weekdays and weekends with glycemic control in type 2 diabetes: the Hong Kong Diabetes Registry. <i>Acta Diabetologica</i> , 2017, 54, 151-162.	1.2	7
95	Diabetes: A Cinderella Subject We Can't Afford to Ignore. <i>PLoS Medicine</i> , 2016, 13, e1002068.	3.9	5
96	Variable selection and prediction of clinical outcome with multiply-imputed data via Bayesian model averaging. , 2016, , .		1
97	Interactome-transcriptome analysis discovers signatures complementary to GWAS Loci of Type 2 Diabetes. <i>Scientific Reports</i> , 2016, 6, 35228.	1.6	20
98	Retinal Information is Independently Associated with Cardiovascular Disease in Patients with Type 2 diabetes. <i>Scientific Reports</i> , 2016, 6, 19053.	1.6	17
99	Association of self-reported recurrent mild hypoglycemia with incident cardiovascular disease and all-cause mortality in patients with type 2 diabetes. <i>Medicine (United States)</i> , 2016, 95, e5183.	0.4	14
100	Natural history and outcome in chinese patients with gastroenteropancreatic neuroendocrine tumours: - a 17-year retrospective analysis. <i>BMC Endocrine Disorders</i> , 2016, 16, 12.	0.9	11
101	Gender, diabetes education, and psychosocial factors are associated with persistent poor glycemic control in patients with type 2 diabetes in the JASIA Diabetes Evaluation (JADE) program. <i>Journal of Diabetes</i> , 2016, 8, 109-119.	0.8	23
102	Progression to treatment failure among Chinese patients with type 2 diabetes initiated on metformin versus sulphonylurea monotherapy" The Hong Kong Diabetes Registry. <i>Diabetes Research and Clinical Practice</i> , 2016, 112, 57-64.	1.1	5
103	Modifying Effect of Body Mass Index on Survival in Elderly Type 2 Diabetic Patients: Hong Kong Diabetes Registry. <i>Journal of the American Medical Directors Association</i> , 2016, 17, 276.e15-276.e22.	1.2	5
104	Genetic and clinical variables identify predictors for chronic kidney disease in type 2 diabetes. <i>Kidney International</i> , 2016, 89, 411-420.	2.6	22
105	Health-Related Quality of Life after Bariatric Surgery and its Correlation with Glycaemic Status in Hong Kong Chinese Adults. <i>Obesity Surgery</i> , 2016, 26, 538-545.	1.1	7
106	Screening diabetic patients for non-alcoholic fatty liver disease with controlled attenuation parameter and liver stiffness measurements: a prospective cohort study. <i>Gut</i> , 2016, 65, 1359-1368.	6.1	386
107	Measuring depression with CES-D in Chinese patients with type 2 diabetes: the validity and its comparison to PHQ-9. <i>BMC Psychiatry</i> , 2015, 15, 198.	1.1	79
108	Testosterone level in men with type 2 diabetes mellitus and related metabolic effects: A review of current evidence. <i>Journal of Diabetes Investigation</i> , 2015, 6, 112-123.	1.1	73

#	ARTICLE	IF	CITATIONS
109	Early gene-diet interaction between glucokinase regulatory protein (GCKR) polymorphism, vegetable and fish intakes in modulating triglyceride levels in healthy adolescents. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2015, 25, 951-958.	1.1	8
110	Effects of Providing Peer Support on Diabetes Management in People With Type 2 Diabetes. <i>Annals of Family Medicine</i> , 2015, 13, S42-S49.	0.9	56
111	Depression in Chinese patients with type 2 diabetes: associations with hyperglycemia, hypoglycemia, and poor treatment adherence. <i>Journal of Diabetes</i> , 2015, 7, 800-808.	0.8	81
112	The Clinical Utility of SUDOSCAN in Chronic Kidney Disease in Chinese Patients with Type 2 Diabetes. <i>PLoS ONE</i> , 2015, 10, e0134981.	1.1	25
113	Maternal history of diabetes is associated with increased cardiometabolic risk in Chinese. <i>Nutrition and Diabetes</i> , 2014, 4, e112-e112.	1.5	19
114	Delivery of integrated diabetes care using logistics and information technology - The Joint Asia Diabetes Evaluation (JADE) program. <i>Diabetes Research and Clinical Practice</i> , 2014, 106, S295-S304.	1.1	22
115	Severe Hypoglycemia Identifies Vulnerable Patients With Type 2 Diabetes at Risk for Premature Death and All-Site Cancer: The Hong Kong Diabetes Registry. <i>Diabetes Care</i> , 2014, 37, 1024-1031.	4.3	61
116	Prospective Study on the Incidences of Cardiovascular-Renal Complications in Chinese Patients With Young-Onset Type 1 and Type 2 Diabetes. <i>Diabetes Care</i> , 2014, 37, 149-157.	4.3	87
117	Metabolic profiles and treatment gaps in young-onset type 2 diabetes in Asia (the JADE programme): a cross-sectional study of a prospective cohort. <i>Lancet Diabetes and Endocrinology</i> , 2014, 2, 935-943.	5.5	210
118	Premature Mortality and Comorbidities in Young-onset Diabetes: A 7-Year Prospective Analysis. <i>American Journal of Medicine</i> , 2014, 127, 616-624.	0.6	110
119	Familial Young-Onset Diabetes, Pre-Diabetes and Cardiovascular Disease Are Associated with Genetic Variants of DACH1 in Chinese. <i>PLoS ONE</i> , 2014, 9, e84770.	1.1	16
120	Risk association of HbA <sub>1c</sub> variability with chronic kidney disease and cardiovascular disease in type 2 diabetes: prospective analysis of the Hong Kong Diabetes Registry. <i>Diabetes/Metabolism Research and Reviews</i> , 2013, 29, 384-390.	1.7	118
121	Genetic Variants of the Protein Kinase C- $\beta$ 1 Gene and Development of End-Stage Renal Disease in Patients With Type 2 Diabetes. <i>JAMA - Journal of the American Medical Association</i> , 2010, 304, 881.	3.8	58
122	Association of statin use and development of renal dysfunction in type 2 diabetes - The Hong Kong Diabetes Registry. <i>Diabetes Research and Clinical Practice</i> , 2010, 88, 227-233.	1.1	19
123	A 21-Year-Old Pregnant Woman with Hypertension and Proteinuria. <i>PLoS Medicine</i> , 2009, 6, e1000037.	3.9	5
124	The NCEP-ATPIII but not the IDF criteria for the metabolic syndrome identify Type 2 diabetic patients at increased risk of chronic kidney disease. <i>Diabetic Medicine</i> , 2008, 25, 1419-1425.	1.2	23
125	Diabetic nephropathy - What are the unmet needs?. <i>Diabetes Research and Clinical Practice</i> , 2008, 82, S15-S20.	1.1	27
126	Metabolic Syndrome Predicts New Onset of Chronic Kidney Disease in 5,829 Patients With Type 2 Diabetes. <i>Diabetes Care</i> , 2008, 31, 2357-2361.	4.3	160



#	ARTICLE	IF	CITATIONS
127	Detection of Increased Serum miR-122-5p and miR-455-3p Levels Before the Clinical Diagnosis of Liver Cancer in People With Type 2 Diabetes. SSRN Electronic Journal, 0, , .	0.4	0