
## Carlos GarcÃ-a-Forero

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4906697/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Screening for Depression in the General Population with the Center for Epidemiologic Studies Depression (CES-D): A Systematic Review with Meta-Analysis. PLoS ONE, 2016, 11, e0155431.	2.5	636
2	Factor Analysis with Ordinal Indicators: A Monte Carlo Study Comparing DWLS and ULS Estimation. Structural Equation Modeling, 2009, 16, 625-641.	3.8	387
3	Suicidal Thoughts and Behaviors Among First-Year College Students: Results From the WMH-ICS Project. Journal of the American Academy of Child and Adolescent Psychiatry, 2018, 57, 263-273.e1.	0.5	203
4	The Mental Component of the Short-Form 12 Health Survey (SF-12) as a Measure of Depressive Disorders in the General Population: Results with Three Alternative Scoring Methods. Value in Health, 2013, 16, 564-573.	0.3	187
5	Estimation of IRT graded response models: Limited versus full information methods Psychological Methods, 2009, 14, 275-299.	3.5	175
6	Goodness-of-Fit Testing. , 2010, , 190-196.		89
7	Psychometric properties of the CAST and SDS scales in young adult cannabis users. Addictive Behaviors, 2012, 37, 709-715.	3.0	61
8	The Spanish version of the Warwick-Edinburgh Mental Well-Being Scale (WEMWBS) is valid for use in the general population. Quality of Life Research, 2014, 23, 857-868.	3.1	60
9	Adaptation into Spanish of the Warwick–Edinburgh Mental Well-being Scale (WEMWBS) and preliminary validation in a student sample. Quality of Life Research, 2013, 22, 1099-1104.	3.1	58
10	Assessing quality of life in patients with prostate cancer: a systematic and standardized comparison of available instruments. Quality of Life Research, 2014, 23, 2169-2181.	3.1	56
11	Assessing oral health-related quality of life in children and adolescents: a systematic review and standardized comparison of available instruments. Clinical Oral Investigations, 2019, 23, 65-79.	3.0	56
12	Disentangling impulsiveness, aggressiveness and impulsive aggression: An empirical approach using self-report measures. Psychiatry Research, 2009, 168, 40-49.	3.3	52
13	The effect of varying the number of response alternatives in rating scales: Experimental evidence from intra-individual effects. Behavior Research Methods, 2009, 41, 295-308.	4.0	50
14	Psychological impact of quarantine on healthcare workers. Occupational and Environmental Medicine, 2020, 77, 666-674.	2.8	43
15	Accuracy of online survey assessment of mental disorders and suicidal thoughts and behaviors in Spanish university students. Results of the WHO World Mental Health- International College Student initiative. PLoS ONE, 2019, 14, e0221529.	2.5	42
16	DETECTION OF ANXIETY DISORDERS IN PRIMARY CARE: A META-ANALYSIS OF ASSISTED AND UNASSISTED DIAGNOSES. Depression and Anxiety, 2015, 32, 471-484.	4.1	41
17	Multidimensional item response theory models yielded good fit and reliable scores for the Short Form-12 questionnaire. Journal of Clinical Epidemiology, 2013, 66, 790-801.	5.0	36
18	Assessing aggressiveness quickly and efficiently: the Spanish adaptation of Aggression Questionnaire-Refined version. European Psychiatry, 2006, 21, 487-494.	0.2	34

CARLOS GARCÃA-FORERO

#	Article	IF	CITATIONS
19	Testing the PROMIS ® Depression measures for monitoring depression in a clinical sample outside the US. Journal of Psychiatric Research, 2015, 68, 140-150.	3.1	33
20	Functional Status, Quality of Life, and Costs Associated With Fibromyalgia Subgroups. Clinical Journal of Pain, 2016, 32, 829-840.	1.9	33
21	Beneficial effect of corticosteroids in preventing mortality in patients receiving tocilizumab to treat severe COVID-19 illness. International Journal of Infectious Diseases, 2020, 101, 290-297.	3.3	33
22	Suicidal Thoughts and Behaviors: Prevalence and Association with Distal and Proximal Factors in Spanish University Students. Suicide and Life-Threatening Behavior, 2019, 49, 881-898.	1.9	30
23	A Longitudinal Model for Predicting Performance of Police Officers Using Personality and Behavioral Data. Criminal Justice and Behavior, 2009, 36, 591-606.	1.8	28
24	Head-to-head comparison between the EQ-5D-5L and the EQ-5D-3L in general population health surveys. Population Health Metrics, 2018, 16, 14.	2.7	27
25	Beneficial and harmful outcomes of tocilizumab in severe COVIDâ€19: A systematic review and metaâ€analysis. Pharmacotherapy, 2021, 41, 884-906.	2.6	27
26	Relationship Between Life Events and Psychosomatic Complaints During Adolescence/Youth: A Structural Equation Model Approach. Journal of Adolescent Health, 2011, 49, 199-205.	2.5	20
27	Contribution of Criterion A2 to PTSD Screening in the Presence of Traumatic Events. Journal of Traumatic Stress, 2012, 25, 587-591.	1.8	16
28	Diagnostic accuracy and adequacy of treatment of depressive and anxiety disorders: A comparison of primary care and specialized care patients. Journal of Affective Disorders, 2015, 172, 462-471.	4.1	15
29	Testing Categorized Bivariate Normality With Two-Stage Polychoric Correlation Estimates. Methodology, 2009, 5, 131-136.	1.1	15
30	Hypothesis testing for coefficient alpha: An SEM approach. Behavior Research Methods, 2010, 42, 618-625.	4.0	13
31	Effects of Sensory Information, Movement Direction, and Hand Use on Fine Motor Precision. Perceptual and Motor Skills, 2012, 115, 261-272.	1.3	13
32	Cronbach's Alpha. , 2014, , 1357-1359.		13
33	Association of childhood adversities with the first onset of mental disorders in Spain: results from the ESEMeD project. Social Psychiatry and Psychiatric Epidemiology, 2013, 48, 371-384.	3.1	12
34	Neuraminidase inhibitors and single dose baloxavir are effective and safe in uncomplicated influenza: a meta-analysis of randomized controlled trials. Expert Review of Clinical Pharmacology, 2021, 14, 901-918.	3.1	12
35	Mental well-being of the general population: direct and indirect effects of socioeconomic, relational and health factors. Quality of Life Research, 2021, 30, 2171-2185.	3.1	12
36	Measurement equivalence of PROMIS depression in Spain and the United States Psychological Assessment, 2019, 31, 248-264.	1.5	11

#	Article	IF	CITATIONS
37	Validation of the Perceived Stigmatization Questionnaire for Brazilian adult burn patients. PLoS ONE, 2018, 13, e0190747.	2.5	10
38	Development and Validation of the EspaiJove.net Mental Health Literacy (EMHL) Test for Spanish Adolescents. International Journal of Environmental Research and Public Health, 2020, 17, 72.	2.6	9
39	Efficacy, cost-utility and physiological effects of Acceptance and Commitment Therapy (ACT) and Behavioural Activation Treatment for Depression (BATD) in patients with chronic low back pain and depression: study protocol of a randomised, controlled trial including mobile-technology-based ecological momentary assessment (IMPACT study). BMI Open. 2020. 10. e038107.	1.9	9
40	Predicting Response Trajectories during Cognitive-Behavioural Therapy for Panic Disorder: No Association with the BDNF Gene or Childhood Maltreatment. PLoS ONE, 2016, 11, e0158224.	2.5	9
41	Differential item and test functioning methodology indicated that item response bias was not a substantial cause of country differences in mental well-being. Journal of Clinical Epidemiology, 2014, 67, 1364-1374.	5.0	8
42	Reappraisal of Geographic Atrophy Patterns Seen on Fundus Autofluorescence Using a Latent Class Analysis Approach. Investigative Ophthalmology and Visual Science, 2014, 55, 8302-8308.	3.3	8
43	InvestigaciÃ <sup>3</sup> n traslacional en psiquiatrÃa: el marco Research Domain Criteria (RDoC). Revista De PsiquiatrÃa Y Salud Mental, 2019, 12, 187-195.	1.8	8
44	Measurement and description of underlying dimensions of comorbid mental disorders using Factor Mixture Models: results of the ESEMeD project. International Journal of Methods in Psychiatric Research, 2011, 20, 116-133.	2.1	7
45	Association between annual earnings and mental disorders in Spain: individual and societal-level estimates. Social Psychiatry and Psychiatric Epidemiology, 2012, 47, 1717-1725.	3.1	6
46	A Factor Mixture Model for Multivariate Survival Data: An Application to the Analysis of Lifetime Mental Disorders. Journal of the Royal Statistical Society Series C: Applied Statistics, 2014, 63, 85-102.	1.0	6
47	Asking patients about their general level of functioning: Is IT worth IT for common mental disorders?. Psychiatry Research, 2015, 229, 791-800.	3.3	6
48	Internationally adopted children's general and adoptionâ€specific stressors, coping strategies and psychological adjustment. Child and Family Social Work, 2016, 21, 1-13.	1.4	6
49	Effects of common mental disorders and physical conditions on role functioning in Spain. Gaceta Sanitaria, 2013, 27, 480-486.	1.5	5
50	Validation of an Online Version of the Alcohol Use Disorders Identification Test (AUDIT) for Alcohol Screening in Spanish University Students. International Journal of Environmental Research and Public Health, 2021, 18, 5213.	2.6	5
51	Monoamine Oxidase A, Gender Differences, and Social Exclusion: Comment on "Eisenberger et al.― Biological Psychiatry, 2008, 63, e9-e10.	1.3	4
52	Environmental risk and protective factors of adolescents' and youths' mental health: differences between parents' appraisal and self-reports. Quality of Life Research, 2013, 22, 613-622.	3.1	4
53	Validation of clinical symptom IRT scores for diagnosis and severity assessment of common mental disorders. Quality of Life Research, 2015, 24, 979-992.	3.1	4
54	Cross-cultural adaptation and validation of the Social Comfort Questionnaire for Brazilian adult survivors of burns. Quality of Life Research, 2017, 26, 205-211.	3.1	4

#	Article	IF	CITATIONS
55	Change in functioning outcomes as a predictor of the course of depression: a 12-month longitudinal study. Quality of Life Research, 2018, 27, 2045-2056.	3.1	4
56	Translational research in psychiatry: The Research Domain Criteria Project (RDoC). Revista De PsiquiatrÃa Y Salud Mental (English Edition), 2019, 12, 187-195.	0.3	4
57	Safety and Efficacy of Devices Delivering Inhaled Antibiotics among Adults with Non-Cystic Fibrosis Bronchiectasis: A Systematic Review and a Network Meta-Analysis. Antibiotics, 2022, 11, 275.	3.7	4
58	Cross-Validation Study Using Item Response Theory. Assessment, 2014, 21, 477-493.	3.1	3
59	Towards a biopsychosocial nosology of mental illness: challenges and opportunities for psychiatric epidemiology. Journal of Epidemiology and Community Health, 2015, 69, 301-302.	3.7	3
60	Socio-economic and psychological impact of COVID-19 pandemic in a Spanish cohort BIOVAL-D-COVID-19 study protocol. Gaceta Sanitaria, 2022, 36, 70-73.	1.5	3
61	COVID-19 Pandemic Psychological Impact and Volunteering Experience Perceptions of Medical Students after 2 Years. International Journal of Environmental Research and Public Health, 2022, 19, 7532.	2.6	3
62	Partial Likelihood Estimation of IRT Models with Censored Lifetime Data: An Application to Mental Disorders in the ESEMeD Surveys. Psychometrika, 2014, 79, 470-488.	2.1	2
63	The pros and cons of bifactor models for testing dimensionality and psychopathological models: A commentary on the manuscript "A systematic review and metaâ€analytic factor analysis of the depression anxiety stress scalesâ€. Clinical Psychology: Science and Practice, 2020, 27, .	0.9	1
64	Critical appraisal of international adult bronchiectasis guidelines using the AGREE II tool. European Journal of Internal Medicine, 2022, , .	2.2	1
65	La adaptación española del Cuestionario de Agresión-Versión refinada: una evaluación rápida y eficaz de la agresividad. European Psychiatry (Ed Española), 2007, 14, 73-80.	0.0	0