

Enric AragonÃ's

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4906893/publications.pdf>

Version: 2024-02-01

35
papers

1,030
citations

394286

19
h-index

434063

31
g-index

46
all docs

46
docs citations

46
times ranked

1419
citing authors

#	ARTICLE	IF	CITATIONS
1	Psychological impact of the COVID-19 pandemic on primary care workers: a cross-sectional study. <i>British Journal of General Practice</i> , 2022, 72, e501-e510.	0.7	17
2	Barriers, facilitators, and proposals for improvement in the implementation of a collaborative care program for depression: a qualitative study of primary care physicians and nurses. <i>BMC Health Services Research</i> , 2022, 22, 446.	0.9	7
3	Four-month incidence of suicidal thoughts and behaviors among healthcare workers after the first wave of the Spain COVID-19 pandemic. <i>Journal of Psychiatric Research</i> , 2022, 149, 10-17.	1.5	9
4	International perspective on integrated care models in child and adult mental health. <i>International Review of Psychiatry</i> , 2022, 34, 101-117.	1.4	3
5	Mental health impact of the first wave of COVID-19 pandemic on Spanish healthcare workers: A large cross-sectional survey. <i>Revista De Psiquiatría Y Salud Mental</i> , 2021, 14, 90-105.	1.0	133
6	Effectiveness of collaborative care in reducing suicidal ideation: An individual participant data meta-analysis. <i>General Hospital Psychiatry</i> , 2021, 71, 27-35.	1.2	8
7	Thirty-day suicidal thoughts and behaviors among hospital workers during the first wave of the Spain COVID-19 outbreak. <i>Depression and Anxiety</i> , 2021, 38, 528-544.	2.0	70
8	Cost-effectiveness of a collaborative care program for managing major depression and chronic musculoskeletal pain in primary care: Economic evaluation alongside a randomized controlled trial. <i>Journal of Psychosomatic Research</i> , 2020, 135, 110167.	1.2	3
9	The Role of Pain-Related Cognitions in the Relationship Between Pain Severity, Depression, and Pain Interference in a Sample of Primary Care Patients with Both Chronic Pain and Depression. <i>Pain Medicine</i> , 2020, 21, 2200-2211.	0.9	12
10	Determinación de serotonina plasmática y otros neurotransmisores en el diagnóstico de la depresión: Evidencia y falsedades. <i>FMC Formación Medica Continuada En Atención Primaria</i> , 2020, 27, 131-133.	0.0	1
11	Effectiveness of a collaborative care intervention for managing major depression and chronic musculoskeletal pain in primary care: A cluster-randomised controlled trial. <i>Journal of Affective Disorders</i> , 2019, 252, 221-229.	2.0	31
12	Impact of depression and/or anxiety on the presentation of cardiovascular events in a cohort with metabolic syndrome. StreX project: Five years of follow-up. <i>Primary Care Diabetes</i> , 2018, 12, 163-171.	0.9	4
13	Development and assessment of an active strategy for the implementation of a collaborative care approach for depression in primary care (the INDIA-i project). <i>BMC Health Services Research</i> , 2017, 17, 821.	0.9	5
14	¿Cómo cambiar de antidepressivo?. <i>FMC Formación Medica Continuada En Atención Primaria</i> , 2016, 23, 286-289.	0.0	0
15	Evaluation of a multicomponent programme for the management of musculoskeletal pain and depression in primary care: a cluster-randomised clinical trial (the DROP study). <i>BMC Psychiatry</i> , 2016, 16, 69.	1.1	11
16	¿Cómo ayudar a los pacientes para que gestionen con autonomía sus problemas de salud. <i>FMC Formación Medica Continuada En Atención Primaria</i> , 2015, 22, 179-181.	0.0	0
17	Reinforcing Stigmatization: Coverage of Mental Illness in Spanish Newspapers. <i>Journal of Health Communication</i> , 2014, 19, 1248-1258.	1.2	59
18	Cost-effectiveness analysis of a collaborative care programme for depression in primary care. <i>Journal of Affective Disorders</i> , 2014, 159, 85-93.	2.0	20

#	ARTICLE	IF	CITATIONS
19	Persistence in the long term of the effects of a collaborative care programme for depression in primary care. <i>Journal of Affective Disorders</i> , 2014, 166, 36-40.	2.0	13
20	Comparative efficacy of two interventions to discontinue long-term benzodiazepine use: cluster randomised controlled trial in primary care. <i>British Journal of Psychiatry</i> , 2014, 204, 471-479.	1.7	77
21	Cost of borderline personality disorder in Catalonia (Spain). <i>European Psychiatry</i> , 2014, 29, 490-497.	0.1	23
22	Systematic depression screening in high-risk patients attending primary care: a pragmatic cluster-randomized trial. <i>BMC Psychiatry</i> , 2013, 13, 83.	1.1	21
23	Registered prevalence of borderline personality disorder in primary care databases. <i>Gaceta Sanitaria</i> , 2013, 27, 171-174.	0.6	27
24	Effectiveness of a multi-component programme for managing depression in primary care: A cluster randomized trial. The INDI project. <i>Journal of Affective Disorders</i> , 2012, 142, 297-305.	2.0	40
25	Comparative efficacy of two primary care interventions to assist withdrawal from long term benzodiazepine use: A protocol for a clustered, randomized clinical trial. <i>BMC Family Practice</i> , 2011, 12, 23.	2.9	14
26	Improving the Role of Nursing in the Treatment of Depression in Primary Care in Spain. <i>Perspectives in Psychiatric Care</i> , 2008, 44, 248-258.	0.9	20
27	Prevalence, Characteristics, and Attribution of Somatic Symptoms in Spanish Patients With Major Depressive Disorder Seeking Primary Health Care. <i>Psychosomatics</i> , 2008, 49, 520-529.	2.5	32
28	Relationship of Somatic Symptoms With Depression Severity, Quality of Life, and Health Resources Utilization in Patients With Major Depressive Disorder Seeking Primary Health Care in Spain. <i>Primary Care Companion To the Journal of Clinical Psychiatry</i> , 2008, 10, 355-362.	0.6	49
29	Depression and physical comorbidity in primary care. <i>Journal of Psychosomatic Research</i> , 2007, 63, 107-111.	1.2	25
30	Assessment of an enhanced program for depression management in primary care: a cluster randomized controlled trial. The INDI project (Interventions for Depression Improvement). <i>BMC Public Health</i> , 2007, 7, 253.	1.2	21
31	The overdiagnosis of depression in non-depressed patients in primary care. <i>Family Practice</i> , 2006, 23, 363-368.	0.8	67
32	Somatized depression in primary care attenders. <i>Journal of Psychosomatic Research</i> , 2005, 58, 145-151.	1.2	43
33	Prevalence and Determinants of Depressive Disorders in Primary Care Practice in Spain. <i>International Journal of Psychiatry in Medicine</i> , 2004, 34, 21-35.	0.8	69
34	Detection and Management of Depressive Disorders in Primary Care in Spain. <i>International Journal of Psychiatry in Medicine</i> , 2004, 34, 331-343.	0.8	48
35	Effectiveness of Collaborative Care in Reducing Suicidal Ideation: An Individual Participant Data Meta-Analysis. <i>SSRN Electronic Journal</i> , 0, , .	0.4	0