

Eric Yu-Hai Chen

List of Publications by Citations

Source: <https://exaly.com/author-pdf/4907787/eric-yu-hai-chen-publications-by-citations.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

271
papers

7,705
citations

43
h-index

77
g-index

283
ext. papers

9,362
ext. citations

4.8
avg, IF

5.79
L-index

#	Paper	IF	Citations
271	Assessment of executive functions: review of instruments and identification of critical issues. <i>Archives of Clinical Neuropsychology</i> , 2008 , 23, 201-16	2.7	764
270	How mental health care should change as a consequence of the COVID-19 pandemic. <i>Lancet Psychiatry</i> , 2020 , 7, 813-824	23.3	542
269	Comparison of Early Intervention Services vs Treatment as Usual for Early-Phase Psychosis: A Systematic Review, Meta-analysis, and Meta-regression. <i>JAMA Psychiatry</i> , 2018 , 75, 555-565	14.5	293
268	Intervention in individuals at ultra-high risk for psychosis: a review and future directions. <i>Journal of Clinical Psychiatry</i> , 2009 , 70, 1206-12	4.6	219
267	Clozapine alone versus clozapine and risperidone with refractory schizophrenia. <i>New England Journal of Medicine</i> , 2006 , 354, 472-82	59.2	218
266	Identifying gene-environment interactions in schizophrenia: contemporary challenges for integrated, large-scale investigations. <i>Schizophrenia Bulletin</i> , 2014 , 40, 729-36	1.3	186
265	Effect of Ω Polyunsaturated Fatty Acids in Young People at Ultrahigh Risk for Psychotic Disorders: The NEURAPRO Randomized Clinical Trial. <i>JAMA Psychiatry</i> , 2017 , 74, 19-27	14.5	162
264	Cerebral grey, white matter and csf in never-medicated, first-episode schizophrenia. <i>Schizophrenia Research</i> , 2007 , 89, 12-21	3.6	161
263	The Cambridge Neurological Inventory: a clinical instrument for assessment of soft neurological signs in psychiatric patients. <i>Psychiatry Research</i> , 1995 , 56, 183-204	9.9	154
262	Maintenance treatment with quetiapine versus discontinuation after one year of treatment in patients with remitted first episode psychosis: randomised controlled trial. <i>BMJ, The</i> , 2010 , 341, c4024	5.9	99
261	Persistent negative symptoms in first-episode schizophrenia: a prospective three-year follow-up study. <i>Schizophrenia Research</i> , 2011 , 133, 22-8	3.6	93
260	Schizophrenic patients and their unaffected siblings share increased resting-state connectivity in the task-negative network but not its anticorrelated task-positive network. <i>Schizophrenia Bulletin</i> , 2012 , 38, 285-94	1.3	93
259	The effects of a celebrity suicide on suicide rates in Hong Kong. <i>Journal of Affective Disorders</i> , 2006 , 93, 245-52	6.6	93
258	Specific executive dysfunction in patients with first-episode medication-naïve schizophrenia. <i>Schizophrenia Research</i> , 2006 , 82, 51-64	3.6	91
257	A prospective 3-year longitudinal study of cognitive predictors of relapse in first-episode schizophrenic patients. <i>Schizophrenia Research</i> , 2005 , 77, 99-104	3.6	89
256	Suicide in Hong Kong: a case-control psychological autopsy study. <i>Psychological Medicine</i> , 2006 , 36, 815-25	2.5	87
255	Prevalence, psychosocial correlates and service utilization of depressive and anxiety disorders in Hong Kong: the Hong Kong Mental Morbidity Survey (HKMMS). <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2015 , 50, 1379-88	4.5	82

254	Prediction of remission and recovery in young people presenting with first-episode psychosis in Hong Kong: a 3-year follow-up study. <i>Australian and New Zealand Journal of Psychiatry</i> , 2012 , 46, 100-8	2.6	72
253	A 3-year prospective study of neurological soft signs in first-episode schizophrenia. <i>Schizophrenia Research</i> , 2005 , 75, 45-54	3.6	72
252	University students' attitudes towards mental patients and psychiatric treatment. <i>International Journal of Social Psychiatry</i> , 2001 , 47, 63-72	8.5	71
251	Long-term effects of discontinuation from antipsychotic maintenance following first-episode schizophrenia and related disorders: a 10 year follow-up of a randomised, double-blind trial. <i>Lancet Psychiatry</i> , 2018 , 5, 432-442	23.3	70
250	What does recovery from schizophrenia mean? Perceptions of long-term patients. <i>International Journal of Social Psychiatry</i> , 2008 , 54, 118-30	8.5	70
249	What does recovery from psychosis mean? Perceptions of young first-episode patients. <i>International Journal of Social Psychiatry</i> , 2011 , 57, 580-7	8.5	64
248	Aerobic exercise and yoga improve neurocognitive function in women with early psychosis. <i>NPJ Schizophrenia</i> , 2015 , 1, 15047	5.5	63
247	Mortality in people with schizophrenia in rural China: 10-year cohort study. <i>British Journal of Psychiatry</i> , 2007 , 190, 237-42	5.4	58
246	Three-year outcome of phase-specific early intervention for first-episode psychosis: a cohort study in Hong Kong. <i>Microbial Biotechnology</i> , 2011 , 5, 315-23	3.3	57
245	Early intervention for psychosis in Hong Kong--the EASY programme. <i>Microbial Biotechnology</i> , 2010 , 4, 214-9	3.3	55
244	The impact of family experience on the duration of untreated psychosis (DUP) in Hong Kong. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2005 , 40, 350-6	4.5	55
243	A systematic review on definitions and assessments of psychotic-like experiences. <i>Microbial Biotechnology</i> , 2016 , 10, 3-16	3.3	54
242	The contribution of a cognitive bias against disconfirmatory evidence (BADE) to delusions: a study in an Asian sample with first episode schizophrenia spectrum disorders. <i>Schizophrenia Research</i> , 2006 , 83, 297-8	3.6	54
241	The components of executive functioning in a cohort of patients with chronic schizophrenia: a multiple single-case study design. <i>Schizophrenia Research</i> , 2006 , 81, 173-89	3.6	53
240	Neurological soft signs and their relationships to neurocognitive functions: a re-visit with the structural equation modeling design. <i>PLoS ONE</i> , 2009 , 4, e8469	3.7	51
239	Different outcomes of never-treated and treated patients with schizophrenia: 14-year follow-up study in rural China. <i>British Journal of Psychiatry</i> , 2015 , 207, 495-500	5.4	50
238	Optimal duration of an early intervention programme for first-episode psychosis: randomised controlled trial. <i>British Journal of Psychiatry</i> , 2015 , 206, 492-500	5.4	50
237	Neurocognitive deficits in first-episode schizophrenic patients and their first-degree relatives. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2007 , 144B, 407-16	3.5	50

236	Impacts of duration of untreated psychosis on cognition and negative symptoms in first-episode schizophrenia: a 3-year prospective follow-up study. <i>Psychological Medicine</i> , 2013 , 43, 1883-93	6.9	49
235	A naturalistic study of grey matter volume increase after early treatment in anti-psychotic naïve, newly diagnosed schizophrenia. <i>Psychopharmacology</i> , 2009 , 206, 437-46	4.7	48
234	Impact of untreated psychosis on quality of life in patients with first-episode schizophrenia. <i>Quality of Life Research</i> , 2005 , 14, 1803-11	3.7	48
233	Progressive deterioration of soft neurological signs in chronic schizophrenic patients. <i>Acta Psychiatrica Scandinavica</i> , 2000 , 102, 342-9	6.5	48
232	Duration of untreated psychosis: relationship with baseline characteristics and three-year outcome in first-episode psychosis. <i>Psychiatry Research</i> , 2012 , 198, 360-5	9.9	47
231	The relationship of early premorbid adjustment with negative symptoms and cognitive functions in first-episode schizophrenia: a prospective three-year follow-up study. <i>Psychiatry Research</i> , 2013 , 209, 353-60	9.9	47
230	Suicide among adults aged 30-49: a psychological autopsy study in Hong Kong. <i>BMC Public Health</i> , 2008 , 8, 147	4.1	46
229	Prospective relationship between duration of untreated psychosis and 13-year clinical outcome: a first-episode psychosis study. <i>Schizophrenia Research</i> , 2014 , 153, 1-8	3.6	43
228	Efficacy of valproate versus lithium in mania or mixed mania: a randomized, open 12-week trial. <i>International Clinical Psychopharmacology</i> , 2010 , 25, 60-7	2.2	41
227	NEURAPRO-E study protocol: a multicentre randomized controlled trial of omega-3 fatty acids and cognitive-behavioural case management for patients at ultra high risk of schizophrenia and other psychotic disorders. <i>Microbial Biotechnology</i> , 2017 , 11, 418-428	3.3	40
226	Association of an Early Intervention Service for Psychosis With Suicide Rate Among Patients With First-Episode Schizophrenia-Spectrum Disorders. <i>JAMA Psychiatry</i> , 2018 , 75, 458-464	14.5	40
225	A randomized controlled trial on the psychophysiological effects of physical exercise and Tai-chi in patients with chronic schizophrenia. <i>Schizophrenia Research</i> , 2016 , 171, 42-9	3.6	40
224	Common variants on Xq28 conferring risk of schizophrenia in Han Chinese. <i>Schizophrenia Bulletin</i> , 2014 , 40, 777-86	1.3	40
223	Family burdens, Chinese health beliefs, and the mental health of Chinese caregivers in Hong Kong. <i>Transcultural Psychiatry</i> , 2004 , 41, 497-513	2.7	39
222	Verbal fluency in schizophrenia: reduction in semantic store. <i>Australian and New Zealand Journal of Psychiatry</i> , 2000 , 34, 43-8	2.6	39
221	Lifetime Prevalence and Correlates of Schizophrenia-Spectrum, Affective, and Other Non-affective Psychotic Disorders in the Chinese Adult Population. <i>Schizophrenia Bulletin</i> , 2017 , 43, 1280-1290	1.3	38
220	Gender differences in outcomes in people with schizophrenia in rural China: 14-year follow-up study. <i>British Journal of Psychiatry</i> , 2015 , 206, 283-8	5.4	38
219	Socio-economic and psychological correlates of suicidality among Hong Kong working-age adults: results from a population-based survey. <i>Psychological Medicine</i> , 2006 , 36, 1759-67	6.9	38

218	10-year outcome study of an early intervention program for psychosis compared with standard care service. <i>Psychological Medicine</i> , 2015 , 45, 1181-93	6.9	37
217	Gender differences in patients presenting with first-episode psychosis in Hong Kong: a three-year follow up study. <i>Australian and New Zealand Journal of Psychiatry</i> , 2011 , 45, 199-205	2.6	36
216	Clinical trajectories in the ultra-high risk for psychosis population. <i>Schizophrenia Research</i> , 2018 , 197, 550-556	3.6	34
215	Impact of avolition and cognitive impairment on functional outcome in first-episode schizophrenia-spectrum disorder: a prospective one-year follow-up study. <i>Schizophrenia Research</i> , 2016 , 170, 318-21	3.6	34
214	Stroop interference and facilitation effects in first-episode schizophrenic patients. <i>Schizophrenia Research</i> , 2001 , 48, 29-44	3.6	34
213	Early intervention services in psychosis: from evidence to wide implementation. <i>Microbial Biotechnology</i> , 2016 , 10, 540-546	3.3	33
212	Anti-psychotics adherence among out-patients with schizophrenia in Hong Kong. <i>Keio Journal of Medicine</i> , 2006 , 55, 9-14	1.6	33
211	Detection of non-adherent behaviour in early psychosis. <i>Australian and New Zealand Journal of Psychiatry</i> , 2006 , 40, 446-51	2.6	31
210	Public Stigma in China Associated With Schizophrenia, Depression, Attenuated Psychosis Syndrome, and Psychosis-Like Experiences. <i>Psychiatric Services</i> , 2016 , 67, 766-70	3.3	30
209	Early intervention and evaluation for adult-onset psychosis: the JCEP study rationale and design. <i>Microbial Biotechnology</i> , 2014 , 8, 261-8	3.3	30
208	Aberrant functional connectivity for diagnosis of major depressive disorder: a discriminant analysis. <i>Psychiatry and Clinical Neurosciences</i> , 2014 , 68, 110-9	6.2	30
207	Sustainability of treatment effect of a 3-year early intervention programme for first-episode psychosis. <i>British Journal of Psychiatry</i> , 2017 , 211, 37-44	5.4	29
206	The relationships of suicidal ideation with symptoms, neurocognitive function, and psychological factors in patients with first-episode psychosis. <i>Schizophrenia Research</i> , 2014 , 157, 12-8	3.6	29
205	Effective connectivity of the posterior cingulate and medial prefrontal cortices relates to working memory impairment in schizophrenic and bipolar patients. <i>Schizophrenia Research</i> , 2014 , 158, 85-90	3.6	29
204	A 3-year retrospective cohort study of predictors of relapse in first-episode psychosis in Hong Kong. <i>Australian and New Zealand Journal of Psychiatry</i> , 2013 , 47, 746-53	2.6	29
203	Differences in mortality and suicidal behaviour between treated and never-treated people with schizophrenia in rural China. <i>British Journal of Psychiatry</i> , 2009 , 195, 126-31	5.4	29
202	An association study of RGS4 polymorphisms with clinical phenotypes of schizophrenia in a Chinese population. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2008 , 147B, 77-85	3.5	29
201	A cluster analysis of the circumstances of death in suicides in Hong Kong. <i>Suicide and Life-Threatening Behavior</i> , 2007 , 37, 576-84	3.9	29

200	Self-administered instrument to measure the patient's experience of recovery after first-episode psychosis: development and validation of the Psychosis Recovery Inventory. <i>Australian and New Zealand Journal of Psychiatry</i> , 2005 , 39, 493-9	2.6	29
199	Association Between Acute Neuropsychiatric Events and Helicobacter pylori Therapy Containing Clarithromycin. <i>JAMA Internal Medicine</i> , 2016 , 176, 828-34	11.5	29
198	Self-stigma and affiliate stigma in first-episode psychosis patients and their caregivers. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2016 , 51, 1225-31	4.5	29
197	Suicide and unemployment: what are the missing links?. <i>Archives of Suicide Research</i> , 2007 , 11, 327-35	2.3	28
196	Clinical and social correlates of duration of untreated psychosis among adult-onset psychosis in Hong Kong Chinese: the JCEP study. <i>Microbial Biotechnology</i> , 2015 , 9, 118-25	3.3	27
195	An instrument to assess mental patients' capacity to appraise and report subjective quality of life. <i>Quality of Life Research</i> , 2005 , 14, 687-94	3.7	26
194	Executive function as predictors of persistent thought disorder in first-episode schizophrenia: a one-year follow-up study. <i>Schizophrenia Research</i> , 2014 , 159, 465-70	3.6	25
193	Psychiatric history modifies the gender ratio of suicide: an East and West comparison. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2009 , 44, 130-4	4.5	25
192	Relationship of amotivation to neurocognition, self-efficacy and functioning in first-episode psychosis: a structural equation modeling approach. <i>Psychological Medicine</i> , 2017 , 47, 755-765	6.9	24
191	HT1001, a proprietary North American ginseng extract, improves working memory in schizophrenia: a double-blind, placebo-controlled study. <i>Phytotherapy Research</i> , 2012 , 26, 1166-72	6.7	24
190	Executive function in first-episode schizophrenia: a three-year longitudinal study of an ecologically valid test. <i>Schizophrenia Research</i> , 2011 , 126, 87-92	3.6	24
189	Prediction of functional remission in first-episode psychosis: 12-month follow-up of the randomized-controlled trial on extended early intervention in Hong Kong. <i>Schizophrenia Research</i> , 2016 , 173, 79-83	3.6	24
188	A Sports-Based Youth Development Program, Teen Mental Health, and Physical Fitness: An RCT. <i>Pediatrics</i> , 2017 , 140,	7.4	23
187	Clinical and cognitive correlates of insight in first-episode schizophrenia. <i>Schizophrenia Research</i> , 2012 , 135, 40-5	3.6	23
186	Symptomatic remission and cognitive impairment in first-episode schizophrenia: a prospective 3-year follow-up study. <i>Journal of Clinical Psychiatry</i> , 2013 , 74, e1046-53	4.6	23
185	Insight changes in acute psychotic episodes: a prospective study of Hong Kong Chinese patients. <i>Journal of Nervous and Mental Disease</i> , 2001 , 189, 24-30	1.8	23
184	Associations Among Suicidal Ideation, White Matter Integrity and Cognitive Deficit in First-Episode Schizophrenia. <i>Frontiers in Psychiatry</i> , 2018 , 9, 391	5	22
183	Rate and risk factors of depressive symptoms in Chinese patients presenting with first-episode non-affective psychosis in Hong Kong. <i>Schizophrenia Research</i> , 2015 , 168, 99-105	3.6	21

182	Understandings of spirituality and its role in illness recovery in persons with schizophrenia and mental-health professionals: a qualitative study. <i>BMC Psychiatry</i> , 2016 , 16, 86	4.2	21
181	Impact of physical activity on functioning of patients with first-episode psychosis--a 6 months prospective longitudinal study. <i>Schizophrenia Research</i> , 2013 , 150, 538-41	3.6	21
180	Clinical and cognitive predictors of vocational outcome in first-episode schizophrenia: a prospective 3 year follow-up study. <i>Psychiatry Research</i> , 2014 , 220, 834-9	9.9	21
179	Screening and assessing ideas and delusions of reference using a semi-structured interview scale: a validation study of the Ideas of Reference Interview Scale (IRIS) in early psychosis patients. <i>Schizophrenia Research</i> , 2012 , 135, 158-63	3.6	21
178	Neurological abnormalities in Chinese schizophrenic patients. <i>Behavioural Neurology</i> , 2007 , 18, 171-81	3	21
177	Predicting 1-year risk for relapse in patients who have discontinued or continued quetiapine after remission from first-episode psychosis. <i>Schizophrenia Research</i> , 2013 , 150, 297-302	3.6	20
176	Population-attributable risk of suicide conferred by axis I psychiatric diagnoses in a Hong Kong Chinese population. <i>Psychiatric Services</i> , 2009 , 60, 1135-8	3.3	20
175	How are psychotic symptoms perceived? A comparison between patients, relatives and the general public. <i>Australian and New Zealand Journal of Psychiatry</i> , 1997 , 31, 756-61	2.6	20
174	Prevalence and risk factors for violent behavior in young people presenting with first-episode psychosis in Hong Kong: A 3-year follow-up study. <i>Australian and New Zealand Journal of Psychiatry</i> , 2015 , 49, 914-22	2.6	19
173	Early-Stage Negative Symptom Trajectories and Relationships With 13-Year Outcomes in First-Episode Nonaffective Psychosis. <i>Schizophrenia Bulletin</i> , 2019 , 45, 610-619	1.3	19
172	Naming psychosis: the Hong Kong experience. <i>Microbial Biotechnology</i> , 2010 , 4, 270-4	3.3	19
171	Prediction of self-stigma in early psychosis: 3-Year follow-up of the randomized-controlled trial on extended early intervention. <i>Schizophrenia Research</i> , 2018 , 195, 463-468	3.6	18
170	The concurrent and predictive validity of symptomatic remission criteria in first-episode schizophrenia. <i>Schizophrenia Research</i> , 2013 , 143, 107-15	3.6	18
169	Cost-effectiveness of an early assessment service for young people with early psychosis in Hong Kong. <i>Australian and New Zealand Journal of Psychiatry</i> , 2011 , 45, 673-80	2.6	18
168	Risk factors for antipsychotic medication non-adherence behaviors and attitudes in adult-onset psychosis. <i>Schizophrenia Research</i> , 2016 , 174, 144-149	3.6	18
167	Mild Reinforcement Learning Deficits in Patients With First-Episode Psychosis. <i>Schizophrenia Bulletin</i> , 2016 , 42, 1476-1485	1.3	18
166	Opening the Black Box of Cognitive-Behavioural Case Management in Clients with Ultra-High Risk for Psychosis. <i>Psychotherapy and Psychosomatics</i> , 2017 , 86, 292-299	9.4	17
165	Effort-based decision-making impairment in patients with clinically-stabilized first-episode psychosis and its relationship with amotivation and psychosocial functioning. <i>European Neuropsychopharmacology</i> , 2019 , 29, 629-642	1.2	17

164	Prevalence and risk factors for suicidal behavior in young people presenting with first-episode psychosis in Hong Kong: a 3-year follow-up study. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2015 , 50, 219-26	4.5	17
163	Patterns and predictors of trajectories for social and occupational functioning in patients presenting with first-episode non-affective psychosis: A three-year follow-up study. <i>Schizophrenia Research</i> , 2018 , 197, 131-137	3.6	17
162	Premorbid, clinical and cognitive correlates of primary negative symptoms in first-episode psychosis. <i>Psychiatry Research</i> , 2016 , 242, 144-149	9.9	17
161	Executive function in first-episode schizophrenia: a three-year prospective study of the Hayling Sentence Completion Test. <i>Schizophrenia Research</i> , 2012 , 135, 62-7	3.6	17
160	Theory of mind and paranoia in schizophrenia: a game theoretical investigation framework. <i>Cognitive Neuropsychiatry</i> , 2011 , 16, 505-29	2	17
159	Neurological signs and sustained attention impairment in schizophrenia. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2001 , 251, 1-5	5.1	17
158	Ten-year follow up of patients with first-episode schizophrenia spectrum disorder from an early intervention service: Predictors of clinical remission and functional recovery. <i>Schizophrenia Research</i> , 2019 , 204, 65-71	3.6	16
157	Delusional disorder and schizophrenia: a comparison of the neurocognitive and clinical characteristics in first-episode patients. <i>Psychological Medicine</i> , 2015 , 45, 3085-95	6.9	16
156	Comparing illness presentation, treatment and functioning between patients with adolescent- and adult-onset psychosis. <i>Psychiatry Research</i> , 2014 , 220, 797-802	9.9	16
155	Criminal behavior among persons with schizophrenia in rural China. <i>Schizophrenia Research</i> , 2010 , 122, 213-8	3.6	16
154	Identification of neuroglycan C and interacting partners as potential susceptibility genes for schizophrenia in a Southern Chinese population. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2010 , 153B, 103-13	3.5	16
153	The differential clinical and neurocognitive profiles of COMT SNP rs165599 genotypes in schizophrenia. <i>Journal of the International Neuropsychological Society</i> , 2005 , 11, 202-4	3.1	16
152	A neural network model of cortical information processing in schizophrenia. II--Role of hippocampal-cortical interaction: a review and a model. <i>Canadian Journal of Psychiatry</i> , 1995 , 40, 21-6	4.8	16
151	Medication adherence, knowledge about psychosis, and insight among patients with a schizophrenia-spectrum disorder. <i>Journal of Nervous and Mental Disease</i> , 2014 , 202, 25-9	1.8	15
150	Perceptions on remission and recovery in schizophrenia. <i>Psychopathology</i> , 2007 , 40, 469	3.4	15
149	A systematic review of clinical guidelines on choice, dose, and duration of antipsychotics treatment in first- and multi-episode schizophrenia. <i>International Review of Psychiatry</i> , 2019 , 31, 441-459	3.6	14
148	MRI predicts remission at 1 year in first-episode schizophrenia in females with larger striato-thalamic volumes. <i>Neuropsychobiology</i> , 2014 , 69, 243-8	4	14
147	Web-Based Psychoeducation Program for Caregivers of First-Episode of Psychosis: An Experience of Chinese Population in Hong Kong. <i>Frontiers in Psychology</i> , 2016 , 7, 2006	3.4	14

146	A Low-Intensity Mindfulness-Based Intervention for Mood Symptoms in People with Early Psychosis: Development and Pilot Evaluation. <i>Clinical Psychology and Psychotherapy</i> , 2016 , 23, 550-560	2.9	14
145	Clinical and treatment-related determinants of subjective quality of life in patients with first-episode psychosis. <i>Psychiatry Research</i> , 2017 , 249, 39-45	9.9	13
144	A systematic review of long-term outcomes of patients with psychosis who received early intervention services. <i>International Review of Psychiatry</i> , 2019 , 31, 425-440	3.6	13
143	Connectomic Underpinnings of Working Memory Deficits in Schizophrenia: Evidence From a replication fMRI study. <i>Schizophrenia Bulletin</i> , 2020 , 46, 916-926	1.3	13
142	A population study of public stigma about psychosis and its contributing factors among Chinese population in Hong Kong. <i>International Journal of Social Psychiatry</i> , 2016 , 62, 205-13	8.5	13
141	Relationship Between Polyunsaturated Fatty Acids and Psychopathology in the NEURAPRO Clinical Trial. <i>Frontiers in Psychiatry</i> , 2019 , 10, 393	5	13
140	Mortality of geriatric and younger patients with schizophrenia in the community. <i>Suicide and Life-Threatening Behavior</i> , 2008 , 38, 143-51	3.9	13
139	A neural network model of cortical information processing in schizophrenia. I: Interaction between biological and social factors in symptom formation. <i>Canadian Journal of Psychiatry</i> , 1994 , 39, 362-7	4.8	13
138	Gender differences in correlates of cognition in first-episode psychosis. <i>Psychiatry Research</i> , 2019 , 271, 412-420	9.9	13
137	Relationship between neurocognitive function and clinical symptoms with self-stigma in patients with schizophrenia-spectrum disorders. <i>Journal of Mental Health</i> , 2019 , 28, 583-588	2.7	13
136	Newspaper coverage of mental illness in Hong Kong between 2002 and 2012: impact of introduction of a new Chinese name of psychosis. <i>Microbial Biotechnology</i> , 2017 , 11, 342-345	3.3	12
135	Yoga reduces the brain's amplitude of low-frequency fluctuations in patients with early psychosis results of a randomized controlled trial. <i>Schizophrenia Research</i> , 2017 , 184, 141-142	3.6	12
134	Motivational impairment predicts functional remission in first-episode psychosis: 3-Year follow-up of the randomized controlled trial on extended early intervention. <i>Australian and New Zealand Journal of Psychiatry</i> , 2018 , 52, 1194-1201	2.6	12
133	Relationship between diminished expression and cognitive impairment in first-episode schizophrenia: a prospective three-year follow-up study. <i>Schizophrenia Research</i> , 2014 , 152, 146-51	3.6	12
132	Grey matter morphological anomalies in the caudate head in first-episode psychosis patients with delusions of reference. <i>Psychiatry Research - Neuroimaging</i> , 2015 , 233, 57-63	2.9	12
131	What does recovery from schizophrenia mean? Perceptions of psychiatrists. <i>International Journal of Culture and Mental Health</i> , 2008 , 1, 73-84		12
130	Mortality in patients with schizophrenia admitted for incident ischemic stroke: A population-based cohort study. <i>European Neuropsychopharmacology</i> , 2020 , 31, 152-157	1.2	12
129	Three-year clinical and functional outcome comparison between first-episode mania with psychotic features and first-episode schizophrenia. <i>Journal of Affective Disorders</i> , 2016 , 200, 1-5	6.6	12

128	Prevalence of anxiety disorders in community dwelling older adults in Hong Kong. <i>International Psychogeriatrics</i> , 2017 , 29, 259-267	3.4	11
127	Psychosis patients' knowledge, adherence and attitudes towards the naming of antipsychotic medication in Hong Kong. <i>Microbial Biotechnology</i> , 2015 , 9, 422-7	3.3	11
126	Perceived risk of relapse and role of medication: comparison between patients with psychosis and their caregivers. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2015 , 50, 307-15	4.5	11
125	Psychometric properties of a Chinese version of the Stigma Scale: examining the complex experience of stigma and its relationship with self-esteem and depression among people living with mental illness in Hong Kong. <i>Comprehensive Psychiatry</i> , 2015 , 56, 198-205	7.3	11
124	Prevalence and correlates of antipsychotic polypharmacy in Hong Kong. <i>Asian Journal of Psychiatry</i> , 2018 , 33, 113-120	6.7	11
123	Late-onset psychosis and very-late-onset-schizophrenia-like-psychosis: an updated systematic review. <i>International Review of Psychiatry</i> , 2019 , 31, 523-542	3.6	11
122	Reducing mental illness stigma and fostering empathic citizenship: Community arts collaborative approach. <i>Social Work in Mental Health</i> , 2017 , 15, 469-485	0.8	11
121	Correlates of insight with symptomatology and executive function in patients with first-episode schizophrenia-spectrum disorder: a longitudinal perspective. <i>Psychiatry Research</i> , 2014 , 216, 177-84	9.9	11
120	Early intervention for psychotic disorders: Real-life implementation in Hong Kong. <i>Asian Journal of Psychiatry</i> , 2012 , 5, 68-72	6.7	11
119	Examining gender difference in adult-onset psychosis in Hong Kong. <i>Microbial Biotechnology</i> , 2016 , 10, 324-33	3.3	11
118	The role of symptoms and insight in mediating cognition and functioning in first episode psychosis. <i>Schizophrenia Research</i> , 2019 , 206, 251-256	3.6	11
117	The Latent Structure of Negative Symptoms in Individuals With Attenuated Psychosis Syndrome and Early Psychosis: Support for the 5 Consensus Domains. <i>Schizophrenia Bulletin</i> , 2021 , 47, 386-394	1.3	11
116	Self-perceived cognitive functioning and its relationship with objective performance in first-episode schizophrenia: the Subjective Cognitive Impairment Scale. <i>Comprehensive Psychiatry</i> , 2015 , 56, 42-50	7.3	10
115	Mortality, Revascularization, and Cardioprotective Pharmacotherapy After Acute Coronary Syndrome in Patients With Psychotic Disorders: A Population-Based Cohort Study. <i>Schizophrenia Bulletin</i> , 2020 , 46, 774-784	1.3	10
114	Visual working memory deterioration preceding relapse in psychosis. <i>Psychological Medicine</i> , 2016 , 46, 2435-44	6.9	10
113	Rate and predictors of disengagement from a 2-year early intervention program for psychosis in Hong Kong. <i>Schizophrenia Research</i> , 2014 , 153, 204-8	3.6	10
112	Predictors of help-seeking duration in adult-onset psychosis in Hong Kong. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2013 , 48, 1819-28	4.5	10
111	Gender effect on public stigma changes towards psychosis in the Hong Kong Chinese population: a comparison between population surveys of 2009 and 2014. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2017 , 52, 259-267	4.5	10

110	What does psychological autopsy study tell us about charcoal burning suicide--a new and contagious method in Asia?. <i>Suicide and Life-Threatening Behavior</i> , 2009 , 39, 633-8	3.9	10
109	Insight and general public attitude on psychotic experiences in Hong Kong. <i>International Journal of Social Psychiatry</i> , 1996 , 42, 10-7	8.5	10
108	Associations between diurnal cortisol patterns and lifestyle factors, psychotic symptoms, and neurological deficits: A longitudinal study on patients with chronic schizophrenia. <i>Journal of Psychiatric Research</i> , 2016 , 81, 16-22	5.2	10
107	Predictors of Treatment-Resistant and Clozapine-Resistant Schizophrenia: A 12-Year Follow-up Study of First-Episode Schizophrenia-Spectrum Disorders. <i>Schizophrenia Bulletin</i> , 2021 , 47, 485-494	1.3	10
106	Risk of mortality and complications in patients with schizophrenia and diabetes mellitus: population-based cohort study. <i>British Journal of Psychiatry</i> , 2021 , 1-8	5.4	10
105	Prediction of motivational impairment: 12-month follow-up of the randomized-controlled trial on extended early intervention for first-episode psychosis. <i>European Psychiatry</i> , 2017 , 41, 37-41	6	9
104	Prevalence and predictors of medication non-adherence among Chinese patients with first-episode psychosis. <i>Psychiatry Research</i> , 2015 , 228, 680-7	9.9	9
103	Impaired facilitation of self-control cognition by glucose in patients with schizophrenia: a randomized controlled study. <i>Schizophrenia Research</i> , 2014 , 156, 38-45	3.6	9
102	The psychophysiological effects of Tai-chi and exercise in residential schizophrenic patients: a 3-arm randomized controlled trial. <i>BMC Complementary and Alternative Medicine</i> , 2014 , 14, 364	4.7	9
101	The role of dopamine dysregulation and evidence for the transdiagnostic nature of elevated dopamine synthesis in psychosis: a positron emission tomography (PET) study comparing schizophrenia, delusional disorder, and other psychotic disorders. <i>Neuropsychopharmacology</i> , 2020 , 45, 1870-1876	8.7	8
100	Mortality Risk Associated with Haloperidol Use Compared with Other Antipsychotics: An 11-Year Population-Based Propensity-Score-Matched Cohort Study. <i>CNS Drugs</i> , 2020 , 34, 197-206	6.7	8
99	Long term effect of early intervention service on duration of untreated psychosis in youth and adult population in Hong Kong. <i>Microbial Biotechnology</i> , 2018 , 12, 331-338	3.3	8
98	Destigmatizing psychosis: Investigating the effectiveness of a school-based programme in Hong Kong secondary school students. <i>Microbial Biotechnology</i> , 2019 , 13, 882-887	3.3	8
97	Predicting first-episode psychosis patients who will never relapse over 10 years. <i>Psychological Medicine</i> , 2019 , 49, 2206-2214	6.9	8
96	Excess Mortality and Life-Years Lost in People With Schizophrenia and Other Non-affective Psychoses: An 11-Year Population-Based Cohort Study. <i>Schizophrenia Bulletin</i> , 2021 , 47, 474-484	1.3	8
95	Coupling physical exercise with dietary glucose supplement for treating cognitive impairment in schizophrenia: a theoretical model and future directions. <i>Microbial Biotechnology</i> , 2014 , 8, 209-20	3.3	7
94	Random number generation deficit in early schizophrenia. <i>Perceptual and Motor Skills</i> , 2011 , 112, 91-103	2.2	7
93	Real-world implementation of early intervention in psychosis: resources, funding models and evidence-based practice. <i>World Psychiatry</i> , 2008 , 7, 163-4	14.4	7

92	Rates and predictors of disengagement of patients with first-episode psychosis from the early intervention service for psychosis service (EASY) covering 15 to 64 years of age in Hong Kong. <i>Microbial Biotechnology</i> , 2019 , 13, 398-404	3.3	7
91	Mental Health Risks after Repeated Exposure to Multiple Stressful Events during Ongoing Social Unrest and Pandemic in Hong Kong: The Role of Rumination: Risques pour la santé mentale après une exposition répétée de multiples événements stressants d'agitation sociale durable et de pandémie à Hong Kong: le rôle de la rumination. <i>Canadian Journal of Psychiatry</i> , 2021 , 66, 577-585	4.8	7
90	Trajectories of symptom severity and functioning over a three-year period in a psychosis high-risk sample: A secondary analysis of the Neurapro trial. <i>Behaviour Research and Therapy</i> , 2020 , 124, 103527	5.2	7
89	Ten-year employment patterns of patients with first-episode schizophrenia-spectrum disorders: comparison of early intervention and standard care services. <i>British Journal of Psychiatry</i> , 2020 , 217, 491-497	5.4	7
88	10Kin1day: A Bottom-Up Neuroimaging Initiative. <i>Frontiers in Neurology</i> , 2019 , 10, 425	4.1	6
87	Recent advances in pharmacological treatment of psychosis in late life. <i>Current Opinion in Psychiatry</i> , 2011 , 24, 455-60	4.9	6
86	The predictive power of expressed emotion and its components in relapse of schizophrenia: a meta-analysis and meta-regression. <i>Psychological Medicine</i> , 2021 , 51, 365-375	6.9	6
85	Psychometric properties of translated outcome measures of cognitive behavioural therapy for psychosis in the Chinese context. <i>Asian Journal of Psychiatry</i> , 2015 , 13, 62-5	6.7	5
84	Ten-year trajectory and outcomes of negative symptoms of patients with first-episode schizophrenia spectrum disorders. <i>Schizophrenia Research</i> , 2020 , 220, 85-91	3.6	5
83	The Effect of Paternal Age on Relapse in First-Episode Schizophrenia. <i>Canadian Journal of Psychiatry</i> , 2015 , 60, 346-53	4.8	5
82	Hong Kong: recent development of mental health services. <i>BJ Psych Advances</i> , 2015 , 21, 71-72	0.8	5
81	Longitudinal changes in semantic categorization performance after symptomatic remission from first-episode psychosis: a 3-year follow-up study. <i>Schizophrenia Research</i> , 2012 , 137, 118-23	3.6	5
80	Phenotyping psychosis: room for neurocomputational and content-dependent cognitive endophenotypes?. <i>Cognitive Neuropsychiatry</i> , 2009 , 14, 451-72	2	5
79	The role of knowledge and motivation in symptom identification accuracy among schizophrenic patients: application of signal detection theory. <i>British Journal of Clinical Psychology</i> , 2006 , 45, 427-36	3.6	5
78	Letter to the Editor: Comparison of cognitive functions, pre-morbid conditions and clinical characteristics between brief psychotic disorder and schizophrenia. <i>Psychological Medicine</i> , 2016 , 46, 2011-3	6.9	5
77	Cognitive behavioural family intervention for people diagnosed with severe mental illness and their families: A systematic review and meta-analysis of randomized controlled trials. <i>Journal of Psychiatric and Mental Health Nursing</i> , 2020 , 27, 128-139	2.4	5
76	Psychiatrists' opinion towards medication discontinuation in remitted first-episode psychosis: A multi-site study of the Asian Network for Early Psychosis. <i>Microbial Biotechnology</i> , 2019 , 13, 1329-1337	3.3	5
75	Systematic review (meta-aggregation) of qualitative studies on the experiences of family members caring for individuals with early psychosis. <i>International Review of Psychiatry</i> , 2019 , 31, 491-509	3.6	4

74	Verbal working memory in schizophrenia: The role of syntax in facilitating serial recall. <i>Schizophrenia Research</i> , 2018 , 192, 294-299	3.6	4
73	Early medication discontinuation on long-term recovery outcome in first-episode psychosis. <i>JAMA Psychiatry</i> , 2014 , 71, 207-8	14.5	4
72	Correlates of lifetime suicide attempts among individuals with affective disorders in a Chinese rural community. <i>Archives of Suicide Research</i> , 2007 , 11, 119-27	2.3	4
71	The Psychiatry Major: A Curricular Innovation to Improve Undergraduate Psychiatry Education in China. <i>Academic Psychiatry</i> , 2018 , 42, 376-381	1.1	4
70	Mortality and suicide in schizophrenia: 21-year follow-up in rural China. <i>BJPsych Open</i> , 2020 , 6, e121	5	4
69	Prospective prediction of PTSD and depressive symptoms during social unrest and COVID-19 using a brief online tool. <i>Psychiatry Research</i> , 2021 , 298, 113773	9.9	4
68	Sociodemographic correlates of public stigma about mental illness: a population study on Hong Kong Chinese population. <i>BMC Psychiatry</i> , 2021 , 21, 274	4.2	4
67	Effect of brief social contact video compared with expert information video in changing knowledge and attitude towards psychosis patients among medical students. <i>Microbial Biotechnology</i> , 2021 , 15, 278-285	3.3	4
66	Prediction of clinical outcomes beyond psychosis in the ultra-high risk for psychosis population. <i>Microbial Biotechnology</i> , 2021 , 15, 642-651	3.3	4
65	Chinese label for people at risk for psychosis. <i>Microbial Biotechnology</i> , 2017 , 11, 224-228	3.3	3
64	Risk perception in paranoia and anxiety: Two investigations across clinical and non-clinical populations. <i>Schizophrenia Research: Cognition</i> , 2020 , 21, 100176	2.8	3
63	Perspective on medication decisions following remission from first-episode psychosis. <i>Schizophrenia Research</i> , 2020 , 225, 82-89	3.6	3
62	Psychosocial factors associated with physical activity behavior among patients with psychosis. <i>Schizophrenia Research</i> , 2018 , 195, 130-135	3.6	3
61	Executive dysfunctions differentially predict amotivation in first-episode schizophrenia-spectrum disorder: a prospective 1-year follow-up study. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2019 , 269, 887-896	5.1	3
60	Biased cognition in East Asian and Western cultures. <i>PLoS ONE</i> , 2019 , 14, e0223358	3.7	3
59	Reliability and validity of the life functioning assessment inventory (L-FAI) for patients with psychosis. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2013 , 48, 1687-95	4.5	3
58	Seasonal affective disorder.. <i>Clinical Psychology: Science and Practice</i> , 1998 , 5, 275-290	3.7	3
57	Omega-3 fatty acids and neurocognitive ability in young people at ultra-high risk for psychosis. <i>Microbial Biotechnology</i> , 2021 , 15, 874-881	3.3	3

56	High level of pattern glare in major depressive disorder. <i>BMC Psychiatry</i> , 2019 , 19, 415	4.2	3
55	Factors Associated With Successful Medication Discontinuation After a Randomized Clinical Trial of Relapse Prevention in First-Episode Psychosis: A 10-Year Follow-up. <i>JAMA Psychiatry</i> , 2019 , 76, 217-219	14.5	3
54	Relationship between stressful life events, stigma and life satisfaction with the willingness of disclosure of psychotic illness: A community study in Hong Kong. <i>Microbial Biotechnology</i> , 2021 , 15, 686-696	3.3	3
53	Life expectancy and years of potential life lost in bipolar disorder: systematic review and meta-analysis.. <i>British Journal of Psychiatry</i> , 2022 , 1-10	5.4	3
52	The 12-month prevalence of psychotic experiences and their association with clinical outcomes in Hong Kong: an epidemiological and a 2-year follow up studies. <i>Psychological Medicine</i> , 2021 , 51, 2501-2508	6.0	2
51	Suicide Rates, Psychiatric Hospital Bed Numbers, and Unemployment Rates From 1999 to 2015: A Population-Based Study in Hong Kong. <i>American Journal of Psychiatry</i> , 2018 , 175, 285-286	11.9	2
50	Demographic correlates of medication knowledge in Hong Kong early psychosis patients. <i>Microbial Biotechnology</i> , 2018 , 12, 107-112	3.3	2
49	Perception towards relapse and its predictors in psychosis patients: A qualitative study. <i>Microbial Biotechnology</i> , 2018 , 12, 856-862	3.3	2
48	Admission Rates and Psychiatric Beds in Hong Kong, 1999-2014: A Population-Based Study. <i>Psychiatric Services</i> , 2016 , 67, 579	3.3	2
47	Quality of life and functioning in first-episode psychosis Chinese patients with different antipsychotic medications. <i>Microbial Biotechnology</i> , 2016 , 10, 535-539	3.3	2
46	Sexual dysfunction in Chinese patients with first-episode psychosis: prevalence, clinical correlates and functioning. <i>Schizophrenia Research</i> , 2013 , 148, 181-2	3.6	2
45	Therapeutic potentials of mindBody interventions for psychosis. <i>Clinical Practice (London, England)</i> , 2014 , 11, 677-688	3	2
44	No NRG1 V266L in Chinese patients with schizophrenia. <i>Psychiatric Genetics</i> , 2011 , 21, 47-9	2.9	2
43	Perceptions of relapse risks following first-episode psychosis and attitudes towards maintenance medication: a comparison between nursing and social work professionals. <i>Microbial Biotechnology</i> , 2011 , 5, 324-34	3.3	2
42	Verbal fluency and semantic memory in schizophrenia. <i>British Journal of Psychiatry</i> , 1994 , 164, 704	5.4	2
41	Explicit and implicit mentalization of patients with first-episode schizophrenia: a study of self-referential gaze perception with eye movement analysis using hidden Markov models.. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2022 , 1	5.1	2
40	Detection of Non-Adherent Behaviour in Early Psychosis		2
39	Psychiatric comorbidity in individuals at-risk for psychosis: Relationships with symptoms, cognition and psychosocial functioning. <i>Microbial Biotechnology</i> , 2021 , 15, 616-623	3.3	2

38	Induced ideas of reference during social unrest and pandemic in Hong Kong. <i>Schizophrenia Research</i> , 2021 , 229, 46-52	3.6	2
37	Clinical and functional correlates of financially deprived women with first-episode psychosis. <i>Microbial Biotechnology</i> , 2019 , 13, 639-645	3.3	2
36	Metabolic screening for patients with second-generation antipsychotic medication: A population-based study from 2004 to 2016. <i>Schizophrenia Research</i> , 2018 , 197, 618-619	3.6	1
35	Early intervention for incipient insanity: early notions from the 19 century English literature. <i>Microbial Biotechnology</i> , 2018 , 12, 708-714	3.3	1
34	Predictors of functioning in people suffering from first-episode psychosis 1 year into entering early intervention service in Hong Kong. <i>Microbial Biotechnology</i> , 2018 , 12, 828-838	3.3	1
33	Antipsychotic Treatment of Young Chinese Individuals From 2004 to 2015: A Population-Based Study in Hong Kong. <i>American Journal of Psychiatry</i> , 2016 , 173, 939-40	11.9	1
32	Incidence of hospitalization and its associated factors in first-episode psychosis in Hong Kong. <i>Microbial Biotechnology</i> , 2016 , 10, 263-6	3.3	1
31	Effectiveness and optimal duration of early intervention treatment in adult-onset psychosis: a randomized clinical trial.. <i>Psychological Medicine</i> , 2022 , 1-13	6.9	1
30	Elucidating the relationship between internalized stigma, cognitive insight, illness severity, and functioning in patients with schizophrenia using a path analysis approach. <i>Journal of Mental Health</i> , 2020 , 1-10	2.7	1
29	The impact of social unrest and pandemic on mental health of young people in Hong Kong: The transdiagnostic role of event-based rumination. <i>Australian and New Zealand Journal of Psychiatry</i> , 2021 , 48674211025710	2.6	1
28	Activity intervention for first-episode psychosis41-65		1
27	Integration of biological and psychological illness attributional belief in association with medication adherence behaviour: A path analysis. <i>Microbial Biotechnology</i> , 2021 , 15, 1686-1695	3.3	1
26	Sex differences in symptom severity, cognition and psychosocial functioning among individuals with at-risk mental state for psychosis. <i>Microbial Biotechnology</i> , 2021 ,	3.3	1
25	Self-referential gaze perception of patients with schizophrenia and its relationship with symptomatology and cognitive functions. <i>Schizophrenia Research</i> , 2021 , 228, 288-294	3.6	1
24	Mindfulness meditation for Chinese patients with psychosis: A systematic review and meta-analysis. <i>Schizophrenia Research</i> , 2021 , 237, 103-114	3.6	1
23	Diabetes complication burden and patterns and risk of mortality in people with schizophrenia and diabetes: A population-based cohort study with 16-year follow-up. <i>European Neuropsychopharmacology</i> , 2021 , 53, 79-88	1.2	1
22	First episode psychosis with extrapyramidal signs prior to antipsychotic drug treatment. <i>Science Bulletin</i> , 2011 , 56, 3361-3371		0
21	Youth mental health care in a context of large-scale collective stress.. <i>World Psychiatry</i> , 2022 , 21, 85-86	14.4	0

20	Motivational coaching augmentation of exercise intervention for early psychotic disorders: A randomised controlled trial. <i>Australian and New Zealand Journal of Psychiatry</i> , 2021 , 48674211061496	2.6	○
19	Altered Risk-Taking Behavior in Early-Stage Bipolar Disorder With a History of Psychosis. <i>Frontiers in Psychiatry</i> , 2021 , 12, 763545	5	○
18	Stressful events as correlates of depressive and PTSD symptoms in Hong Kong women during social unrest and COVID-19 pandemic.. <i>Journal of Affective Disorders</i> , 2022 , 300, 263-268	6.6	○
17	Effect of high-endurance exercise intervention on sleep-dependent procedural memory consolidation in individuals with schizophrenia: a randomized controlled trial. <i>Psychological Medicine</i> , 2021 , 1-13	6.9	○
16	ReMind, a smartphone application for psychotic relapse prediction: A longitudinal study protocol. <i>Microbial Biotechnology</i> , 2021 , 15, 1659-1666	3.3	○
15	Patterns and predictors of trajectories for subjective quality of life in patients with early psychosis: Three-year follow-up of the randomized controlled trial on extended early intervention. <i>Australian and New Zealand Journal of Psychiatry</i> , 2021 , 55, 983-992	2.6	○
14	Relationship of subjective quality of life with symptomatology, neurocognition and psychosocial functioning in first-episode psychosis: a structural equation modelling approach. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2021 , 271, 1561-1569	5.1	○
13	The association between migrant status and transition in an ultra-high risk for psychosis population. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2021 , 56, 943-952	4.5	○
12	Striatal dopamine synthesis capacity and its association with negative symptoms upon resolution of positive symptoms in first-episode schizophrenia and delusional disorder.. <i>Psychopharmacology</i> , 2022 , 1	4.7	○
11	Psychotropic drug utilization patterns in pregnant women with bipolar disorder: A 16-year population-based cohort study.. <i>European Neuropsychopharmacology</i> , 2022 , 57, 75-85	1.2	○
10	Longitudinal relapse pattern of patients with first-episode schizophrenia-spectrum disorders and its predictors and outcomes: A 10-year follow-up study.. <i>Asian Journal of Psychiatry</i> , 2022 , 71, 103087	6.7	○
9	Prevalence and correlates of suicidal behaviours in a representative epidemiological youth sample in Hong Kong: the significance of suicide-related rumination, family functioning, and ongoing population-level stressors. <i>Psychological Medicine</i> , 1-11	6.9	○
8	Spontaneous eye blink in patients with psychosis in perceptions of stimulus salience. <i>Schizophrenia Research</i> , 2019 , 209, 275-277	3.6	
7	International services for assessing and treating psychosis risk 2020 , 383-398		
6	Concepts of Belief in delusion resolution. <i>Schizophrenia Research: Cognition</i> , 2016 , 3, 8-10	2.8	
5	Question structure impacts efficiency and performance in an interactive guessing game: implications for strategy engagement and executive functioning. <i>Psychiatry Research</i> , 2012 , 200, 1026-7 ^{9.9}		
4	Recovering the Context in Psychopathology. <i>Theory and History in the Human and Social Sciences</i> , 2020 , 65-72	0.3	
3	Relationship between subjective quality of life and perceptions of recovery orientation of treatment service in patients with schizophrenia and major depressive disorder. <i>Asian Journal of Psychiatry</i> , 2021 , 57, 102578	6.7	

- 2 Investigation of motor self-monitoring deficits in schizophrenia with passivity experiences using a novel modified joint position matching paradigm. *European Archives of Psychiatry and Clinical Neuroscience*, **2021**, 1 5.1
- 1 Increased distractibility to own name in psychotic patients with ideas and delusions of reference. *Cognitive Neuropsychiatry*, **2016**, 21, 107-15 2