Eric Yu-Hai Chen

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/4907787/eric-yu-hai-chen-publications-by-year.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

271
papers
7,705
citations
43
h-index
g-index

283
ext. papers
9,362
ext. citations
4,8
avg, IF
L-index

#	Paper	IF	Citations
271	Youth mental health care in a context of large-scale collective stress World Psychiatry, 2022, 21, 85-86	14.4	O
270	Explicit and implicit mentalization of patients with first-episode schizophrenia: a study of self-referential gaze perception with eye movement analysis using hidden Markov models European Archives of Psychiatry and Clinical Neuroscience, 2022, 1	5.1	2
269	Effectiveness and optimal duration of early intervention treatment in adult-onset psychosis: a randomized clinical trial <i>Psychological Medicine</i> , 2022 , 1-13	6.9	1
268	Stressful events as correlates of depressive and PTSD symptoms in Hong Kong women during social unrest and COVID-19 pandemic <i>Journal of Affective Disorders</i> , 2022 , 300, 263-268	6.6	0
267	Striatal dopamine synthesis capacity and its association with negative symptoms upon resolution of positive symptoms in first-episode schizophrenia and delusional disorder <i>Psychopharmacology</i> , 2022 , 1	4.7	О
266	Life expectancy and years of potential life lost in bipolar disorder: systematic review and meta-analysis <i>British Journal of Psychiatry</i> , 2022 , 1-10	5.4	3
265	Psychotropic drug utilization patterns in pregnant women with bipolar disorder: A 16-year population-based cohort study <i>European Neuropsychopharmacology</i> , 2022 , 57, 75-85	1.2	O
264	Longitudinal relapse pattern of patients with first-episode schizophrenia-spectrum disorders and its predictors and outcomes: A 10-year follow-up study <i>Asian Journal of Psychiatry</i> , 2022 , 71, 103087	6.7	О
263	The 12-month prevalence of psychotic experiences and their association with clinical outcomes in Hong Kong: an epidemiological and a 2-year follow up studies. <i>Psychological Medicine</i> , 2021 , 51, 2501-25	568	2
262	Mental Health Risks after Repeated Exposure to Multiple Stressful Events during Ongoing Social Unrest and Pandemic in Hong Kong: The Role of Rumination: Risques pour la sant mentale apr une exposition rpte de multiples vhements stressants d'agitation sociale durable et de	4.8	7
261	pandfinie [Hong Kong: le rle de la rumination. <i>Canadian Journal of Psychiatry</i> , 2021 , 66, 577-585 Motivational coaching augmentation of exercise intervention for early psychotic disorders: A randomised controlled trial. <i>Australian and New Zealand Journal of Psychiatry</i> , 2021 , 48674211061496	2.6	O
260	Altered Risk-Taking Behavior in Early-Stage Bipolar Disorder With a History of Psychosis. <i>Frontiers in Psychiatry</i> , 2021 , 12, 763545	5	O
259	Effect of high-endurance exercise intervention on sleep-dependent procedural memory consolidation in individuals with schizophrenia: a randomized controlled trial. <i>Psychological Medicine</i> , 2021 , 1-13	6.9	O
258	Psychiatric comorbidity in individuals at-risk for psychosis: Relationships with symptoms, cognition and psychosocial functioning. <i>Microbial Biotechnology</i> , 2021 , 15, 616-623	3.3	2
257	ReMind, a smartphone application for psychotic relapse prediction: A longitudinal study protocol. <i>Microbial Biotechnology</i> , 2021 , 15, 1659-1666	3.3	O
256	Omega-3 fatty acids and neurocognitive ability in young people at ultra-high risk for psychosis. <i>Microbial Biotechnology</i> , 2021 , 15, 874-881	3.3	3
255	Relationship between subjective quality of life and perceptions of recovery orientation of treatment service in patients with schizophrenia and major depressive disorder. <i>Asian Journal of Psychiatry</i> , 2021 , 57, 102578	6.7	

254	Induced ideas of reference during social unrest and pandemic in Hong Kong. <i>Schizophrenia Research</i> , 2021 , 229, 46-52	3.6	2
253	Investigation of motor self-monitoring deficits in schizophrenia with passivity experiences using a novel modified joint position matching paradigm. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2021 , 1	5.1	
252	Prospective prediction of PTSD and depressive symptoms during social unrest and COVID-19 using a brief online tool. <i>Psychiatry Research</i> , 2021 , 298, 113773	9.9	4
251	Sociodemographic correlates of public stigma about mental illness: a population study on Hong Kong & Chinese population. <i>BMC Psychiatry</i> , 2021 , 21, 274	4.2	4
250	Patterns and predictors of trajectories for subjective quality of life in patients with early psychosis: Three-year follow-up of the randomized controlled trial on extended early intervention. <i>Australian and New Zealand Journal of Psychiatry</i> , 2021 , 55, 983-992	2.6	0
249	The impact of social unrest and pandemic on mental health of young people in Hong Kong: The transdiagnostic role of event-based rumination. <i>Australian and New Zealand Journal of Psychiatry</i> , 2021 , 48674211025710	2.6	1
248	Effect of brief social contact video compared with expert information video in changing knowledge and attitude towards psychosis patients among medical students. <i>Microbial Biotechnology</i> , 2021 , 15, 278-285	3.3	4
247	Prediction of clinical outcomes beyond psychosis in the ultra-high risk for psychosis population. <i>Microbial Biotechnology</i> , 2021 , 15, 642-651	3.3	4
246	Excess Mortality and Life-Years Lost in People With Schizophrenia and Other Non-affective Psychoses: An 11-Year Population-Based Cohort Study. <i>Schizophrenia Bulletin</i> , 2021 , 47, 474-484	1.3	8
245	Predictors of Treatment-Resistant and Clozapine-Resistant Schizophrenia: A 12-Year Follow-up Study of First-Episode Schizophrenia-Spectrum Disorders. <i>Schizophrenia Bulletin</i> , 2021 , 47, 485-494	1.3	10
244	The Latent Structure of Negative Symptoms in Individuals With Attenuated Psychosis Syndrome and Early Psychosis: Support for the 5 Consensus Domains. <i>Schizophrenia Bulletin</i> , 2021 , 47, 386-394	1.3	11
243	Relationship between stressful life events, stigma and life satisfaction with the willingness of disclosure of psychotic illness: A community study in Hong Kong. <i>Microbial Biotechnology</i> , 2021 , 15, 686	-696	3
242	Integration of biological and psychological illness attributional belief in association with medication adherence behaviour: A path analysis. <i>Microbial Biotechnology</i> , 2021 , 15, 1686-1695	3.3	1
241	Risk of mortality and complications in patients with schizophrenia and diabetes mellitus: population-based cohort study. <i>British Journal of Psychiatry</i> , 2021 , 1-8	5.4	10
240	Sex differences in symptom severity, cognition and psychosocial functioning among individuals with at-risk mental state for psychosis. <i>Microbial Biotechnology</i> , 2021 ,	3.3	1
239	The predictive power of expressed emotion and its components in relapse of schizophrenia: a meta-analysis and meta-regression. <i>Psychological Medicine</i> , 2021 , 51, 365-375	6.9	6
238	Self-referential gaze perception of patients with schizophrenia and its relationship with symptomatology and cognitive functions. <i>Schizophrenia Research</i> , 2021 , 228, 288-294	3.6	1
237	Relationship of subjective quality of life with symptomatology, neurocognition and psychosocial functioning in first-episode psychosis: a structural equation modelling approach. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2021 , 271, 1561-1569	5.1	O

236	Mindfulness meditation for Chinese patients with psychosis: A systematic review and meta-analysis. <i>Schizophrenia Research</i> , 2021 , 237, 103-114	3.6	1
235	Diabetes complication burden and patterns and risk of mortality in people with schizophrenia and diabetes: A population-based cohort study with 16-year follow-up. <i>European Neuropsychopharmacology</i> , 2021 , 53, 79-88	1.2	1
234	The association between migrant status and transition in an ultra-high risk for psychosis population. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2021 , 56, 943-952	4.5	O
233	Risk perception in paranoia and anxiety: Two investigations across clinical and non-clinical populations. <i>Schizophrenia Research: Cognition</i> , 2020 , 21, 100176	2.8	3
232	The role of dopamine dysregulation and evidence for the transdiagnostic nature of elevated dopamine synthesis in psychosis: a positron emission tomography (PET) study comparing schizophrenia, delusional disorder, and other psychotic disorders. <i>Neuropsychopharmacology</i> , 2020 ,	8.7	8
231	45, 1870-1876 Perspective on medication decisions following remission from first-episode psychosis. Schizophrenia Research, 2020, 225, 82-89	3.6	3
230	Connectomic Underpinnings of Working Memory Deficits in Schizophrenia: Evidence From a replication fMRI study. <i>Schizophrenia Bulletin</i> , 2020 , 46, 916-926	1.3	13
229	Mortality, Revascularization, and Cardioprotective Pharmacotherapy After Acute Coronary Syndrome in Patients With Psychotic Disorders: A Population-Based Cohort Study. <i>Schizophrenia Bulletin</i> , 2020 , 46, 774-784	1.3	10
228	International services for assessing and treating psychosis risk 2020 , 383-398		
227	Mortality Risk Associated with Haloperidol Use Compared with Other Antipsychotics: An 11-Year Population-Based Propensity-Score-Matched Cohort Study. <i>CNS Drugs</i> , 2020 , 34, 197-206	6.7	8
226	Ten-year trajectory and outcomes of negative symptoms of patients with first-episode schizophrenia spectrum disorders. <i>Schizophrenia Research</i> , 2020 , 220, 85-91	3.6	5
225	Recovering the Context in Psychopathology. <i>Theory and History in the Human and Social Sciences</i> , 2020 , 65-72	0.3	
224	Cognitive behavioural family intervention for people diagnosed with severe mental illness and their families: A systematic review and meta-analysis of randomized controlled trials. <i>Journal of Psychiatric and Mental Health Nursing</i> , 2020 , 27, 128-139	2.4	5
223	Mortality in patients with schizophrenia admitted for incident ischemic stroke: A population-based cohort study. <i>European Neuropsychopharmacology</i> , 2020 , 31, 152-157	1.2	12
222	Trajectories of symptom severity and functioning over a three-year period in a psychosis high-risk sample: A secondary analysis of the Neurapro trial. <i>Behaviour Research and Therapy</i> , 2020 , 124, 103527	5.2	7
221	Mortality and suicide in schizophrenia: 21-year follow-up in rural China. <i>BJPsych Open</i> , 2020 , 6, e121	5	4
220	How mental health care should change as a consequence of the COVID-19 pandemic. <i>Lancet Psychiatry,the</i> , 2020 , 7, 813-824	23.3	542
219	Elucidating the relationship between internalized stigma, cognitive insight, illness severity, and functioning in patients with schizophrenia using a path analysis approach. <i>Journal of Mental Health</i> , 2020 , 1-10	2.7	1

Ten-year employment patterns of patients with first-episode schizophrenia-spectrum disorders: 218 comparison of early intervention and standard care services. *British Journal of Psychiatry*, **2020**, 217, 491-2497 A systematic review of long-term outcomes of patients with psychosis who received early 217 3.6 13 intervention services. International Review of Psychiatry, 2019, 31, 425-440 Systematic review (meta-aggregation) of qualitative studies on the experiences of family members 216 3.6 4 caring for individuals with early psychosis. *International Review of Psychiatry*, **2019**, 31, 491-509 A systematic review of clinical guidelines on choice, dose, and duration of antipsychotics treatment 3.6 215 14 in first- and multi-episode schizophrenia. International Review of Psychiatry, 2019, 31, 441-459 10Kin1day: A Bottom-Up Neuroimaging Initiative. Frontiers in Neurology, 2019, 10, 425 6 214 4.1 Spontaneous eye blink in patients with psychosis in perceptions of stimulus salience. Schizophrenia 3.6 213 Research, 2019, 209, 275-277 Effort-based decision-making impairment in patients with clinically-stabilized first-episode psychosis and its relationship with amotivation and psychosocial functioning. European 212 1.2 17 Neuropsychopharmacology, 2019, 29, 629-642 Executive dysfunctions differentially predict amotivation in first-episode schizophrenia-spectrum disorder: a prospective 1-year follow-up study. European Archives of Psychiatry and Clinical 211 5.1 Neuroscience, 2019, 269, 887-896 Ten-year follow up of patients with first-episode schizophrenia spectrum disorder from an early intervention service: Predictors of clinical remission and functional recovery. Schizophrenia 3.6 16 210 Research, 2019, 204, 65-71 Early-Stage Negative Symptom Trajectories and Relationships With 13-Year Outcomes in 209 1.3 19 First-Episode Nonaffective Psychosis. Schizophrenia Bulletin, 2019, 45, 610-619 Destignatizing psychosis: Investigating the effectiveness of a school-based programme in Hong 8 208 3.3 Kong secondary school students. Microbial Biotechnology, 2019, 13, 882-887 Relationship Between Polyunsaturated Fatty Acids and Psychopathology in the NEURAPRO Clinical 207 13 Trial. Frontiers in Psychiatry, 2019, 10, 393 206 Biased cognition in East Asian and Western cultures. PLoS ONE, 2019, 14, e0223358 3.7 3 Late-onset psychosis and very-late-onset-schizophrenia-like-psychosis: an updated systematic 3.6 205 11 review. International Review of Psychiatry, 2019, 31, 523-542 Rates and predictors of disengagement of patients with first-episode psychosis from the early intervention service for sychosis service (EASY) covering 15 to 64 years of age in Hong Kong. 204 7 3.3 Microbial Biotechnology, 2019, 13, 398-404 High level of pattern glare in major depressive disorder. BMC Psychiatry, 2019, 19, 415 203 4.2 Gender differences in correlates of cognition in first-episode psychosis. Psychiatry Research, 2019, 202 9.9 13 271, 412-420 PsychiatristsTopinion towards medication discontinuation in remitted first-episode psychosis: A 201 5 multi-site study of the Asian Network for Early Psychosis. Microbial Biotechnology, **2019**, 13, 1329-1337 $^{3.3}$

200	The role of symptoms and insight in mediating cognition and functioning in first episode psychosis. <i>Schizophrenia Research</i> , 2019 , 206, 251-256	3.6	11
199	Predicting first-episode psychosis patients who will never relapse over 10 years. <i>Psychological Medicine</i> , 2019 , 49, 2206-2214	6.9	8
198	Factors Associated With Successful Medication Discontinuation After a Randomized Clinical Trial of Relapse Prevention in First-Episode Psychosis: A 10-Year Follow-up. <i>JAMA Psychiatry</i> , 2019 , 76, 217-219	14.5	3
197	Relationship between neurocognitive function and clinical symptoms with self-stigma in patients with schizophrenia-spectrum disorders. <i>Journal of Mental Health</i> , 2019 , 28, 583-588	2.7	13
196	Clinical and functional correlates of financially deprived women with first-episode psychosis. <i>Microbial Biotechnology</i> , 2019 , 13, 639-645	3.3	2
195	Motivational impairment predicts functional remission in first-episode psychosis: 3-Year follow-up of the randomized controlled trial on extended early intervention. <i>Australian and New Zealand Journal of Psychiatry</i> , 2018 , 52, 1194-1201	2.6	12
194	Suicide Rates, Psychiatric Hospital Bed Numbers, and Unemployment Rates From 1999 to 2015: A Population-Based Study in Hong Kong. <i>American Journal of Psychiatry</i> , 2018 , 175, 285-286	11.9	2
193	Association of an Early Intervention Service for Psychosis With Suicide Rate Among Patients With First-Episode Schizophrenia-Spectrum Disorders. <i>JAMA Psychiatry</i> , 2018 , 75, 458-464	14.5	40
192	Clinical trajectories in the ultra-high risk for psychosis population. <i>Schizophrenia Research</i> , 2018 , 197, 550-556	3.6	34
191	Patterns and predictors of trajectories for social and occupational functioning in patients presenting with first-episode non-affective psychosis: A three-year follow-up study. <i>Schizophrenia Research</i> , 2018 , 197, 131-137	3.6	17
190	Comparison of Early Intervention Services vs Treatment as Usual for Early-Phase Psychosis: A Systematic Review, Meta-analysis, and Meta-regression. <i>JAMA Psychiatry</i> , 2018 , 75, 555-565	14.5	293
189	Long-term effects of discontinuation from antipsychotic maintenance following first-episode schizophrenia and related disorders: a 10 year follow-up of a randomised, double-blind trial. <i>Lancet Psychiatry,the</i> , 2018 , 5, 432-442	23.3	70
188	Prevalence and correlates of antipsychotic polypharmacy in Hong Kong. <i>Asian Journal of Psychiatry</i> , 2018 , 33, 113-120	6.7	11
187	Metabolic screening for patients with second-generation antipsychotic medication: A population-based study from 2004 to 2016. <i>Schizophrenia Research</i> , 2018 , 197, 618-619	3.6	1
186	Long term effect of early intervention service on duration of untreated psychosis in youth and adult population in Hong Kong. <i>Microbial Biotechnology</i> , 2018 , 12, 331-338	3.3	8
185	Demographic correlates of medication knowledge in Hong Kong early psychosis patients. <i>Microbial Biotechnology</i> , 2018 , 12, 107-112	3.3	2
184	Early intervention for incipient insanity: early notions from the 19 century English literature. <i>Microbial Biotechnology</i> , 2018 , 12, 708-714	3.3	1
183	Predictors of functioning in people suffering from first-episode psychosis 1 year into entering early intervention service in Hong Kong. <i>Microbial Biotechnology</i> , 2018 , 12, 828-838	3.3	1

(2017-2018)

182	Perception towards relapse and its predictors in psychosis patients: A qualitative study. <i>Microbial Biotechnology</i> , 2018 , 12, 856-862	3.3	2
181	Verbal working memory in schizophrenia: The role of syntax in facilitating serial recall. <i>Schizophrenia Research</i> , 2018 , 192, 294-299	3.6	4
180	Psychosocial factors associated with physical activity behavior among patients with psychosis. <i>Schizophrenia Research</i> , 2018 , 195, 130-135	3.6	3
179	Prediction of self-stigma in early psychosis: 3-Year follow-up of the randomized-controlled trial on extended early intervention. <i>Schizophrenia Research</i> , 2018 , 195, 463-468	3.6	18
178	The Psychiatry Major: A Curricular Innovation to Improve Undergraduate Psychiatry Education in China. <i>Academic Psychiatry</i> , 2018 , 42, 376-381	1.1	4
177	Associations Among Suicidal Ideation, White Matter Integrity and Cognitive Deficit in First-Episode Schizophrenia. <i>Frontiers in Psychiatry</i> , 2018 , 9, 391	5	22
176	NEURAPRO-E study protocol: a multicentre randomized controlled trial of omega-3 fatty acids and cognitive-behavioural case management for patients at ultra high risk of schizophrenia and other psychotic disorders. <i>Microbial Biotechnology</i> , 2017 , 11, 418-428	3.3	40
175	Chinese label for people at risk for psychosis. <i>Microbial Biotechnology</i> , 2017 , 11, 224-228	3.3	3
174	Newspaper coverage of mental illness in Hong Kong between 2002 and 2012: impact of introduction of a new Chinese name of psychosis. <i>Microbial Biotechnology</i> , 2017 , 11, 342-345	3.3	12
173	Clinical and treatment-related determinants of subjective quality of life in patients with first-episode psychosis. <i>Psychiatry Research</i> , 2017 , 249, 39-45	9.9	13
172	Relationship of amotivation to neurocognition, self-efficacy and functioning in first-episode psychosis: a structural equation modeling approach. <i>Psychological Medicine</i> , 2017 , 47, 755-765	6.9	24
171	Yoga reduces the brain's amplitude of low-frequency fluctuations in patients with early psychosis results of a randomized controlled trial. <i>Schizophrenia Research</i> , 2017 , 184, 141-142	3.6	12
170	Effect of B Polyunsaturated Fatty Acids in Young People at Ultrahigh Risk for Psychotic Disorders: The NEURAPRO Randomized Clinical Trial. <i>JAMA Psychiatry</i> , 2017 , 74, 19-27	14.5	162
169	Lifetime Prevalence and Correlates of Schizophrenia-Spectrum, Affective, and Other Non-affective Psychotic Disorders in the Chinese Adult Population. <i>Schizophrenia Bulletin</i> , 2017 , 43, 1280-1290	1.3	38
168	Prediction of motivational impairment: 12-month follow-up of the randomized-controlled trial on extended early intervention for first-episode psychosis. <i>European Psychiatry</i> , 2017 , 41, 37-41	6	9
167	Sustainability of treatment effect of a 3-year early intervention programme for first-episode psychosis. <i>British Journal of Psychiatry</i> , 2017 , 211, 37-44	5.4	29
166	Prevalence of anxiety disorders in community dwelling older adults in Hong Kong. <i>International Psychogeriatrics</i> , 2017 , 29, 259-267	3.4	11
165	A Sports-Based Youth Development Program, Teen Mental Health, and Physical Fitness: An RCT. <i>Pediatrics</i> , 2017 , 140,	7.4	23

164	Opening the Black Box of Cognitive-Behavioural Case Management in Clients with Ultra-High Risk for Psychosis. <i>Psychotherapy and Psychosomatics</i> , 2017 , 86, 292-299	9.4	17
163	Gender effect on public stigma changes towards psychosis in the Hong Kong Chinese population: a comparison between population surveys of 2009 and 2014. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2017 , 52, 259-267	4.5	10
162	Reducing mental illness stigma and fostering empathic citizenship: Community arts collaborative approach. <i>Social Work in Mental Health</i> , 2017 , 15, 469-485	0.8	11
161	Antipsychotic Treatment of Young Chinese Individuals From 2004 to 2015: A Population-Based Study in Hong Kong. <i>American Journal of Psychiatry</i> , 2016 , 173, 939-40	11.9	1
160	Admission Rates and Psychiatric Beds in Hong Kong, 1999-2014: A Population-Based Study. <i>Psychiatric Services</i> , 2016 , 67, 579	3.3	2
159	Incidence of hospitalization and its associated factors in first-episode psychosis in Hong Kong. <i>Microbial Biotechnology</i> , 2016 , 10, 263-6	3.3	1
158	Visual working memory deterioration preceding relapse in psychosis. <i>Psychological Medicine</i> , 2016 , 46, 2435-44	6.9	10
157	Understandings of spirituality and its role in illness recovery in persons with schizophrenia and mental-health professionals: a qualitative study. <i>BMC Psychiatry</i> , 2016 , 16, 86	4.2	21
156	Premorbid, clinical and cognitive correlates of primary negative symptoms in first-episode psychosis. <i>Psychiatry Research</i> , 2016 , 242, 144-149	9.9	17
155	Public Stigma in China Associated With Schizophrenia, Depression, Attenuated Psychosis Syndrome, and Psychosis-Like Experiences. <i>Psychiatric Services</i> , 2016 , 67, 766-70	3.3	30
154	Quality of life and functioning in first-episode psychosis Chinese patients with different antipsychotic medications. <i>Microbial Biotechnology</i> , 2016 , 10, 535-539	3.3	2
153	Early intervention services in psychosis: from evidence to wide implementation. <i>Microbial Biotechnology</i> , 2016 , 10, 540-546	3.3	33
152	Impact of avolition and cognitive impairment on functional outcome in first-episode schizophrenia-spectrum disorder: a prospective one-year follow-up study. <i>Schizophrenia Research</i> , 2016 , 170, 318-21	3.6	34
151	A systematic review on definitions and assessments of psychotic-like experiences. <i>Microbial Biotechnology</i> , 2016 , 10, 3-16	3.3	54
150	A randomized controlled trial on the psychophysiological effects of physical exercise and Tai-chi in patients with chronic schizophrenia. <i>Schizophrenia Research</i> , 2016 , 171, 42-9	3.6	40
149	A population study of public stigma about psychosis and its contributing factors among Chinese population in Hong Kong. <i>International Journal of Social Psychiatry</i> , 2016 , 62, 205-13	8.5	13
148	Concepts of TelfTin delusion resolution. Schizophrenia Research: Cognition, 2016, 3, 8-10	2.8	
147	Letter to the Editor: Comparison of cognitive functions, pre-morbid conditions and clinical characteristics between brief psychotic disorder and schizophrenia. <i>Psychological Medicine</i> , 2016 ,	6.9	5

(2015-2016)

146	Web-Based Psychoeducation Program for Caregivers of First-Episode of Psychosis: An Experience of Chinese Population in Hong Kong. <i>Frontiers in Psychology</i> , 2016 , 7, 2006	3.4	14
145	Associations between diurnal cortisol patterns and lifestyle factors, psychotic symptoms, and neurological deficits: A longitudinal study on patients with chronic schizophrenia. <i>Journal of Psychiatric Research</i> , 2016 , 81, 16-22	5.2	10
144	A Low-Intensity Mindfulness-Based Intervention for Mood Symptoms in People with Early Psychosis: Development and Pilot Evaluation. <i>Clinical Psychology and Psychotherapy</i> , 2016 , 23, 550-560	2.9	14
143	Examining gender difference in adult-onset psychosis in Hong Kong. <i>Microbial Biotechnology</i> , 2016 , 10, 324-33	3.3	11
142	Increased distractibility to own name in psychotic patients with ideas and delusions of reference. <i>Cognitive Neuropsychiatry</i> , 2016 , 21, 107-15	2	
141	Prediction of functional remission in first-episode psychosis: 12-month follow-up of the randomized-controlled trial on extended early intervention in Hong Kong. <i>Schizophrenia Research</i> , 2016 , 173, 79-83	3.6	24
140	Risk factors for antipsychotic medication non-adherence behaviors and attitudes in adult-onset psychosis. <i>Schizophrenia Research</i> , 2016 , 174, 144-149	3.6	18
139	Association Between Acute Neuropsychiatric Events and Helicobacter pylori Therapy Containing Clarithromycin. <i>JAMA Internal Medicine</i> , 2016 , 176, 828-34	11.5	29
138	Self-stigma and affiliate stigma in first-episode psychosis patients and their caregivers. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2016 , 51, 1225-31	4.5	29
137	Three-year clinical and functional outcome comparison between first-episode mania with psychotic features and first-episode schizophrenia. <i>Journal of Affective Disorders</i> , 2016 , 200, 1-5	6.6	12
136	Mild Reinforcement Learning Deficits in Patients With First-Episode Psychosis. <i>Schizophrenia Bulletin</i> , 2016 , 42, 1476-1485	1.3	18
135	Psychosis patientsTknowledge, adherence and attitudes towards the naming of antipsychotic medication in Hong Kong. <i>Microbial Biotechnology</i> , 2015 , 9, 422-7	3.3	11
134	Prevalence, psychosocial correlates and service utilization of depressive and anxiety disorders in Hong Kong: the Hong Kong Mental Morbidity Survey (HKMMS). <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2015 , 50, 1379-88	4.5	82
133	Prevalence and predictors of medication non-adherence among Chinese patients with first-episode psychosis. <i>Psychiatry Research</i> , 2015 , 228, 680-7	9.9	9
132	Gender differences in outcomes in people with schizophrenia in rural China: 14-year follow-up study. <i>British Journal of Psychiatry</i> , 2015 , 206, 283-8	5.4	38
131	10-year outcome study of an early intervention program for psychosis compared with standard care service. <i>Psychological Medicine</i> , 2015 , 45, 1181-93	6.9	37
130	Perceived risk of relapse and role of medication: comparison between patients with psychosis and their caregivers. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2015 , 50, 307-15	4.5	11
129	Prevalence and risk factors for suicidal behavior in young people presenting with first-episode psychosis in Hong Kong: a 3-year follow-up study. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2015 , 50, 219-26	4.5	17

128	Prevalence and risk factors for violent behavior in young people presenting with first-episode psychosis in Hong Kong: A 3-year follow-up study. <i>Australian and New Zealand Journal of Psychiatry</i> , 2015 , 49, 914-22	2.6	19
127	Different outcomes of never-treated and treated patients with schizophrenia: 14-year follow-up study in rural China. <i>British Journal of Psychiatry</i> , 2015 , 207, 495-500	5.4	50
126	Rate and risk factors of depressive symptoms in Chinese patients presenting with first-episode non-affective psychosis in Hong Kong. <i>Schizophrenia Research</i> , 2015 , 168, 99-105	3.6	21
125	Psychometric properties of a Chinese version of the Stigma Scale: examining the complex experience of stigma and its relationship with self-esteem and depression among people living with mental illness in Hong Kong. <i>Comprehensive Psychiatry</i> , 2015 , 56, 198-205	7-3	11
124	Self-perceived cognitive functioning and its relationship with objective performance in first-episode schizophrenia: the Subjective Cognitive Impairment Scale. <i>Comprehensive Psychiatry</i> , 2015 , 56, 42-50	7.3	10
123	Clinical and social correlates of duration of untreated psychosis among adult-onset psychosis in Hong Kong Chinese: the JCEP study. <i>Microbial Biotechnology</i> , 2015 , 9, 118-25	3.3	27
122	Psychometric properties of translated outcome measures of cognitive behavioural therapy for psychosis in the Chinese context. <i>Asian Journal of Psychiatry</i> , 2015 , 13, 62-5	6.7	5
121	Delusional disorder and schizophrenia: a comparison of the neurocognitive and clinical characteristics in first-episode patients. <i>Psychological Medicine</i> , 2015 , 45, 3085-95	6.9	16
120	The Effect of Paternal Age on Relapse in First-Episode Schizophrenia. <i>Canadian Journal of Psychiatry</i> , 2015 , 60, 346-53	4.8	5
119	Hong Kong: recent development of mental health services. <i>BJ Psych Advances</i> , 2015 , 21, 71-72	0.8	5
118	Aerobic exercise and yoga improve neurocognitive function in women with early psychosis. <i>NPJ Schizophrenia</i> , 2015 , 1, 15047	5.5	63
117	Grey matter morphological anomalies in the caudate head in first-episode psychosis patients with delusions of reference. <i>Psychiatry Research - Neuroimaging</i> , 2015 , 233, 57-63	2.9	12
116	Optimal duration of an early intervention programme for first-episode psychosis: randomised controlled trial. <i>British Journal of Psychiatry</i> , 2015 , 206, 492-500	5.4	50
115	Executive function as predictors of persistent thought disorder in first-episode schizophrenia: a one-year follow-up study. <i>Schizophrenia Research</i> , 2014 , 159, 465-70	3.6	25
114	The relationships of suicidal ideation with symptoms, neurocognitive function, and psychological factors in patients with first-episode psychosis. <i>Schizophrenia Research</i> , 2014 , 157, 12-8	3.6	29
113	Effective connectivity of the posterior cingulate and medial prefrontal cortices relates to working memory impairment in schizophrenic and bipolar patients. <i>Schizophrenia Research</i> , 2014 , 158, 85-90	3.6	29
112	Common variants on Xq28 conferring risk of schizophrenia in Han Chinese. <i>Schizophrenia Bulletin</i> , 2014 , 40, 777-86	1.3	40
111	Relationship between diminished expression and cognitive impairment in first-episode schizophrenia: a prospective three-year follow-up study. <i>Schizophrenia Research</i> , 2014 , 152, 146-51	3.6	12

110	Impaired facilitation of self-control cognition by glucose in patients with schizophrenia: a randomized controlled study. <i>Schizophrenia Research</i> , 2014 , 156, 38-45	3.6	9
109	Rate and predictors of disengagement from a 2-year early intervention program for psychosis in Hong Kong. <i>Schizophrenia Research</i> , 2014 , 153, 204-8	3.6	10
108	Identifying gene-environment interactions in schizophrenia: contemporary challenges for integrated, large-scale investigations. <i>Schizophrenia Bulletin</i> , 2014 , 40, 729-36	1.3	186
107	The psychophysiological effects of Tai-chi and exercise in residential schizophrenic patients: a 3-arm randomized controlled trial. <i>BMC Complementary and Alternative Medicine</i> , 2014 , 14, 364	4.7	9
106	Early medication discontinuation on long-term recovery outcome in first-episode psychosis. <i>JAMA Psychiatry</i> , 2014 , 71, 207-8	14.5	4
105	Early intervention and evaluation for adult-onset psychosis: the JCEP study rationale and design. <i>Microbial Biotechnology</i> , 2014 , 8, 261-8	3.3	30
104	Aberrant functional connectivity for diagnosis of major depressive disorder: a discriminant analysis. <i>Psychiatry and Clinical Neurosciences</i> , 2014 , 68, 110-9	6.2	30
103	Coupling physical exercise with dietary glucose supplement for treating cognitive impairment in schizophrenia: a theoretical model and future directions. <i>Microbial Biotechnology</i> , 2014 , 8, 209-20	3.3	7
102	Comparing illness presentation, treatment and functioning between patients with adolescent- and adult-onset psychosis. <i>Psychiatry Research</i> , 2014 , 220, 797-802	9.9	16
101	Clinical and cognitive predictors of vocational outcome in first-episode schizophrenia: a prospective 3 year follow-up study. <i>Psychiatry Research</i> , 2014 , 220, 834-9	9.9	21
100	MRI predicts remission at 1 year in first-episode schizophrenia in females with larger striato-thalamic volumes. <i>Neuropsychobiology</i> , 2014 , 69, 243-8	4	14
99	Medication adherence, knowledge about psychosis, and insight among patients with a schizophrenia-spectrum disorder. <i>Journal of Nervous and Mental Disease</i> , 2014 , 202, 25-9	1.8	15
98	Therapeutic potentials of mindBody interventions for psychosis. <i>Clinical Practice (London, England)</i> , 2014 , 11, 677-688	3	2
97	Correlates of insight with symptomatology and executive function in patients with first-episode schizophrenia-spectrum disorder: a longitudinal perspective. <i>Psychiatry Research</i> , 2014 , 216, 177-84	9.9	11
96	Prospective relationship between duration of untreated psychosis and 13-year clinical outcome: a first-episode psychosis study. <i>Schizophrenia Research</i> , 2014 , 153, 1-8	3.6	43
95	Predictors of help-seeking duration in adult-onset psychosis in Hong Kong. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2013 , 48, 1819-28	4.5	10
94	Reliability and validity of the life functioning assessment inventory (L-FAI) for patients with psychosis. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2013 , 48, 1687-95	4.5	3
93	The concurrent and predictive validity of symptomatic remission criteria in first-episode schizophrenia. <i>Schizophrenia Research</i> , 2013 , 143, 107-15	3.6	18

92	Sexual dysfunction in Chinese patients with first-episode psychosis: prevalence, clinical correlates and functioning. <i>Schizophrenia Research</i> , 2013 , 148, 181-2	3.6	2
91	Impact of physical activity on functioning of patients with first-episode psychosisa 6 months prospective longitudinal study. <i>Schizophrenia Research</i> , 2013 , 150, 538-41	3.6	21
90	Predicting 1-year risk for relapse in patients who have discontinued or continued quetiapine after remission from first-episode psychosis. <i>Schizophrenia Research</i> , 2013 , 150, 297-302	3.6	20
89	The relationship of early premorbid adjustment with negative symptoms and cognitive functions in first-episode schizophrenia: a prospective three-year follow-up study. <i>Psychiatry Research</i> , 2013 , 209, 353-60	9.9	47
88	A 3-year retrospective cohort study of predictors of relapse in first-episode psychosis in Hong Kong. <i>Australian and New Zealand Journal of Psychiatry</i> , 2013 , 47, 746-53	2.6	29
87	Impacts of duration of untreated psychosis on cognition and negative symptoms in first-episode schizophrenia: a 3-year prospective follow-up study. <i>Psychological Medicine</i> , 2013 , 43, 1883-93	6.9	49
86	Symptomatic remission and cognitive impairment in first-episode schizophrenia: a prospective 3-year follow-up study. <i>Journal of Clinical Psychiatry</i> , 2013 , 74, e1046-53	4.6	23
85	Duration of untreated psychosis: relationship with baseline characteristics and three-year outcome in first-episode psychosis. <i>Psychiatry Research</i> , 2012 , 198, 360-5	9.9	47
84	Question structure impacts efficiency and performance in an interactive guessing game: implications for strategy engagement and executive functioning. <i>Psychiatry Research</i> , 2012 , 200, 1026-7	, 9.9	
83	Early intervention for psychotic disorders: Real-life implementation in Hong Kong. <i>Asian Journal of Psychiatry</i> , 2012 , 5, 68-72	6.7	11
82	Screening and assessing ideas and delusions of reference using a semi-structured interview scale: a validation study of the Ideas of Reference Interview Scale (IRIS) in early psychosis patients. <i>Schizophrenia Research</i> , 2012 , 135, 158-63	3.6	21
81	Clinical and cognitive correlates of insight in first-episode schizophrenia. <i>Schizophrenia Research</i> , 2012 , 135, 40-5	3.6	23
80	Executive function in first-episode schizophrenia: a three-year prospective study of the Hayling Sentence Completion Test. <i>Schizophrenia Research</i> , 2012 , 135, 62-7	3.6	17
79	Longitudinal changes in semantic categorization performance after symptomatic remission from first-episode psychosis: a 3-year follow-up study. <i>Schizophrenia Research</i> , 2012 , 137, 118-23	3.6	5
78	HT1001, a proprietary North American ginseng extract, improves working memory in schizophrenia: a double-blind, placebo-controlled study. <i>Phytotherapy Research</i> , 2012 , 26, 1166-72	6.7	24
77	Prediction of remission and recovery in young people presenting with first-episode psychosis in Hong Kong: a 3-year follow-up study. <i>Australian and New Zealand Journal of Psychiatry</i> , 2012 , 46, 100-8	2.6	72
76	Schizophrenic patients and their unaffected siblings share increased resting-state connectivity in the task-negative network but not its anticorrelated task-positive network. <i>Schizophrenia Bulletin</i> , 2012 , 38, 285-94	1.3	93
75	Random number generation deficit in early schizophrenia. <i>Perceptual and Motor Skills</i> , 2011 , 112, 91-10.	32.2	7

(2009-2011)

74	Executive function in first-episode schizophrenia: a three-year longitudinal study of an ecologically valid test. <i>Schizophrenia Research</i> , 2011 , 126, 87-92	3.6	24
73	Cost-effectiveness of an early assessment service for young people with early psychosis in Hong Kong. <i>Australian and New Zealand Journal of Psychiatry</i> , 2011 , 45, 673-80	2.6	18
72	Theory of mind and paranoia in schizophrenia: a game theoretical investigation framework. <i>Cognitive Neuropsychiatry</i> , 2011 , 16, 505-29	2	17
71	Persistent negative symptoms in first-episode schizophrenia: a prospective three-year follow-up study. <i>Schizophrenia Research</i> , 2011 , 133, 22-8	3.6	93
70	Recent advances in pharmacological treatment of psychosis in late life. <i>Current Opinion in Psychiatry</i> , 2011 , 24, 455-60	4.9	6
69	No NRG1 V266L in Chinese patients with schizophrenia. <i>Psychiatric Genetics</i> , 2011 , 21, 47-9	2.9	2
68	Perceptions of relapse risks following first-episode psychosis and attitudes towards maintenance medication: a comparison between nursing and social work professionals. <i>Microbial Biotechnology</i> , 2011 , 5, 324-34	3.3	2
67	Three-year outcome of phase-specific early intervention for first-episode psychosis: a cohort study in Hong Kong. <i>Microbial Biotechnology</i> , 2011 , 5, 315-23	3.3	57
66	First episode psychosis with extrapyramidal signs prior to antipsychotic drug treatment. <i>Science Bulletin</i> , 2011 , 56, 3361-3371		O
65	Gender differences in patients presenting with first-episode psychosis in Hong Kong: a three-year follow up study. <i>Australian and New Zealand Journal of Psychiatry</i> , 2011 , 45, 199-205	2.6	36
64	What does recovery from psychosis mean? Perceptions of young first-episode patients. <i>International Journal of Social Psychiatry</i> , 2011 , 57, 580-7	8.5	64
63	Early intervention for psychosis in Hong Kongthe EASY programme. <i>Microbial Biotechnology</i> , 2010 , 4, 214-9	3.3	55
62	Naming psychosis: the Hong Kong experience. <i>Microbial Biotechnology</i> , 2010 , 4, 270-4	3.3	19
61	Maintenance treatment with quetiapine versus discontinuation after one year of treatment in patients with remitted first episode psychosis: randomised controlled trial. <i>BMJ, The</i> , 2010 , 341, c4024	5.9	99
60	Criminal behavior among persons with schizophrenia in rural China. <i>Schizophrenia Research</i> , 2010 , 122, 213-8	3.6	16
59	Identification of neuroglycan C and interacting partners as potential susceptibility genes for schizophrenia in a Southern Chinese population. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2010 , 153B, 103-13	3.5	16
58	Efficacy of valproate versus lithium in mania or mixed mania: a randomized, open 12-week trial. <i>International Clinical Psychopharmacology</i> , 2010 , 25, 60-7	2.2	41
57	Neurological soft signs and their relationships to neurocognitive functions: a re-visit with the structural equation modeling design. <i>PLoS ONE</i> , 2009 , 4, e8469	3.7	51

56	Phenotyping psychosis: room for neurocomputational and content-dependent cognitive endophenotypes?. <i>Cognitive Neuropsychiatry</i> , 2009 , 14, 451-72	2	5
55	A naturalistic study of grey matter volume increase after early treatment in anti-psychotic nalle, newly diagnosed schizophrenia. <i>Psychopharmacology</i> , 2009 , 206, 437-46	4.7	48
54	Psychiatric history modifies the gender ratio of suicide: an East and West comparison. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2009 , 44, 130-4	4.5	25
53	What does psychological autopsy study tell us about charcoal burning suicidea new and contagious method in Asia?. <i>Suicide and Life-Threatening Behavior</i> , 2009 , 39, 633-8	3.9	10
52	Population-attributable risk of suicide conferred by axis I psychiatric diagnoses in a Hong Kong Chinese population. <i>Psychiatric Services</i> , 2009 , 60, 1135-8	3.3	20
51	Differences in mortality and suicidal behaviour between treated and never-treated people with schizophrenia in rural China. <i>British Journal of Psychiatry</i> , 2009 , 195, 126-31	5.4	29
50	Intervention in individuals at ultra-high risk for psychosis: a review and future directions. <i>Journal of Clinical Psychiatry</i> , 2009 , 70, 1206-12	4.6	219
49	Suicide among adults aged 30-49: a psychological autopsy study in Hong Kong. <i>BMC Public Health</i> , 2008 , 8, 147	4.1	46
48	Assessment of executive functions: review of instruments and identification of critical issues. <i>Archives of Clinical Neuropsychology</i> , 2008 , 23, 201-16	2.7	764
47	Mortality of geriatric and younger patients with schizophrenia in the community. <i>Suicide and Life-Threatening Behavior</i> , 2008 , 38, 143-51	3.9	13
46	What does recovery from schizophrenia mean? Perceptions of psychiatrists. <i>International Journal of Culture and Mental Health</i> , 2008 , 1, 73-84		12
45	What does recovery from schizophrenia mean? Perceptions of long-term patients. <i>International Journal of Social Psychiatry</i> , 2008 , 54, 118-30	8.5	70
44	Real-world implementation of early intervention in psychosis: resources, funding models and evidence-based practice. <i>World Psychiatry</i> , 2008 , 7, 163-4	14.4	7
43	An association study of RGS4 polymorphisms with clinical phenotypes of schizophrenia in a Chinese population. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2008 , 147B, 77-85	3.5	29
42	Cerebral grey, white matter and csf in never-medicated, first-episode schizophrenia. <i>Schizophrenia Research</i> , 2007 , 89, 12-21	3.6	161
41	Neurological abnormalities in Chinese schizophrenic patients. <i>Behavioural Neurology</i> , 2007 , 18, 171-81	3	21
40	Neurocognitive deficits in first-episode schizophrenic patients and their first-degree relatives. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2007 , 144B, 407-16	3.5	50
39	Suicide and unemployment: what are the missing links?. <i>Archives of Suicide Research</i> , 2007 , 11, 327-35	2.3	28

38	Perceptions on remission and recovery in schizophrenia. <i>Psychopathology</i> , 2007 , 40, 469	3.4	15
37	Correlates of lifetime suicide attempts among individuals with affective disorders in a Chinese rural community. <i>Archives of Suicide Research</i> , 2007 , 11, 119-27	2.3	4
36	Mortality in people with schizophrenia in rural China: 10-year cohort study. <i>British Journal of Psychiatry</i> , 2007 , 190, 237-42	5.4	58
35	A cluster analysis of the circumstances of death in suicides in Hong Kong. <i>Suicide and Life-Threatening Behavior</i> , 2007 , 37, 576-84	3.9	29
34	The effects of a celebrity suicide on suicide rates in Hong Kong. <i>Journal of Affective Disorders</i> , 2006 , 93, 245-52	6.6	93
33	Clozapine alone versus clozapine and risperidone with refractory schizophrenia. <i>New England Journal of Medicine</i> , 2006 , 354, 472-82	59.2	218
32	Detection of non-adherent behaviour in early psychosis. <i>Australian and New Zealand Journal of Psychiatry</i> , 2006 , 40, 446-51	2.6	31
31	The components of executive functioning in a cohort of patients with chronic schizophrenia: a multiple single-case study design. <i>Schizophrenia Research</i> , 2006 , 81, 173-89	3.6	53
30	Specific executive dysfunction in patients with first-episode medication-nalle schizophrenia. <i>Schizophrenia Research</i> , 2006 , 82, 51-64	3.6	91
29	The contribution of a cognitive bias against disconfirmatory evidence (BADE) to delusions: a study in an Asian sample with first episode schizophrenia spectrum disorders. <i>Schizophrenia Research</i> , 2006 , 83, 297-8	3.6	54
28	Anti-psychotics adherence among out-patients with schizophrenia in Hong Kong. <i>Keio Journal of Medicine</i> , 2006 , 55, 9-14	1.6	33
27	Suicide in Hong Kong: a case-control psychological autopsy study. <i>Psychological Medicine</i> , 2006 , 36, 815	-2 559	87
26	Socio-economic and psychological correlates of suicidality among Hong Kong working-age adults: results from a population-based survey. <i>Psychological Medicine</i> , 2006 , 36, 1759-67	6.9	38
25	The role of knowledge and motivation in symptom identification accuracy among schizophrenic patients: application of signal detection theory. <i>British Journal of Clinical Psychology</i> , 2006 , 45, 427-36	3.6	5
24	A 3-year prospective study of neurological soft signs in first-episode schizophrenia. <i>Schizophrenia Research</i> , 2005 , 75, 45-54	3.6	72
23	A prospective 3-year longitudinal study of cognitive predictors of relapse in first-episode schizophrenic patients. <i>Schizophrenia Research</i> , 2005 , 77, 99-104	3.6	89
22	The differential clinical and neurocognitive profiles of COMT SNP rs165599 genotypes in schizophrenia. <i>Journal of the International Neuropsychological Society</i> , 2005 , 11, 202-4	3.1	16
21	The impact of family experience on the duration of untreated psychosis (DUP) in Hong Kong. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2005 , 40, 350-6	4.5	55

20	An instrument to assess mental patientsTcapacity to appraise and report subjective quality of life. <i>Quality of Life Research</i> , 2005 , 14, 687-94	3.7	26
19	Impact of untreated psychosis on quality of life in patients with first-episode schizophrenia. <i>Quality of Life Research</i> , 2005 , 14, 1803-11	3.7	48
18	Self-administered instrument to measure the patient's experience of recovery after first-episode psychosis: development and validation of the Psychosis Recovery Inventory. <i>Australian and New Zealand Journal of Psychiatry</i> , 2005 , 39, 493-9	2.6	29
17	Family burdens, Chinese health beliefs, and the mental health of Chinese caregivers in Hong Kong. <i>Transcultural Psychiatry</i> , 2004 , 41, 497-513	2.7	39
16	Neurological signs and sustained attention impairment in schizophrenia. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2001 , 251, 1-5	5.1	17
15	University studentsTattitudes towards mental patients and psychiatric treatment. <i>International Journal of Social Psychiatry</i> , 2001 , 47, 63-72	8.5	71
14	Stroop interference and facilitation effects in first-episode schizophrenic patients. <i>Schizophrenia Research</i> , 2001 , 48, 29-44	3.6	34
13	Insight changes in acute psychotic episodes: a prospective study of Hong Kong Chinese patients. Journal of Nervous and Mental Disease, 2001 , 189, 24-30	1.8	23
12	Verbal fluency in schizophrenia: reduction in semantic store. <i>Australian and New Zealand Journal of Psychiatry</i> , 2000 , 34, 43-8	2.6	39
11	Progressive deterioration of soft neurological signs in chronic schizophrenic patients. <i>Acta Psychiatrica Scandinavica</i> , 2000 , 102, 342-9	6.5	48
10	Seasonal affective disorder Clinical Psychology: Science and Practice, 1998, 5, 275-290	3.7	3
9	How are psychotic symptoms perceived? A comparison between patients, relatives and the general public. <i>Australian and New Zealand Journal of Psychiatry</i> , 1997 , 31, 756-61	2.6	20
8	Insight and general public attitude on psychotic experiences in Hong Kong. <i>International Journal of Social Psychiatry</i> , 1996 , 42, 10-7	8.5	10
7	The Cambridge Neurological Inventory: a clinical instrument for assessment of soft neurological signs in psychiatric patients. <i>Psychiatry Research</i> , 1995 , 56, 183-204	9.9	154
6	A neural network model of cortical information processing in schizophrenia. IIRole of hippocampal-cortical interaction: a review and a model. <i>Canadian Journal of Psychiatry</i> , 1995 , 40, 21-6	4.8	16
5	Verbal fluency and semantic memory in schizophrenia. <i>British Journal of Psychiatry</i> , 1994 , 164, 704	5.4	2
4	A neural network model of cortical information processing in schizophrenia. I: Interaction between biological and social factors in symptom formation. <i>Canadian Journal of Psychiatry</i> , 1994 , 39, 362-7	4.8	13
3	Detection of Non-Adherent Behaviour in Early Psychosis		2

2 Activity intervention for first-episode psychosis41-65

6.9 c

1

Prevalence and correlates of suicidal behaviours in a representative epidemiological youth sample in Hong Kong: the significance of suicide-related rumination, family functioning, and ongoing population-level stressors. *Psychological Medicine*,1-11