Jesus Yamamoto-Furusho

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4907898/publications.pdf

Version: 2024-02-01



| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Role of cytokines in inflammatory bowel disease. World Journal of Gastroenterology, 2008, 14, 4280. | 1.4 | 552 |
| 2 | Immunoregulatory Pathways Involved in Inflammatory Bowel Disease. Inflammatory Bowel Diseases, 2015, 21, 2188-2193. | 0.9 | 83 |
| 3 | Rheumatic manifestations of inï¬,ammatory bowel disease. World Journal of Gastroenterology, 2009, 15, 5517. | 1.4 | 80 |
| 4 | Tumor necrosis factor- \hat{l}_{\pm} promoter polymorphisms in Mexican patients with systemic lupus erythematosus (SLE). Genes and Immunity, 2001, 2, 363-366. | 2.2 | 74 |
| 5 | Intestinal Protozoa Infections among Patients with Ulcerative Colitis: Prevalence and Impact on Clinical Disease Course. Digestion, 2010, 82, 18-23. | 1.2 | 73 |
| 6 | Centaurin β1 Down-regulates Nucleotide-binding Oligomerization Domains 1- and 2-dependent NF-κB Activation. Journal of Biological Chemistry, 2006, 281, 36060-36070. | 1.6 | 69 |
| 7 | Interleukin 35 (IL-35) and IL-37: Intestinal and peripheral expression by T and B regulatory cells in patients with Inflammatory Bowel Disease. Cytokine, 2015, 75, 389-402. | 1.4 | 66 |
| 8 | Further evidence of the role of HLA-DR4 in the genetic susceptibility to actinic prurigo. Journal of the American Academy of Dermatology, 1997, 36, 935-937. | 0.6 | 63 |
| 9 | Innate immunity in inflammatory bowel disease. World Journal of Gastroenterology, 2007, 13, 5577. | 1.4 | 63 |
| 10 | Canonical and non-canonical Wnt signaling are simultaneously activated by Wnts in colon cancer cells. Cellular Signalling, 2020, 72, 109636. | 1.7 | 59 |
| 11 | Transcript levels of Toll-Like receptors 5, 8 and 9 correlate with inflammatory activity in Ulcerative Colitis. BMC Gastroenterology, 2011, 11, 138. | 0.8 | 58 |
| 12 | IL-10— and IL-20—Expressing Epithelial and Inflammatory Cells are Increased in Patients with Ulcerative Colitis. Journal of Clinical Immunology, 2013, 33, 640-648. | 2.0 | 58 |
| 13 | Expression of interleukin (IL)-19 and IL-24 in inflammatory bowel disease patients: a cross-sectional study. Clinical and Experimental Immunology, 2014, 177, 64-75. | 1.1 | 58 |
| 14 | Novel genetic markers in inflammatory bowel disease. World Journal of Gastroenterology, 2007, 13, 5560. | 1.4 | 55 |
| 15 | Association of HLA-DR4 (DRB1*0404) With Human Papillomavirus Infection in Patients With Focal Epithelial Hyperplasia. Archives of Dermatology, 2004, 140, 1227-31. | 1.7 | 54 |
| 16 | HLA-DRB1 alleles encoding the "shared epitope―are associated with susceptibility to developing rheumatoid arthritis whereas HLA-DRB1 alleles encoding an aspartic acid at position 70 of the β-chain are protective in Mexican mestizos. Human Immunology, 2004, 65, 262-269. | 1.2 | 50 |
| 17 | Inflammatory bowel disease therapy. Current Opinion in Gastroenterology, 2018, 34, 187-193. | 1.0 | 49 |
| 18 | Clinical and genetic heterogeneity in Mexican patients with ulcerative colitis. Human Immunology, 2003, 64, 119-123. | 1.2 | 48 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Basic and clinical aspects of osteoporosis in inflammatory bowel disease. World Journal of Gastroenterology, 2007, 13, 6156. | 1.4 | 48 |
| 20 | Interleukin 1 β (IL-1B) and IL-1 Antagonist Receptor (IL-1RN) Gene Polymorphisms are Associated With the Genetic Susceptibility and Steroid Dependence in Patients With Ulcerative Colitis. Journal of Clinical Gastroenterology, 2011, 45, 531-535. | 1.1 | 48 |
| 21 | Differential Expression of IL-36 Family Members and IL-38 by Immune and Nonimmune Cells in Patients with Active Inflammatory Bowel Disease. BioMed Research International, 2018, 2018, 1-12. | 0.9 | 47 |
| 22 | Basic and clinical aspects of osteoporosis in inflammatory bowel disease. World Journal of Gastroenterology, 2007, 13, 6156. | 1.4 | 46 |
| 23 | Clinical Epidemiology of Ulcerative Colitis in Mexico. Journal of Clinical Gastroenterology, 2009, 43, 221-224. | 1.1 | 42 |
| 24 | Peroxisome proliferator-activated receptor-gamma (PPAR-γ) expression is downregulated in patients with active ulcerative colitis. Inflammatory Bowel Diseases, 2011, 17, 680-681. | 0.9 | 40 |
| 25 | Role of biological therapy for inflammatory bowel disease in developing countries. Gut, 2012, 61, 706-712. | 6.1 | 39 |
| 26 | Haplotype Distribution of Class II MHC Genes in Mexican Patients with Systemic Lupus Erythematosus. Scandinavian Journal of Rheumatology, 1998, 27, 373-376. | 0.6 | 36 |
| 27 | Incidence and prevalence of inflammatory bowel disease in Mexico from a nationwide cohort study in a period of 15 years (2000–2017). Medicine (United States), 2019, 98, e16291. | 0.4 | 35 |
| 28 | Polymorphisms in the promoter region of tumor necrosis factor alpha (TNF-α) and the HLA-DRB1 locus in Mexican Mestizo patients with ulcerative colitis. Immunology Letters, 2004, 95, 31-35. | 1.1 | 34 |
| 29 | Protective role of interleukin-19 gene polymorphisms in patients with ulcerative colitis. Human Immunology, 2011, 72, 1029-1032. | 1.2 | 33 |
| 30 | Genetic factors associated with the development of inflammatory bowel disease. World Journal of Gastroenterology, 2007, 13, 5594. | 1.4 | 31 |
| 31 | Association of HLA-DRB1*16 with chronic discoid lupus erythematosus in Mexican mestizo patients. Clinical and Experimental Dermatology, 2007, 32, 435-438. | 0.6 | 31 |
| 32 | Crohn's disease: Innate immunodeficiency?. World Journal of Gastroenterology, 2006, 12, 6751. | 1.4 | 31 |
| 33 | Differential expression of occludin in patients with ulcerative colitis and healthy controls. Inflammatory Bowel Diseases, 2012, 18, E1999. | 0.9 | 30 |
| 34 | Innovative therapeutics for inflammatory bowel disease. World Journal of Gastroenterology, 2007, 13, 1893. | 1.4 | 30 |
| 35 | MDP-NOD2 stimulation induces HNP-1 secretion, which contributes to NOD2 antibacterial function. Inflammatory Bowel Diseases, 2010, 16, 736-742. | 0.9 | 29 |
| 36 | Differential Expression of MUC12, MUC16, and MUC20 in Patients with Active and Remission Ulcerative Colitis. Mediators of Inflammation, 2015, 2015, 1-8. | 1.4 | 29 |

Jesus Yamamoto-Furusho

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | Prevalence and factors associated with the presence of Abnormal Function Liver Tests in patients with ulcerative colitis. Annals of Hepatology, 2010, 9, 397-401. | 0.6 | 28 |
| 38 | HLA-DR6 (possibly DRB1*1301) is associated with susceptibility to Takayasu arteritis in Mexicans. Heart and Vessels, 1996, 11, 277-280. | 0.5 | 27 |
| 39 | Immunologic, genetic and social human risk factors associated to histoplasmosis: studies in the State of Guerrero, Mexico. Mycopathologia, 1997, 138, 137-141. | 1.3 | 27 |
| 40 | Escala de Ansiedad y Depresión Hospitalaria (HADS): Validación en pacientes mexicanos con enfermedad inflamatoria intestinal. GastroenterologÃa Y HepatologÃa, 2018, 41, 477-482. | 0.2 | 27 |
| 41 | Interleukin 17 gene and protein expression are increased in patients with ulcerative colitis. Inflammatory Bowel Diseases, 2011, 17, E135-E136. | 0.9 | 26 |
| 42 | Colonic epithelial upregulation of interleukin 22 (IL-22) in patients with ulcerative colitis. Inflammatory Bowel Diseases, 2010, 16, 1823. | 0.9 | 25 |
| 43 | Protective role of Interleukin 27 (IL-27) gene polymorphisms in patients with ulcerative colitis. Immunology Letters, 2016, 172, 79-83. | 1.1 | 24 |
| 44 | Interleukin 27 is up-regulated in patients with active inflammatory bowel disease. Immunologic Research, 2016, 64, 901-907. | 1.3 | 23 |
| 45 | Gene Expression Profiling of Mediators Associated with the Inflammatory Pathways in the Intestinal Tissue from Patients with Ulcerative Colitis. Mediators of Inflammation, 2020, 2020, 1-11. | 1.4 | 23 |
| 46 | Peroxisome Proliferator-Activated Receptors Family Is Involved in the Response to Treatment and Mild Clinical Course in Patients with Ulcerative Colitis. Disease Markers, 2014, 2014, 1-7. | 0.6 | 22 |
| 47 | Diagnóstico y tratamiento de la enfermedad inflamatoria intestinal: Primer Consenso Latinoamericano de la Pan American Crohn's and Colitis Organisation. Revista De GastroenterologÃa De México, 2017, 82, 46-84. | 0.4 | 22 |
| 48 | Consenso mexicano para el diagnóstico y tratamiento de la colitis ulcerosa crónica idiopática. Revista De GastroenterologÃa De México, 2018, 83, 144-167. | 0.4 | 22 |
| 49 | Infliximab as a Rescue Therapy for Hospitalized Patients with Severe Ulcerative Colitis Refractory to Systemic Corticosteroids. Digestive Surgery, 2008, 25, 383-386. | 0.6 | 20 |
| 50 | Antinuclear antibodies: A marker associated with steroid dependence in patients with ulcerative colitis. Inflammatory Bowel Diseases, 2009, 15, 1039-1043. | 0.9 | 20 |
| 51 | Consenso mexicano sobre probióticos en gastroenterologÃa. Revista De GastroenterologÃa De México, 2017, 82, 156-178. | 0.4 | 20 |
| 52 | HLA-DR7 in Association with Chlorpromazine-induced Lupus Anticoagulant (LA). Journal of Autoimmunity, 1997, 10, 579-583. | 3.0 | 19 |
| 53 | Caspase recruitment domain (CARD) family (CARD9, CARD10, CARD11, CARD14 and CARD15) are increased during active inflammation in patients with inflammatory bowel disease. Journal of Inflammation, 2018, 15, 13. | 1.5 | 19 |
| 54 | HLA class II genotypes in Mexican Mestizo patients with myasthenia gravis. European Journal of Neurology, 2003, 10, 707-710. | 1.7 | 17 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | Association of HLA-DR3 and HLA-DR4 with Sinonasal Polyposis in Mexican Mestizos. Otolaryngology - Head and Neck Surgery, 2006, 135, 90-93. | 1.1 | 17 |
| 56 | Association of GIST and Somatostatinoma in a Patient With Type-1 Neurofibromatosis: Is There a Common Pathway?. American Journal of Gastroenterology, 2009, 104, 797-799. | 0.2 | 17 |
| 57 | Indoleamine 2,3-Dioxygenase: Expressing Cells in Inflammatory Bowel Disease—A Cross-Sectional Study. Clinical and Developmental Immunology, 2013, 2013, 1-14. | 3.3 | 17 |
| 58 | Consensus recommendations for patient-centered therapy in mild-to-moderate ulcerative colitis: the i Support Therapy–Access to Rapid Treatment (iSTART) approach. Intestinal Research, 2018, 16, 522-528. | 1.0 | 17 |
| 59 | Interleukin 21 Expression is Increased in Rectal Biopsies from Patients with Ulcerative Colitis. Inflammatory Bowel Diseases, 2010, 16, 1090. | 0.9 | 16 |
| 60 | TLR9 mRNA expression is upregulated in patients with active ulcerative colitis. Inflammatory Bowel Diseases, 2010, 16, 1267-1268. | 0.9 | 16 |
| 61 | HLA-DRB1*0101 is associated with the genetic susceptibility to develop lichen planus in the Mexican Mestizo population. Archives of Dermatological Research, 2007, 299, 405-407. | 1.1 | 15 |
| 62 | Diagnostic utility of the neutrophil-platelet ratio as a novel marker of activity in patients with Ulcerative Colitis. PLoS ONE, 2020, 15, e0231988. | 1.1 | 15 |
| 63 | Complotype SC30 Is Associated With Susceptibility to Develop Ulcerative Colitis in Mexicans. Journal of Clinical Gastroenterology, 1998, 27, 178-179. | 1.1 | 15 |
| 64 | Genetic Markers Associated with Clinical Outcomes in Patients with Inflammatory Bowel Disease. Inflammatory Bowel Diseases, 2015, 21, 2683-2695. | 0.9 | 14 |
| 65 | TRPV Subfamily (TRPV2, TRPV3, TRPV4, TRPV5, and TRPV6) Gene and Protein Expression in Patients with Ulcerative Colitis. Journal of Immunology Research, 2020, 2020, 1-11. | 0.9 | 14 |
| 66 | Gene expression profiling of inflammatory cytokines in esophageal biopsies of different phenotypes of gastroesophageal reflux disease: a cross-sectional study. BMC Gastroenterology, 2021, 21, 201. | 0.8 | 14 |
| 67 | HLA-DRB1â^—04 is associated with the genetic susceptibility to develop vitiligo in Mexican patients with autoimmune thyroid disease. Journal of the American Academy of Dermatology, 2005, 52, 182-183. | 0.6 | 13 |
| 68 | Genetic polymorphisms of interleukin 20 (IL-20) in patients with ulcerative colitis. Immunology Letters, 2013, 149, 50-53. | 1.1 | 13 |
| 69 | Association of the interleukin 15 (IL-15) gene polymorphisms with the risk of developing ulcerative colitis in Mexican individuals. Molecular Biology Reports, 2014, 41, 2171-2176. | 1.0 | 13 |
| 70 | The Transient Receptor Potential Vanilloid 1 Is Associated with Active Inflammation in Ulcerative Colitis. Mediators of Inflammation, 2018, 2018, 1-7. | 1.4 | 13 |
| 71 | Effect of Cis-palmitoleic acid supplementation on inflammation and expression of HNF4γ, HNF4α and IL6 in patients with ulcerative colitis. Minerva Gastroenterology, 2017, 63, 257-263. | 0.3 | 13 |
| 72 | Hospital Anxiety and Depression Scale (HADS): Validation in Mexican patients with inflammatory bowel disease. GastroenterologÃa Y HepatologÃa (English Edition), 2018, 41, 477-482. | 0.0 | 12 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 73 | Increased expression of extracellular matrix metalloproteinase inducer (EMMPRIN) and MMP10, MMP23 in inflammatory bowel disease: Crossâ€sectional study. Scandinavian Journal of Immunology, 2021, 93, e12962. | 1.3 | 12 |
| 74 | Emerging therapeutic options in inflammatory bowel disease. World Journal of Gastroenterology, 2021, 27, 8242-8261. | 1.4 | 12 |
| 75 | Cytomegalovirus Infection in Patients Who Required Colectomy for Toxic Megacolon or Severe Steroid-Refractory Ulcerative Colitis. Digestive Diseases and Sciences, 2010, 55, 867-868. | 1.1 | 11 |
| 76 | High Gene Expression of MDR1 (ABCB1) is Associated with Medical Treatment Response and Long-Term Remission in Patients with Ulcerative Colitis. Inflammatory Bowel Diseases, 2010, 16, 541-542. | 0.9 | 11 |
| 77 | Gene expression of carnitine organic cation transporters 1 and 2 (OCTN) is downregulated in patients with ulcerative colitis. Inflammatory Bowel Diseases, 2011, 17, 2205-2206. | 0.9 | 11 |
| 78 | Evaluation of diet pattern related to the symptoms of mexican patients with Ulcerative Colitis (UC): through the validity of a questionnaire. Nutrition Journal, 2015, 14, 25. | 1.5 | 11 |
| 79 | Incidence of suboptimal response to tumor necrosis factor antagonist therapy in inflammatory bowel disease in newly industrialised countries: The EXPLORE study. Digestive and Liver Disease, 2020, 52, 869-877. | 0.4 | 11 |
| 80 | Expression of TOB/BTG family members in patients with inflammatory bowel disease. Scandinavian Journal of Immunology, 2021, 93, e13004. | 1.3 | 11 |
| 81 | HLA Study on Two Mexican Mestizo Families with Autoimmune Thyroid Disease. Autoimmunity, 2002, 35, 265-269. | 1.2 | 10 |
| 82 | New treatment options in the management of IBD – focus on colony stimulating factors. Biologics: Targets and Therapy, 2008, 2, 501. | 3.0 | 10 |
| 83 | Growth factors as treatment for inflammatory bowel disease: A concise review of the evidence toward their potential clinical utility. Saudi Journal of Gastroenterology, 2009, 15, 208. | 0.5 | 10 |
| 84 | Validación de un nuevo Ãndice integral de enfermedad para evaluar el grado de actividad en pacientes mexicanos con colitis ulcerosa: un estudio de cohorte prospectivo. Revista De GastroenterologÃa De México, 2019, 84, 317-325. | 0.4 | 10 |
| 85 | Prevalence of mental disorder and impact on quality of life in inflammatory bowel disease. GastroenterologÃa Y HepatologÃa, 2021, 44, 206-213. | 0.2 | 10 |
| 86 | HLAâ€ÐRB1 alleles are associated with the clinical course of disease and steroid dependence in Mexican patients with ulcerative colitis. Colorectal Disease, 2010, 12, 1231-1235. | 0.7 | 9 |
| 87 | Gene expression of solute carrier family 9 (Sodium/Hydrogen Exchanger) 3, (SLC9A3) is downregulated in patients with ulcerative colitis. Inflammatory Bowel Diseases, 2012, 18, 1197-1198. | 0.9 | 9 |
| 88 | Reduced expression of mucin 9 (MUC9) in patients with ulcerative colitis. Inflammatory Bowel Diseases, 2012, 18, E601. | 0.9 | 9 |
| 89 | Pharmacogenetics in inflammatory bowel disease: understanding treatment response and personalizing therapeutic strategies. Pharmacogenomics and Personalized Medicine, 2017, Volume 10, 197-204. | 0.4 | 9 |
| 90 | Role of the HLA-DQ locus in the development of chronic gastritis and gastric carcinoma in Mexican patients. World Journal of Gastroenterology, 2006, 12, 7762. | 1.4 | 9 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 91 | IOIBD Recommendations for Clinical Trials in Ulcerative Proctitis: The PROCTRIAL Consensus. Clinical Gastroenterology and Hepatology, 2022, 20, 2619-2627.e1. | 2.4 | 9 |
| 92 | Distinguishing Between Anti-Neutrophil Cytoplasmic Antibody Patterns in Inflammatory Bowel Disease: Is the "Atypical Pattern―Adding More Information?. American Journal of Gastroenterology, 2009, 104, 1854-1855. | 0.2 | 8 |
| 93 | Factors that influence outcome in non-invasive and invasive treatment in polycystic liver disease patients. World Journal of Gastroenterology, 2008, 14, 3195. | 1.4 | 8 |
| 94 | HLA-DRB1*08 allele may help to distinguish between type 1 diabetes mellitus and type 2 diabetes mellitus in Mexican children. Pediatric Diabetes, 2007, 8, 5-10. | 1.2 | 7 |
| 95 | Role of the interleukin 24 in patients with ulcerative colitis. Inflammatory Bowel Diseases, 2011, 17, 2209-2210. | 0.9 | 7 |
| 96 | Quantification of low expressed SCD1 gene in colonic mucosa from patients with active ulcerative colitis. Inflammatory Bowel Diseases, 2011, 17, E155. | 0.9 | 7 |
| 97 | Leiden V Factor and Spastic Cerebral Palsy in Mexican Children. Genetic Testing and Molecular Biomarkers, 2012, 16, 978-980. | 0.3 | 7 |
| 98 | Frequency, Clinical Features and Factors Associated with Pouchitis after Proctocolectomy with Ileo-Pouch-Anal Anastomosis in Patients with Ulcerative Colitis: A Latin-American Country Retrospective-Cohort Study. Digestive Surgery, 2015, 32, 489-495. | 0.6 | 7 |
| 99 | Association of the HLA-DRB1*0701 allele with perinuclear anti-neutrophil cytoplasmatic antibodies in Mexican patients with severe ulcerative colitis. World Journal of Gastroenterology, 2006, 12, 1617. | 1.4 | 7 |
| 100 | Perinuclear anti-neutrophil cytoplasmic antibodies (p-anca) in chronic ulcerative colitis: Experience in a Mexican institution. World Journal of Gastroenterology, 2006, 12, 3406. | 1.4 | 7 |
| 101 | Expression of HNF4Î ³ is downregulated in patients with active ulcerative colitis (UC) compared to UC patients in remission and healthy controls. Inflammatory Bowel Diseases, 2011, 17, E91. | 0.9 | 6 |
| 102 | High Gene Expression of CXCL8 Is Associated with the Presence of Extraintestinal Manifestations and Long-term Disease in Patients with Ulcerative Colitis. Inflammatory Bowel Diseases, 2013, 19, E22-E23. | 0.9 | 6 |
| 103 | Joint involvement in Mexican patients with ulcerative colitis: a hospital-based retrospective study. Clinical Rheumatology, 2018, 37, 677-682. | 1.0 | 6 |
| 104 | Intestinal production of secreted protein acidic and rich in cysteine (SPARC) in patients with ulcerative colitis. Immunobiology, 2021, 226, 152095. | 0.8 | 6 |
| 105 | Differential Cytokine Expression in the Duodenum and Rectum of Children with Non-Immunoglobulin E-Mediated Cow's Milk Protein Allergy. Digestive Diseases and Sciences, 2021, 66, 3769-3775. | 1.1 | 6 |
| 106 | Mild Clinical Behaviour of Crohn Disease in Elderly Patients in a Latin American Country: A Case-Control Study. Canadian Journal of Gastroenterology and Hepatology, 2015, 29, 435-439. | 0.8 | 5 |
| 107 | Histopathologic Parameters at Diagnosis as Early Predictors of Histologic Remission along the Course of Ulcerative Colitis. Gastroenterology Research and Practice, 2020, 2020, 1-5. | 0.7 | 5 |
| 108 | Prevalence and factors associated with the presence of abnormal function liver tests in patients with ulcerative colitis. Annals of Hepatology, 2010, 9, 397-401. | 0.6 | 5 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 109 | Interleukin-18 upregulation is associated with the use of steroids in patients with ulcerative colitis. Inflammatory Bowel Diseases, 2011, 17, E50-E51. | 0.9 | 4 |
| 110 | Situaciones especiales en la enfermedad inflamatoria intestinal: primer consenso latinoamericano de la Pan American Crohn's and Colitis Organisation (PANCCO) (Segunda parte). Revista De GastroenterologÃa De México, 2017, 82, 134-155. | 0.4 | 4 |
| 111 | Actualización sobre los medicamentos biocomparables en la enfermedad inflamatoria intestinal: posición y recomendación en México. Revista De GastroenterologÃa De México, 2018, 83, 414-423. | 0.4 | 4 |
| 112 | Synthesis of Interleukin-10 in Patients with Ulcerative Colitis and <i>Helicobacter pylori</i> Infection. Gastroenterology Research and Practice, 2020, 2020, 1-7. | 0.7 | 4 |
| 113 | Interleukins Involved in Inflammatory Bowel Disease as New Therapeutic Targets. Current Immunology Reviews, 2013, 9, 86-92. | 1.2 | 4 |
| 114 | Diagnostic Delay of Inflammatory Bowel Disease Is Significantly Higher in Public versus Private Health Care System in Mexican Patients. Inflammatory Intestinal Diseases, 2022, 7, 72-80. | 0.8 | 4 |
| 115 | Gene and protein expression of centaurin beta 1 (CENTB1) are up-regulated in patients with ulcerative colitis. Journal of Crohn's and Colitis, 2013, 7, e238-e239. | 0.6 | 3 |
| 116 | Polimorfismos genéticos de interleucina-22 en pacientes con colitis ulcerosa. Revista De GastroenterologÃa De México, 2016, 81, 86-90. | 0.4 | 3 |
| 117 | Validity and reliability of the health-related questionnaire IBDQ-32 in Mexican patients with inflammatory bowel disease. GastroenterologÃa Y HepatologÃa, 2021, 44, 711-718. | 0.2 | 3 |
| 118 | AKAP12/Gravin is over-expressed in patients with ulcerative colitis. Immunologic Research, 2021, 69, 429-435. | 1.3 | 3 |
| 119 | Rheumatoid Arthritis Associated With Pemphigus Foliaceus in a Patient Not Taking Penicillamine. Skinmed, 2007, 6, 252-254. | 0.0 | 2 |
| 120 | Increased expression of discs large homolog 5 gene (DLG5) in ulcerative colitis patients compared to healthy individuals. Inflammatory Bowel Diseases, 2011, 17, 1639. | 0.9 | 2 |
| 121 | Mortality and Hospitalizations in Mexican Patients with Inflammatory Bowel Disease: Results from a Nationwide Health Registry. Canadian Journal of Gastroenterology and Hepatology, 2020, 2020, 1-8. | 0.8 | 2 |
| 122 | Factors Associated with the Presence of Extraintestinal Manifestations in Patients with Ulcerative Colitis in a Latin American Country. Inflammatory Intestinal Diseases, 2020, 5, 200-204. | 0.8 | 2 |
| 123 | ABCC7/CFTR Expression Is Associated with the Clinical Course of Ulcerative Colitis Patients. Gastroenterology Research and Practice, 2021, 2021, 1-7. | 0.7 | 2 |
| 124 | Depression and Anxiety Disorders Impact in the Quality of Life of Patients with Inflammatory Bowel Disease. Psychiatry Journal, 2021, 2021, 1-7. | 0.7 | 2 |
| 125 | Su1257 The Gene Expression of SPARC in the Colonic Mucosa Is Associated With Histological Activity in Patients With Ulcerative Colitis. Gastroenterology, 2015, 148, S-453. | 0.6 | 1 |
| 126 | Mo1712 Role of Interleukin 27 (IL-27) in the Colonic Mucosa of Patients With Inflammatory Bowel Disease. Gastroenterology, 2015, 148, S-692. | 0.6 | 1 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 127 | Role of IL-38 and its Antagonist in Patients with Inflammatory Bowel Disease. Gastroenterology, 2017, 152, S762. | 0.6 | 1 |
| 128 | Evaluación del esquema de vacunación y cuidados con relación al seguimiento y tratamiento de los pacientes con enfermedad inflamatoria intestinal. Revista De GastroenterologÃa De México, 2019, 84, 11-17. | 0.4 | 1 |
| 129 | Mental Health Factors Associated With Fatigue in Mexican Patients With Inflammatory Bowel Disease. Journal of Clinical Gastroenterology, 2020, Publish Ahead of Print, 609-614. | 1.1 | 1 |
| 130 | Independent Associations of the HLA-B27 Antigen and the Complement Haplotype SC21 in Chronic Anterior Uveitis. Ocular Immunology and Inflammation, 1996, 4, 203-206. | 1.0 | 0 |
| 131 | Genetic Susceptibility in Inflammatory Bowel Disease. Clinical Reviews in Bone and Mineral Metabolism, 2010, 8, 149-159. | 1.3 | 0 |
| 132 | Differential Expression of Disc Large Homologue 5 (DLG5) and Carnitine Organic Cation Transporter (OCTN) Genes in Patients With Ulcerative Colitis. Gastroenterology, 2011, 140, S-422. | 0.6 | 0 |
| 133 | Factors Associated With Use of Azathioprine in Patients With Ulcerative Colitis. Gastroenterology, 2011, 140, S-791. | 0.6 | 0 |
| 134 | Sa1848 IL34 and IL36 Family Expressing Cytotoxic T cells and Plasmacytoid Dendritic Cells are Increased in Patients With Active Inflammatory Bowel Disease. Gastroenterology, 2016, 150, S379-S380. | 0.6 | 0 |
| 135 | Mo1930 Transcriptome Analysis of Immune Innate Response Genes in the Colonic Mucosa from Patients With Ulcerative Colitis. Gastroenterology, 2016, 150, S819. | 0.6 | 0 |
| 136 | Tu1981 The Oxido-reductases Enzymes (TDO2 and SOD2) in Colonic Mucosa are Markers Associated with Histological Activity and Clinical Course in Ulcerative Colitis. Gastroenterology, 2016, 150, S996. | 0.6 | 0 |
| 137 | Expression of Genes Associated with Inflammation in Biopsies of Esophageal Mucosa of different Phenotypes of Gastroesophageal Reflux Disease. Gastroenterology, 2017, 152, S237. | 0.6 | 0 |
| 138 | Prevalence of mental disorder and impact on quality of life in inflammatory bowel disease. GastroenterologÃa Y HepatologÃa (English Edition), 2021, 44, 206-213. | 0.0 | 0 |
| 139 | Changes in chronic idiopathic ulcerative colitis epidemiological pattern in Mexico in a tertiary care hospital. Gaceta Medica De Mexico, 2023, 157, 147-153. | 0.5 | 0 |
| 140 | Validación de Belief Medicines Questionnaire y Self-efficacy for Appropriate Medication Use Scale para medir adherencia al tratamiento farmacológico en pacientes con enfermedad inflamatoria intestinal. Gaceta Medica De Mexico, 2019, 155, 124-129. | 0.5 | 0 |
| 141 | 813 Incidence and Indicators of Suboptimal Response to Tumor Necrosis Factor Antagonist Therapy in Inflammatory Bowel Disease in Newly Industrialized Countries: Results From the EXPLORE Study. American Journal of Gastroenterology, 2019, 114, S470-S470. | 0.2 | 0 |
| 142 | Association of dietary fiber consumption with disease activity in ulcerative colitis: An exploratory study in the Mexican population. Gaceta Medica De Mexico, 2022, 158, 41-47. | 0.5 | 0 |
| 143 | Validity and reliability of the health-related questionnaire IBDQ-32 in Mexican patients with inflammatory bowel disease. GastroenterologÃa Y HepatologÃa (English Edition), 2021, 44, 711-718. | 0.0 | 0 |