

Shaun Sabico

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4908192/publications.pdf>

Version: 2024-02-01

148
papers

4,149
citations

94269

37
h-index

143772

57
g-index

151
all docs

151
docs citations

151
times ranked

5945
citing authors

#	ARTICLE	IF	CITATIONS
1	Serum asprosin levels are associated with obesity and insulin resistance in Arab adults. <i>Journal of King Saud University - Science</i> , 2022, 34, 101690.	1.6	4
2	The Association Between FokI Vitamin D Receptor Polymorphisms With Metabolic Syndrome Among Pregnant Arab Women. <i>Frontiers in Endocrinology</i> , 2022, 13, 844472.	1.5	2
3	Angiogenin Levels and Their Association with Cardiometabolic Indices Following Vitamin D Status Correction in Saudi Adults. <i>Biology</i> , 2022, 11, 286.	1.3	2
4	Associations of zinc- α -2-glycoprotein with metabolic syndrome and its components among adult Arabs. <i>Scientific Reports</i> , 2022, 12, 4908.	1.6	1
5	Multidimensional Frailty and Vaccinations in Older People: A Cross-Sectional Study. <i>Vaccines</i> , 2022, 10, 555.	2.1	2
6	Endotoxemia, vitamin D and premature biological ageing in Arab adults with different metabolic states. <i>Saudi Journal of Biological Sciences</i> , 2022, 29, 103276.	1.8	4
7	Iron and 25-hydroxyvitamin D in postmenopausal women with osteoporosis.. <i>American Journal of Translational Research (discontinued)</i> , 2022, 14, 1387-1405.	0.0	0
8	Screening for Sarcopenia among Elderly Arab Females: Influence of Body Composition, Lifestyle, Irisin, and Vitamin D. <i>Nutrients</i> , 2022, 14, 1855.	1.7	12
9	Effects of a 12-Month Hybrid (In-Person + Virtual) Education Program in the Glycemic Status of Arab Youth. <i>Nutrients</i> , 2022, 14, 1759.	1.7	7
10	Vitamin D Status and its Associations with Cytokines and Chemokines in Arab Adults Screened for COVID-19. <i>FASEB Journal</i> , 2022, 36, .	0.2	0
11	Influenza Vaccination and COVID-19 Outcomes in People Older than 50 Years: Data from the Observational Longitudinal SHARE Study. <i>Vaccines</i> , 2022, 10, 899.	2.1	6
12	Primary hyperparathyroidism in Saudi Arabia revisited: a multi-centre observational study. <i>BMC Endocrine Disorders</i> , 2022, 22, .	0.9	1
13	Psychological well-being during COVID-19 lockdown: Insights from a Saudi State University's Academic Community. <i>Journal of King Saud University - Science</i> , 2021, 33, 101262.	1.6	49
14	Prevalence of diabetes, management and outcomes among Covid-19 adult patients admitted in a specialized tertiary hospital in Riyadh, Saudi Arabia. <i>Diabetes Research and Clinical Practice</i> , 2021, 172, 108538.	1.1	29
15	Sarcopenic Obesity. <i>Practical Issues in Geriatrics</i> , 2021, , 145-151.	0.3	1
16	Role of NLRP3 Inflammasome Activation in Obesity-Mediated Metabolic Disorders. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 511.	1.2	35
17	Vitamin D Metabolites and Sex Steroid Indices in Postmenopausal Women with and without Low Bone Mass. <i>Metabolites</i> , 2021, 11, 86.	1.3	7
18	The effects of melatonin and vitamin D3 on the gene expression of BCL-2 and BAX in MCF-7 breast cancer cell line. <i>Journal of King Saud University - Science</i> , 2021, 33, 101287.	1.6	11

#	ARTICLE	IF	CITATIONS
19	Effects of home quarantine during COVID-19 lockdown on physical activity and dietary habits of adults in Saudi Arabia. <i>Scientific Reports</i> , 2021, 11, 5904.	1.6	57
20	Severe vitamin D deficiency is not related to SARS-CoV-2 infection but may increase mortality risk in hospitalized adults: a retrospective caseâ€“control study in an Arab Gulf country. <i>Aging Clinical and Experimental Research</i> , 2021, 33, 1415-1422.	1.4	54
21	Vitamin D status of Arab Gulf residents screened for SARS-CoV-2 and its association with COVID-19 infection: a multi-centre caseâ€“control study. <i>Journal of Translational Medicine</i> , 2021, 19, 166.	1.8	27
22	Efficacy of lifestyle intervention program for Arab women with prediabetes using social media as an alternative platform of delivery. <i>Journal of Diabetes Investigation</i> , 2021, 12, 1872-1880.	1.1	14
23	Sleep Quality Is Associated with Vitamin B12 Status in Female Arab Students. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 4548.	1.2	7
24	Sulfonylureas in the Current Practice of Type 2 Diabetes Management: Are They All the Same? Consensus from the Gulf Cooperation Council (GCC) Countries Advisory Board on Sulfonylureas. <i>Diabetes Therapy</i> , 2021, 12, 2115-2132.	1.2	4
25	Effects of a 2-Week 5000 IU versus 1000 IU Vitamin D3 Supplementation on Recovery of Symptoms in Patients with Mild to Moderate Covid-19: A Randomized Clinical Trial. <i>Nutrients</i> , 2021, 13, 2170.	1.7	119
26	Tristetraprolin, Inflammation, and Metabolic Syndrome in Arab Adults: A Case Control Study. <i>Biology</i> , 2021, 10, 550.	1.3	5
27	Decreasing prevalence of vitamin D deficiency in the central region of Saudi Arabia (2008-2017). <i>Journal of Steroid Biochemistry and Molecular Biology</i> , 2021, 212, 105920.	1.2	27
28	Antioxidant status and dietary pattern of Arab adults with and without metabolic syndrome. <i>Journal of King Saud University - Science</i> , 2021, 33, 101561.	1.6	1
29	Inflammatory and Adipokine Status from Early to Midpregnancy in Arab Women and Its Associations with Gestational Diabetes Mellitus. <i>Disease Markers</i> , 2021, 2021, 1-8.	0.6	6
30	Emerging Markers for Sarcopenia. <i>Practical Issues in Geriatrics</i> , 2021, , 33-41.	0.3	0
31	Sarcopenia and Covid-19: A New Entity?. <i>Practical Issues in Geriatrics</i> , 2021, , 209-220.	0.3	0
32	Associations of Perilipin 3 with Insulin Resistance in Arab Adults with Type 2 Diabetes. <i>Disease Markers</i> , 2021, 2021, 1-7.	0.6	2
33	The application of FRAX in Saudi Arabia. <i>Archives of Osteoporosis</i> , 2021, 16, 166.	1.0	6
34	Gut-Derived Endotoxin and Telomere Length Attrition in Adults with and without Type 2 Diabetes. <i>Biomolecules</i> , 2021, 11, 1693.	1.8	4
35	Lower Limb Muscle Strength and Muscle Mass Are Associated With Incident Symptomatic Knee Osteoarthritis: A Longitudinal Cohort Study. <i>Frontiers in Endocrinology</i> , 2021, 12, 804560.	1.5	8
36	Increasing Prevalence of Pediatric Metabolic Syndrome and Its Components among Arab Youth: A Time-Series Study from 2010â€“2019. <i>Children</i> , 2021, 8, 1129.	0.6	18

#	ARTICLE	IF	CITATIONS
37	Diagnosis and management of osteoporosis in postmenopausal women in Gulf Cooperation Council (GCC) countries: consensus statement of the GCC countries' osteoporosis societies under the auspices of the European Society for Clinical and Economic Aspects of Osteoporosis and Osteoarthritis (ESCEO). <i>Archives of Osteoporosis</i> , 2020, 15, 109.	1.0	22
38	Vitamin D level and its relation to muscle and fat mass in adult male Arabs. <i>Saudi Journal of Biological Sciences</i> , 2020, 27, 2452-2456.	1.8	4
39	High glucose load and endotoxemia among overweight and obese Arab women with and without diabetes. <i>Medicine (United States)</i> , 2020, 99, e23211.	0.4	5
40	Diabetes and Covid-19 among hospitalized patients in Saudi Arabia: a single-centre retrospective study. <i>Cardiovascular Diabetology</i> , 2020, 19, 205.	2.7	103
41	Reversal of Prediabetes in Saudi Adults: Results from an 18 Month Lifestyle Intervention. <i>Nutrients</i> , 2020, 12, 804.	1.7	24
42	Early-Pregnancy Metabolic Syndrome and Subsequent Incidence in Gestational Diabetes Mellitus in Arab Women. <i>Frontiers in Endocrinology</i> , 2020, 11, 98.	1.5	19
43	Diagnosis and management of vitamin D deficiency in the Gulf Cooperative Council (GCC) countries: an expert consensus summary statement from the GCC vitamin D advisory board. <i>Archives of Osteoporosis</i> , 2020, 15, 35.	1.0	30
44	Effects of a 12-Month Intensive Lifestyle Monitoring Program in Predominantly Overweight/Obese Arab Adults with Prediabetes. <i>Nutrients</i> , 2020, 12, 464.	1.7	17
45	Vitamin D Supplementation is Associated with Increased Glutathione Peroxidase-1 Levels in Arab Adults with Prediabetes. <i>Antioxidants</i> , 2020, 9, 118.	2.2	18
46	Adrenocorticotrophic Hormone Modulates Bone Mineral Density among Postmenopausal Saudi Women with Type 2 Diabetes Mellitus Irrespective of Osteoporosis Status. <i>FASEB Journal</i> , 2020, 34, 1-1.	0.2	0
47	Effects of a 6-month multi-strain probiotics supplementation in endotoxemic, inflammatory and cardiometabolic status of T2DM patients: A randomized, double-blind, placebo-controlled trial. <i>Clinical Nutrition</i> , 2019, 38, 1561-1569.	2.3	120
48	Circulating spexin levels are influenced by the presence or absence of gestational diabetes. <i>Cytokine</i> , 2019, 113, 291-295.	1.4	23
49	Favorable Changes in Fasting Glucose in a 6-month Self-Monitored Lifestyle Modification Programme Inversely Affects Spexin Levels in Females with Prediabetes. <i>Scientific Reports</i> , 2019, 9, 9454.	1.6	19
50	Serum concentrations and detection rates of selected organochlorine pesticides in a sample of Greek school-aged children with neurodevelopmental disorders. <i>Environmental Science and Pollution Research</i> , 2019, 26, 23739-23753.	2.7	5
51	Metabolic Syndrome in Arab Adults with Low Bone Mineral Density. <i>Nutrients</i> , 2019, 11, 1405.	1.7	20
52	Effects of different vitamin D supplementation strategies in reversing metabolic syndrome and its component risk factors in adolescents. <i>Journal of Steroid Biochemistry and Molecular Biology</i> , 2019, 191, 105378.	1.2	20
53	Polycystic Ovary Syndrome and Insulin Physiology: An Observational Quantitative Serum Proteomics Study in Adolescent, Normal-Weight Females. <i>Proteomics - Clinical Applications</i> , 2019, 13, 1800184.	0.8	11
54	Efficacy of vitamin D supplementation according to vitamin D-binding protein polymorphisms. <i>Nutrition</i> , 2019, 63-64, 148-154.	1.1	39

#	ARTICLE	IF	CITATIONS
55	Sphingolipid serum profiling in vitamin D deficient and dyslipidemic obese dimorphic adults. <i>Scientific Reports</i> , 2019, 9, 16664.	1.6	14
56	Improvements in Glycemic, Micronutrient, and Mineral Indices in Arab Adults with Pre-Diabetes Post-Lifestyle Modification Program. <i>Nutrients</i> , 2019, 11, 2775.	1.7	12
57	Bone metabolism markers are associated with neck circumference in adult Arab women. <i>Osteoporosis International</i> , 2019, 30, 845-852.	1.3	6
58	Coexistence of Pre-sarcopenia and Metabolic Syndrome in Arab Men. <i>Calcified Tissue International</i> , 2019, 104, 130-136.	1.5	9
59	SAT-021 Efficacy of Vitamin D Supplementation According to Vitamin D Binding Protein Polymorphisms. <i>Journal of the Endocrine Society</i> , 2019, 3, .	0.1	1
60	Prospective Changes in Fasting Glucose Inversely Affects Spexin Levels in Females with Prediabetes. <i>FASEB Journal</i> , 2019, 33, 487.3.	0.2	0
61	Efficacy of different modes of vitamin D supplementation strategies in Saudi adolescents. <i>Journal of Steroid Biochemistry and Molecular Biology</i> , 2018, 180, 23-28.	1.2	11
62	Sex-specific expression of apolipoprotein levels following replenishment of vitamin D. <i>Journal of Steroid Biochemistry and Molecular Biology</i> , 2018, 180, 129-136.	1.2	11
63	Sex-specific correlation of IGFBP-2 and IGFBP-3 with vitamin D status in adults with obesity: a cross-sectional serum proteomics study. <i>Nutrition and Diabetes</i> , 2018, 8, 54.	1.5	12
64	Associations of Serum Nitric Oxide with Vitamin D and Other Metabolic Factors in Apparently Healthy Adolescents. <i>BioMed Research International</i> , 2018, 2018, 1-7.	0.9	19
65	Vitamin D Deficiency Prevalence and Predictors in Early Pregnancy among Arab Women. <i>Nutrients</i> , 2018, 10, 489.	1.7	33
66	Susceptibility to type 2 diabetes may be modulated by haplotypes in G6PC2, a target of positive selection. <i>BMC Evolutionary Biology</i> , 2017, 17, 43.	3.2	14
67	Vitamin D status correction in Saudi Arabia: an experts' consensus under the auspices of the European Society for Clinical and Economic Aspects of Osteoporosis, Osteoarthritis, and Musculoskeletal Diseases (ESCEO). <i>Archives of Osteoporosis</i> , 2017, 12, 1.	1.0	72
68	Research update for articles published in EJCI in 2015. <i>European Journal of Clinical Investigation</i> , 2017, 47, 775-788.	1.7	0
69	Intermediate and low abundant protein analysis of vitamin D deficient obese and non-obese subjects by MALDI-profiling. <i>Scientific Reports</i> , 2017, 7, 12633.	1.6	10
70	Extremely High Prevalence of Maternal and Neonatal Vitamin D Deficiency in the Arab Population. <i>Neonatology</i> , 2017, 112, 225-230.	0.9	16
71	Vitamin D Receptor Gene Polymorphisms Modify Cardiometabolic Response to Vitamin D Supplementation in T2DM Patients. <i>Scientific Reports</i> , 2017, 7, 8280.	1.6	35
72	Serum Uric Acid to Creatinine Ratio and Risk of Metabolic Syndrome in Saudi Type 2 Diabetic Patients. <i>Scientific Reports</i> , 2017, 7, 12104.	1.6	59

#	ARTICLE	IF	CITATIONS
73	Effects of a multi-strain probiotic supplement for 12 weeks in circulating endotoxin levels and cardiometabolic profiles of medication naïve T2DM patients: a randomized clinical trial. <i>Journal of Translational Medicine</i> , 2017, 15, 249.	1.8	92
74	Association of Vitamin B12 with Pro-Inflammatory Cytokines and Biochemical Markers Related to Cardiometabolic Risk in Saudi Subjects. <i>Nutrients</i> , 2016, 8, 460.	1.7	45
75	Comparisons in childhood obesity and cardiometabolic risk factors among urban Saudi Arab adolescents in 2008 and 2013. <i>Child: Care, Health and Development</i> , 2016, 42, 652-657.	0.8	12
76	Sun exposure, skin color and vitamin D status in Arab children and adults. <i>Journal of Steroid Biochemistry and Molecular Biology</i> , 2016, 164, 235-238.	1.2	16
77	Research update for articles published in <i>EJCI</i> in 2014. <i>European Journal of Clinical Investigation</i> , 2016, 46, 880-894.	1.7	2
78	Circulating betatrophin in healthy control and type 2 diabetic subjects and its association with metabolic parameters. <i>Journal of Diabetes and Its Complications</i> , 2016, 30, 1321-1325.	1.2	13
79	Sex-specific vitamin D effects on blood coagulation among overweight adults. <i>European Journal of Clinical Investigation</i> , 2016, 46, 1031-1040.	1.7	13
80	Serum 25-hydroxyvitamin D status among Saudi children with and without a history of fracture. <i>Journal of Endocrinological Investigation</i> , 2016, 39, 1125-1130.	1.8	14
81	Gender-specific associations of serum sex hormone-binding globulin with features of metabolic syndrome in children. <i>Diabetology and Metabolic Syndrome</i> , 2016, 8, 22.	1.2	8
82	Calculated adiposity and lipid indices in healthy Arab children as influenced by vitamin D status. <i>Journal of Clinical Lipidology</i> , 2016, 10, 775-781.	0.6	20
83	Sensitivity of various adiposity indices in identifying cardiometabolic diseases in Arab adults. <i>Cardiovascular Diabetology</i> , 2015, 14, 101.	2.7	41
84	Habitual physical activity is associated with circulating irisin in healthy controls but not in subjects with diabetes mellitus type 2. <i>European Journal of Clinical Investigation</i> , 2015, 45, 775-781.	1.7	31
85	Research update for articles published in <i>EJCI</i> in 2013. <i>European Journal of Clinical Investigation</i> , 2015, 45, 1005-1016.	1.7	1
86	2015 Guidelines for Osteoporosis in Saudi Arabia: Recommendations from the Saudi Osteoporosis Society. <i>Annals of Saudi Medicine</i> , 2015, 35, 1-12.	0.5	49
87	Postprandial Effect of a High-Fat Meal on Endotoxemia in Arab Women with and without Insulin-Resistance-Related Diseases. <i>Nutrients</i> , 2015, 7, 6375-6389.	1.7	11
88	Vitamin D Deficiency and Cardiometabolic Risks: A Juxtaposition of Arab Adolescents and Adults. <i>PLoS ONE</i> , 2015, 10, e0131315.	1.1	45
89	Effects of 12-month, 2000IU/day vitamin D supplementation on treatment naïve and vitamin D deficient Saudi type 2 diabetic patients. <i>Journal of King Abdulaziz University, Islamic Economics</i> , 2015, 36, 1432-1438.	0.5	11
90	Perceived Stress Scores among Saudi Students Entering Universities: A Prospective Study during the First Year of University Life. <i>International Journal of Environmental Research and Public Health</i> , 2014, 11, 3972-3981.	1.2	25

#	ARTICLE	IF	CITATIONS
91	Response to Amato and Giordano. <i>Pediatric Research</i> , 2014, 76, 416-416.	1.1	0
92	Does visceral adiposity index signify early metabolic risk in children and adolescents?: Association with insulin resistance, adipokines, and subclinical inflammation. <i>Pediatric Research</i> , 2014, 75, 459-463.	1.1	43
93	Maternal inheritance of circulating irisin in humans. <i>Clinical Science</i> , 2014, 126, 837-844.	1.8	16
94	Research update for articles published in EJCI in 2012. <i>European Journal of Clinical Investigation</i> , 2014, 44, 1010-1023.	1.7	1
95	Metabolic Benefits of Six-month Thiamine Supplementation in Patients with and without Diabetes Mellitus Type 2. <i>Clinical Medicine Insights: Endocrinology and Diabetes</i> , 2014, 7, CMED.S13573.	1.0	30
96	The identification of irisin in human cerebrospinal fluid: influence of adiposity, metabolic markers, and gestational diabetes. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2014, 306, E512-E518.	1.8	125
97	Stress and cardiometabolic manifestations among Saudi students entering universities: a cross-sectional observational study. <i>BMC Public Health</i> , 2014, 14, 391.	1.2	6
98	Irisin as a predictor of glucose metabolism in children: sexually dimorphic effects. <i>European Journal of Clinical Investigation</i> , 2014, 44, 119-124.	1.7	84
99	Whole Serum 3D LC-nESI-FTMS Quantitative Proteomics Reveals Sexual Dimorphism in the Milieu Intérieur of Overweight and Obese Adults. <i>Journal of Proteome Research</i> , 2014, 13, 5094-5105.	1.8	49
100	Assessing the contribution of 38 genetic loci to the risk of type 2 diabetes in the Saudi Arabian population. <i>Clinical Endocrinology</i> , 2014, 80, 532-537.	1.2	36
101	Effects of probiotics in patients with diabetes mellitus type 2: study protocol for a randomized, double-blind, placebo-controlled trial. <i>Trials</i> , 2013, 14, 195.	0.7	32
102	Metabolic syndrome biomarkers and early breast cancer in Saudi women: evidence for the presence of a systemic stress response and/or a pre-existing metabolic syndrome-related neoplasia risk?. <i>BMC Cancer</i> , 2013, 13, 54.	1.1	48
103	Thiamine and its phosphate esters in relation to cardiometabolic risk factors in Saudi Arabs. <i>European Journal of Medical Research</i> , 2013, 18, 32.	0.9	8
104	Differences and associations of metabolic and vitamin D status among patients with and without sub-clinical hypothyroid dysfunction. <i>BMC Endocrine Disorders</i> , 2013, 13, 31.	0.9	16
105	Vitamin D supplementation in patients with diabetes mellitus type 2 on different therapeutic regimens: a one-year prospective study. <i>Cardiovascular Diabetology</i> , 2013, 12, 113.	2.7	40
106	Visceral adiposity index is highly associated with adiponectin values and glycaemic disturbances. <i>European Journal of Clinical Investigation</i> , 2013, 43, 183-189.	1.7	71
107	A Nonsense Polymorphism (R392X) in TLR5 Protects from Obesity but Predisposes to Diabetes. <i>Journal of Immunology</i> , 2013, 190, 3716-3720.	0.4	41
108	Normal Circulating PTH in Saudi Healthy Individuals with Hypovitaminosis D. <i>Hormone and Metabolic Research</i> , 2013, 45, 43-46.	0.7	8

#	ARTICLE	IF	CITATIONS
109	Effect of Non-Pharmacologic Vitamin D Status Correction on Circulating Bone Markers in Healthy Overweight and Obese Saudis. <i>Molecules</i> , 2013, 18, 10671-10680.	1.7	6
110	Hypovitaminosis D associations with adverse metabolic parameters are accentuated in patients with Type 2 diabetes mellitus: a body mass index-independent role of adiponectin?. <i>Journal of Endocrinological Investigation</i> , 2013, 36, 1-6.	1.8	32
111	High Fat Intake Leads to Acute Postprandial Exposure to Circulating Endotoxin in Type 2 Diabetic Subjects. <i>Diabetes Care</i> , 2012, 35, 375-382.	4.3	187
112	Urinary Iodine is Associated with Insulin Resistance in Subjects with Diabetes Mellitus Type 2. <i>Experimental and Clinical Endocrinology and Diabetes</i> , 2012, 120, 618-622.	0.6	36
113	Telomere Length Attrition, a Marker of Biological Senescence, Is Inversely Correlated with Triglycerides and Cholesterol in South Asian Males with Type 2 Diabetes Mellitus. <i>Experimental Diabetes Research</i> , 2012, 2012, 1-7.	3.8	56
114	Soluble CD163 is associated with body mass index and blood pressure in hypertensive obese Saudi patients. <i>European Journal of Clinical Investigation</i> , 2012, 42, 1221-1226.	1.7	26
115	Adiponectin gene polymorphisms (T45G and G276T), adiponectin levels and risk for metabolic diseases in an Arab population. <i>Gene</i> , 2012, 493, 142-147.	1.0	42
116	Circulating leukocyte telomere length is highly heritable among families of Arab descent. <i>BMC Medical Genetics</i> , 2012, 13, 38.	2.1	15
117	Effect of physical activity and sun exposure on vitamin D status of Saudi children and adolescents. <i>BMC Pediatrics</i> , 2012, 12, 92.	0.7	107
118	Vitamin D supplementation as an adjuvant therapy for patients with T2DM: an 18-month prospective interventional study. <i>Cardiovascular Diabetology</i> , 2012, 11, 85.	2.7	69
119	Tea and coffee consumption in relation to vitamin D and calcium levels in Saudi adolescents. <i>Nutrition Journal</i> , 2012, 11, 56.	1.5	27
120	Mammalian NPC1 genes may undergo positive selection and human polymorphisms associate with type 2 diabetes. <i>BMC Medicine</i> , 2012, 10, 140.	2.3	19
121	Association of body mass index, sagittal abdominal diameter and waist-hip ratio with cardiometabolic risk factors and adipocytokines in Arab children and adolescents. <i>BMC Pediatrics</i> , 2012, 12, 119.	0.7	17
122	Effect of Gender, Season, and Vitamin D Status on Bone Biochemical Markers in Saudi Diabetes Patients. <i>Molecules</i> , 2012, 17, 8408-8418.	1.7	5
123	Vitamin D deficiency and calcium intake in reference to increased body mass index in children and adolescents. <i>European Journal of Pediatrics</i> , 2012, 171, 1081-1086.	1.3	48
124	Increased vitamin D supplementation recommended during summer season in the gulf region: a counterintuitive seasonal effect in vitamin D levels in adult, overweight and obese Middle Eastern residents. <i>Clinical Endocrinology</i> , 2012, 76, 346-350.	1.2	51
125	Modest reversal of metabolic syndrome manifestations with vitamin D status correction: a 12-month prospective study. <i>Metabolism: Clinical and Experimental</i> , 2012, 61, 661-666.	1.5	88
126	Blood thiamine and its phosphate esters as measured by high-performance liquid chromatography: levels and associations in diabetes mellitus patients with varying degrees of microalbuminuria. <i>Journal of Endocrinological Investigation</i> , 2012, 35, 951-6.	1.8	20

#	ARTICLE	IF	CITATIONS
127	Parent-Offspring Transmission of Adipocytokine Levels and Their Associations with Metabolic Traits. PLoS ONE, 2011, 6, e18182.	1.1	48
128	Visceral obesity and inflammation markers in relation to serum prostate volume biomarkers among apparently healthy men. European Journal of Clinical Investigation, 2011, 41, 987-994.	1.7	5
129	Diabetes mellitus type 2 and other chronic non-communicable diseases in the central region, Saudi Arabia (riyadh cohort 2): a decade of an epidemic. BMC Medicine, 2011, 9, 76.	2.3	203
130	Gender differences exist in the association of leptin and adiponectin levels with insulin resistance parameters in prepubertal Arab children. Journal of Pediatric Endocrinology and Metabolism, 2011, 24, 427-32.	0.4	9
131	Subjective sleep duration and quality influence diet composition and circulating adipocytokines and ghrelin levels in teen-age girls. Endocrine Journal, 2010, 57, 915-923.	0.7	70
132	Hypovitaminosis D and cardiometabolic risk factors among non-obese youth. Open Medicine (Poland), 2010, 5, 752-757.	0.6	19
133	Telomere length in relation to insulin resistance, inflammation and obesity among Arab youth. Acta Paediatrica, International Journal of Paediatrics, 2010, 99, 896-899.	0.7	76
134	Decreasing Prevalence of the Full Metabolic Syndrome but a Persistently High Prevalence of Dyslipidemia among Adult Arabs. PLoS ONE, 2010, 5, e12159.	1.1	49
135	Establishing abdominal height cut-offs and their association with conventional indices of obesity among Arab children and adolescents. Annals of Saudi Medicine, 2010, 30, 209-214.	0.5	18
136	Adiposity and insulin resistance correlate with telomere length in middle-aged Arabs: the influence of circulating adiponectin. European Journal of Endocrinology, 2010, 163, 601-607.	1.9	86
137	Gender-specific associations between insulin resistance, hypertension, and markers of inflammation among adult Saudis with and without diabetes mellitus type 2. Advances in Medical Sciences, 2010, 55, 179-185.	0.9	17
138	Retinol Binding Protein-4 Is Associated with TNF- α and Not Insulin Resistance in Subjects with Type 2 Diabetes Mellitus and Coronary Heart Disease. Disease Markers, 2009, 26, 135-140.	0.6	20
139	Changes in endotoxin levels in T2DM subjects on anti-diabetic therapies. Cardiovascular Diabetology, 2009, 8, 20.	2.7	123
140	Sleep Duration and Quality Associated With Obesity Among Arab Children. Obesity, 2009, 17, 2251-2253.	1.5	56
141	Altered levels of adipocytokines in type 2 diabetic cigarette smokers. Diabetes Research and Clinical Practice, 2009, 83, e37-e39.	1.1	13
142	Retinol binding protein-4 is associated with TNF-alpha and not insulin resistance in subjects with type 2 diabetes mellitus and coronary heart disease. Disease Markers, 2009, 26, 135-40.	0.6	8
143	Bioequivalence of Jusline following subcutaneous administration in healthy subjects. International Journal of Clinical Pharmacology and Therapeutics, 2008, 46, 382-388.	0.3	0
144	Vitamin D supplementation as influenced by diabetic therapies. Endocrine Abstracts, 0, , 1-1.	0.0	0

#	ARTICLE	IF	CITATIONS
145	Vitamin D correction elevates apolipoprotein levels in a sex-specific manner. <i>Endocrine Abstracts</i> , 0, , .	0.0	0
146	Susceptibility to type 2 diabetes may be modulated by haplotypes in G6PC2, a target of positive selection. <i>Endocrine Abstracts</i> , 0, , .	0.0	0
147	Cardiometabolic Effects of a 12-Month, COVID-19 Lockdown-Interrupted Lifestyle Education Program for Arab Adolescents. <i>Frontiers in Pediatrics</i> , 0, 10, .	0.9	4
148	COVID-19 Lockdown and Lifestyle Changes in Saudi Adults With Types 1 and 2 Diabetes. <i>Frontiers in Public Health</i> , 0, 10, .	1.3	5