

Willem Bouten

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4909486/publications.pdf>

Version: 2024-02-01

180
papers

9,703
citations

36303

51
h-index

46799

89
g-index

183
all docs

183
docs citations

183
times ranked

8564
citing authors

#	ARTICLE	IF	CITATIONS
1	Application of tri-axial accelerometer data to the interpretation of movement and behaviour of threatened black cockatoos. <i>Wildlife Research</i> , 2022, 49, 100-110.	1.4	2
2	Investigating avoidance and attraction responses in lesser black-backed gulls <i>Larus fuscus</i> to offshore wind farms. <i>Marine Ecology - Progress Series</i> , 2022, 686, 187-200.	1.9	8
3	Acceleration as a proxy for energy expenditure in a facultative soaring bird: Comparing dynamic body acceleration and time-energy budgets to heart rate. <i>Functional Ecology</i> , 2022, 36, 1627-1638.	3.6	5
4	Hotspots in the grid: Avian sensitivity and vulnerability to collision risk from energy infrastructure interactions in Europe and North Africa. <i>Journal of Applied Ecology</i> , 2022, 59, 1496-1512.	4.0	20
5	Ensemble predictions are essential for accurate bird migration forecasts for conservation and flight safety. <i>Ecological Solutions and Evidence</i> , 2022, 3, .	2.0	1
6	A predictive model for improving placement of wind turbines to minimise collision risk potential for a large soaring raptor. <i>Journal of Applied Ecology</i> , 2021, 58, 857-868.	4.0	13
7	Long-distance migrants vary migratory behaviour as much as short-distance migrants: An individual-level comparison from a seabird species with diverse migration strategies. <i>Journal of Animal Ecology</i> , 2021, 90, 1058-1070.	2.8	23
8	Why time-limited individuals can make populations more vulnerable to disturbance. <i>Oikos</i> , 2021, 130, 637-651.	2.7	4
9	Nocturnal foraging lifts time constraints in winter for migratory geese but hardly speeds up fueling. <i>Behavioral Ecology</i> , 2021, 32, 539-552.	2.2	10
10	Dynamic space use of Andalusian rice fields by Lesser Black-backed Gulls (<i>Larus fuscus</i>) is driven by flooding pattern. <i>Ibis</i> , 2021, 163, 1252-1270.	1.9	6
11	Adaptive drift and barrier-avoidance by a fly-forage migrant along a climate-driven flyway. <i>Movement Ecology</i> , 2021, 9, 37.	2.8	12
12	When speed matters: The importance of flight speed in an avian collision risk model. <i>Environmental Impact Assessment Review</i> , 2021, 90, 106622.	9.2	9
13	Individual differences in foraging site fidelity are not related to time-activity budgets in Herring Gulls. <i>Ibis</i> , 2020, 162, 429-445.	1.9	23
14	Collision risk of Montagu's Harriers <i>Circus pygargus</i> with wind turbines derived from high-resolution GPS tracking. <i>Ibis</i> , 2020, 162, 520-534.	1.9	28
15	Shorebird feeding specialists differ in how environmental conditions alter their foraging time. <i>Behavioral Ecology</i> , 2020, 31, 371-382.	2.2	16
16	Associations of Synoptic Weather Conditions With Nocturnal Bird Migration Over the North Sea. <i>Frontiers in Ecology and Evolution</i> , 2020, 8, .	2.2	4
17	Cascading effects of climate variability on the breeding success of an edge population of an apex predator. <i>Journal of Animal Ecology</i> , 2020, 89, 2631-2643.	2.8	7
18	Winds at departure shape seasonal patterns of nocturnal bird migration over the North Sea. <i>Journal of Avian Biology</i> , 2020, 51, .	1.2	14

#	ARTICLE	IF	CITATIONS
19	Behavioral rhythms of an opportunistic predator living in anthropogenic landscapes. <i>Movement Ecology</i> , 2020, 8, 17.	2.8	11
20	Western Marsh Harriers <i>Circus aeruginosus</i> from nearby breeding areas migrate along comparable loops, but on contrasting schedules in the West Africanâ€Eurasian flyway. <i>Journal of Ornithology</i> , 2020, 161, 953-965.	1.1	9
21	High-Resolution Spatial Distribution of Bird Movements Estimated from a Weather Radar Network. <i>Remote Sensing</i> , 2020, 12, 635.	4.0	15
22	Seasonal grouping dynamics in a territorial vulture: ecological drivers and social consequences. <i>Behavioral Ecology and Sociobiology</i> , 2020, 74, 1.	1.4	12
23	Humans shape the yearâ€ound distribution and habitat use of an opportunistic scavenger. <i>Ecology and Evolution</i> , 2020, 10, 4716-4725.	1.9	12
24	GPS tracking data of Western marsh harriers breeding in Belgium and the Netherlands. <i>ZooKeys</i> , 2020, 947, 143-155.	1.1	1
25	Orographic lift shapes flight routes of gulls in virtually flat landscapes. <i>Scientific Reports</i> , 2019, 9, 9659.	3.3	14
26	Pathogen transmission risk by opportunistic gulls moving across human landscapes. <i>Scientific Reports</i> , 2019, 9, 10659.	3.3	26
27	Avian vulnerability to wind farm collision through the year: Insights from lesser blackâ€backed gulls (<i>Larus fuscus</i>) tracked from multiple breeding colonies. <i>Journal of Applied Ecology</i> , 2019, 56, 2410-2422.	4.0	23
28	Identification of Linear Vegetation Elements in a Rural Landscape Using LiDAR Point Clouds. <i>Remote Sensing</i> , 2019, 11, 292.	4.0	20
29	bioRad: biological analysis and visualization of weather radar data. <i>Ecography</i> , 2019, 42, 852-860.	4.5	47
30	Probing into farmersâ€™ perceptions of a globally endangered ecosystem service provider. <i>Ambio</i> , 2019, 48, 900-912.	5.5	17
31	Foraging movements of common noddies in the East Indian Ocean are dependent on breeding stage: implications for marine reserve design. <i>Pacific Conservation Biology</i> , 2019, 25, 164.	1.0	0
32	Food predictability and social status drive individual resource specializations in a territorial vulture. <i>Scientific Reports</i> , 2018, 8, 15155.	3.3	30
33	Identification of Griffon Vultureâ€™s Flight Types Using High-Resolution Tracking Data. <i>International Journal of Environmental Research</i> , 2018, 12, 313-325.	2.3	10
34	High-altitude shorebird migration in the absence of topographical barriers: avoiding high air temperatures and searching for profitable winds. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2018, 285, 20180569.	2.6	53
35	Body stores persist as fitness correlate in a long-distance migrant released from food constraints. <i>Behavioral Ecology</i> , 2018, 29, 1157-1166.	2.2	12
36	Arctic Geese Tune Migration to a Warming Climate but Still Suffer from a Phenological Mismatch. <i>Current Biology</i> , 2018, 28, 2467-2473.e4.	3.9	84

#	ARTICLE	IF	CITATIONS
37	Where eagles soar: Fine-resolution tracking reveals the spatiotemporal use of differential soaring modes in a large raptor. <i>Ecology and Evolution</i> , 2018, 8, 6788-6799.	1.9	30
38	Probing the limits of predictability: data assimilation of chaotic dynamics in complex food webs. <i>Ecology Letters</i> , 2018, 21, 93-103.	6.4	33
39	Dodging the blades: new insights into three-dimensional space use of offshore wind farms by lesser black-backed gulls <i>Larus fuscus</i> . <i>Marine Ecology - Progress Series</i> , 2018, 587, 247-253.	1.9	22
40	Balancing food and density-dependence in the spatial distribution of an interference-prone forager. <i>Oikos</i> , 2017, 126, 1184-1196.	2.7	6
41	Soaring across continents: decision-making of a soaring migrant under changing atmospheric conditions along an entire flyway. <i>Journal of Avian Biology</i> , 2017, 48, 887-896.	1.2	35
42	Short distance migrants travel as far as long distance migrants in lesser black-backed gulls <i>Larus fuscus</i> . <i>Journal of Avian Biology</i> , 2017, 48, 49-57.	1.2	38
43	Migrating Montagu's harriers frequently interrupt daily flights in both Europe and Africa. <i>Journal of Avian Biology</i> , 2017, 48, 180-190.	1.2	23
44	Strong biotic influences on regional patterns of climate regulation services. <i>Global Biogeochemical Cycles</i> , 2017, 31, 787-803.	4.9	6
45	Sample size required to characterize area use of tracked seabirds. <i>Journal of Wildlife Management</i> , 2017, 81, 1098-1109.	1.8	14
46	A circannual perspective on daily and total flight distances in a long-distance migratory raptor, the Montagu's harrier, <i>Circus pygargus</i> . <i>Biology Letters</i> , 2017, 13, 20170073.	2.3	19
47	Current and future suitability of wintering grounds for a long-distance migratory raptor. <i>Scientific Reports</i> , 2017, 7, 8798.	3.3	30
48	Seasonal detours by soaring migrants shaped by wind regimes along the East Atlantic Flyway. <i>Journal of Animal Ecology</i> , 2017, 86, 179-191.	2.8	61
49	LiDAR and Orthophoto Synergy to optimize Object-Based Landscape Change: Analysis of an Active Landslide. <i>Remote Sensing</i> , 2017, 9, 805.	4.0	16
50	Shifting individual habitat specialization of a successful predator living in anthropogenic landscapes. <i>Marine Ecology - Progress Series</i> , 2017, 578, 243-251.	1.9	54
51	Feathered Detectives: Real-Time GPS Tracking of Scavenging Gulls Pinpoints Illegal Waste Dumping. <i>PLoS ONE</i> , 2016, 11, e0159974.	2.5	43
52	GPS tracking data of Lesser Black-backed Gulls and Herring Gulls breeding at the southern North Sea coast. <i>ZooKeys</i> , 2016, 555, 115-124.	1.1	29
53	Comparing inferences of solar geolocation data against high-precision GPS data: annual movements of a double-tagged black-tailed godwit. <i>Journal of Avian Biology</i> , 2016, 47, 589-596.	1.2	68
54	The effect of change in soil volume on organic matter distribution in a volcanic ash soil. <i>European Journal of Soil Science</i> , 2016, 67, 226-236.	3.9	11

#	ARTICLE	IF	CITATIONS
55	Directed flight and optimal airspeeds: homeward-bound gulls react flexibly to wind yet fly slower than predicted. <i>Journal of Avian Biology</i> , 2016, 47, 476-490.	1.2	23
56	Flap or soar? How a flight generalist responds to its aerial environment. <i>Philosophical Transactions of the Royal Society B: Biological Sciences</i> , 2016, 371, 20150395.	4.0	73
57	Decision-making by a soaring bird: time, energy and risk considerations at different spatio-temporal scales. <i>Philosophical Transactions of the Royal Society B: Biological Sciences</i> , 2016, 371, 20150397.	4.0	63
58	How individual Montagu's Harriers cope with Moreau's Paradox during the Sahelian winter. <i>Journal of Animal Ecology</i> , 2016, 85, 1491-1501.	2.8	44
59	Novel Insights into the Map Stage of True Navigation in Nonmigratory Wild Birds (Stone Curlews, <i>Tj ETQq1 1 0.784314 rgBT₅/Overlook</i>)	2.1	5
60	Using High-Resolution GPS Tracking Data of Bird Flight for Meteorological Observations. <i>Bulletin of the American Meteorological Society</i> , 2016, 97, 951-961.	3.3	44
61	Overseas seed dispersal by migratory birds. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2016, 283, 20152406.	2.6	77
62	Ranging Behaviour of Verreux's Eagles during the Pre-Breeding Period Determined through the Use of High Temporal Resolution Tracking. <i>PLoS ONE</i> , 2016, 11, e0163378.	2.5	10
63	Testing a novel agri-environment scheme based on the ecology of the target species, Montagu's Harrier <i>Circus pygargus</i> . <i>Ibis</i> , 2015, 157, 713-721.	1.9	21
64	Sexually distinct foraging strategies in an omnivorous seabird. <i>Marine Biology</i> , 2015, 162, 1417-1428.	1.5	75
65	Rule Set Transferability for Object-Based Feature Extraction: An Example for Cirque Mapping. <i>Photogrammetric Engineering and Remote Sensing</i> , 2015, 81, 507-514.	0.6	13
66	Regional and seasonal flight speeds of soaring migrants and the role of weather conditions at hourly and daily scales. <i>Journal of Avian Biology</i> , 2015, 46, 25-39.	1.2	91
67	Using statistical learning algorithms in regional landslide susceptibility zonation with limited landslide field data. <i>Journal of Mountain Science</i> , 2015, 12, 268-288.	2.0	19
68	Seabird-wind farm interactions during the breeding season vary within and between years: A case study of lesser black-backed gull <i>Larus fuscus</i> in the UK. <i>Biological Conservation</i> , 2015, 186, 347-358.	4.1	49
69	Effect of wind, thermal convection, and variation in flight strategies on the daily rhythm and flight paths of migrating raptors at Georgia's Black Sea coast. <i>Journal of Field Ornithology</i> , 2014, 85, 40-55.	0.5	21
70	Can wheatears weather the Atlantic? Modeling nonstop trans-Atlantic flights of a small migratory songbird. <i>Auk</i> , 2014, 131, 363-370.	1.4	21
71	Great skua (<i>Stercorarius skua</i>) movements at sea in relation to marine renewable energy developments. <i>Marine Environmental Research</i> , 2014, 101, 69-80.	2.5	20
72	Optimal orientation in flows: providing a benchmark for animal movement strategies. <i>Journal of the Royal Society Interface</i> , 2014, 11, 20140588.	3.4	42

#	ARTICLE	IF	CITATIONS
73	Optimizing acceleration-based ethograms: the use of variable-time versus fixed-time segmentation. <i>Movement Ecology</i> , 2014, 2, 6.	2.8	37
74	A quantitative framework for assessing spatial flows of ecosystem services. <i>Ecological Indicators</i> , 2014, 39, 24-33.	6.3	247
75	The influence of weather on the flight altitude of nocturnal migrants in mid-latitudes. <i>Ibis</i> , 2013, 155, 734-749.	1.9	52
76	Geomorphological Change Detection Using Object-Based Feature Extraction From Multi-Temporal LiDAR Data. <i>IEEE Geoscience and Remote Sensing Letters</i> , 2013, 10, 1587-1591.	3.1	35
77	A flexible GPS tracking system for studying bird behaviour at multiple scales. <i>Journal of Ornithology</i> , 2013, 154, 571-580.	1.1	228
78	Twilight ascents by common swifts, <i>Apus apus</i> , at dawn and dusk: acquisition of orientation cues?. <i>Animal Behaviour</i> , 2013, 85, 545-552.	1.9	43
79	Stop early to travel fast: modelling risk-averse scheduling among nocturnally migrating birds. <i>Journal of Theoretical Biology</i> , 2013, 316, 90-98.	1.7	16
80	Resolving structural errors in a spatially distributed hydrologic model using ensemble Kalman filter state updates. <i>Hydrology and Earth System Sciences</i> , 2013, 17, 3455-3472.	4.9	10
81	How Predictability of Feeding Patches Affects Home Range and Foraging Habitat Selection in Avian Social Scavengers?. <i>PLoS ONE</i> , 2013, 8, e53077.	2.5	143
82	Wind selectivity and partial compensation for wind drift among nocturnally migrating passerines. <i>Behavioral Ecology</i> , 2012, 23, 1089-1101.	2.2	50
83	From Sensor Data to Animal Behaviour: An Oystercatcher Example. <i>PLoS ONE</i> , 2012, 7, e37997.	2.5	119
84	Identifying ecologically important marine areas for seabirds using behavioural information in combination with distribution patterns. <i>Biological Conservation</i> , 2012, 156, 22-29.	4.1	52
85	A semantically integrated, user-friendly data model for species observation data. <i>Ecological Informatics</i> , 2012, 8, 1-9.	5.2	6
86	Quantifying flow-assistance and implications for movement research. <i>Journal of Theoretical Biology</i> , 2012, 308, 56-67.	1.7	77
87	RNCEP: global weather and climate data at your fingertips. <i>Methods in Ecology and Evolution</i> , 2012, 3, 65-70.	5.2	199
88	Segmentation optimization and stratified object-based analysis for semi-automated geomorphological mapping. <i>Remote Sensing of Environment</i> , 2011, 115, 2976-2985.	11.0	141
89	Riding the tide: intriguing observations of gulls resting at sea during breeding. <i>Ibis</i> , 2011, 153, 411-415.	1.9	67
90	Understanding soaring bird migration through interactions and decisions at the individual level. <i>Journal of Theoretical Biology</i> , 2011, 270, 112-126.	1.7	31

#	ARTICLE	IF	CITATIONS
91	Birds flee en mass from New Year's Eve fireworks. Behavioral Ecology, 2011, 22, 1173-1177.	2.2	33
92	Can wind help explain seasonal differences in avian migration speed?. Journal of Avian Biology, 2010, 41, 672-677.	1.2	88
93	Integrating Meteorology into Research on Migration. Integrative and Comparative Biology, 2010, 50, 280-292.	2.0	87
94	Modelling channel incision and alpine hillslope development using laser altimetry data. Geomorphology, 2009, 113, 35-46.	2.6	13
95	Extracting bird migration information from C-band Doppler weather radars. Ibis, 2008, 150, 674-686.	1.9	33
96	Advancing Spatio-temporal Analysis of Ecological Data: Examples in R. Lecture Notes in Computer Science, 2008, , 692-707.	1.3	2
97	Quality Assessment of Weather Radar Wind Profiles during Bird Migration. Journal of Atmospheric and Oceanic Technology, 2008, 25, 2188-2198.	1.3	25
98	Avian Information Systems: Developing Web-Based Bird Avoidance Models. Ecology and Society, 2008, 13, .	2.3	27
99	Pareto front analysis of flight time and energy use in long-distance bird migration. Journal of Avian Biology, 2007, 38, 432-442.	1.2	13
100	Analyzing the effect of wind on flight: pitfalls and solutions. Journal of Experimental Biology, 2007, 210, 82-90.	1.7	55
101	Pareto front analysis of flight time and energy use in long-distance bird migration. Journal of Avian Biology, 2007, 38, 432-442.	1.2	34
102	An operational model predicting autumn bird migration intensities for flight safety. Journal of Applied Ecology, 2007, 44, 864-874.	4.0	75
103	The production of N ₂ O in Douglas fir litter as affected by anoxic conditions within litter particles and pores. Soil Biology and Biochemistry, 2007, 39, 239-248.	8.8	6
104	Real-Time Data Assimilation for Operational Ensemble Streamflow Forecasting. Journal of Hydrometeorology, 2006, 7, 548-565.	1.9	146
105	Application of stochastic parameter optimization to the Sacramento Soil Moisture Accounting model. Journal of Hydrology, 2006, 325, 288-307.	5.4	95
106	Application of parallel computing to stochastic parameter estimation in environmental models. Computers and Geosciences, 2006, 32, 1139-1155.	4.2	62
107	A Comparative Analysis of the Influence of Weather on the Flight Altitudes of Birds. Bulletin of the American Meteorological Society, 2006, 87, 47-62.	3.3	56
108	Improved treatment of uncertainty in hydrologic modeling: Combining the strengths of global optimization and data assimilation. Water Resources Research, 2005, 41, .	4.2	472

#	ARTICLE	IF	CITATIONS
109	Towards reduced uncertainty in catchment nitrogen modelling: quantifying the effect of field observation uncertainty on model calibration. <i>Hydrology and Earth System Sciences</i> , 2004, 8, 751-763.	4.9	37
110	Accuracy of frequency domain analysis scenarios for the determination of complex dielectric permittivity. <i>Water Resources Research</i> , 2004, 40, .	4.2	36
111	Inverse modeling of large-scale spatially distributed vadose zone properties using global optimization. <i>Water Resources Research</i> , 2004, 40, .	4.2	77
112	Obtaining the Spatial Distribution of Water Content along a TDR Probe Using the SCEM-UA Bayesian Inverse Modeling Scheme. <i>Vadose Zone Journal</i> , 2004, 3, 1128-1145.	2.2	36
113	Obtaining the Spatial Distribution of Water Content along a TDR Probe Using the SCEM-UA Bayesian Inverse Modeling Scheme. <i>Vadose Zone Journal</i> , 2004, 3, 1128-1145.	2.2	45
114	Evaluating a Model of Evaporation and Transpiration with Observations in a Partially Wet Douglas-Fir Forest. <i>Boundary-Layer Meteorology</i> , 2003, 108, 365-396.	2.3	23
115	A Shuffled Complex Evolution Metropolis algorithm for optimization and uncertainty assessment of hydrologic model parameters. <i>Water Resources Research</i> , 2003, 39, .	4.2	914
116	Effective and efficient algorithm for multiobjective optimization of hydrologic models. <i>Water Resources Research</i> , 2003, 39, .	4.2	479
117	Identification of rainfall interception model parameters from measurements of throughfall and forest canopy storage. <i>Water Resources Research</i> , 2003, 39, .	4.2	42
118	Monitoring Temporal Development of Spatial Soil Water Content Variation: Comparison of Ground Penetrating Radar and Time Domain Reflectometry. <i>Vadose Zone Journal</i> , 2003, 2, 519-529.	2.2	10
119	Monitoring Temporal Development of Spatial Soil Water Content Variation: Comparison of Ground Penetrating Radar and Time Domain Reflectometry. <i>Vadose Zone Journal</i> , 2003, 2, 519-529.	2.2	39
120	Accuracy and Reproducibility of Mapping Surface Soil Water Content with the Ground Wave of Ground-Penetrating Radar. <i>Journal of Environmental and Engineering Geophysics</i> , 2003, 8, 67-75.	0.5	20
121	Toward Improved Identifiability of Soil Hydraulic Parameters: On the Selection of a Suitable Parametric Model. <i>Vadose Zone Journal</i> , 2003, 2, 98-113.	2.2	36
122	Toward Improved Identifiability of Soil Hydraulic Parameters: On the Selection of a Suitable Parametric Model. <i>Vadose Zone Journal</i> , 2003, 2, 98-113.	2.2	16
123	Toward Improved Identifiability of Soil Hydraulic Parameters. <i>Vadose Zone Journal</i> , 2003, 2, 98.	2.2	9
124	Monitoring Temporal Development of Spatial Soil Water Content Variation. <i>Vadose Zone Journal</i> , 2003, 2, 519.	2.2	5
125	Comparison of travel time analysis and inverse modeling for soil water content determination with time domain reflectometry. <i>Water Resources Research</i> , 2002, 38, 13-1-13-8.	4.2	39
126	Toward improved identifiability of hydrologic model parameters: The information content of experimental data. <i>Water Resources Research</i> , 2002, 38, 48-1-48-13.	4.2	135

#	ARTICLE	IF	CITATIONS
127	Mapping spatial variation in surface soil water content: comparison of ground-penetrating radar and time domain reflectometry. <i>Journal of Hydrology</i> , 2002, 269, 194-207.	5.4	129
128	Validity of First-Order Approximations to Describe Parameter Uncertainty in Soil Hydrologic Models. <i>Soil Science Society of America Journal</i> , 2002, 66, 1740-1751.	2.2	78
129	Comparison of different modelling strategies for simulating gas exchange of a Douglas-fir forest. <i>Ecological Modelling</i> , 2002, 158, 63-81.	2.5	21
130	Simulating Daily and Half-Hourly Fluxes of Forest Carbon Dioxide and Water Vapor Exchange with a Simple Model of Light and Water Use. <i>Ecosystems</i> , 2002, 5, 597-610.	3.4	23
131	Transpiration dynamics of an Austrian Pine stand and its forest floor: identifying controlling conditions using artificial neural networks. <i>Advances in Water Resources</i> , 2002, 25, 293-303.	3.8	11
132	Simulation of carbon and water budgets of a Douglas-fir forest. <i>Forest Ecology and Management</i> , 2001, 145, 229-241.	3.2	28
133	Evaluation of transpiration models with observations over a Douglas-fir forest. <i>Agricultural and Forest Meteorology</i> , 2001, 108, 247-264.	4.8	51
134	Soil water content measurements at different scales: accuracy of time domain reflectometry and ground-penetrating radar. <i>Journal of Hydrology</i> , 2001, 245, 48-58.	5.4	274
135	Analysing forest transpiration model errors with artificial neural networks. <i>Journal of Hydrology</i> , 2001, 246, 197-208.	5.4	26
136	Information Content of Data for Identifying Soil Hydraulic Parameters from Outflow Experiments. <i>Soil Science Society of America Journal</i> , 2001, 65, 19-27.	2.2	99
137	Towards understanding tree root profiles: simulating hydrologically optimal strategies for root distribution. <i>Hydrology and Earth System Sciences</i> , 2001, 5, 629-644.	4.9	55
138	Information content of time domain reflectometry waveforms. <i>Water Resources Research</i> , 2001, 37, 1291-1299.	4.2	36
139	On the information content of forest transpiration measurements for identifying canopy conductance model parameters. <i>Hydrological Processes</i> , 2001, 15, 2821-2832.	2.6	10
140	Tortuosity of an Unsaturated Sandy Soil Estimated using Gas Diffusion and Bulk Soil Electrical Conductivity. <i>Soil Science Society of America Journal</i> , 2001, 65, 1577-1584.	2.2	37
141	Potentials and limitations of modelling vertical distributions of root water uptake of an Austrian pine forest on a sandy soil. <i>Hydrological Processes</i> , 2000, 14, 103-115.	2.6	23
142	Modelling forest transpiration from different perspectives. <i>Hydrological Processes</i> , 2000, 14, 251-260.	2.6	25
143	Modeling daily gas exchange of a Douglas-fir forest: comparison of three stomatal conductance models with and without a soil water stress function. <i>Tree Physiology</i> , 2000, 20, 115-122.	3.1	93
144	Gross rainfall and its partitioning into throughfall, stemflow and evaporation of intercepted water in four forest ecosystems in western Amazonia. <i>Journal of Hydrology</i> , 2000, 237, 40-57.	5.4	211

#	ARTICLE	IF	CITATIONS
145	A method for identifying optimum strategies of measuring soil water contents for calibrating a root water uptake model. <i>Journal of Hydrology</i> , 2000, 227, 273-286.	5.4	81
146	Analyzing latent heat fluxes of coniferous forests with fuzzy logic. <i>Water Resources Research</i> , 2000, 36, 1865-1872.	4.2	6
147	Modeling the Gas Diffusion Coefficient in Analogy to Electrical Conductivity Using a Capillary Model. <i>Soil Science Society of America Journal</i> , 2000, 64, 527-532.	2.2	13
148	Comparison of calibration and direct measurement of cable and probe properties in time domain reflectometry. <i>Soil Science Society of America Journal</i> , 1999, 63, 1615-1617.	2.2	11
149	Water and carbon fluxes above European coniferous forests modelled with artificial neural networks. <i>Ecological Modelling</i> , 1999, 120, 181-197.	2.5	51
150	Anoxic microsites in Douglas fir litter. <i>Soil Biology and Biochemistry</i> , 1999, 31, 1295-1301.	8.8	46
151	Simultaneous measurement of water retention and electrical conductivity in soils: Testing the Mualem-Friedman Tortuosity Model. <i>Water Resources Research</i> , 1999, 35, 1781-1787.	4.2	20
152	Assessing rooting depths of an austrian pine stand by inverse modeling soil water content maps. <i>Water Resources Research</i> , 1999, 35, 3041-3048.	4.2	40
153	Forest floor evaporation in a dense Douglas fir stand. <i>Journal of Hydrology</i> , 1997, 193, 97-113.	5.4	67
154	Forest floor water content dynamics in a Douglas fir stand. <i>Journal of Hydrology</i> , 1997, 201, 367-383.	5.4	70
155	Modeling water retention curves of sandy soils using neural networks. <i>Water Resources Research</i> , 1996, 32, 3033-3040.	4.2	231
156	Monitoring and modelling canopy water storage amounts in support of atmospheric deposition studies. <i>Journal of Hydrology</i> , 1996, 181, 305-321.	5.4	55
157	Assessing mineralization rates of petroleum hydrocarbons in soils in relation to environmental factors and experimental scale. <i>Biodegradation</i> , 1996, 7, 487-500.	3.0	33
158	The Role of Organic Soil Profiles on Water Availability in Forests: Sensitivity Analyses. <i>Studies in Environmental Science</i> , 1995, 65, 729-734.	0.0	1
159	Soil water dynamics of the Solling spruce stand, calculated with the forhyd simulation package. <i>Ecological Modelling</i> , 1995, 83, 67-75.	2.5	20
160	Water balance of the Solling spruce stand as simulated with various forest-soil-atmosphere models. <i>Ecological Modelling</i> , 1995, 83, 245-253.	2.5	21
161	Assessing Temporal Variations in Soil Water Composition with Time Domain Reflectometry. <i>Soil Science Society of America Journal</i> , 1995, 59, 689-698.	2.2	174
162	Plant Control on Evapotranspiration: Models and Measurements. , 1995, , 105-133.		3

#	ARTICLE	IF	CITATIONS
163	Frequency domain analysis of time domain reflectometry waveforms: 2. A four-component complex dielectric mixing model for soils. <i>Water Resources Research</i> , 1994, 30, 201-209.	4.2	101
164	Comparison of Six Methods To Determine Unsaturated Soil Hydraulic Conductivity. <i>Soil Science Society of America Journal</i> , 1994, 58, 1596-1603.	2.2	68
165	Soil water dynamics and long-term water balances of a Douglas fir stand in the Netherlands. <i>Journal of Hydrology</i> , 1994, 156, 265-283.	5.4	52
166	The application of TDR in laboratory column experiments. <i>Soil and Tillage Research</i> , 1993, 6, 261-272.	0.4	10
167	Spatial patterns of throughfall and soil water dynamics in a Douglas fir stand. <i>Water Resources Research</i> , 1992, 28, 3227-3233.	4.2	114
168	Modelling soil water dynamics in a forested ecosystem. I: A site specific evaluation. <i>Hydrological Processes</i> , 1992, 6, 435-444.	2.6	23
169	Modelling soil water dynamics in a forest ecosystem. II: Evaluation of spatial variation of soil profiles. <i>Hydrological Processes</i> , 1992, 6, 445-454.	2.6	13
170	Modelling soil water dynamics in a forested ecosystem. III: Model description and evaluation of discretization. <i>Hydrological Processes</i> , 1992, 6, 455-465.	2.6	69
171	Nitrous oxide dynamics in an oak-beech forest ecosystem in the Netherlands. <i>Forest Ecology and Management</i> , 1991, 44, 53-61.	3.2	42
172	Microwave transmission, a new tool in forest hydrological research. <i>Journal of Hydrology</i> , 1991, 124, 119-130.	5.4	54
173	Microwave transmission, a new tool in forest hydrological research – Reply. <i>Journal of Hydrology</i> , 1991, 125, 313-317.	5.4	16
174	A comparison of field methods for measuring soil carbon dioxide evolution: Experiments and simulation. <i>Plant and Soil</i> , 1991, 135, 133-142.	3.7	58
175	The proton cycle of a deciduous forest ecosystem in the Netherlands and its implications for soil acidification. <i>Plant and Soil</i> , 1990, 127, 61-69.	3.7	35
176	A computer-controlled 36-channel time domain reflectometry system for monitoring soil water contents. <i>Water Resources Research</i> , 1990, 26, 2311-2316.	4.2	81
177	Spatial variability in nutrient deposition under an oak/beech canopy. <i>Zeitschrift Fur Pflanzenernahrung Und Bodenkunde = Journal of Plant Nutrition and Plant Science</i> , 1986, 149, 718-727.	0.4	22
178	Relationships between precipitation chemistry and some meteorological parameters in the Netherlands: a statistical evaluation. <i>Water, Air, and Soil Pollution</i> , 1986, 28, 213-223.	2.4	9
179	Evaluation of the Hot Air Method for Measuring Soil Water Diffusivity. <i>Soil Science Society of America Journal</i> , 1985, 49, 1093-1099.	2.2	19
180	eEcoLiDAR, eScience infrastructure for ecological applications of LiDAR point clouds: reconstructing the 3D ecosystem structure for animals at regional to continental scales. <i>Research Ideas and Outcomes</i> , 0, 3, e14939.	1.0	17