

Judith Ann Clements

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/491069/publications.pdf>

Version: 2024-02-01

151
papers

10,077
citations

36303

51
h-index

38395

95
g-index

158
all docs

158
docs citations

158
times ranked

14124
citing authors

#	ARTICLE	IF	CITATIONS
1	Remodelling of the tumour microenvironment by the kallikrein-related peptidases. <i>Nature Reviews Cancer</i> , 2022, 22, 223-238.	28.4	38
2	A Suite of Activity-Based Probes To Dissect the KLK Activome in Drug-Resistant Prostate Cancer. <i>Journal of the American Chemical Society</i> , 2021, 143, 8911-8924.	13.7	14
3	In vitro engineering of a bone metastases model allows for study of the effects of antiandrogen therapies in advanced prostate cancer. <i>Science Advances</i> , 2021, 7, .	10.3	20
4	KLK4 Induces Anti-Tumor Effects in Human Xenograft Mouse Models of Orthotopic and Metastatic Prostate Cancer. <i>Cancers</i> , 2020, 12, 3501.	3.7	5
5	Microenvironment engineering of osteoblastic bone metastases reveals osteomimicry of patient-derived prostate cancer xenografts. <i>Biomaterials</i> , 2019, 220, 119402.	11.4	28
6	Integration of Two In-depth Quantitative Proteomics Approaches Determines the Kallikrein-related Peptidase 7 (KLK7) Degradome in Ovarian Cancer Cell Secretome. <i>Molecular and Cellular Proteomics</i> , 2019, 18, 818a-836.	3.8	16
7	Engineering osteoblastic metastases to delineate the adaptive response of androgen-deprived prostate cancer in the bone metastatic microenvironment. <i>Bone Research</i> , 2019, 7, 13.	11.4	27
8	MicroRNA-3162-5p-Mediated Crosstalk between Kallikrein Family Members Including Prostate-Specific Antigen in Prostate Cancer. <i>Clinical Chemistry</i> , 2019, 65, 771-780.	3.2	15
9	Prostate Cancer Risk-Associated Single-Nucleotide Polymorphism Affects Prostate-Specific Antigen Glycosylation and Its Function. <i>Clinical Chemistry</i> , 2019, 65, e1-e9.	3.2	17
10	Kallikrein-related peptidases 4, 5, 6 and 7 regulate tumour-associated factors in serous ovarian cancer. <i>British Journal of Cancer</i> , 2018, 119, 1-9.	6.4	27
11	Kallikrein-related peptidase 4 induces cancer-associated fibroblast features in prostate-derived stromal cells. <i>Molecular Oncology</i> , 2017, 11, 1307-1329.	4.6	17
12	Mass spectrometry based proteomics analyses in kallikrein-related peptidase research: implications for cancer research and therapy. <i>Expert Review of Proteomics</i> , 2017, 14, 1119-1130.	3.0	1
13	Height, selected genetic markers and prostate cancer risk: results from the PRACTICAL consortium. <i>British Journal of Cancer</i> , 2017, 117, 734-743.	6.4	7
14	Mass spectrometry-based determination of Kallikrein-related peptidase 7 (KLK7) cleavage preferences and subsite dependency. <i>Scientific Reports</i> , 2017, 7, 6789.	3.3	6
15	Selective Substrates and Inhibitors for Kallikrein-Related Peptidase 7 (KLK7) Shed Light on KLK Proteolytic Activity in the Stratum Corneum. <i>Journal of Investigative Dermatology</i> , 2017, 137, 430-439.	0.7	50
16	Enter the Dragon: The Dynamic and Multifunctional Evolution of Anguimorpha Lizard Venoms. <i>Toxins</i> , 2017, 9, 242.	3.4	37
17	Pericellular regulation of prostate cancer expressed kallikrein-related peptidases and matrix metalloproteinases by cell surface serine proteases. <i>American Journal of Cancer Research</i> , 2017, 7, 2257-2274.	1.4	10
18	MicroRNA Theranostics in Prostate Cancer Precision Medicine. <i>Clinical Chemistry</i> , 2016, 62, 1318-1333.	3.2	47

#	ARTICLE	IF	CITATIONS
19	Prostate Cancer-Associated Kallikrein-Related Peptidase 4 Activates Matrix Metalloproteinase-1 and Thrombospondin-1. <i>Journal of Proteome Research</i> , 2016, 15, 2466-2478.	3.7	30
20	Lycopene's Effects on Cancer Cell Functions within Monolayer and Spheroid Cultures. <i>Nutrition and Cancer</i> , 2016, 68, 350-363.	2.0	7
21	Assays for Qualification and Quality Stratification of Clinical Biospecimens Used in Research: A Technical Report from the ISBER Biospecimen Science Working Group. <i>Biopreservation and Biobanking</i> , 2016, 14, 398-409.	1.0	40
22	<i>In vitro</i> evidence that KLK14 regulates the components of the HGF/Met axis, pro-HGF and HGF-activator inhibitor 1A and 1B. <i>Biological Chemistry</i> , 2016, 397, 1299-1305.	2.5	8
23	Genome-Wide Meta-Analyses of Breast, Ovarian, and Prostate Cancer Association Studies Identify Multiple New Susceptibility Loci Shared by at Least Two Cancer Types. <i>Cancer Discovery</i> , 2016, 6, 1052-1067.	9.4	157
24	Atlas of prostate cancer heritability in European and African-American men pinpoints tissue-specific regulation. <i>Nature Communications</i> , 2016, 7, 10979.	12.8	50
25	A computational analysis of the genetic and transcript diversity at the kallikrein locus. <i>Biological Chemistry</i> , 2016, 397, 1307-1313.	2.5	3
26	Exploring the active site binding specificity of kallikrein-related peptidase 5 (KLK5) guides the design of new peptide substrates and inhibitors. <i>Biological Chemistry</i> , 2016, 397, 1237-1249.	2.5	28
27	Single nucleotide polymorphisms in clinics: Fantasy or reality for cancer?. <i>Critical Reviews in Clinical Laboratory Sciences</i> , 2016, 53, 29-39.	6.1	71
28	Tie-2 regulates the stemness and metastatic properties of prostate cancer cells. <i>Oncotarget</i> , 2016, 7, 2572-2584.	1.8	21
29	Adipocytes promote prostate cancer stem cell self-renewal through amplification of the cholecystokinin autocrine loop. <i>Oncotarget</i> , 2016, 7, 4939-4948.	1.8	24
30	Fusion transcript loci share many genomic features with non-fusion loci. <i>BMC Genomics</i> , 2015, 16, 1021.	2.8	16
31	Prediction of individual genetic risk to prostate cancer using a polygenic score. <i>Prostate</i> , 2015, 75, 1467-1474.	2.3	54
32	Tissue engineered humanized bone supports human hematopoiesis <i>in vivo</i> . <i>Biomaterials</i> , 2015, 61, 103-114.	11.4	62
33	A genetic variant of MDM4 influences regulation by multiple microRNAs in prostate cancer. <i>Endocrine-Related Cancer</i> , 2015, 22, 265-276.	3.1	56
34	A Large-Scale Analysis of Genetic Variants within Putative miRNA Binding Sites in Prostate Cancer. <i>Cancer Discovery</i> , 2015, 5, 368-379.	9.4	56
35	Association between single-nucleotide polymorphisms in growth factor genes and quality of life in men with prostate cancer and the general population. <i>Quality of Life Research</i> , 2015, 24, 2183-2193.	3.1	3
36	Risk Analysis of Prostate Cancer in PRACTICAL, a Multinational Consortium, Using 25 Known Prostate Cancer Susceptibility Loci. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2015, 24, 1121-1129.	2.5	56

#	ARTICLE	IF	CITATIONS
37	Multiple novel prostate cancer susceptibility signals identified by fine-mapping of known risk loci among Europeans. <i>Human Molecular Genetics</i> , 2015, 24, 5589-5602.	2.9	67
38	Genome-Wide Association Study of Prostate Cancer–Specific Survival. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2015, 24, 1796-1800.	2.5	27
39	Transforming the Future of Treatment for Ovarian Cancer. <i>Clinical & Experimental Pharmacology</i> , 2014, 04, .	0.3	0
40	Fine-Mapping the HOXB Region Detects Common Variants Tagging a Rare Coding Allele: Evidence for Synthetic Association in Prostate Cancer. <i>PLoS Genetics</i> , 2014, 10, e1004129.	3.5	34
41	Proteomic and other analyses to determine the functional consequences of deregulated kallikrein–related peptidase (<scp>KLK</scp>) expression in prostate and ovarian cancer. <i>Proteomics - Clinical Applications</i> , 2014, 8, 403-415.	1.6	10
42	Analysis of androgen and anti-androgen regulation of KLK-related peptidase 2, 3, and 4 alternative transcripts in prostate cancer. <i>Biological Chemistry</i> , 2014, 395, 1127-1132.	2.5	17
43	Single Nucleotide Polymorphisms (SNPs). , 2014, , 55-80.		2
44	Metastasis of ovarian cancer is mediated by kallikrein related peptidases. <i>Clinical and Experimental Metastasis</i> , 2014, 31, 135-147.	3.3	47
45	A humanized tissue-engineered in vivo model to dissect interactions between human prostate cancer cells and human bone. <i>Clinical and Experimental Metastasis</i> , 2014, 31, 435-446.	3.3	39
46	Paracrine interactions between LNCaP prostate cancer cells and bioengineered bone in 3D in vitro culture reflect molecular changes during bone metastasis. <i>Bone</i> , 2014, 63, 121-131.	2.9	58
47	Secretome and degradome profiling shows that Kallikrein–related peptidases 4, 5, 6, and 7 induce TGF β 1 signaling in ovarian cancer cells. <i>Molecular Oncology</i> , 2014, 8, 68-82.	4.6	51
48	Activation of membrane-bound proteins and receptor systems: a link between tissue kallikrein and the KLK-related peptidases. <i>Biological Chemistry</i> , 2014, 395, 977-990.	2.5	13
49	A meta-analysis of 87,040 individuals identifies 23 new susceptibility loci for prostate cancer. <i>Nature Genetics</i> , 2014, 46, 1103-1109.	21.4	408
50	Engineered microenvironments provide new insights into ovarian and prostate cancer progression and drug responses. <i>Advanced Drug Delivery Reviews</i> , 2014, 79-80, 193-213.	13.7	45
51	Species-specific homing mechanisms of human prostate cancer metastasis in tissue engineered bone. <i>Biomaterials</i> , 2014, 35, 4108-4115.	11.4	95
52	3D Cultures of Prostate Cancer Cells Cultured in a Novel High-Throughput Culture Platform Are More Resistant to Chemotherapeutics Compared to Cells Cultured in Monolayer. <i>PLoS ONE</i> , 2014, 9, e111029.	2.5	79
53	Kallikrein-Related Peptidases in Prostate Cancer: From Molecular Function to Clinical Application. <i>Electronic Journal of the International Federation of Clinical Chemistry and Laboratory Medicine</i> , 2014, 25, 269-81.	0.7	14
54	A bioengineered 3D ovarian cancer model for the assessment of peptidase–mediated enhancement of spheroid growth and intraperitoneal spread. <i>Biomaterials</i> , 2013, 34, 7389-7400.	11.4	53

#	ARTICLE	IF	CITATIONS
55	Candidate gene association studies: a comprehensive guide to useful in silico tools. BMC Genetics, 2013, 14, 39.	2.7	115
56	The Human Tissue Kallikrein and Kallikrein-related Peptidase Family. , 2013, , 2747-2756.		1
57	Humanised xenograft models of bone metastasis revisited: novel insights into species-specific mechanisms of cancer cell osteotropism. Cancer and Metastasis Reviews, 2013, 32, 129-145.	5.9	41
58	Identification of Evidence-Based Biospecimen Quality-Control Tools. Journal of Molecular Diagnostics, 2013, 15, 3-16.	2.8	79
59	Identification of 23 new prostate cancer susceptibility loci using the iCOGS custom genotyping array. Nature Genetics, 2013, 45, 385-391.	21.4	492
60	Common variation in Kallikrein genes KLK5, KLK6, KLK12, and KLK13 and risk of prostate cancer and tumor aggressiveness. Urologic Oncology: Seminars and Original Investigations, 2013, 31, 635-643.	1.6	30
61	A meta-analysis of genome-wide association studies to identify prostate cancer susceptibility loci associated with aggressive and non-aggressive disease. Human Molecular Genetics, 2013, 22, 408-415.	2.9	118
62	The Potential Role of Lycopene for the Prevention and Therapy of Prostate Cancer: From Molecular Mechanisms to Clinical Evidence. International Journal of Molecular Sciences, 2013, 14, 14620-14646.	4.1	146
63	Delineating breast cancer cell interactions with engineered bone microenvironments. Journal of Bone and Mineral Research, 2013, 28, 1399-1411.	2.8	33
64	Paclitaxel Resistance and Multicellular Spheroid Formation Are Induced by Kallikrein-Related Peptidase 4 in Serous Ovarian Cancer Cells in an Ascites Mimicking Microenvironment. PLoS ONE, 2013, 8, e57056.	2.5	47
65	Breast Cancer Cells Induce Osteolytic Bone Lesions In vivo through a Reduction in Osteoblast Activity in Mice. PLoS ONE, 2013, 8, e68103.	2.5	17
66	Kallikrein-related Peptidase 15 (Prostinogen). , 2013, , 2814-2817.		0
67	Expression of PTRF in PC-3 Cells Modulates Cholesterol Dynamics and the Actin Cytoskeleton Impacting Secretion Pathways. Molecular and Cellular Proteomics, 2012, 11, M111.012245.	3.8	59
68	The Cell Surface Glycoprotein CUB Domain-containing Protein 1 (CDCP1) Contributes to Epidermal Growth Factor Receptor-mediated Cell Migration. Journal of Biological Chemistry, 2012, 287, 9792-9803.	3.4	36
69	The <i>kallikrein 14</i> gene is down-regulated by androgen receptor signalling and harbours genetic variation that is associated with prostate tumour aggressiveness. Biological Chemistry, 2012, 393, 403-412.	2.5	15
70	Genetic polymorphisms in the human tissue <i>kallikrein (KLK)</i> locus and their implication in various malignant and non-malignant diseases. Biological Chemistry, 2012, 393, 1365-1390.	2.5	24
71	Combined expression of KLK4, KLK5, KLK6, and KLK7 by ovarian cancer cells leads to decreased adhesion and paclitaxel-induced chemoresistance. Gynecologic Oncology, 2012, 127, 569-578.	1.4	33
72	Standard Preanalytical Coding for Biospecimens: Review and Implementation of the Sample PREanalytical Code (SPREC). Biopreservation and Biobanking, 2012, 10, 366-374.	1.0	146

#	ARTICLE	IF	CITATIONS
73	Selective Cleavage of Human Sex Hormone-Binding Globulin by Kallikrein-Related Peptidases and Effects on Androgen Action in LNCaP Prostate Cancer Cells. <i>Endocrinology</i> , 2012, 153, 3179-3189.	2.8	11
74	Long Terminal Repeats Act as Androgen-Responsive Enhancers for the PSA-Kallikrein Locus. <i>Endocrinology</i> , 2012, 153, 3199-3210.	2.8	17
75	Human kallikrein 4 signal peptide induces cytotoxic T cell responses in healthy donors and prostate cancer patients. <i>Cancer Immunology, Immunotherapy</i> , 2012, 61, 169-179.	4.2	21
76	Phenotypic Characterization of Prostate Cancer LNCaP Cells Cultured within a Bioengineered Microenvironment. <i>PLoS ONE</i> , 2012, 7, e40217.	2.5	75
77	Genetic Association of the KLK4 Locus with Risk of Prostate Cancer. <i>PLoS ONE</i> , 2012, 7, e44520.	2.5	18
78	A Kallikrein 15 (KLK15) single nucleotide polymorphism located close to a novel exon shows evidence of association with poor ovarian cancer survival. <i>BMC Cancer</i> , 2011, 11, 119.	2.6	20
79	Reactivation of embryonic nodal signaling is associated with tumor progression and promotes the growth of prostate cancer cells. <i>Prostate</i> , 2011, 71, 1198-1209.	2.3	93
80	Correlation of the expression of human kallikrein-related peptidases 4 and 7 with the prognosis in oral squamous cell carcinoma. <i>Head and Neck</i> , 2011, 33, 566-572.	2.0	17
81	Seven prostate cancer susceptibility loci identified by a multi-stage genome-wide association study. <i>Nature Genetics</i> , 2011, 43, 785-791.	21.4	265
82	Kallikrein-Related Peptidase 3 (KLK3/PSA) Single Nucleotide Polymorphisms and Ovarian Cancer Survival. <i>Twin Research and Human Genetics</i> , 2011, 14, 323-327.	0.6	11
83	A Replication Study Examining Novel Common Single Nucleotide Polymorphisms Identified Through a Prostate Cancer Genome-wide Association Study in a Japanese Population. <i>American Journal of Epidemiology</i> , 2011, 174, 1391-1395.	3.4	14
84	Association between Prostate Cancer Risk and Aggressiveness in Australia and a Meta-Analysis of GWAS Data. <i>PLoS ONE</i> , 2011, 6, e26527.	2.5	14
85	Kallikrein-Related Peptidase 10 (KLK10) Expression and Single Nucleotide Polymorphisms in Ovarian Cancer Survival. <i>International Journal of Gynecological Cancer</i> , 2010, 20, 529-536.	2.5	18
86	Bioengineered 3D platform to explore cell-ECM interactions and drug resistance of epithelial ovarian cancer cells. <i>Biomaterials</i> , 2010, 31, 8494-8506.	11.4	533
87	Can tissue engineering concepts advance tumor biology research?. <i>Trends in Biotechnology</i> , 2010, 28, 125-133.	9.3	208
88	Mineralized human primary osteoblast matrices as a model system to analyse interactions of prostate cancer cells with the bone microenvironment. <i>Biomaterials</i> , 2010, 31, 7928-7936.	11.4	101
89	A variant of the KLK4 gene is expressed as a cis sense-antisense chimeric transcript in prostate cancer cells. <i>Rna</i> , 2010, 16, 1156-1166.	3.5	36
90	Expression of PSA-RP2, an alternatively spliced variant from the PSA gene, is increased in prostate cancer tissues but the protein is not secreted from prostate cancer cells. <i>Biological Chemistry</i> , 2010, 391, 461-6.	2.5	8

#	ARTICLE	IF	CITATIONS
91	Kallikrein-Related Peptidase 7 Promotes Multicellular Aggregation via the $\alpha_5\beta_1$ Integrin Pathway and Paclitaxel Chemoresistance in Serous Epithelial Ovarian Carcinoma. <i>Cancer Research</i> , 2010, 70, 2624-2633.	0.9	82
92	Kallikreins on Steroids: Structure, Function, and Hormonal Regulation of Prostate-Specific Antigen and the Extended Kallikrein Locus. <i>Endocrine Reviews</i> , 2010, 31, 407-446.	20.1	214
93	Comparative Biomarker Expression and RNA Integrity in Biospecimens Derived from Radical Retropubic and Robot-Assisted Laparoscopic Prostatectomies. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2010, 19, 1755-1765.	2.5	13
94	Interactions between human osteoblasts and prostate cancer cells in a novel 3D in vitro model. <i>Organogenesis</i> , 2010, 6, 181-188.	1.2	69
95	Global Levels of Specific Histone Modifications and an Epigenetic Gene Signature Predict Prostate Cancer Progression and Development. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2010, 19, 2611-2622.	2.5	145
96	The Use of Predictive or Prognostic Genetic Biomarkers in Endometrial and Other Hormone-Related Cancers: Justification for Extensive Candidate Gene Single Nucleotide Polymorphism Studies of the Matrix Metalloproteinase Family and their Inhibitors. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2009, 18, 2352-2365.	2.5	18
97	Direct Progesterone Receptor and Indirect Androgen Receptor Interactions with the Kallikrein-Related Peptidase 4 Gene Promoter in Breast and Prostate Cancer. <i>Molecular Cancer Research</i> , 2009, 7, 129-141.	3.4	26
98	Translating tissue engineering technology platforms into cancer research. <i>Journal of Cellular and Molecular Medicine</i> , 2009, 13, 1417-1427.	3.6	122
99	Identification of seven new prostate cancer susceptibility loci through a genome-wide association study. <i>Nature Genetics</i> , 2009, 41, 1116-1121.	21.4	389
100	Substrate-Guided Design of a Potent and Selective Kallikrein-Related Peptidase Inhibitor for Kallikrein 4. <i>Chemistry and Biology</i> , 2009, 16, 633-643.	6.0	109
101	A novel transcript from the <i>KLKP1</i> gene is androgen regulated, down-regulated during prostate cancer progression and encodes the first non-serine protease identified from the human kallikrein gene locus. <i>Prostate</i> , 2008, 68, 381-399.	2.3	23
102	Tissue-specific promoter utilisation of the kallikrein-related peptidase genes, <i>KLK5</i> and <i>KLK7</i> , and cellular localisation of the encoded proteins suggest roles in exocrine pancreatic function. <i>Biological Chemistry</i> , 2008, 389, 99-109.	2.5	17
103	Reflections on the tissue kallikrein and kallikrein-related peptidase family “from mice to men” what have we learnt in the last two decades?. <i>Biological Chemistry</i> , 2008, 389, 1447-1454.	2.5	22
104	Kallikrein-related Peptidase 4 (KLK4) Initiates Intracellular Signaling via Protease-activated Receptors (PARs). <i>Journal of Biological Chemistry</i> , 2008, 283, 12293-12304.	3.4	122
105	Prostatic trypsin-like kallikrein-related peptidases (KLKs) and other prostate-expressed tryptic proteinases as regulators of signalling via proteinase-activated receptors (PARs). <i>Biological Chemistry</i> , 2008, 389, 653-668.	2.5	38
106	Seminal Fluid Characterization for Male Fertility and Prostate Cancer: Kallikrein-Related Serine Proteases and Whole Proteome Approaches. <i>Seminars in Thrombosis and Hemostasis</i> , 2007, 33, 087-099.	2.7	56
107	Epithelial-Mesenchymal Transition in Prostate Cancer and the Potential Role of Kallikrein Serine Proteases. <i>Cells Tissues Organs</i> , 2007, 185, 111-115.	2.3	30
108	Epithelial-mesenchymal and mesenchymal-epithelial transitions in carcinoma progression. <i>Journal of Cellular Physiology</i> , 2007, 213, 374-383.	4.1	957

#	ARTICLE	IF	CITATIONS
109	Kallikrein 4 is a potential mediator of cellular interactions between cancer cells and osteoblasts in metastatic prostate cancer. <i>Prostate</i> , 2007, 67, 348-360.	2.3	50
110	Bone and prostate cancer cell interactions in metastatic prostate cancer. <i>BJU International</i> , 2007, 99, 735-742.	2.5	30
111	Kallikrein-related peptidase (KLK) family mRNA variants and protein isoforms in hormone-related cancers: do they have a function?. <i>Biological Chemistry</i> , 2006, 387, 697-705.	2.5	36
112	PSA/KLK3 ARE1 promoter polymorphism alters androgen receptor binding and is associated with prostate cancer susceptibility. <i>Carcinogenesis</i> , 2006, 28, 1032-1039.	2.8	54
113	A comprehensive nomenclature for serine proteases with homology to tissue kallikreins. <i>Biological Chemistry</i> , 2006, 387, 637-41.	2.5	123
114	The role of kallikrein-related peptidases in prostate cancer: potential involvement in an epithelial to mesenchymal transition. <i>Biological Chemistry</i> , 2006, 387, 707-14.	2.5	32
115	The Tissue Kallikrein Family of Serine Proteases: Functional Roles in Human Disease and Potential as Clinical Biomarkers. <i>Critical Reviews in Clinical Laboratory Sciences</i> , 2004, 41, 265-312.	6.1	198
116	Expression analysis of β -catenin and prostate-specific membrane antigen: Their potential as diagnostic markers for prostate cancer. <i>International Journal of Cancer</i> , 2002, 100, 228-237.	5.1	111
117	Identification and Characterization of KLK14, a Novel Kallikrein Serine Protease Gene Located on Human Chromosome 19q13.4 and Expressed in Prostate and Skeletal Muscle. <i>Genomics</i> , 2001, 73, 117-122.	2.9	56
118	TTYH2, a Human Homologue of the <i>Drosophila melanogaster</i> Gene <i>tweety</i> , Is Located on 17q24 and Upregulated in Renal Cell Carcinoma. <i>Genomics</i> , 2001, 77, 200-207.	2.9	40
119	Type II Transmembrane Serine Proteases. <i>Journal of Biological Chemistry</i> , 2001, 276, 857-860.	3.4	317
120	Characterization of a novel gene, STAG1/PMEPA1, upregulated in renal cell carcinoma and other solid tumors. <i>Molecular Carcinogenesis</i> , 2001, 32, 44-53.	2.7	68
121	The Expanded Human Kallikrein (KLK) Gene Family: Genomic Organisation, Tissue-Specific Expression and Potential Functions. <i>Biological Chemistry</i> , 2001, 382, 5-14.	2.5	126
122	Kallikrein 4 (KLK4), A New Member of the Human Kallikrein Gene Family Is Up-Regulated By Estrogen and Progesterone in the Human Endometrial Cancer Cell Line, KLE. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2001, 86, 2323-2323.	3.6	13
123	Tissue-specific Expression Patterns and Fine Mapping of the Human Kallikrein (KLK) Locus on Proximal 19q13.4. <i>Journal of Biological Chemistry</i> , 2000, 275, 37397-37406.	3.4	125
124	Temporal and Tissue-Specific Expression of Kallikrein (Klk) Genes and Identification of a Novel Klk Messenger Ribonucleic Acid Transcript during Early Development in the Mouse ¹ . <i>Biology of Reproduction</i> , 1999, 61, 621-628.	2.7	20
125	Localization of a New Prostate-specific Antigen-related Serine Protease Gene, KLK4, Is Evidence for an Expanded Human Kallikrein Gene Family Cluster on Chromosome 19q13.3-13.4. <i>Journal of Biological Chemistry</i> , 1999, 274, 23210-23214.	3.4	90
126	The human tissue kallikreins (KLKs 1-3) and a novel KLK1 mRNA transcript are expressed in a renal cell carcinoma cDNA library. <i>Immunopharmacology</i> , 1999, 45, 83-88.	2.0	20

#	ARTICLE	IF	CITATIONS
127	MOLECULAR DETECTION OF PROSTATE CELLS IN EJACULATE AND URETHRAL WASHINGS IN MEN WITH SUSPECTED PROSTATE CANCER. <i>Journal of Urology</i> , 1999, 161, 1337-1343.	0.4	32
128	ACTIVATION OF THE KALLIKREIN KININ SYSTEM IN INTERSTITIAL CYSTITIS. <i>Journal of Urology</i> , 1999, 162, 129-134.	0.4	27
129	KALLIKREINS AND KININS IN INFLAMMATORY-LIKE EVENTS IN THE REPRODUCTIVE TRACT. <i>Pharmacological Research</i> , 1997, 35, 537-540.	7.1	21
130	The Molecular Biology of the Kallikreins and their Roles in Inflammation. , 1997, , 71-97.		34
131	Tissue kallikrein and the bradykinin B2 receptor are expressed in endometrial and prostate cancers. <i>Immunopharmacology</i> , 1997, 36, 217-220.	2.0	30
132	The human kallikrein gene family: a diversity of expression and function. <i>Molecular and Cellular Endocrinology</i> , 1994, 99, C1-C6.	3.2	101
133	Oestrogen administration and the expression of the kallikrein gene family in the rat submandibular gland. <i>The Journal of Steroid Biochemistry</i> , 1990, 35, 55-60.	1.1	9
134	Glucocorticoid Regulation of Proopiomelanocortin Gene Expression in the Pituitary Gland of Hypothalamopituitary Intact and Hypothalamopituitary Disconnected Sheep. <i>Neuroendocrinology</i> , 1989, 50, 280-285.	2.5	31
135	Regulation of Follicle-Stimulating Hormone \hat{I}^2 and Common $\hat{I}\pm$ -Subunit Messenger Ribonucleic Acid by Gonadotropin-Releasing Hormone and Estrogen in the Sheep Pituitary. <i>Neuroendocrinology</i> , 1989, 50, 321-326.	2.5	29
136	The Glandular Kallikrein Family of Enzymes: Tissue Specific Expression and Hormonal Regulation. <i>Endocrine Reviews</i> , 1989, 10, 393-419.	20.1	214
137	The Expression of the Kallikrein Gene Family in the Rat Pituitary: Oestrogen Effects and the Expression of an Additional Family Member in the Neurointermediate Lobe. <i>Journal of Neuroendocrinology</i> , 1989, 1, 198-203.	2.6	13
138	Gonadal steroids and anterior lobe dynorphin in the male rat. <i>The Journal of Steroid Biochemistry</i> , 1989, 32, 303-308.	1.1	5
139	Regulation of liver angiotensinogen mRNA by glucocorticoids and thyroxine. <i>Molecular and Cellular Endocrinology</i> , 1989, 61, 147-156.	3.2	23
140	Kallikrein gene expression in estrogen-induced pituitary tumors. <i>Molecular and Cellular Endocrinology</i> , 1988, 60, 225-232.	3.2	28
141	Post-Translational Processing of Pro-Opiomelanocortin in the Brattleboro (di/di) Rat Pituitary. <i>Neuroendocrinology</i> , 1988, 48, 603-610.	2.5	8
142	Concomitant Dopaminergic and Glucocorticoid Control of Pituitary Proopiomelanocortin Messenger Ribonucleic Acid and \hat{I}^2 -Endorphin Levels*. <i>Endocrinology</i> , 1987, 121, 1689-1696.	2.8	34
143	Inhibin a-subunit gene expression in the ovaries of immature female rats is stimulated by pregnant mare serum gonadotrophin. <i>Biochemical and Biophysical Research Communications</i> , 1986, 138, 1191-1195.	2.1	78
144	Estrogen Regulation of Kallikrein Gene Expression in the Rat Anterior Pituitary*. <i>Endocrinology</i> , 1986, 119, 268-273.	2.8	61

#	ARTICLE	IF	CITATIONS
145	Elevated Plasma Levels of Pro-opiomelanocortin-Derived Peptides in Sheep following Hypothalamo-Pituitary Disconnection. <i>Neuroendocrinology</i> , 1986, 44, 508-514.	2.5	42
146	Arginine Vasopressin (AVP) and AVP-Like Immunoreactivity in Peripheral Tissues. <i>Endocrine Reviews</i> , 1986, 7, 449-460.	20.1	69
147	Localization of Arginine Vasopressin-Neurophysin II Messenger Ribonucleic Acid in the Hypothalamus of Control and Brattleboro Rats by Hybridization Histochemistry with a Synthetic Pentadecamer Oligonucleotide Probe*. <i>Endocrinology</i> , 1985, 116, 2366-2368.	2.8	59
148	STRESS, DOPAMINERGIC BLOCKADE AND MEDIAN EMINENCE-NEUROINTERMEDIATE LOBE CATECHOLAMINE DEPLETION: EFFECTS ON HYPOTHALAMIC, PITUITARY AND PLASMA IMMUNOREACTIVE β -ENDORPHIN. <i>Clinical and Experimental Pharmacology and Physiology</i> , 1984, 11, 221-229.	1.9	4
149	Foot Shock Analgesia. <i>Neuroendocrinology</i> , 1982, 35, 236-241.	2.5	20
150	Naloxone, Adrenalectomy, and Steroid Replacement: Evidence against a Role for Circulating β -Endorphin in Food Intake*. <i>Endocrinology</i> , 1981, 108, 189-192.	2.8	26
151	Development of Anti-hLH Antibodies after Therapy with Posterior Pituitary Extract*. <i>Journal of Clinical Endocrinology and Metabolism</i> , 1978, 47, 1-8.	3.6	16