# Sophia Rabe-Hesketh

## List of Publications by Year in Descending Order

| | | | |
|---|---|---|---|
| 134 papers | 14,043 citations | 55 h-index | 118 g-index |
| 144 ext. papers | 15,594 ext. citations | 4.4 avg, IF | 6.19 L-index |

| # | Paper | IF | Citations |
|---|---|---|---|
| 134 | The Role of Conditional Likelihoods in Latent Variable Modeling.. *Psychometrika*, **2022**, 1 | 2.2 | 0 |
| 133 | A randomized controlled trial of the Transdiagnostic Intervention for Sleep and Circadian Dysfunction (TranS-C) to improve serious mental illness outcomes in a community setting. *Journal of Consulting and Clinical Psychology*, **2021**, 89, 537-550 | 6.5 | 9 |
| 132 | The Effect of Orthographic Neighbors on Second-Grade Students␣Spelling Acquisition. *Reading Research Quarterly*, **2021**, 56, 119-141 | 2.6 | 3 |
| 131 | A Dyadic IRT Model. *Psychometrika*, **2020**, 85, 815-836 | 2.2 | 1 |
| 130 | Trifactor Models for Multiple-Ratings Data. *Multivariate Behavioral Research*, **2019**, 54, 360-381 | 2.3 | 9 |
| 129 | Monte Carlo local likelihood approximation. *Biostatistics*, **2019**, 20, 164-179 | 3.7 | |
| 128 | Bayesian Comparison of Latent Variable Models: Conditional Versus Marginal Likelihoods. *Psychometrika*, **2019**, 84, 802-829 | 2.2 | 28 |
| 127 | Pairwise residuals and diagnostic tests for misspecified dependence structures in models for binary longitudinal data. *Statistics in Medicine*, **2018**, 37, 343-356 | 2.3 | 3 |
| 126 | CFA Models with a General Factor and Multiple Sets of Secondary Factors. *Psychometrika*, **2018**, 83, 785-808 | 2.2 | 2 |
| 125 | Modifying the Impact of Eveningness Chronotype ("Night-Owls") in Youth: A Randomized Controlled Trial. *Journal of the American Academy of Child and Adolescent Psychiatry*, **2018**, 57, 742-754 | 7.2 | 58 |
| 124 | The transition model test for serial dependence in mixed-effects models for binary data. *Statistical Methods in Medical Research*, **2017**, 26, 1756-1773 | 2.3 | 2 |
| 123 | A Variational Maximization-Maximization Algorithm for Generalized Linear Mixed Models with Crossed Random Effects. *Psychometrika*, **2017**, 82, 693 | 2.2 | 10 |
| 122 | Do academic preschools yield stronger benefits? Cognitive emphasis, dosage, and early learning. *Journal of Applied Developmental Psychology*, **2017**, 52, 1-11 | 2.5 | 22 |
| 121 | Can integrating the Memory Support Intervention into cognitive therapy improve depression outcome? Study protocol for a randomized controlled trial. *Trials*, **2017**, 18, 539 | 2.8 | 10 |
| 120 | A transdiagnostic sleep and circadian treatment to improve severe mental illness outcomes in a community setting: study protocol for a randomized controlled trial. *Trials*, **2016**, 17, 606 | 2.8 | 17 |
| 119 | An autoregressive growth model for longitudinal item analysis. *Psychometrika*, **2016**, 81, 830-50 | 2.2 | 7 |
| 118 | Improving outcome for mental disorders by enhancing memory for treatment. *Behaviour Research and Therapy*, **2016**, 81, 35-46 | 5.2 | 28 |

| | | | |
|---|---|---|---|
| 117 | Differing Cognitive Trajectories of Mexican American Toddlers: The Role of Class, Nativity, and Maternal Practices. *Hispanic Journal of Behavioral Sciences*, **2015**, 37, 139-169 | 0.7 | 19 |
| 116 | Weakly Informative Prior for Point Estimation of Covariance Matrices in Hierarchical Models. *Journal of Educational and Behavioral Statistics*, **2015**, 40, 136-157 | 1.7 | 47 |
| 115 | Treating insomnia improves mood state, sleep, and functioning in bipolar disorder: a pilot randomized controlled trial. *Journal of Consulting and Clinical Psychology*, **2015**, 83, 564-77 | 6.5 | 135 |
| 114 | Additive multilevel item structure models with random residuals: item modeling for explanation and item generation. *Psychometrika*, **2014**, 79, 84-104 | 2.2 | 20 |
| 113 | A Third-Order Item Response Theory Model for Modeling the Effects of Domains and Subdomains in Large-Scale Educational Assessment Surveys. *Journal of Educational and Behavioral Statistics*, **2014**, 39, 235-256 | 1.7 | 18 |
| 112 | Protective estimation of mixed-effects logistic regression when data are not missing at random. *Biometrika*, **2014**, 101, 175-188 | 2 | 7 |
| 111 | Handling Correlations Between Covariates and Random Slopes in Multilevel Models. *Journal of Educational and Behavioral Statistics*, **2014**, 39, 524-549 | 1.7 | 13 |
| 110 | Handling initial conditions and endogenous covariates in dynamic/transition models for binary data with unobserved heterogeneity. *Journal of the Royal Statistical Society Series C: Applied Statistics*, **2014**, 63, 211-237 | 1.5 | 39 |
| 109 | Missing ordinal covariate with informative selection. *Journal of the Royal Statistical Society Series A: Statistics in Society*, **2014**, 177, 319-344 | 2.1 | |
| 108 | Composition, Context, and Endogeneity in School and Teacher Comparisons. *Journal of Educational and Behavioral Statistics*, **2014**, 39, 333-367 | 1.7 | 28 |
| 107 | Incorporating Student Covariates in Cognitive Diagnosis Models. *Journal of Classification*, **2013**, 30, 195-224 | 1.4 | 6 |
| 106 | A nondegenerate penalized likelihood estimator for variance parameters in multilevel models. *Psychometrika*, **2013**, 78, 685-709 | 2.2 | 197 |
| 105 | Avoiding biased versions of Wooldridge's simple solution to the initial conditions problem. *Economics Letters*, **2013**, 120, 346-349 | 1.3 | 79 |
| 104 | The spatial relationship between neurons and astrocytes in HIV-associated dementia. *Journal of NeuroVirology*, **2013**, 19, 123-30 | 3.9 | 7 |
| 103 | Modeling Differential Item Functioning Using a Generalization of the Multiple-Group Bifactor Model. *Journal of Educational and Behavioral Statistics*, **2013**, 38, 32-60 | 1.7 | 24 |
| 102 | Avoiding zero between-study variance estimates in random-effects meta-analysis. *Statistics in Medicine*, **2013**, 32, 4071-89 | 2.3 | 50 |
| 101 | Profile-Likelihood Approach for Estimating Generalized Linear Mixed Models With Factor Structures. *Journal of Educational and Behavioral Statistics*, **2012**, 37, 518-542 | 1.7 | 12 |
| 100 | Modeling Achievement Trajectories When Attrition Is Informative. *Journal of Educational and Behavioral Statistics*, **2012**, 37, 703-736 | 1.7 | 12 |

| | | | |
|---|---|---|---|
| 99 | Measuring School Value Added with Administrative Data: The Problem of Missing Variables*. *Fiscal Studies*, **2011**, 32, 263-278 | 6 | 14 |
| 98 | Alternating imputation posterior estimation of models with crossed random effects. *Computational Statistics and Data Analysis*, **2011**, 55, 12-25 | 1.6 | 41 |
| 97 | Maternal practices that influence Hispanic infants' health and cognitive growth. *Pediatrics*, **2010**, 125, e324-32 | 7.4 | 17 |
| 96 | A randomized controlled two-stage trial in the treatment of bulimia nervosa, comparing CBT versus motivational enhancement in Phase 1 followed by group versus individual CBT in Phase 2. *Psychosomatic Medicine*, **2010**, 72, 656-63 | 3.7 | 30 |
| 95 | The health and cognitive growth of Latino toddlers: at risk or immigrant paradox?. *Maternal and Child Health Journal*, **2009**, 13, 755-68 | 2.4 | 101 |
| 94 | Prediction in multilevel generalized linear models. *Journal of the Royal Statistical Society Series A: Statistics in Society*, **2009**, 172, 659-687 | 2.1 | 124 |
| 93 | How far are associations between child, family and community factors and child psychopathology informant-specific and informant-general?. *Journal of Child Psychology and Psychiatry and Allied Disciplines*, **2009**, 50, 571-80 | 7.9 | 105 |
| 92 | Lifetime course of eating disorders: design and validity testing of a new strategy to define the eating disorders phenotype. *Psychological Medicine*, **2009**, 39, 105-14 | 6.9 | 93 |
| 91 | Promoting Therapeutic Alliance in Clozapine Users: An Exploratory Randomized Controlled Trial. *Clinical Schizophrenia and Related Psychoses*, **2009**, 3, 127-132 | 1.6 | 4 |
| 90 | Classical latent variable models for medical research. *Statistical Methods in Medical Research*, **2008**, 17, 5-32 | 2.3 | 98 |
| 89 | Biometrical modeling of twin and family data using standard mixed model software. *Biometrics*, **2008**, 64, 280-8 | 1.8 | 86 |
| 88 | Comparative profile analysis of cognitive function in recent-onset and chronic patients with adolescent-onset schizophrenia. *Schizophrenia Research*, **2007**, 94, 240-4 | 3.6 | 15 |
| 87 | Multilevel Structural Equation Modeling **2007**, 209-227 | | 19 |
| 86 | Estimating Parameters of Dichotomous and Ordinal Item Response Models with Gllamm. *The Stata Journal*, **2007**, 7, 313-333 | 3.5 | 63 |
| 85 | Neurocognitive deficits in first-episode schizophrenic patients and their first-degree relatives. *American Journal of Medical Genetics Part B: Neuropsychiatric Genetics*, **2007**, 144B, 407-16 | 3.5 | 50 |
| 84 | Latent Variable Modelling: A Survey*. *Scandinavian Journal of Statistics*, **2007**, 34, 712-745 | 0.8 | 71 |
| 83 | Multilevel and Latent Variable Modeling with Composite Links and Exploded Likelihoods. *Psychometrika*, **2007**, 72, 123-140 | 2.2 | 16 |
| 82 | Redundant Overdispersion Parameters in Multilevel Models for Categorical Responses. *Journal of Educational and Behavioral Statistics*, **2007**, 32, 419-430 | 1.7 | 16 |

| | | | |
|---|---|---|---|
| 81 | A randomized, controlled trial with 6-month follow-up of repetitive transcranial magnetic stimulation and electroconvulsive therapy for severe depression. *American Journal of Psychiatry*, **2007**, 164, 73-81 | 11.9 | 136 |
| 80 | 10 Multilevel Structural Equation Modeling. *Handbook of Computing and Statistics With Applications*, **2007**, 209-227 | | 2 |
| 79 | The relationship between eye movement and brain structural abnormalities in patients with schizophrenia and their unaffected relatives. *Journal of Psychiatric Research*, **2006**, 40, 589-98 | 5.2 | 10 |
| 78 | Maximum Likelihood Estimation of Endogenous Switching and Sample Selection Models for Binary, Ordinal, and Count Variables. *The Stata Journal*, **2006**, 6, 285-308 | 3.5 | 131 |
| 77 | Prevalence and genetic and environmental influences on anxiety disorders in 6-year-old twins. *Psychological Medicine*, **2006**, 36, 335-44 | 6.9 | 63 |
| 76 | Multilevel modelling of complex survey data. *Journal of the Royal Statistical Society Series A: Statistics in Society*, **2006**, 169, 805-827 | 2.1 | 322 |
| 75 | Repetitive and stereotyped behaviours in pervasive developmental disorders. *Journal of Child Psychology and Psychiatry and Allied Disciplines*, **2006**, 47, 573-81 | 7.9 | 89 |
| 74 | Eye tracking in schizophrenia: does the antisaccade task measure anything that the smooth pursuit task does not?. *Psychiatry Research*, **2005**, 136, 181-8 | 9.9 | 17 |
| 73 | Maximum likelihood estimation of limited and discrete dependent variable models with nested random effects. *Journal of Econometrics*, **2005**, 128, 301-323 | 2.6 | 451 |
| 72 | Structural Equation Modeling: Categorical Variables **2005**, | | 26 |
| 71 | Violent incidents in a medium secure unit: the characteristics of persistent perpetrators of violence. *Journal of Forensic Psychiatry and Psychology*, **2004**, 15, 293-302 | 0.9 | 17 |
| 70 | Vascular disease risk factors as determinants of incident depressive symptoms: a prospective community-based study. *Psychological Medicine*, **2004**, 34, 635-41 | 6.9 | 20 |
| 69 | Smooth pursuit and antisaccade eye movements in siblings discordant for schizophrenia. *Journal of Psychiatric Research*, **2004**, 38, 177-84 | 5.2 | 88 |
| 68 | Generalized multilevel structural equation modeling. *Psychometrika*, **2004**, 69, 167-190 | 2.2 | 516 |
| 67 | An RCT of early intervention in psychosis: Croydon Outreach and Assertive Support Team (COAST). *Social Psychiatry and Psychiatric Epidemiology*, **2004**, 39, 358-63 | 4.5 | 78 |
| 66 | Nonparametric One-way Analysis of Variance of Replicated Bivariate Spatial Point Patterns. *Biometrical Journal*, **2004**, 46, 19-34 | 1.5 | 10 |
| 65 | Meta-analysis of magnetic resonance imaging brain morphometry studies in bipolar disorder. *Biological Psychiatry*, **2004**, 56, 411-7 | 7.9 | 243 |
| 64 | The relationship between volumetric brain changes and cognitive function: a family study on schizophrenia. *Biological Psychiatry*, **2004**, 56, 447-53 | 7.9 | 69 |

| | | | |
|---|---|---|---|
| 63 | Meta-analysis of the P300 and P50 waveforms in schizophrenia. *Schizophrenia Research*, **2004**, 70, 315-29. | 3.6 | 448 |
| 62 | Systematic review and meta-analysis of randomised controlled trials of psychological interventions to improve glycaemic control in patients with type 2 diabetes. *Lancet, The*, **2004**, 363, 1589-97 | 40 | 385 |
| 61 | Management of psychiatric in-patient violence: patient ethnicity and use of medication, restraint and seclusion. *British Journal of Psychiatry*, **2004**, 184, 258-62 | 5.4 | 77 |
| 60 | Cognitive flexibility in anorexia nervosa and bulimia nervosa. *Journal of the International Neuropsychological Society*, **2004**, 10, 513-20 | 3.1 | 172 |
| 59 | Correcting for covariate measurement error in logistic regression using nonparametric maximum likelihood estimation. *Statistical Modelling*, **2003**, 3, 215-232 | 0.7 | 55 |
| 58 | Personality disorders and personality dimensions in anorexia nervosa. *Journal of Personality Disorders*, **2003**, 17, 73-85 | 2.6 | 39 |
| 57 | Maximum Likelihood Estimation of Generalized Linear Models with Covariate Measurement Error. *The Stata Journal*, **2003**, 3, 386-411 | 3.5 | 28 |
| 56 | Multilevel logistic regression for polytomous data and rankings. *Psychometrika*, **2003**, 68, 267-287 | 2.2 | 119 |
| 55 | Selectivity of verbal memory deficit in schizophrenic patients and their relatives. *American Journal of Medical Genetics Part A*, **2003**, 116B, 1-7 | | 44 |
| 54 | The Maudsley early onset schizophrenia study: cognitive function in adolescents with recent onset schizophrenia. *Schizophrenia Research*, **2003**, 61, 137-48 | 3.6 | 68 |
| 53 | Episodic memory in schizophrenic patients and their relatives. *Schizophrenia Research*, **2003**, 63, 261-71 | 3.6 | 91 |
| 52 | The Maudsley Early-Onset Schizophrenia Study: cognitive function in adolescent-onset schizophrenia. *Schizophrenia Research*, **2003**, 65, 95-103 | 3.6 | 61 |
| 51 | Efficacy and cost-effectiveness of drug and psychological treatments for common mental disorders in general health care in Goa, India: a randomised, controlled trial. *Lancet, The*, **2003**, 361, 33-9 | 40 | 164 |
| 50 | Childhood obsessive-compulsive personality traits in adult women with eating disorders: defining a broader eating disorder phenotype. *American Journal of Psychiatry*, **2003**, 160, 242-7 | 11.9 | 277 |
| 49 | Head injury as a risk factor for Alzheimer's disease: the evidence 10 years on; a partial replication. *Journal of Neurology, Neurosurgery and Psychiatry*, **2003**, 74, 857-62 | 5.5 | 457 |
| 48 | Maximum Likelihood Estimation of Generalized Linear Models with Covariate Measurement Error. *The Stata Journal*, **2003**, 3, 386-411 | 3.5 | 12 |
| 47 | Reliable Estimation of Generalized Linear Mixed Models using Adaptive Quadrature. *The Stata Journal*, **2002**, 2, 1-21 | 3.5 | 398 |
| 46 | Development of a brief, clinically relevant, scale for measuring attachment disorders. *International Journal of Methods in Psychiatric Research*, **2002**, 11, 90-8 | 4.3 | 57 |

| | | | |
|---|---|---|---|
| 45 | Pre-morbid psychiatric morbidity, comorbidity and personality in patients with anorexia nervosa compared to their healthy sisters. *European Eating Disorders Review*, **2002**, 10, 255-270 | 5.3 | 25 |
| 44 | Differences in factors associated with first treatment entry and treatment re-entry among cocaine users. *Addiction*, **2002**, 97, 825-32 | 4.6 | 11 |
| 43 | Cross-modal semantic priming in schizophrenia. *Journal of the International Neuropsychological Society*, **2002**, 8, 884-92 | 3.1 | 21 |
| 42 | Exploring the associations between social class, binge drinking, and other risk behaviors among brazilian young people. *International Perspectives on Child and Adolescent Mental Health*, **2002**, 501-517 | | |
| 41 | Relationship between brain structure and saccadic eye movements in healthy humans. *Neuroscience Letters*, **2002**, 328, 225-8 | 3.3 | 19 |
| 40 | Prognostic factors in the surgical treatment of medically intractable epilepsy associated with mesial temporal sclerosis. *Acta Neurologica Scandinavica*, **2001**, 103, 344-50 | 3.8 | 72 |
| 39 | Regional variation of cloze probabilities for sentence contexts. *Behavior Research Methods*, **2001**, 33, 80-90 | | 8 |
| 38 | Parameterization of multivariate random effects models for categorical data. *Biometrics*, **2001**, 57, 1256-64 | | 36 |
| 37 | War Exposure and Maternal Reactions in the Psychological Adjustment of Children from Bosnia-Hercegovina. *Journal of Child Psychology and Psychiatry and Allied Disciplines*, **2001**, 42, 395-404 | 7.9 | 175 |
| 36 | Recognizing one's own face. *Cognition*, **2001**, 78, B1-B15 | 3.5 | 292 |
| 35 | Characterisation of the Hering-Breuer deflation reflex in the human neonate. *Respiration Physiology*, **2001**, 124, 51-64 | | 19 |
| 34 | Predictors of outcome and pathological considerations in the surgical treatment of intractable epilepsy associated with temporal lobe lesions. *Journal of Neurology, Neurosurgery and Psychiatry*, **2001**, 70, 450-8 | 5.5 | 98 |
| 33 | How many functional somatic syndromes?. *Journal of Psychosomatic Research*, **2001**, 51, 549-57 | 4.1 | 197 |
| 32 | Multilevel Modeling of Cognitive Function in Schizophrenic Patients and Their First Degree Relatives. *Multivariate Behavioral Research*, **2001**, 36, 279-98 | 2.3 | 19 |
| 31 | Individual-specific risk factors for anorexia nervosa: a pilot study using a discordant sister-pair design. *Psychological Medicine*, **2001**, 31, 317-29 | 6.9 | 97 |
| 30 | Stratum-specific likelihood ratios of two versions of the general health questionnaire. *Psychological Medicine*, **2001**, 31, 519-29 | 6.9 | 47 |
| 29 | Multilevel models for censored and latent responses. *Statistical Methods in Medical Research*, **2001**, 10, 409-27 | 2.3 | 27 |
| 28 | Multilevel models for censored and latent responses. *Statistical Methods in Medical Research*, **2001**, 10, 409-427 | 2.3 | 11 |

| | | | |
|---|---|---|---|
| 27 | War Exposure and Maternal Reactions in the Psychological Adjustment of Children from Bosnia-Hercegovina **2001**, 42, 395 | | 11 |
| 26 | A longitudinal study of the psychological adaptation of trainee clinical psychologists. *Clinical Psychology and Psychotherapy*, **2000**, 7, 394-400 | 2.9 | 8 |
| 25 | Common and distinct neural substrates for pragmatic, semantic, and syntactic processing of spoken sentences: an fMRI study. *Journal of Cognitive Neuroscience*, **2000**, 12, 321-41 | 3.1 | 274 |
| 24 | Meta-analysis of regional brain volumes in schizophrenia. *American Journal of Psychiatry*, **2000**, 157, 16-25 | 11.9 | 1323 |
| 23 | Violent incidents on a medium secure unit: the target of assault and the management of incidents. *Journal of Forensic Psychiatry Psychology*, **2000**, 11, 105-118 | | 34 |
| 22 | Phenotypic differences between African and white patients with motor neuron disease: a case-control study. *Journal of Neurology, Neurosurgery and Psychiatry*, **2000**, 69, 251-3 | 5.5 | 16 |
| 21 | Testing for laterality differences in regional brain volumes. *Archives of General Psychiatry*, **2000**, 57, 511-2 | | 6 |
| 20 | School performance in Finnish children and later development of schizophrenia: a population-based longitudinal study. *Archives of General Psychiatry*, **1999**, 56, 457-63 | | 193 |
| 19 | Cerebral blood flow velocity during neonatal seizures. *Archives of Disease in Childhood: Fetal and Neonatal Edition*, **1999**, 80, F105-10 | 4.7 | 34 |
| 18 | StatView for Windows, Version 5.0. *Statistical Methods in Medical Research*, **1999**, 8, 337-41 | 2.3 | 16 |
| 17 | Characteristics, needs and reoffending in a group of patients with schizophrenia formerly treated in medium security. *Journal of Forensic Psychiatry Psychology*, **1999**, 10, 69-83 | | 27 |
| 16 | Violent incidents on a medium secure unit over a 17-year period. *Journal of Forensic Psychiatry Psychology*, **1999**, 10, 249-263 | | 32 |
| 15 | Life events, ethnicity and perceptions of discrimination in patients with severe mental illness. *Social Psychiatry and Psychiatric Epidemiology*, **1999**, 34, 600-8 | 4.5 | 48 |
| 14 | Methods for diagnosis and treatment of stimulus-correlated motion in generic brain activation studies using fMRI. *Human Brain Mapping*, **1999**, 7, 38-48 | 5.9 | 335 |
| 13 | Global, voxel, and cluster tests, by theory and permutation, for a difference between two groups of structural MR images of the brain. *IEEE Transactions on Medical Imaging*, **1999**, 18, 32-42 | 11.7 | 839 |
| 12 | Is semantic fluency differentially impaired in schizophrenic patients with delusions?. *Journal of Clinical and Experimental Neuropsychology*, **1999**, 21, 629-42 | 2.1 | 66 |
| 11 | A comparative study of iatrogenesis, medication abuse, and psychiatric morbidity in chronic pain patients with and without medically explained symptoms. *Pain*, **1998**, 76, 417-426 | 8 | 75 |
| 10 | Does dysplasia cause anatomical dysconnectivity in schizophrenia?. *Schizophrenia Research*, **1998**, 30, 127-35 | 3.6 | 90 |

# List of Publications

| | | | |
|---|---|---|---|
| 9 | Do antiarthritic drugs decrease the risk for cognitive decline? An analysis based on data from the MRC treatment trial of hypertension in older adults. *Neurology*, **1998**, 50, 374-9 | 6.5 | 48 |
| 8 | Reviewing the reviews: the example of chronic fatigue syndrome. *JAMA - Journal of the American Medical Association*, **1998**, 280, 264-6 | 27.4 | 29 |
| 7 | Generic brain activation mapping in functional magnetic resonance imaging: a nonparametric approach. *Magnetic Resonance Imaging*, **1997**, 15, 763-70 | 3.3 | 411 |
| 6 | The analysis of functional magnetic resonance images. *Statistical Methods in Medical Research*, **1997**, 6, 215-237 | 2.3 | 23 |
| 5 | Brain Activation Studies Using Magnetic Resonance Imaging **1997**, 241-265 | | 1 |
| 4 | Functional magnetic resonance image analysis of a large-scale neurocognitive network. *NeuroImage*, **1996**, 4, 16-33 | 7.9 | 127 |
| 3 | Statistical methods of estimation and inference for functional MR image analysis. *Magnetic Resonance in Medicine*, **1996**, 35, 261-77 | 4.4 | 570 |
| 2 | Generalized Latent Variable Modeling | | 1052 |
| 1 | Multilevel and Related Models for Longitudinal Data275-299 | | 28 |