Jesper Karmisholt

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/491267/publications.pdf

Version: 2024-02-01

31 papers	782	15	27
	citations	h-index	g-index
32	32	32	1047
all docs	docs citations	times ranked	citing authors

#	Article	IF	CITATIONS
1	Thyroid Function and Obesity. European Thyroid Journal, 2012, 1, 159-167.	2.4	129
2	Variation in Thyroid Function Tests in Patients with Stable Untreated Subclinical Hypothyroidism. Thyroid, 2008, 18, 303-308.	4.5	87
3	Variation in thyroid function in subclinical hypothyroidism: importance of clinical follow-up and therapy. European Journal of Endocrinology, 2011, 164, 317-323.	3.7	73
4	Weight Loss after Therapy of Hypothyroidism Is Mainly Caused by Excretion of Excess Body Water Associated with Myxoedema. Journal of Clinical Endocrinology and Metabolism, 2011, 96, E99-E103.	3.6	68
5	Liraglutide treatment reduced interleukinâ€6 in adults with type 1 diabetes but did not improve established autonomic or polyneuropathy. British Journal of Clinical Pharmacology, 2019, 85, 2512-2523.	2.4	50
6	Type 1 diabetic patients with peripheral neuropathy have pan-enteric prolongation of gastrointestinal transit times and an altered caecal pH profile. Diabetologia, 2017, 60, 709-718.	6.3	47
7	Denosumab and cinacalcet for primary hyperparathyroidism (DENOCINA): a randomised, double-blind, placebo-controlled, phase 3 trial. Lancet Diabetes and Endocrinology,the, 2020, 8, 407-417.	11.4	38
8	Contemporary Medical Management of Primary Hyperparathyroidism: A Systematic Review. Frontiers in Endocrinology, 2017, 8, 79.	3.5	36
9	Recommended number of participants in iodine nutrition studies is similar before and after an iodine fortification programme. European Journal of Nutrition, 2014, 53, 487-492.	3.9	25
10	Association between TSH-Receptor Autoimmunity, Hyperthyroidism, Goitre, and Orbitopathy in 208 Patients Included in the Remission Induction and Sustenance in Graves' Disease Study. Journal of Thyroid Research, 2014, 2014, 1-6.	1.3	22
11	Sex differences in acromegaly at diagnosis: A nationwide cohort study and metaâ€analysis of the literature. Clinical Endocrinology, 2021, 94, 625-635.	2.4	21
12	Pregnancy Week-Specific Reference Ranges for Thyrotropin and Free Thyroxine in the North Denmark Region Pregnancy Cohort. Thyroid, 2019, 29, 430-438.	4.5	20
13	Serum TSH and serum thyroid peroxidase antibody fluctuate in parallel and high urinary iodine excretion predicts subsequent thyroid failure in a 1-year study of patients with untreated subclinical hypothyroidism. European Journal of Endocrinology, 2008, 158, 209-215.	3.7	19
14	Interval between Tests and Thyroxine Estimation Method Influence Outcome of Monitoring of Subclinical Hypothyroidism. Journal of Clinical Endocrinology and Metabolism, 2008, 93, 1634-1640.	3.6	19
15	Brain spectroscopy reveals that N-acetylaspartate is associated to peripheral sensorimotor neuropathy in type 1 diabetes. Journal of Diabetes and Its Complications, 2019, 33, 323-328.	2.3	19
16	Antithyroid drug therapy of Graves' hyperthyroidism: realistic goals and focus on evidence. Expert Review of Endocrinology and Metabolism, 2006, 1, 91-102.	2.4	13
17	Associations between trabecular bone score and biochemistry in surgically vs conservatively treated outpatients with primary hyperparathyroidism: A retrospective cohort study. Bone Reports, 2018, 9, 101-109.	0.4	12
18	Reduced gray matter brain volume and cortical thickness in adults with type 1 diabetes and neuropathy. Neuroscience Research, 2022, 176, 66-72.	1.9	11

#	Article	IF	CITATIONS
19	Analytical goals for thyroid function tests when monitoring patients with untreated subclinical hypothyroidism. Scandinavian Journal of Clinical and Laboratory Investigation, 2010, 70, 264-268.	1.2	10
20	Detecting True Change in the Hospital Anxiety and Depression Scale, SF-36, and Hypothyroid Score when Monitoring Patients with Subclinical Hypothyroidism. European Thyroid Journal, 2019, 8, 144-151.	2.4	10
21	Reduced Thalamic Volume and Metabolites in Type 1 Diabetes with Polyneuropathy. Experimental and Clinical Endocrinology and Diabetes, 2022, 130, 327-334.	1.2	10
22	Predictors of Initial and Sustained Remission in Patients Treated with Antithyroid Drugs for Graves' Hyperthyroidism: The RISG Study. Journal of Thyroid Research, 2019, 2019, 1-9.	1.3	9
23	Peripheral, synaptic and central neuronal transmission is affected in type 1 diabetes. Journal of Diabetes and Its Complications, 2020, 34, 107614.	2.3	7
24	Sex difference in patients with controlled acromegalyâ€"A multicentre survey. Clinical Endocrinology, 2023, 98, 74-81.	2.4	6
25	The Frequency of Focal Thyroid Incidental Findings and Risk of Malignancy Detected by 18F-Fluorodeoxyglucose Positron Emission Tomography in an Iodine Deficient Population. Diagnostics, 2018, 8, 46.	2.6	5
26	Gastrointestinal motility in people with type 1 diabetes and peripheral neuropathy. Reply to Marathe CS, Rayner CK, Jones KL, et al [letter]. Diabetologia, 2017, 60, 2314-2315.	6.3	4
27	Long-term methimazole therapy in Graves' hyperthyroidism and adverse reactions: a Danish multicenter study. European Thyroid Journal, 2022, 11, .	2.4	4
28	Previous Live Births and Induced Abortions May Precede Later Development of Graves' Hyperthyroidism. European Thyroid Journal, 2019, 8, 70-78.	2.4	2
29	Body Weight Changes in Hyperthyroidism: Timing and Possible Explanations during a One Year Repeated Measurement Study. European Thyroid Journal, 2020, 10, 1-7.	2.4	2
30	Diabetic Neuropathy Influences Control of Spinal Mechanisms. Journal of Clinical Neurophysiology, 2021, 38, 299-305.	1.7	2
31	Prevalence and predictors of adequate treatment of overt hypothyroidism - a population-based study EXCLI Journal, 2022, 21, 104-116.	0.7	1