Armando Meyer

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4913281/publications.pdf

Version: 2024-02-01

		279487	301761
61	1,652 citations	23	39
papers	citations	h-index	g-index
73	73	73	1676
all docs	docs citations	times ranked	citing authors

#	Article	IF	CITATIONS
1	Environmental pollutant exposure associated with altered early-life gut microbiome: Results from a birth cohort study. Environmental Research, 2022, 205, 112545.	3.7	16
2	Acute Kidney Failure among Brazilian Agricultural Workers: A Death-Certificate Case-Control Study. International Journal of Environmental Research and Public Health, 2022, 19, 6519.	1.2	O
3	Levels of anti-cyclic citrullinated peptide and antinuclear antibodies in Brazilian agricultural workers exposed to pesticides and fertilizers. Science of the Total Environment, 2022, 838, 156360.	3.9	1
4	Food consumption according to the degree of processing, dietary diversity and socio-demographic factors among pregnant women in Rio de Janeiro, Brazil: The Rio Birth Cohort Study of Environmental Exposure and Childhood Development (PIPA project). Nutrition and Health, 2021, 27, 79-88.	0.6	5
5	Multiple Environmental Exposure in Pregnant Women and Their Children in the City of Rio de Janeiro, Brazil, Rio Birth Cohort Study: PIPA Project. Exposure and Health, 2021, 13, 431-445.	2.8	3
6	Exposure to pesticides and oxidative stress in Brazilian agricultural communities. Biomarkers, 2021, 26, 539-547.	0.9	10
7	Serum levels of perfluorooctanoic acid and perfluorooctane sulfonic acid in pregnant women: Maternal predictors and associations with birth outcomes in the <scp>PIPA</scp> Project. Journal of Obstetrics and Gynaecology Research, 2021, 47, 3107-3118.	0.6	6
8	Metal exposure and oxidative stress biomarkers in a Brazilian agricultural community. Archives of Environmental and Occupational Health, 2021 , , $1-10$.	0.7	4
9	Maternal consumption of ultra-processed foods and newborn exposure to perfluoroalkyl substances (PFAS). Cadernos De Saude Publica, 2021, 37, e00152021.	0.4	5
10	Rio Birth Cohort Study on Environmental Exposure and Childhood Development – PIPA Project. Annals of Global Health, 2020, 86, 59.	0.8	8
11	Mortality from Selected Cancers among Brazilian Mechanics. Asian Pacific Journal of Cancer Prevention, 2020, 21, 1779-1786.	0.5	3
12	Mood-related behavioral and neurochemical alterations in mice exposed to low chlorpyrifos levels during the brain growth spurt. PLoS ONE, 2020, 15, e0239017.	1.1	6
13	Farming tasks and the development of rheumatoid arthritis in the agricultural health study. Occupational and Environmental Medicine, 2019, 76, 243-249.	1.3	25
14	Contribution to the understanding of biologic concentrations of arsenic in children living in an urban area from Rio de Janeiro, Brazil. Environmental Science and Pollution Research, 2018, 25, 16810-16815.	2.7	2
15	Pesticide exposure among students and their families in Nova Friburgo, Rio de Janeiro. Ciencia E Saude Coletiva, 2018, 23, 3903-3911.	0.1	4
16	Non-Hodgkin lymphoma among Brazilian agricultural workers: A death certificate case-control study. Archives of Environmental and Occupational Health, 2017, 72, 139-144.	0.7	18
17	Pesticide Exposure and Risk of Rheumatoid Arthritis among Licensed Male Pesticide Applicators in the Agricultural Health Study. Environmental Health Perspectives, 2017, 125, 077010.	2.8	40
18	Revisiting cancer 15 years later: Exploring mortality among agricultural and nonâ€agricultural workers in the Serrana Region of Rio de Janeiro. American Journal of Industrial Medicine, 2017, 60, 77-86.	1.0	7

#	Article	IF	CITATIONS
19	Prevalence of very low birthweight, malformation, and low Apgar score among newborns in <scp>Brazil</scp> according to maternal urban or rural residence at birth. Journal of Obstetrics and Gynaecology Research, 2016, 42, 496-504.	0.6	26
20	Mortalidade por câncer entre pintores brasileiros das regiões Sul e Sudeste do Brasil. Cadernos Saude Coletiva, 2016, 24, 413-419.	0.2	3
21	Tend $ ilde{A}^a$ ncia de mortalidade por linfomas n $ ilde{A}$ 0 Hodgkin no Brasil, 1980 a 2012. Cadernos Saude Coletiva, 2015, 23, 188-197.	0.2	3
22	Suicide Mortality Among Agricultural Workers in a Region With Intensive Tobacco Farming and Use of Pesticides in Brazil. Journal of Occupational and Environmental Medicine, 2014, 56, 993-1000.	0.9	20
23	Cancer mortality among Brazilian dentists. American Journal of Industrial Medicine, 2014, 57, 1255-1264.	1.0	5
24	Pesticide consumption, central nervous system and cardiovascular congenital malformations in the South and Southeast region of Brazil. International Journal of Occupational Medicine and Environmental Health, 2014, 27, 474-86.	0.6	29
25	Avaliação do sistema auditivo em agricultores expostos à agrotóxicos. Revista CEFAC: Actualização CientÃfica Em Fonoaudiologia, 2014, 16, 941-948.	0.2	8
26	Projeto-piloto do Primeiro Inquérito Nacional de Populações Expostas a Substâncias QuÃmicas, 2008-2009. Epidemiologia E Servicos De Saude: Revista Do Sistema Unico De Saude Do Brasil, 2014, 23, 553-558.	0.3	4
27	Stomach cancer mortality among agricultural workers: results from a death certificate-based case-control study. Cadernos Saude Coletiva, 2014, 22, 86-92.	0.2	10
28	Validação da causa básica de óbito por neoplasias selecionadas na microrregião Serrana, Rio de Janeiro, Brasil. Cadernos Saude Coletiva, 2014, 22, 246-251.	0.2	1
29	Pesticide use and non-Hodgkin's lymphoma mortality in Brazil. International Journal of Hygiene and Environmental Health, 2013, 216, 461-466.	2.1	27
30	Pesticide exposure and low birth weight prevalence in Brazil. International Journal of Hygiene and Environmental Health, 2013, 216, 290-294.	2.1	10
31	Methamidophos Exposure During the Early Postnatal Period of Mice: Immediate and Late-Emergent Effects on the Cholinergic and Serotonergic Systems and Behavior. Toxicological Sciences, 2013, 134, 125-139.	1.4	16
32	Contribuição para o estabelecimento de nÃveis de referência para a concentração de mercúrio no sangue de crianças na cidade do Rio de Janeiro. Cadernos Saude Coletiva, 2013, 21, 182-187.	0.2	2
33	Mortalidade de mineiros brasileiros por câncer entre 1979-2005. Cadernos Saude Coletiva, 2013, 21, 281-288.	0.2	2
34	Efeitos da exposi \tilde{A} § \tilde{A} £o a agrot \tilde{A} 3xicos sobre o sistema auditivo perif \tilde{A} ©rico e central: uma revis \tilde{A} £o sistem \tilde{A} įtica. Cadernos De Saude Publica, 2013, 29, 1491-1506.	0.4	13
35	Temporal auditory processing in rural workers exposed to pesticide. Jornal Da Sociedade Brasileira De Fonoaudiologia, 2012, 24, 174-180.	0.4	12
36	Brain cancer mortality among farm workers of the State of Rio de Janeiro, Brazil: A population-based case–control study, 1996–2005. International Journal of Hygiene and Environmental Health, 2012, 215, 496-501.	2.1	20

#	Article	IF	Citations
37	Musculoskeletal Disorders Among Brazilian Dentists. Archives of Environmental and Occupational Health, 2011, 66, 231-235.	0.7	24
38	Exposure to methamidophos at adulthood adversely affects serotonergic biomarkers in the mouse brain. NeuroToxicology, 2011, 32, 718-724.	1.4	26
39	Esophageal cancer among Brazilian agricultural workers: Case–control study based on death certificates. International Journal of Hygiene and Environmental Health, 2011, 214, 151-155.	2.1	24
40	Mortality Among Brazilian Miners During 1979–2005. Epidemiology, 2011, 22, S28.	1.2	0
41	Mood Disorders Hospitalizations, Suicide Attempts, and Suicide Mortality Among Agricultural Workers and Residents in an Area With Intensive Use of Pesticides in Brazil. Journal of Toxicology and Environmental Health - Part A: Current Issues, 2010, 73, 866-877.	1.1	47
42	Double Standards and the International Trade of Pesticides: The Brazilian Case. International Journal of Occupational and Environmental Health, 2010, 16, 24-35.	1.2	6
43	The Impact of Agricultural Pesticide Use on the Prevalence of Adverse Perinatal Outcomes in Brazil. Epidemiology, 2009, 20, S225.	1.2	0
44	Sex Ratio and Organochlorine Pesticides: Time Series of 55 Years in an Exposed Population in Rio de Janeiro/Brazil. Epidemiology, 2009, 20, S225-S226.	1.2	0
45	Pesticide sales and adult male cancer mortality in Brazil. International Journal of Hygiene and Environmental Health, 2009, 212, 310-321.	2.1	57
46	Exposure to methamidophos at adulthood elicits depressive-like behavior in mice. NeuroToxicology, 2009, 30, 471-478.	1.4	22
47	Breast Cancer in Brazil: Time Trend and Correlation with Pesticide Consumption. Epidemiology, 2009, 20, S226.	1.2	0
48	DDT reintroduction for malaria control: the cost-benefit debate for public health. Cadernos De Saude Publica, 2007, 23, 2835-2844.	0.4	24
49	Developmental exposure to terbutaline and chlorpyrifos: pharmacotherapy of preterm labor and an environmental neurotoxicant converge on serotonergic systems in neonatal rat brain regions. Toxicology and Applied Pharmacology, 2005, 203, 132-144.	1.3	58
50	Developmental exposure to terbutaline alters cell signaling in mature rat brain regions and augments the effects of subsequent neonatal exposure to the organophosphorus insecticide chlorpyrifos. Toxicology and Applied Pharmacology, 2005, 203, 154-166.	1.3	40
51	Alterations in Central Nervous System Serotonergic and Dopaminergic Synaptic Activity in Adulthood after Prenatal or Neonatal Chlorpyrifos Exposure. Environmental Health Perspectives, 2005, 113, 1027-1031.	2.8	156
52	Critical periods for chlorpyrifos-induced developmental neurotoxicity: alterations in adenylyl cyclase signaling in adult rat brain regions after gestational or neonatal exposure Environmental Health Perspectives, 2004, 112, 295-301.	2.8	56
53	Developmental effects of chlorpyrifos extend beyond neurotoxicity: critical periods for immediate and delayed-onset effects on cardiac and hepatic cell signaling Environmental Health Perspectives, 2004, 112, 170-178.	2.8	61
54	Dietary and reproductive determinants of plasma organochlorine levels in pregnant women in Rio de Janeiro. Environmental Research, 2003, 91, 143-150.	3.7	71

#	Article	IF	CITATIONS
55	Cancer mortality among agricultural workers from Serrana Region, state of Rio de Janeiro, Brazil. Environmental Research, 2003, 93, 264-271.	3.7	53
56	Serotonergic systems targeted by developmental exposure to chlorpyrifos: effects during different critical periods Environmental Health Perspectives, 2003, 111, 1736-1743.	2.8	126
57	Developmental neurotoxicity elicited by gestational exposure to chlorpyrifos: when is adenylyl cyclase a target?. Environmental Health Perspectives, 2003, 111, 1871-1876.	2.8	40
58	Avaliação integrada do impacto do uso de agrotóxicos sobre a saúde humana em uma comunidade agrÃcola de Nova Friburgo, RJ. Ciencia E Saude Coletiva, 2002, 7, 299-311.	0.1	89
59	Human reproductive system disturbances and pesticide exposure in Brazil. Cadernos De Saude Publica, 2002, 18, 435-445.	0.4	59
60	Cholinesterase activities determination in frozen blood samples: an improvement to the occupational monitoring in developing countries. Human and Experimental Toxicology, 2000, 19, 173-177.	1.1	29
61	Parkinson's disease hospitalization rates and pesticide use in urban and non-urban regions of Brazil. Cadernos Saude Coletiva, 0, , .	0.2	1