

# Igor Stagljär

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/4914040/igor-stagljär-publications-by-year.pdf>

**Version:** 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

87  
papers

3,961  
citations

34  
h-index

62  
g-index

131  
ext. papers

4,897  
ext. citations

8.7  
avg, IF

4.97  
L-index

#	Paper	IF	Citations
87	CFTR interactome mapping using the mammalian membrane two-hybrid high-throughput screening system.. <i>Molecular Systems Biology</i> , <b>2022</b> , 18, e10629	12.2	2
86	Met-HER3 crosstalk supports proliferation via MPZL3 in MET-amplified cancer cells.. <i>Cellular and Molecular Life Sciences</i> , <b>2022</b> , 79, 178	10.3	0
85	D154Q Mutation does not Alter KRAS Dimerization.. <i>Journal of Molecular Biology</i> , <b>2021</b> , 434, 167392	6.5	1
84	Chemical Genetics Screen Identifies COPB2 Tool Compounds That Alters ER Stress Response and Induces RTK Dysregulation in Lung Cancer Cells. <i>Journal of Molecular Biology</i> , <b>2021</b> , 433, 167294	6.5	2
83	A homogeneous split-luciferase assay for rapid and sensitive detection of anti-SARS CoV-2 antibodies. <i>Nature Communications</i> , <b>2021</b> , 12, 1806	17.4	14
82	Toward the discovery of biological functions associated with the mechanosensor Mtl1p of <i>Saccharomyces cerevisiae</i> via integrative multi-OMICS analysis. <i>Scientific Reports</i> , <b>2021</b> , 11, 7411	4.9	0
81	Distinct roles of UVRAG and EGFR signaling in skeletal muscle homeostasis. <i>Molecular Metabolism</i> , <b>2021</b> , 47, 101185	8.8	1
80	Receptor tyrosine kinases and cancer: oncogenic mechanisms and therapeutic approaches. <i>Oncogene</i> , <b>2021</b> , 40, 4079-4093	9.2	16
79	Drugging the undruggable proteins in cancer: A systems biology approach. <i>Current Opinion in Chemical Biology</i> , <b>2021</b> ,	9.7	3
78	Mapping the Phospho-dependent ALK Interactome to Identify Novel Components in ALK Signaling. <i>Journal of Molecular Biology</i> , <b>2021</b> , 433, 167283	6.5	3
77	Split Intein-Mediated Protein Ligation for detecting protein-protein interactions and their inhibition. <i>Nature Communications</i> , <b>2020</b> , 11, 2440	17.4	15
76	Protein Interactions of the Mechanosensory Proteins Wsc2 and Wsc3 for Stress Resistance in. <i>G3: Genes, Genomes, Genetics</i> , <b>2020</b> , 10, 3121-3135	3.2	1
75	REEP5 depletion causes sarco-endoplasmic reticulum vacuolization and cardiac functional defects. <i>Nature Communications</i> , <b>2020</b> , 11, 965	17.4	16
74	A drug discovery platform to identify compounds that inhibit EGFR triple mutants. <i>Nature Chemical Biology</i> , <b>2020</b> , 16, 577-586	11.7	15
73	Extensive rewiring of the EGFR network in colorectal cancer cells expressing transforming levels of KRAS. <i>Nature Communications</i> , <b>2020</b> , 11, 499	17.4	17
72	Highly Combinatorial Genetic Interaction Analysis Reveals a Multi-Drug Transporter Influence Network. <i>Cell Systems</i> , <b>2020</b> , 10, 25-38.e10	10.6	6
71	A Multireporter Bacterial 2-Hybrid Assay for the High-Throughput and Dynamic Assay of PDZ Domain-Peptide Interactions. <i>ACS Synthetic Biology</i> , <b>2019</b> , 8, 918-928	5.7	5

70	Identification and Functional Testing of Novel Interacting Protein Partners for the Stress Sensors Wsc1p and Mid2p of. <i>G3: Genes, Genomes, Genetics</i> , <b>2019</b> , 9, 1085-1102	3.2	4
69	Highlights for the 60th anniversary of BBRC. <i>Biochemical and Biophysical Research Communications</i> , <b>2019</b> , 520, 699-700	3.4	
68	Systems analysis of the genetic interaction network of yeast molecular chaperones. <i>Molecular Omics</i> , <b>2018</b> , 14, 82-94	4.4	12
67	Testing cancer inhibitors at scale. <i>Nature Biomedical Engineering</i> , <b>2018</b> , 2, 203-204	19	
66	Melatonin receptors limit dopamine reuptake by regulating dopamine transporter cell-surface exposure. <i>Cellular and Molecular Life Sciences</i> , <b>2018</b> , 75, 4357-4370	10.3	10
65	Systematic Identification of Oncogenic EGFR Interaction Partners. <i>Journal of Molecular Biology</i> , <b>2017</b> , 429, 280-294	6.5	20
64	Detecting Membrane Protein-protein Interactions Using the Mammalian Membrane Two-hybrid (MaMTH) Assay. <i>Current Protocols in Chemical Biology</i> , <b>2017</b> , 9, 38-54	1.8	8
63	Multiple functions of protein phosphatases in receptor tyrosine kinase signaling revealed by interactome analysis. <i>Molecular and Cellular Oncology</i> , <b>2017</b> , 4, e1297101	1.2	1
62	Systematic protein-protein interaction mapping for clinically relevant human GPCRs. <i>Molecular Systems Biology</i> , <b>2017</b> , 13, 918	12.2	44
61	Parkinson's disease-associated GPR37 receptor regulates cocaine-mediated synaptic depression in corticostriatal synapses. <i>Neuroscience Letters</i> , <b>2017</b> , 638, 162-166	3.3	6
60	A Global Analysis of the Receptor Tyrosine Kinase-Protein Phosphatase Interactome. <i>Molecular Cell</i> , <b>2017</b> , 65, 347-360	17.6	73
59	Recent Progress in CFTR Interactome Mapping and Its Importance for Cystic Fibrosis. <i>Frontiers in Pharmacology</i> , <b>2017</b> , 8, 997	5.6	19
58	Features of the Chaperone Cellular Network Revealed through Systematic Interaction Mapping. <i>Cell Reports</i> , <b>2017</b> , 20, 2735-2748	10.6	36
57	The Parkinson's disease-associated GPR37 receptor interacts with striatal adenosine A receptor controlling its cell surface expression and function in vivo. <i>Scientific Reports</i> , <b>2017</b> , 7, 9452	4.9	22
56	NDFIP allows NEDD4/NEDD4L-induced AQP2 ubiquitination and degradation. <i>PLoS ONE</i> , <b>2017</b> , 12, e0183774	3.7	28
55	Novel regulation of equilibrative nucleoside transporter 1 (ENT1) by receptor-stimulated Ca <sup>2+</sup> -dependent calmodulin binding. <i>American Journal of Physiology - Cell Physiology</i> , <b>2016</b> , 310, C808-20 <sup>5.4</sup>	5.4	12
54	Generation and Validation of MYTH Baits: iMYTH and tMYTH Variants. <i>Cold Spring Harbor Protocols</i> , <b>2016</b> , 2016, pdb.prot087817	1.2	3
53	MYTH Screening: iMYTH and tMYTH Variants. <i>Cold Spring Harbor Protocols</i> , <b>2016</b> , 2016, pdb.prot087825	1.2	3

52	Protein interactome mining defines melatonin MT1 receptors as integral component of presynaptic protein complexes of neurons. <i>Journal of Pineal Research</i> , <b>2016</b> , 60, 95-108	10.4	35
51	Membrane Yeast Two-Hybrid (MYTH) Mapping of Full-Length Membrane Protein Interactions. <i>Cold Spring Harbor Protocols</i> , <b>2016</b> , 2016, pdb.top077560	1.2	9
50	Novel Interactome of <i>Saccharomyces cerevisiae</i> Myosin TypeIII Identified by a Modified Integrated Membrane Yeast Two-Hybrid (iMYTH) Screen. <i>G3: Genes, Genomes, Genetics</i> , <b>2016</b> , 6, 1469-74	3.2	3
49	Pooled-matrix protein interaction screens using Barcode Fusion Genetics. <i>Molecular Systems Biology</i> , <b>2016</b> , 12, 863	12.2	59
48	A global genetic interaction network maps a wiring diagram of cellular function. <i>Science</i> , <b>2016</b> , 353,	33.3	626
47	Rab5-family guanine nucleotide exchange factors bind retromer and promote its recruitment to endosomes. <i>Molecular Biology of the Cell</i> , <b>2015</b> , 26, 1119-28	3.5	23
46	ATP-binding cassette transporters and sterol O-acyltransferases interact at membrane microdomains to modulate sterol uptake and esterification. <i>FASEB Journal</i> , <b>2015</b> , 29, 4682-94	0.9	18
45	Application guide for omics approaches to cell signaling. <i>Nature Chemical Biology</i> , <b>2015</b> , 11, 387-97	11.7	52
44	The role of parkinson's disease-associated receptor GPR37 in the hippocampus: functional interplay with the adenosinergic system. <i>Journal of Neurochemistry</i> , <b>2015</b> , 134, 135-46	6	30
43	Adenosine A2A receptor-mediated control of pilocarpine-induced tremulous jaw movements is Parkinson's disease-associated GPR37 receptor-dependent. <i>Behavioural Brain Research</i> , <b>2015</b> , 288, 103-6 <sup>3,4</sup>	3.4	12
42	Evolutionarily conserved intercalated disc protein Tmem65 regulates cardiac conduction and connexin 43 function. <i>Nature Communications</i> , <b>2015</b> , 6, 8391	17.4	23
41	In silico prediction of physical protein interactions and characterization of interactome orphans. <i>Nature Methods</i> , <b>2015</b> , 12, 79-84	21.6	106
40	Fundamentals of protein interaction network mapping. <i>Molecular Systems Biology</i> , <b>2015</b> , 11, 848	12.2	160
39	Effect of C-Terminal S-Palmitoylation on D2 Dopamine Receptor Trafficking and Stability. <i>PLoS ONE</i> , <b>2015</b> , 10, e0140661	3.7	27
38	A Comprehensive Membrane Interactome Mapping of Sho1p Reveals Fps1p as a Novel Key Player in the Regulation of the HOG Pathway in <i>S. cerevisiae</i> . <i>Journal of Molecular Biology</i> , <b>2015</b> , 427, 2088-103	6.5	13
37	CHIP-MYTH: a novel interactive proteomics method for the assessment of agonist-dependent interactions of the human $\beta$ adrenergic receptor. <i>Biochemical and Biophysical Research Communications</i> , <b>2014</b> , 445, 746-56	3.4	12
36	The mammalian-membrane two-hybrid assay (MaMTH) for probing membrane-protein interactions in human cells. <i>Nature Methods</i> , <b>2014</b> , 11, 585-92	21.6	105
35	FHOD1 interaction with nesprin-2G mediates TAN line formation and nuclear movement. <i>Nature Cell Biology</i> , <b>2014</b> , 16, 708-15	23.4	84

34	The Parkinson's disease-associated GPR37 receptor-mediated cytotoxicity is controlled by its intracellular cysteine-rich domain. <i>Journal of Neurochemistry</i> , <b>2013</b> , 125, 362-72	6	21
33	Mapping the functional yeast ABC transporter interactome. <i>Nature Chemical Biology</i> , <b>2013</b> , 9, 565-72	11.7	68
32	NLF-1 delivers a sodium leak channel to regulate neuronal excitability and modulate rhythmic locomotion. <i>Neuron</i> , <b>2013</b> , 77, 1069-82	13.9	57
31	Regulation of CD133 by HDAC6 promotes E-catenin signaling to suppress cancer cell differentiation. <i>Cell Reports</i> , <b>2012</b> , 2, 951-63	10.6	131
30	Interaction landscape of membrane-protein complexes in <i>Saccharomyces cerevisiae</i> . <i>Nature</i> , <b>2012</b> , 489, 585-9	50.4	186
29	Strategies for membrane interaction proteomics: no mass spectrometry required. <i>Proteomics</i> , <b>2012</b> , 12, 1519-26	4.8	21
28	Identification of novel ATP13A2 interactors and their role in E-synuclein misfolding and toxicity. <i>Human Molecular Genetics</i> , <b>2012</b> , 21, 3785-94	5.6	59
27	Investigation of membrane protein interactions using the split-ubiquitin membrane yeast two-hybrid system. <i>Methods in Molecular Biology</i> , <b>2012</b> , 812, 225-44	1.4	17
26	Using yeast as a model to study membrane proteins. <i>Current Opinion in Nephrology and Hypertension</i> , <b>2011</b> , 20, 425-32	3.5	13
25	Interactive proteomics research technologies: recent applications and advances. <i>Current Opinion in Biotechnology</i> , <b>2011</b> , 22, 50-8	11.4	43
24	The Rho1 GTPase acts together with a vacuolar glutathione S-conjugate transporter to protect yeast cells from oxidative stress. <i>Genetics</i> , <b>2011</b> , 188, 859-70	4	27
23	Detecting interactions with membrane proteins using a membrane two-hybrid assay in yeast. <i>Nature Protocols</i> , <b>2010</b> , 5, 1281-93	18.8	105
22	Interaction of the mu-opioid receptor with GPR177 (Wntless) inhibits Wnt secretion: potential implications for opioid dependence. <i>BMC Neuroscience</i> , <b>2010</b> , 11, 33	3.2	52
21	KDP-1 is a nuclear envelope KASH protein required for cell-cycle progression. <i>Journal of Cell Science</i> , <b>2009</b> , 122, 2895-905	5.3	41
20	Regulation of epidermal growth factor receptor trafficking by lysine deacetylase HDAC6. <i>Science Signaling</i> , <b>2009</b> , 2, ra84	8.8	123
19	Yeast as a tool to study bacterial effectors. <i>Current Opinion in Microbiology</i> , <b>2009</b> , 12, 18-23	7.9	34
18	Analysis of membrane protein complexes using the split-ubiquitin membrane yeast two-hybrid (MYTH) system. <i>Methods in Molecular Biology</i> , <b>2009</b> , 548, 247-71	1.4	40
17	Monitoring protein-protein interactions between the mammalian integral membrane transporters and PDZ-interacting partners using a modified split-ubiquitin membrane yeast two-hybrid system. <i>Molecular and Cellular Proteomics</i> , <b>2008</b> , 7, 1362-77	7.6	65

16	Negative regulation of the yeast ABC transporter Ycf1p by phosphorylation within its N-terminal extension. <i>Journal of Biological Chemistry</i> , <b>2008</b> , 283, 27079-88	5.4	39
15	Identification of small molecule inhibitors of <i>Pseudomonas aeruginosa</i> exoenzyme S using a yeast phenotypic screen. <i>PLoS Genetics</i> , <b>2008</b> , 4, e1000005	6	65
14	The BloomS syndrome helicase (BLM) interacts physically and functionally with p12, the smallest subunit of human DNA polymerase delta. <i>Nucleic Acids Research</i> , <b>2008</b> , 36, 5166-79	20.1	23
13	Interactive proteomics: what lies ahead?. <i>BioTechniques</i> , <b>2008</b> , 44, 681-91	2.5	21
12	Two-hybrid technologies in proteomics research. <i>Current Opinion in Biotechnology</i> , <b>2008</b> , 19, 316-23	11.4	107
11	Mapping protein-protein interactions for the yeast ABC transporter Ycf1p by integrated split-ubiquitin membrane yeast two-hybrid analysis. <i>Molecular Cell</i> , <b>2007</b> , 26, 15-25	17.6	87
10	Yeast-based functional genomics and proteomics technologies: the first 15 years and beyond. <i>BioTechniques</i> , <b>2006</b> , 40, 625-44	2.5	69
9	Large-scale identification of yeast integral membrane protein interactions. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2005</b> , 102, 12123-8	11.5	224
8	The human Rothmund-Thomson syndrome gene product, RECQL4, localizes to distinct nuclear foci that coincide with proteins involved in the maintenance of genome stability. <i>Journal of Cell Science</i> , <b>2005</b> , 118, 4261-9	5.3	105
7	Physical and functional interaction between the BloomS syndrome gene product and the largest subunit of chromatin assembly factor 1. <i>Molecular and Cellular Biology</i> , <b>2004</b> , 24, 4710-9	4.8	42
6	Coordination of N-glycosylation and protein translocation across the endoplasmic reticulum membrane by Sss1 protein. <i>Journal of Biological Chemistry</i> , <b>2003</b> , 278, 37998-8003	5.4	29
5	Identification of novel ErbB3-interacting factors using the split-ubiquitin membrane yeast two-hybrid system. <i>Genome Research</i> , <b>2003</b> , 13, 1744-53	9.7	83
4	Finding partners: emerging protein interaction technologies applied to signaling networks. <i>Science Signaling</i> , <b>2003</b> , 2003, pe56	8.8	10
3	The BloomS syndrome helicase interacts directly with the human DNA mismatch repair protein hMSH6. <i>Biological Chemistry</i> , <b>2003</b> , 384, 1155-64	4.5	45
2	Detection of Membrane Protein Interactions Using Split Ubiquitin-Based Membrane Yeast Two-Hybrid Technology. <i>Scientific World Journal, The</i> , <b>2002</b> , 2, 104-105	2.2	
1	Analysis of membrane protein interactions using yeast-based technologies. <i>Trends in Biochemical Sciences</i> , <b>2002</b> , 27, 559-63	10.3	83