

Ilse Vanhorebeek

List of Publications by Citations

Source: <https://exaly.com/author-pdf/4914615/ilse-vanhorebeek-publications-by-citations.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

155
papers

17,281
citations

44
h-index

131
g-index

162
ext. papers

19,592
ext. citations

9.8
avg, IF

5.89
L-index

#	Paper	IF	Citations
155	Guidelines for the use and interpretation of assays for monitoring autophagy (3rd edition). <i>Autophagy</i> , 2016 , 12, 1-222	10.2	3838
154	Guidelines for the use and interpretation of assays for monitoring autophagy. <i>Autophagy</i> , 2012 , 8, 445-546.2	10.2	2783
153	Intensive insulin therapy for patients in paediatric intensive care: a prospective, randomised controlled study. <i>Lancet, The</i> , 2009 , 373, 547-56	40	1435
152	Protection of hepatocyte mitochondrial ultrastructure and function by strict blood glucose control with insulin in critically ill patients. <i>Lancet, The</i> , 2005 , 365, 53-9	40	892
151	Guidelines on diabetes, pre-diabetes, and cardiovascular diseases: executive summary. The Task Force on Diabetes and Cardiovascular Diseases of the European Society of Cardiology (ESC) and of the European Association for the Study of Diabetes (EASD). <i>European Heart Journal</i> , 2007 , 28, 88-136	9.5	889
150	Early parenteral nutrition evokes a phenotype of autophagy deficiency in liver and skeletal muscle of critically ill rabbits. <i>Endocrinology</i> , 2012 , 153, 2267-76	4.8	614
149	Tissue-specific glucose toxicity induces mitochondrial damage in a burn injury model of critical illness. <i>Critical Care Medicine</i> , 2009 , 37, 1355-64	1.4	579
148	Guidelines for pre-operative cardiac risk assessment and perioperative cardiac management in non-cardiac surgery. <i>European Heart Journal</i> , 2009 , 30, 2769-812	9.5	545
147	Reduced cortisol metabolism during critical illness. <i>New England Journal of Medicine</i> , 2013 , 368, 1477-8859.2	59.2	378
146	Intensive insulin therapy protects the endothelium of critically ill patients. <i>Journal of Clinical Investigation</i> , 2005 , 115, 2277-86	15.9	334
145	Early versus Late Parenteral Nutrition in Critically Ill Children. <i>New England Journal of Medicine</i> , 2016 , 374, 1111-22	59.2	272
144	Survival benefits of intensive insulin therapy in critical illness: impact of maintaining normoglycemia versus glycemia-independent actions of insulin. <i>Diabetes</i> , 2006 , 55, 1096-105	0.9	215
143	Effect of tolerating macronutrient deficit on the development of intensive-care unit acquired weakness: a subanalysis of the EPaNIC trial. <i>Lancet Respiratory Medicine, the</i> , 2013 , 1, 621-629	35.1	190
142	Tight blood glucose control with insulin in the ICU: facts and controversies. <i>Chest</i> , 2007 , 132, 268-78	5.3	178
141	The Sick and the Weak: Neuropathies/Myopathies in the Critically Ill. <i>Physiological Reviews</i> , 2015 , 95, 1025-109	47.9	166
140	Mitochondrial alterations caused by defective peroxisomal biogenesis in a mouse model for Zellweger syndrome (PEX5 knockout mouse). <i>American Journal of Pathology</i> , 2001 , 159, 1477-94	5.8	161
139	Guidelines for pre-operative cardiac risk assessment and perioperative cardiac management in non-cardiac surgery: the Task Force for Preoperative Cardiac Risk Assessment and Perioperative Cardiac Management in Non-cardiac Surgery of the European Society of Cardiology (ESC) and endorsed by the European Society of Anaesthesiology (ESA). <i>European Journal of Anaesthesiology</i> , 2010 , 27, 92-137	2.3	158

138	Insufficient activation of autophagy allows cellular damage to accumulate in critically ill patients. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2011 , 96, E633-45	5.6	148
137	Absence of peroxisomes in mouse hepatocytes causes mitochondrial and ER abnormalities. <i>Hepatology</i> , 2005 , 41, 868-78	11.2	139
136	Polymorphisms in innate immunity genes predispose to bacteremia and death in the medical intensive care unit. <i>Critical Care Medicine</i> , 2009 , 37, 192-201, e1-3	1.4	113
135	ICU-acquired weakness. <i>Intensive Care Medicine</i> , 2020 , 46, 637-653	14.5	110
134	Tight blood glucose control is renoprotective in critically ill patients. <i>Journal of the American Society of Nephrology: JASN</i> , 2008 , 19, 571-8	12.7	103
133	Neurocognitive development of children 4 years after critical illness and treatment with tight glucose control: a randomized controlled trial. <i>JAMA - Journal of the American Medical Association</i> , 2012 , 308, 1641-50	27.4	102
132	Insufficient autophagy contributes to mitochondrial dysfunction, organ failure, and adverse outcome in an animal model of critical illness. <i>Critical Care Medicine</i> , 2013 , 41, 182-94	1.4	102
131	Endocrine aspects of acute and prolonged critical illness. <i>Nature Clinical Practice Endocrinology and Metabolism</i> , 2006 , 2, 20-31		98
130	Muscle atrophy and preferential loss of myosin in prolonged critically ill patients. <i>Critical Care Medicine</i> , 2012 , 40, 79-89	1.4	86
129	Glucose metabolism and insulin resistance in sepsis. <i>Current Pharmaceutical Design</i> , 2008 , 14, 1887-99	3.3	86
128	Glycemic and nonglycemic effects of insulin: how do they contribute to a better outcome of critical illness?. <i>Current Opinion in Critical Care</i> , 2005 , 11, 304-11	3.5	80
127	Impact of early parenteral nutrition on catabolism. <i>Critical Care</i> , 2013 , 17,	10.8	78
126	Intensive insulin therapy in critically ill children: impact on blood glucose dynamics and its relation with mortality. <i>Critical Care</i> , 2013 , 17,	10.8	78
125	FIBROBLAST GROWTH FACTOR 21 RESPONSE TO CRITICAL ILLNESS: EFFECT OF BLOOD GLUCOSE CONTROL AND RELATION WITH MITOCHONDRIAL DYSFUNCTION, THE INTEGRATED STRESS RESPONSE AND SURVIVAL. <i>Intensive Care Medicine Experimental</i> , 2015 , 3, A977	3.7	78
124	Reduced cortisol metabolism drives hypercortisolism in critical illness. <i>Critical Care</i> , 2012 , 16,	10.8	78
123	Effects of hyperglycemia and intensive insulin therapy on neurons and glial cells during critical illness. <i>Critical Care</i> , 2011 , 15,	10.8	78
122	AKIpredictor, an online prognostic calculator for acute kidney injury in adult critically ill patients: development, validation and comparison to serum neutrophil gelatinase-associated lipocalin. <i>Intensive Care Medicine</i> , 2017 , 43, 764-773	14.5	70
121	Effect of early supplemental parenteral nutrition in the paediatric ICU: a preplanned observational study of post-randomisation treatments in the PEPaNIC trial. <i>Lancet Respiratory Medicine</i> , 2017 , 5, 475-483	35.1	70

120	The neuroendocrine response to critical illness is a dynamic process. <i>Critical Care Clinics</i> , 2006 , 22, 1-15, v	4.5	65
119	The altered adrenal axis and treatment with glucocorticoids during critical illness. <i>Nature Clinical Practice Endocrinology and Metabolism</i> , 2008 , 4, 496-505		64
118	Cortisol response to critical illness: effect of intensive insulin therapy. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2006 , 91, 3803-13	5.6	63
117	Impact of early parenteral nutrition on metabolism and kidney injury. <i>Journal of the American Society of Nephrology: JASN</i> , 2013 , 24, 995-1005	12.7	61
116	Tight blood glucose control: what is the evidence?. <i>Critical Care Medicine</i> , 2007 , 35, S496-502	1.4	60
115	Hyperglycemic kidney damage in an animal model of prolonged critical illness. <i>Kidney International</i> , 2009 , 76, 512-20	9.9	50
114	Neuronal migration depends on intact peroxisomal function in brain and in extraneuronal tissues. <i>Journal of Neuroscience</i> , 2003 , 23, 9732-41	6.6	49
113	Mitochondria in peroxisome-deficient hepatocytes exhibit impaired respiration, depleted DNA, and PGC-1 β -independent proliferation. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 2015 , 1853, 285-98	4.9	47
112	Glycemic control modulates arginine and asymmetrical-dimethylarginine levels during critical illness by preserving dimethylarginine-dimethylaminohydrolase activity. <i>Endocrinology</i> , 2008 , 149, 3148-57	4.8	45
111	Tight glycemic control protects the myocardium and reduces inflammation in neonatal heart surgery. <i>Annals of Thoracic Surgery</i> , 2010 , 90, 22-9	2.7	43
110	Therapy insight: the effect of tight glycemic control in acute illness. <i>Nature Clinical Practice Endocrinology and Metabolism</i> , 2007 , 3, 270-8		42
109	Hormonal and metabolic strategies to attenuate catabolism in critically ill patients. <i>Current Opinion in Pharmacology</i> , 2004 , 4, 621-8	5.1	42
108	Impact of withholding early parenteral nutrition completing enteral nutrition in pediatric critically ill patients (PEPaNIC trial): study protocol for a randomized controlled trial. <i>Trials</i> , 2015 , 16, 202	2.8	40
107	Impact of hyperglycemia on neuropathological alterations during critical illness. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2012 , 97, 2113-23	5.6	38
106	Long-term developmental effects of withholding parenteral nutrition for 1 week in the paediatric intensive care unit: a 2-year follow-up of the PEPaNIC international, randomised, controlled trial. <i>Lancet Respiratory Medicine</i> , 2019 , 7, 141-153	35.1	38
105	Intensive insulin therapy in the intensive care unit. <i>Cmaj</i> , 2009 , 180, 799-800	3.5	37
104	Phthalate and alternative plasticizers in indwelling medical devices in pediatric intensive care units. <i>Journal of Hazardous Materials</i> , 2019 , 363, 64-72	12.8	37
103	Soluble RAGE and the RAGE ligands HMGB1 and S100A12 in critical illness: impact of glycemic control with insulin and relation with clinical outcome. <i>Shock</i> , 2015 , 43, 109-16	3.4	35

102	Circulating phthalates during critical illness in children are associated with long-term attention deficit: a study of a development and a validation cohort. <i>Intensive Care Medicine</i> , 2016 , 42, 379-392	14.5	35
101	Early versus late parenteral nutrition in critically ill, term neonates: a preplanned secondary subgroup analysis of the PEPaNIC multicentre, randomised controlled trial. <i>The Lancet Child and Adolescent Health</i> , 2018 , 2, 505-515	14.5	35
100	Critical illness-induced dysglycemia and the brain. <i>Intensive Care Medicine</i> , 2015 , 41, 192-202	14.5	34
99	Role of Glucagon in Catabolism and Muscle Wasting of Critical Illness and Modulation by Nutrition. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2017 , 196, 1131-1143	10.2	33
98	Premorbid obesity, but not nutrition, prevents critical illness-induced muscle wasting and weakness. <i>Journal of Cachexia, Sarcopenia and Muscle</i> , 2017 , 8, 89-101	10.3	32
97	FGF21 Response to Critical Illness: Effect of Blood Glucose Control and Relation With Cellular Stress and Survival. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2015 , 100, E1319-27	5.6	29
96	Mitochondrial fusion, fission, and biogenesis in prolonged critically ill patients. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2012 , 97, E59-64	5.6	29
95	Predictive value for weakness and 1-year mortality of screening electrophysiology tests in the ICU. <i>Intensive Care Medicine</i> , 2015 , 41, 2138-48	14.5	28
94	Tissue mRNA expression of the glucocorticoid receptor and its splice variants in fatal critical illness. <i>Clinical Endocrinology</i> , 2009 , 71, 145-53	3.4	27
93	Diabetes of injury: novel insights. <i>Endocrinology and Metabolism Clinics of North America</i> , 2006 , 35, 859-72, x	5.5	27
92	Outcomes of Delaying Parenteral Nutrition for 1 Week vs Initiation Within 24 Hours Among Undernourished Children in Pediatric Intensive Care: A Subanalysis of the PEPaNIC Randomized Clinical Trial. <i>JAMA Network Open</i> , 2018 , 1, e182668	10.4	27
91	Assessment of quadriceps muscle mass with ultrasound in critically ill patients: intra- and inter-observer agreement and sensitivity. <i>Intensive Care Medicine</i> , 2015 , 41, 562-3	14.5	26
90	Molecular mechanisms behind clinical benefits of intensive insulin therapy during critical illness: glucose versus insulin. <i>Baillieres Best Practice and Research in Clinical Anaesthesiology</i> , 2009 , 23, 449-59	4	26
89	Glucose homeostasis, nutrition and infections during critical illness. <i>Clinical Microbiology and Infection</i> , 2018 , 24, 10-15	9.5	25
88	Modulation of regional nitric oxide metabolism: blood glucose control or insulin?. <i>Intensive Care Medicine</i> , 2008 , 34, 1525-33	14.5	25
87	Guidelines on diabetes, pre-diabetes, and cardiovascular diseases: full text: The Task Force on Diabetes and Cardiovascular Diseases of the European Society of Cardiology (ESC) and of the European Association for the Study of Diabetes (EASD). <i>European Heart Journal Supplements</i> , 2007 , 8, 22-27	1.5	25
86	Mitochondrial and endoplasmic reticulum dysfunction and related defense mechanisms in critical illness-induced multiple organ failure. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2017 , 1863, 2534-2545	6.9	23
85	Increasing intravenous glucose load in the presence of normoglycemia: effect on outcome and metabolism in critically ill rabbits. <i>Critical Care Medicine</i> , 2010 , 38, 602-11	1.4	23

84	Glucose dysregulation and neurological injury biomarkers in critically ill children. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2010 , 95, 4669-79	5.6	22
83	Amino acid supplements in critically ill patients. <i>Pharmacological Research</i> , 2018 , 130, 127-131	10.2	21
82	Circulating levels of the shed scavenger receptor sCD163 and association with outcome of critically ill patients. <i>Journal of Clinical Immunology</i> , 2013 , 33, 619-29	5.7	19
81	Charisma: an integrated approach to automatic H&E-stained skeletal muscle cell segmentation using supervised learning and novel robust clump splitting. <i>Medical Image Analysis</i> , 2013 , 17, 1206-19	15.4	19
80	Effect of tight glucose control with insulin on the thyroid axis of critically ill children and its relation with outcome. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2012 , 97, 3569-76	5.6	19
79	Isoprenoid biosynthesis is not compromised in a Zellweger syndrome mouse model. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2001 , 1532, 28-36	5	19
78	Effect of early parenteral nutrition during paediatric critical illness on DNA methylation as a potential mediator of impaired neurocognitive development: a pre-planned secondary analysis of the PEPaNIC international randomised controlled trial. <i>Lancet Respiratory Medicine</i> , 2020 , 8, 288-303	35.1	18
77	Critical Care Management of Stress-Induced Hyperglycemia. <i>Current Diabetes Reports</i> , 2018 , 18, 17	5.6	18
76	Lectin pathway of complement activation and relation with clinical complications in critically ill children. <i>Pediatric Research</i> , 2014 , 75, 99-108	3.2	18
75	Contribution of nutritional deficit to the pathogenesis of the nonthyroidal illness syndrome in critical illness: a rabbit model study. <i>Endocrinology</i> , 2012 , 153, 973-84	4.8	18
74	Metabolic aspects of critical illness polyneuromyopathy. <i>Critical Care Medicine</i> , 2009 , 37, S391-7	1.4	18
73	Glycemic control and outcome related to cardiopulmonary bypass. <i>Baillieres Best Practice and Research in Clinical Anaesthesiology</i> , 2015 , 29, 177-87	4	17
72	Neurocognition after paediatric heart surgery: a systematic review and meta-analysis. <i>Open Heart</i> , 2015 , 2, e000255	3	17
71	Effect of intensive insulin therapy on the somatotrophic axis of critically ill children. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2011 , 96, 2558-66	5.6	17
70	Intensive insulin therapy in the intensive care unit: update on clinical impact and mechanisms of action. <i>Endocrine Practice</i> , 2006 , 12 Suppl 3, 14-22	3.2	17
69	The Role of Autophagy in Critical Illness-induced Liver Damage. <i>Scientific Reports</i> , 2017 , 7, 14150	4.9	16
68	Long-term developmental effect of withholding parenteral nutrition in paediatric intensive care units: a 4-year follow-up of the PEPaNIC randomised controlled trial. <i>The Lancet Child and Adolescent Health</i> , 2020 , 4, 503-514	14.5	16
67	Dietary intervention, but not losartan, completely reverses non-alcoholic steatohepatitis in obese and insulin resistant mice. <i>Lipids in Health and Disease</i> , 2017 , 16, 46	4.4	15

66	Indication and practical use of intensive insulin therapy in the critically ill. <i>Current Opinion in Critical Care</i> , 2007 , 13, 392-8	3.5	15
65	Intensive insulin therapy in high-risk cardiac surgery patients: evidence from the Leuven randomized study. <i>Seminars in Thoracic and Cardiovascular Surgery</i> , 2006 , 18, 309-16	1.7	15
64	Non-Thyroidal Illness Syndrome in Critically Ill Children: Prognostic Value and Impact of Nutritional Management. <i>Thyroid</i> , 2019 , 29, 480-492	6.2	14
63	HLA-DR Expression on Monocyte Subsets in Critically Ill Children. <i>Pediatric Infectious Disease Journal</i> , 2018 , 37, 1034-1040	3.4	14
62	Cost-effectiveness study of early versus late parenteral nutrition in critically ill children (PEPaNIC): preplanned secondary analysis of a multicentre randomised controlled trial. <i>Critical Care</i> , 2018 , 22, 4	10.8	14
61	Leukocyte telomere length in paediatric critical illness: effect of early parenteral nutrition. <i>Critical Care</i> , 2018 , 22, 38	10.8	13
60	Neuropathological Correlates of Hyperglycemia During Prolonged Polymicrobial Sepsis in Mice. <i>Shock</i> , 2015 , 44, 245-51	3.4	13
59	The role of insulin therapy in critically ill patients. <i>Treatments in Endocrinology: Guiding Your Management of Endocrine Disorders</i> , 2005 , 4, 353-60		12
58	What's new in the long-term neurodevelopmental outcome of critically ill children. <i>Intensive Care Medicine</i> , 2018 , 44, 649-651	14.5	9
57	Health-related quality of life of children and their parents 6 months after children's critical illness. <i>Quality of Life Research</i> , 2020 , 29, 179-189	3.7	9
56	Amino acid concentrations in critically ill children following cardiac surgery*. <i>Pediatric Critical Care Medicine</i> , 2014 , 15, 314-28	3	8
55	Endoplasmic reticulum stress actively suppresses hepatic molecular identity in damaged liver. <i>Molecular Systems Biology</i> , 2020 , 16, e9156	12.2	8
54	Performance of Pediatric Mortality Prediction Scores for PICU Mortality and 90-Day Mortality. <i>Pediatric Critical Care Medicine</i> , 2019 , 20, 113-119	3	7
53	Insulin treatment in intensive care patients. <i>Hormone Research in Paediatrics</i> , 2009 , 71, 2-11	3.3	7
52	Towards a fasting-mimicking diet for critically ill patients: the pilot randomized crossover ICU-FM-1 study. <i>Critical Care</i> , 2020 , 24, 249	10.8	7
51	Early versus Late Parenteral Nutrition in Critically Ill Children. <i>New England Journal of Medicine</i> , 2016 , 375, 385-6	59.2	7
50	Serial lactate measurements using microdialysis of interstitial fluid do not correlate with plasma lactate in children after cardiac surgery. <i>Pediatric Critical Care Medicine</i> , 2009 , 10, 66-70	3	6
49	The importance of strict blood glucose control with insulin therapy in the intensive care unit. <i>Current Diabetes Reviews</i> , 2008 , 4, 227-33	2.7	6

48	Dynamics and prognostic value of the hypothalamus-pituitary-adrenal axis responses to pediatric critical illness and association with corticosteroid treatment: a prospective observational study. <i>Intensive Care Medicine</i> , 2020 , 46, 70-81	14.5	6
47	Effect of Intravenous 25OHD Supplementation on Bone Turnover and Inflammation in Prolonged Critically Ill Patients. <i>Hormone and Metabolic Research</i> , 2020 , 52, 168-178	3.1	5
46	Endocrinopathy of the Critically Ill. <i>Lessons From the ICU</i> , 2020 , 125-143	0.1	5
45	Health-related quality of life of children and their parents 2 years after critical illness: pre-planned follow-up of the PEPaNIC international, randomized, controlled trial. <i>Critical Care</i> , 2020 , 24, 347	10.8	4
44	Impact of supplemental parenteral nutrition early during critical illness on invasive fungal infections: a secondary analysis of the EPaNIC randomized controlled trial. <i>Clinical Microbiology and Infection</i> , 2019 , 25, 359-364	9.5	4
43	Critical Roles of Endogenous Glucocorticoids for Disease Tolerance in Malaria. <i>Trends in Parasitology</i> , 2019 , 35, 918-930	6.4	4
42	Increasing glucose load while maintaining normoglycemia does not evoke neuronal damage in prolonged critically ill rabbits. <i>Clinical Nutrition</i> , 2013 , 32, 1077-80	5.9	4
41	Insulin therapy in very-low-birth-weight infants. <i>New England Journal of Medicine</i> , 2009 , 360, 535; author reply 536-7	59.2	4
40	The pattern recognition molecule collectin-L1 in critically ill children. <i>Pediatric Research</i> , 2016 , 80, 237-43.	3.2	4
39	Effect of late versus early initiation of parenteral nutrition on weight deterioration during PICU stay: Secondary analysis of the PEPaNIC randomised controlled trial. <i>Clinical Nutrition</i> , 2020 , 39, 104-109	5.9	4
38	Role of age of critically ill children at time of exposure to early or late parenteral nutrition in determining the impact hereof on long-term neurocognitive development: A secondary analysis of the PEPaNIC-RCT. <i>Clinical Nutrition</i> , 2021 , 40, 1005-1012	5.9	4
37	Early Supplemental Parenteral Nutrition in Critically Ill Children: An Update. <i>Journal of Clinical Medicine</i> , 2019 , 8,	5.1	3
36	The soluble mannose receptor (sMR/sCD206) in critically ill patients with invasive fungal infections, bacterial infections or non-infectious inflammation: a secondary analysis of the EPaNIC RCT. <i>Critical Care</i> , 2019 , 23, 270	10.8	3
35	The GH Axis in Relation to Accepting an Early Macronutrient Deficit and Outcome of Critically Ill Patients. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2019 , 104, 5507-5518	5.6	3
34	Time course of altered DNA methylation evoked by critical illness and by early administration of parenteral nutrition in the paediatric ICU. <i>Clinical Epigenetics</i> , 2020 , 12, 155	7.7	3
33	Nonthyroidal illness in critically ill children. <i>Current Opinion in Endocrinology, Diabetes and Obesity</i> , 2019 , 26, 241-249	4	3
32	Glycaemic control and perioperative organ protection. <i>Baillieres Best Practice and Research in Clinical Anaesthesiology</i> , 2008 , 22, 135-49	4	2
31	Glycaemic control in trauma patients, is there a role?. <i>Trauma</i> , 2006 , 8, 13-19	0.3	2

30	Phasing out DEHP from plastic indwelling medical devices used for intensive care: Does it reduce the long-term attention deficit of critically ill children?. <i>Environment International</i> , 2021 , 158, 106962	12.9	2
29	The clinical potential of GDF15 as a "ready-to-feed indicator" for critically ill adults. <i>Critical Care</i> , 2020 , 24, 557	10.8	2
28	Achieving enteral nutrition during the acute phase in critically ill children: Associations with patient characteristics and clinical outcome. <i>Clinical Nutrition</i> , 2021 , 40, 1911-1919	5.9	2
27	Modulating the Endocrine Response in Sepsis: Insulin and Blood Glucose Control. <i>Novartis Foundation Symposium</i> , 204-222		2
26	Modulating the endocrine response in sepsis: insulin and blood glucose control. <i>Novartis Foundation Symposium</i> , 2007 , 280, 204-15; discussion 215-22		2
25	Impact of early versus late parenteral nutrition on morphological and molecular markers of atrophy and autophagy in skeletal muscle of critically ill patients. <i>Critical Care</i> , 2013 , 17,	10.8	1
24	Insufficient autophagy relates to mitochondrial dysfunction, organ failure and adverse outcome in an animal model of critical illness. <i>Critical Care</i> , 2012 , 16,	10.8	1
23	Rôle de l'insuline et du contrôle de la glycémie en réanimation. <i>Reanimation: Journal De La Societe De Reanimation De Langue Francaise</i> , 2006 , 15, 474-480		1
22	C-reactive protein rise in response to macronutrient deficit early in critical illness: sign of inflammation or mediator of infection prevention and recovery. <i>Intensive Care Medicine</i> , 2021 , 48, 25	14.5	1
21	Early neuromuscular electrical stimulation reduces the loss of muscle mass in critically ill patients - A within subject randomized controlled trial. <i>Journal of Critical Care</i> , 2021 , 62, 65-71	4	1
20	Differential DNA methylation by early versus late parenteral nutrition in the PICU: a biological basis for its impact on emotional and behavioral problems documented 4 years later. <i>Clinical Epigenetics</i> , 2021 , 13, 146	7.7	1
19	Insufficient activation of autophagy allows accumulation of cellular damage and may contribute to sustained organ failure in prolonged critically ill patients. <i>Critical Care</i> , 2011 , 15,	10.8	0
18	Isoprenoid biosynthesis is not compromised in a Zellweger syndrome mouse model. <i>Biochemical Society Transactions</i> , 2001 , 29, A26-A26	5.1	0
17	Glucose, Insulin, and the Kidney 2010 , 169-180		0
16	Supplementation of vitamins, trace elements and electrolytes in the PEPaNIC Randomised Controlled Trial: Composition and preparation of the prescription. <i>Clinical Nutrition ESPEN</i> , 2021 , 42, 244-251	1.3	0
15	Persisting neuroendocrine abnormalities and their association with physical impairment 5 years after critical illness.. <i>Critical Care</i> , 2021 , 25, 430	10.8	0
14	Impact of critical illness and withholding of early parenteral nutrition in the pediatric intensive care unit on long-term physical performance of children: a 4-year follow-up of the PEPaNIC randomized controlled trial.. <i>Critical Care</i> , 2022 , 26, 133	10.8	0
13	Impact of duration of critical illness and level of systemic glucocorticoid availability on tissue-specific glucocorticoid receptor expression and actions: A prospective, observational, cross-sectional human and two translational mouse studies.. <i>EBioMedicine</i> , 2022 , 80, 104057	8.8	0

- 12 The authors reply. *Pediatric Critical Care Medicine*, **2014**, 15, 793-4 3
- 11 Neurocognitive Development of Children 4 Years After Critical Illness and Treatment With Tight Glucose Control. *Survey of Anesthesiology*, **2013**, 57, 137
- 10 Glycaemic control in paediatric critical care [AuthorsPreply]. *Lancet, The*, **2009**, 373, 1424 40
- 9 Insulin, glucose control and multiple organ dysfunction syndrome. *Journal of Organ Dysfunction*, **2008**, 4, 195-207
- 8 Tight Blood Glucose Control in the ICU: Response. *Chest*, **2008**, 133, 317 53
- 7 The Role of Insulin and Blood Glucose Control. *Update in Intensive Care and Emergency Medicine*, **2007**, 287-297
- 6 Intensive Insulin Therapy for the Critically Ill Patient **2008**, 157-177
- 5 Glucose and Insulin Management in Critical Care **2007**, 1920-1929
- 4 The Diabetes of Injury: Novel Insights and Clinical Implications **2008**, 255-276
- 3 Muscle Weakness, Molecular Mechanism and Nutrition During Critical Illness **2015**, 75-89
- 2 Hyperglycemia in the Surgical Intensive Care Unit **2016**, 497-506
- 1 Muscle Weakness, Molecular Mechanism, and Nutrition During Critical Illness **2014**, 1-17