

Isabelle Boutron

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/4915631/isabelle-boutron-publications-by-year.pdf>

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

230
papers

33,471
citations

59

h-index

182
g-index

248
ext. papers

56,909
ext. citations

6.8
avg, IF

7.33
L-index

#	Paper	IF	Citations
230	Interleukin-1 blocking agents for treating COVID-19.. <i>The Cochrane Library</i> , 2022 , 1, CD015308	5.2	2
229	Patients' Perspectives on Transforming Clinical Trial Participation: Large Online Vignette-based Survey.. <i>Journal of Medical Internet Research</i> , 2022 , 24, e29691	7.6	
228	Randomized feasibility trial of the Scleroderma Patient-centered Intervention Network Self-Management (SPIN-SELF) Program.. <i>Pilot and Feasibility Studies</i> , 2022 , 8, 45	1.9	0
227	Effect of Prehabilitation Before Total Knee Replacement for Knee Osteoarthritis on Functional Outcomes: A Randomized Clinical Trial.. <i>JAMA Network Open</i> , 2022 , 5, e221462	10.4	1
226	Assessment of transparency and selective reporting of interventional trials studying colorectal cancer.. <i>BMC Cancer</i> , 2022 , 22, 278	4.8	
225	Influence of the statistical significance of results and spin on readers' interpretation of the results in an abstract for a hypothetical clinical trial: a randomised trial.. <i>BMJ Open</i> , 2022 , 12, e056503	3	
224	Availability of results of interventional studies assessing colorectal cancer from 2013 to 2020.. <i>PLoS ONE</i> , 2022 , 17, e0266496	3.7	
223	The Scleroderma Patient-centered Intervention Network Self-Management (SPIN-SELF) Program: protocol for a two-arm parallel partially nested randomized controlled feasibility trial with progression to full-scale trial. <i>Trials</i> , 2021 , 22, 856	2.8	1
222	Risk of bias in observational studies using routinely collected data of comparative effectiveness research: a meta-research study. <i>BMC Medicine</i> , 2021 , 19, 279	11.4	2
221	Pravila PRISMA 2020.. <i>Medicina Fluminensis</i> , 2021 , 57, 444-465	0	7
220	Quality assessment practice in systematic reviews of mediation studies: results from an overview of systematic reviews.. <i>Journal of Clinical Epidemiology</i> , 2021 , 143, 137-148	5.7	0
219	PRISMA 2020 explanation and elaboration: updated guidance and exemplars for reporting systematic reviews. <i>BMJ, The</i> , 2021 , 372, n160	5.9	666
218	The PRISMA 2020 statement: an updated guideline for reporting systematic reviews. <i>BMJ, The</i> , 2021 , 372, n71	5.9	4545
217	The PRISMA 2020 statement: An updated guideline for reporting systematic reviews. <i>PLoS Medicine</i> , 2021 , 18, e1003583	11.6	286
216	The PRISMA 2020 statement: an updated guideline for reporting systematic reviews. <i>Systematic Reviews</i> , 2021 , 10, 89	3	513
215	Reporting of harms in oncological clinical study reports submitted to the European Medicines Agency compared to trial registries and publications-a methodological review. <i>BMC Medicine</i> , 2021 , 19, 88	11.4	3
214	Day-to-day discovery of preprint-publication links. <i>Scientometrics</i> , 2021 , 126, 1-20	3	10

213	CONSORT extension for the reporting of randomised controlled trials conducted using cohorts and routinely collected data (CONSORT-ROUTINE): checklist with explanation and elaboration. <i>BMJ, The</i> , 2021 , 373, n857	5.9	17
212	The PRISMA 2020 statement: An updated guideline for reporting systematic reviews. <i>International Journal of Surgery</i> , 2021 , 88, 105906	7.5	461
211	Effect of Osteopathic Manipulative Treatment vs Sham Treatment on Activity Limitations in Patients With Nonspecific Subacute and Chronic Low Back Pain: A Randomized Clinical Trial. <i>JAMA Internal Medicine</i> , 2021 , 181, 620-630	11.5	8
210	The PRISMA 2020 statement: An updated guideline for reporting systematic reviews. <i>Journal of Clinical Epidemiology</i> , 2021 , 134, 178-189	5.7	201
209	Updating guidance for reporting systematic reviews: development of the PRISMA 2020 statement. <i>Journal of Clinical Epidemiology</i> , 2021 , 134, 103-112	5.7	279
208	A randomized trial of an editorial intervention to reduce spin in the abstract's conclusion of manuscripts showed no significant effect. <i>Journal of Clinical Epidemiology</i> , 2021 , 130, 69-77	5.7	3
207	Research response to coronavirus disease 2019 needed better coordination and collaboration: a living mapping of registered trials. <i>Journal of Clinical Epidemiology</i> , 2021 , 130, 107-116	5.7	9
206	Published trials of TACE for HCC are often not registered and subject to outcome reporting bias. <i>JHEP Reports</i> , 2021 , 3, 100196	10.3	0
205	Interleukin-6 blocking agents for treating COVID-19: a living systematic review. <i>The Cochrane Library</i> , 2021 , 3, CD013881	5.2	43
204	Guidelines for Reporting Trial Protocols and Completed Trials Modified Due to the COVID-19 Pandemic and Other Extenuating Circumstances: The CONSERVE 2021 Statement. <i>JAMA - Journal of the American Medical Association</i> , 2021 , 326, 257-265	27.4	30
203	Evaluation of the usefulness of ultrasound measurement of the lower uterine segment before delivery of women with a prior cesarean delivery: a randomized trial. <i>American Journal of Obstetrics and Gynecology</i> , 2021 ,	6.4	4
202	Considerations in boosting COVID-19 vaccine immune responses. <i>Lancet, The</i> , 2021 , 398, 1377-1380	40	108
201	Secondary electronic sources demonstrated very good sensitivity for identifying studies evaluating interventions for COVID-19. <i>Journal of Clinical Epidemiology</i> , 2021 , 141, 46-53	5.7	3
200	Declaraci3 PRISMA 2020: una gu3 actualizada para la publicaci3 de revisiones sistem3icas. <i>Revista Espanola De Cardiologia</i> , 2021 , 74, 790-799	1.5	35
199	Interventions for the prevention and treatment of COVID-19: a living mapping of research and living network meta-analysis. <i>The Cochrane Library</i> , 2020 ,	5.2	12
198	Interventions for the treatment of COVID-19: a living network meta-analysis. <i>The Cochrane Library</i> , 2020 ,	5.2	3
197	Agreement was moderate between data-based and opinion-based assessments of biases affecting randomized trials within meta-analyses. <i>Journal of Clinical Epidemiology</i> , 2020 , 125, 16-25	5.7	
196	What to do with a clinical trial with conflicts of interest. <i>BMJ Evidence-Based Medicine</i> , 2020 , 25, 157-1582.7		6

195	Effect of an editorial intervention to improve the completeness of reporting of randomised trials: a randomised controlled trial. <i>BMJ Open</i> , 2020 , 10, e036799	3	8
194	Development of ARCADIA: a tool for assessing the quality of peer-review reports in biomedical research. <i>BMJ Open</i> , 2020 , 10, e035604	3	1
193	Future of evidence ecosystem series: 3. From an evidence synthesis ecosystem to an evidence ecosystem. <i>Journal of Clinical Epidemiology</i> , 2020 , 123, 153-161	5.7	7
192	Future of evidence ecosystem series: 2. current opportunities and need for better tools and methods. <i>Journal of Clinical Epidemiology</i> , 2020 , 123, 143-152	5.7	7
191	Future of evidence ecosystem series: 1. Introduction Evidence synthesis ecosystem needs dramatic change. <i>Journal of Clinical Epidemiology</i> , 2020 , 123, 135-142	5.7	8
190	The research burden of randomized controlled trial participation: a systematic thematic synthesis of qualitative evidence. <i>BMC Medicine</i> , 2020 , 18, 6	11.4	32
189	Results of trials assessing transarterial chemoembolization for treating hepatocellular carcinoma are critically underreported. <i>European Radiology</i> , 2020 , 30, 5633-5640	8	3
188	Reporting guidelines for journal and conference abstracts. <i>Journal of Clinical Epidemiology</i> , 2020 , 124, 186-192	5.7	1
187	Systematic examination of preprint platforms for use in the medical and biomedical sciences setting. <i>BMJ Open</i> , 2020 , 10, e041849	3	21
186	CONSORT and Its Extensions for Reporting Clinical Trials 2020 , 1-15		1
185	The Scleroderma Patient-Centered Intervention Network Self-Management Program: Protocol for a Randomized Feasibility Trial. <i>JMIR Research Protocols</i> , 2020 , 9, e16799	2	3
184	Protocol for a partially nested randomised controlled trial to evaluate the effectiveness of the scleroderma patient-centered intervention network COVID-19 home-isolation activities together (SPIN-CHAT) program to reduce anxiety among at-risk scleroderma patients. <i>Journal of Clinical Epidemiology</i> , 2020 , 123, 146-152	4.1	13
183	Mapping of reporting guidance for systematic reviews and meta-analyses generated a comprehensive item bank for future reporting guidelines. <i>Journal of Clinical Epidemiology</i> , 2020 , 118, 60-68	5.7	35
182	Systematic review finds that appraisal tools for medical research studies address conflicts of interest superficially. <i>Journal of Clinical Epidemiology</i> , 2020 , 120, 104-115	5.7	6
181	Influence and management of conflicts of interest in randomised clinical trials: qualitative interview study. <i>BMJ, The</i> , 2020 , 371, m3764	5.9	4
180	Impact of a short version of the CONSORT checklist for peer reviewers to improve the reporting of randomised controlled trials published in biomedical journals: study protocol for a randomised controlled trial. <i>BMJ Open</i> , 2020 , 10, e035114	3	12
179	Defining Very Preterm Populations for Systematic Reviews With Meta-analyses. <i>JAMA Pediatrics</i> , 2020 , 174, 997-999	8.3	6
178	Journal editors' perspectives on the communication practices in biomedical journals: a qualitative study. <i>BMJ Open</i> , 2020 , 10, e035600	3	0

177	Changes in evidence for studies assessing interventions for COVID-19 reported in preprints: meta-research study. <i>BMC Medicine</i> , 2020 , 18, 402	11.4	17
176	The conduct and reporting of mediation analysis in recently published randomized controlled trials: results from a methodological systematic review. <i>Journal of Clinical Epidemiology</i> , 2020 , 117, 78-88	5.7	23
175	Impact of blinding on estimated treatment effects in randomised clinical trials: meta-epidemiological study. <i>BMJ, The</i> , 2020 , 368, l6802	5.9	72
174	A systematic review finds that spin or interpretation bias is abundant in evaluations of ovarian cancer biomarkers. <i>Journal of Clinical Epidemiology</i> , 2019 , 116, 9-17	5.7	15
173	Scoping review on interventions to improve adherence to reporting guidelines in health research. <i>BMJ Open</i> , 2019 , 9, e026589	3	35
172	Consolidated Standards of Reporting Trials (CONSORT) extensions covered most types of randomized controlled trials, but the potential workload for authors was high. <i>Journal of Clinical Epidemiology</i> , 2019 , 113, 168-175	5.7	1
171	Three randomized controlled trials evaluating the impact of "spin" in health news stories reporting studies of pharmacologic treatments on patients'/caregivers' interpretation of treatment benefit. <i>BMC Medicine</i> , 2019 , 17, 105	11.4	19
170	The statistical significance of meta-analyses is frequently fragile: definition of a fragility index for meta-analyses. <i>Journal of Clinical Epidemiology</i> , 2019 , 111, 32-40	5.7	33
169	Tools used to assess the quality of peer review reports: a methodological systematic review. <i>BMC Medical Research Methodology</i> , 2019 , 19, 48	4.7	20
168	A scoping review provided a framework for new ways of doing research through mobilizing collective intelligence. <i>Journal of Clinical Epidemiology</i> , 2019 , 110, 1-11	5.7	11
167	A scoping review on the roles and tasks of peer reviewers in the manuscript review process in biomedical journals. <i>BMC Medicine</i> , 2019 , 17, 118	11.4	23
166	Front-of-Pack Labeling and the Nutritional Quality of Students' Food Purchases: A 3-Arm Randomized Controlled Trial. <i>American Journal of Public Health</i> , 2019 , 109, 1122-1129	5.1	11
165	Considering bias and conflicts of interest among the included studies 2019 , 177-204		40
164	Overcoming Barriers to Mobilizing Collective Intelligence in Research: Qualitative Study of Researchers With Experience of Collective Intelligence. <i>Journal of Medical Internet Research</i> , 2019 , 21, e13792	7.6	3
163	The Fragility and Reliability of Conclusions of Anesthesia and Critical Care Randomized Trials With Statistically Significant Findings: A Systematic Review. <i>Critical Care Medicine</i> , 2019 , 47, 456-462	1.4	17
162	Journal editors' perspectives on the roles and tasks of peer reviewers in biomedical journals: a qualitative study. <i>BMJ Open</i> , 2019 , 9, e033421	3	18
161	RoB 2: a revised tool for assessing risk of bias in randomised trials. <i>BMJ, The</i> , 2019 , 366, l4898	5.9	3792
160	Accuracy in detecting inadequate research reporting by early career peer reviewers using an online CONSORT-based peer-review tool (COBPeer) versus the usual peer-review process: a cross-sectional diagnostic study. <i>BMC Medicine</i> , 2019 , 17, 205	11.4	14

159	Exercise programmes for ankylosing spondylitis. <i>The Cochrane Library</i> , 2019 , 10, CD011321	5.2	16
158	Commentary on "Compliance of Randomized Controlled Trials Published in General Surgical Journals With the CONSORT 2010 Statement". <i>Annals of Surgery</i> , 2019 , 269, e28	7.8	2
157	2-Year outcome from two parallel randomized controlled trials. Reporting considerations. <i>Osteoarthritis and Cartilage</i> , 2019 , 27, e3-e4	6.2	
156	Assessing risk of bias in studies that evaluate health care interventions: recommendations in the misinformation age. <i>Journal of Clinical Epidemiology</i> , 2018 , 97, 133-136	5.7	10
155	Node-making process in network meta-analysis of nonpharmacological treatment are poorly reported. <i>Journal of Clinical Epidemiology</i> , 2018 , 97, 95-102	5.7	18
154	Some Cochrane risk-of-bias items are not important in osteoarthritis trials: a meta-epidemiological study based on Cochrane reviews. <i>Journal of Clinical Epidemiology</i> , 2018 , 95, 128-136	5.7	12
153	Importance of the methods used to support the node-making process in network meta-analysis. <i>Journal of Clinical Epidemiology</i> , 2018 , 101, 125-126	5.7	2
152	Misrepresentation and distortion of research in biomedical literature. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018 , 115, 2613-2619	11.5	99
151	Avoidable waste of research related to outcome planning and reporting in clinical trials. <i>BMC Medicine</i> , 2018 , 16, 87	11.4	19
150	Randomized feasibility trial of the Scleroderma Patient-centered Intervention Network hand exercise program (SPIN-HAND): Study protocol.. <i>Journal of Scleroderma and Related Disorders</i> , 2018 , 3, 91-97	2.3	5
149	Protocol for a scoping review to support development of a CONSORT extension for randomised controlled trials using cohorts and routinely collected health data. <i>BMJ Open</i> , 2018 , 8, e025266	3	8
148	The Scleroderma Patient-Centered Intervention Network Cohort: baseline clinical features and comparison with other large scleroderma cohorts. <i>Rheumatology</i> , 2018 , 57, 1623-1631	3.9	26
147	Protocol for the development of a CONSORT extension for RCTs using cohorts and routinely collected health data. <i>Research Integrity and Peer Review</i> , 2018 , 3, 9	6.1	21
146	Designs of trials assessing interventions to improve the peer review process: a vignette-based survey. <i>BMC Medicine</i> , 2018 , 16, 191	11.4	6
145	Potential Pitfalls of Reporting and Bias in Observational Studies With Propensity Score Analysis Assessing a Surgical Procedure: A Methodological Systematic Review. <i>Annals of Surgery</i> , 2017 , 265, 901-909	7.8	64
144	Validation of the Body Concealment Scale for Scleroderma (BCSS): Replication in the Scleroderma Patient-centered Intervention Network (SPIN) Cohort. <i>Body Image</i> , 2017 , 20, 99-106	7.4	3
143	Published randomized trials performed in Sub-Saharan Africa focus on high-burden diseases but are frequently funded and led by high-income countries. <i>Journal of Clinical Epidemiology</i> , 2017 , 82, 29-36.e6	5.7	6
142	CONSORT Statement for Randomized Trials of Nonpharmacologic Treatments: A 2017 Update and a CONSORT Extension for Nonpharmacologic Trial Abstracts. <i>Annals of Internal Medicine</i> , 2017 , 167, 40-47	8	488

141	Intradiscal Glucocorticoid Injection for Patients With Chronic Low Back Pain Associated With Active Discopathy: A Randomized Trial. <i>Annals of Internal Medicine</i> , 2017 , 166, 547-556	8	45
140	Systematic review adherence to methodological or reporting quality. <i>Systematic Reviews</i> , 2017 , 6, 131	3	99
139	Impact of searching clinical trial registries in systematic reviews of pharmaceutical treatments: methodological systematic review and reanalysis of meta-analyses. <i>BMJ, The</i> , 2017 , 356, j448	5.9	61
138	A protocol of a cross-sectional study evaluating an online tool for early career peer reviewers assessing reports of randomised controlled trials. <i>BMJ Open</i> , 2017 , 7, e017462	3	6
137	Evidence for Treatment-by-Biomarker interaction for FDA-approved Oncology Drugs with Required Pharmacogenomic Biomarker Testing. <i>Scientific Reports</i> , 2017 , 7, 6882	4.9	17
136	Dissemination of 2014 dual antiplatelet therapy (DAPT) trial results: a systematic review of scholarly and media attention over 7 months. <i>BMJ Open</i> , 2017 , 7, e014503	3	1
135	Interventions to improve adherence to reporting guidelines in health research: a scoping review protocol. <i>BMJ Open</i> , 2017 , 7, e017551	3	8
134	Factors associated with online media attention to research: a cohort study of articles evaluating cancer treatments. <i>Research Integrity and Peer Review</i> , 2017 , 2, 9	6.1	16
133	Identifying approaches for assessing methodological and reporting quality of systematic reviews: a descriptive study. <i>Systematic Reviews</i> , 2017 , 6, 117	3	28
132	Personalized Physical Therapy Versus Usual Care for Patients With Systemic Sclerosis: A Randomized Controlled Trial. <i>Arthritis Care and Research</i> , 2017 , 69, 1050-1059	4.7	38
131	Intensive spa and exercise therapy program for returning to work for low back pain patients: a randomized controlled trial. <i>Scientific Reports</i> , 2017 , 7, 17956	4.9	8
130	Interpretation of health news items reported with or without spin: protocol for a prospective meta-analysis of 16 randomised controlled trials. <i>BMJ Open</i> , 2017 , 7, e017425	3	11
129	Evolution of poor reporting and inadequate methods over time in 20 920 randomised controlled trials included in Cochrane reviews: research on research study. <i>BMJ, The</i> , 2017 , 357, j2490	5.9	76
128	Avoidable waste related to inadequate methods and incomplete reporting of interventions: a systematic review of randomized trials performed in Sub-Saharan Africa. <i>Trials</i> , 2017 , 18, 291	2.8	3
127	A scoping review protocol on the roles and tasks of peer reviewers in the manuscript review process in biomedical journals. <i>BMJ Open</i> , 2017 , 7, e017468	3	10
126	Impact of interventions to improve the quality of peer review of biomedical journals: a systematic review and meta-analysis. <i>BMC Medicine</i> , 2016 , 14, 85	11.4	72
125	Association between trial registration and treatment effect estimates: a meta-epidemiological study. <i>BMC Medicine</i> , 2016 , 14, 100	11.4	37
124	Selective primary outcome reporting in high-impact journals of anaesthesia and pain. <i>British Journal of Anaesthesia</i> , 2016 , 117, 542-543	5.4	9

123	ROBINS-I: a tool for assessing risk of bias in non-randomised studies of interventions. <i>BMJ, The</i> , 2016 , 355, i4919	5.9	4396
122	Exclusion of patients with concomitant chronic conditions in ongoing randomised controlled trials targeting 10 common chronic conditions and registered at ClinicalTrials.gov: a systematic review of registration details. <i>BMJ Open</i> , 2016 , 6, e012265	3	48
121	Impact of a web-based tool (WebCONSORT) to improve the reporting of randomised trials: results of a randomised controlled trial. <i>BMC Medicine</i> , 2016 , 14, 199	11.4	29
120	Performance of principal scores to estimate the marginal compliers causal effect of an intervention. <i>Statistics in Medicine</i> , 2016 , 35, 752-67	2.3	3
119	Public availability of results of observational studies evaluating an intervention registered at ClinicalTrials.gov. <i>BMC Medicine</i> , 2016 , 14, 7	11.4	15
118	Evaluation of the Cochrane tool for assessing risk of bias in randomized clinical trials: overview of published comments and analysis of user practice in Cochrane and non-Cochrane reviews. <i>Systematic Reviews</i> , 2016 , 5, 80	3	129
117	A new classification of spin in systematic reviews and meta-analyses was developed and ranked according to the severity. <i>Journal of Clinical Epidemiology</i> , 2016 , 75, 56-65	5.7	70
116	Increasing value and reducing waste in biomedical research: who's listening?. <i>Lancet, The</i> , 2016 , 387, 1573-1586	4.0	245
115	Assessment of a Standardized Pre-Operative Telephone Checklist Designed to Avoid Late Cancellation of Ambulatory Surgery: The AMBUPROG Multicenter Randomized Controlled Trial. <i>PLoS ONE</i> , 2016 , 11, e0147194	3.7	20
114	Sharing of Data From Industry-Funded Registered Clinical Trials. <i>JAMA - Journal of the American Medical Association</i> , 2016 , 315, 2729-30	27.4	12
113	Potential workload in applying clinical practice guidelines for patients with chronic conditions and multimorbidity: a systematic analysis. <i>BMJ Open</i> , 2016 , 6, e010119	3	60
112	Comparison of central adjudication of outcomes and onsite outcome assessment on treatment effect estimates. <i>The Cochrane Library</i> , 2016 , 3, MR000043	5.2	21
111	Peer reviewers identified spin in manuscripts of nonrandomized studies assessing therapeutic interventions, but their impact on spin in abstract conclusions was limited. <i>Journal of Clinical Epidemiology</i> , 2016 , 77, 44-51	5.7	27
110	Impact of a computer-assisted Screening, Brief Intervention and Referral to Treatment on reducing alcohol consumption among patients with hazardous drinking disorder in hospital emergency departments. The randomized BREVALCO trial. <i>Drug and Alcohol Dependence</i> , 2016 , 165, 236-44	4.9	10
109	Avoidable waste of research related to inadequate methods in clinical trials. <i>BMJ, The</i> , 2015 , 350, h809	5.9	63
108	The most important tasks for peer reviewers evaluating a randomized controlled trial are not congruent with the tasks most often requested by journal editors. <i>BMC Medicine</i> , 2015 , 13, 158	11.4	32
107	The PRISMA extension statement for reporting of systematic reviews incorporating network meta-analyses of health care interventions: checklist and explanations. <i>Annals of Internal Medicine</i> , 2015 , 162, 777-84	8	2670
106	Classification and prevalence of spin in abstracts of non-randomized studies evaluating an intervention. <i>BMC Medical Research Methodology</i> , 2015 , 15, 85	4.7	67

105	Impact of an online writing aid tool for writing a randomized trial report: the COBWEB (Consort-based WEB tool) randomized controlled trial. <i>BMC Medicine</i> , 2015 , 13, 221	11.4	53
104	A systematic review of the use of an expertise-based randomised controlled trial design. <i>Trials</i> , 2015 , 16, 241	2.8	20
103	Reply to Letter: "Equivalence Approach Is More Appropriate for Comparison of Treatment Effect Estimates". <i>Annals of Surgery</i> , 2015 , 262, e67-9	7.8	
102	Comparison of central adjudication of outcomes and onsite outcome assessment on treatment effect estimates 2015 ,		1
101	High-intensity versus low-intensity physical activity or exercise in people with hip or knee osteoarthritis. <i>The Cochrane Library</i> , 2015 , CD010203	5.2	56
100	Consensus on Severity for Ocular Emergency: The BASic SEverity Score for Common Ocular Emergencies [BaSe SCOrE]. <i>Journal of Ophthalmology</i> , 2015 , 2015, 576983	2	11
99	Deficiencies in the publication and reporting of the results of systematic reviews presented at scientific medical conferences. <i>Journal of Clinical Epidemiology</i> , 2015 , 68, 1488-95	5.7	33
98	Guidance for pharmacogenomic biomarker testing in labels of FDA-approved drugs. <i>Genetics in Medicine</i> , 2015 , 17, 733-8	8.1	28
97	Interpretation of Results of Studies Evaluating an Intervention Highlighted in Google Health News: A Cross-Sectional Study of News. <i>PLoS ONE</i> , 2015 , 10, e0140889	3.7	35
96	Reducing waste from incomplete or unusable reports of biomedical research. <i>Lancet, The</i> , 2014 , 383, 267-76	4.0	737
95	Reporting funding source or conflict of interest in abstracts of randomized controlled trials, no evidence of a large impact on general practitioners' confidence in conclusions, a three-arm randomized controlled trial. <i>BMC Medicine</i> , 2014 , 12, 69	11.4	9
94	Assessing bias in osteoarthritis trials included in Cochrane reviews: protocol for a meta-epidemiological study. <i>BMJ Open</i> , 2014 , 4, e005491	3	7
93	Exercise therapy for ankylosing spondylitis. <i>The Cochrane Library</i> , 2014 ,	5.2	3
92	Self-management education programmes for rheumatoid arthritis. <i>The Cochrane Library</i> , 2014 ,	5.2	1
91	Authors' reply to O'Neill and colleagues. <i>BMJ, The</i> , 2014 , 349, g6641	5.9	
90	Impact of sending email reminders of the legal requirement for posting results on ClinicalTrials.gov: cohort embedded pragmatic randomized controlled trial. <i>BMJ, The</i> , 2014 , 349, g5579	5.9	14
89	Impact of peer review on reports of randomised trials published in open peer review journals: retrospective before and after study. <i>BMJ, The</i> , 2014 , 349, g4145	5.9	53
88	Better reporting of interventions: template for intervention description and replication (TIDieR) checklist and guide. <i>BMJ, The</i> , 2014 , 348, g1687	5.9	3570

69	Elaboration and validation of a questionnaire assessing patient expectations about management of knee osteoarthritis by their physicians: the Knee Osteoarthritis Expectations Questionnaire. <i>Annals of the Rheumatic Diseases</i> , 2013 , 72, 552-9	2.4	10
68	Development and validation of a questionnaire assessing fears and beliefs of patients with knee osteoarthritis: the Knee Osteoarthritis Fears and Beliefs Questionnaire (KOFBeQ). <i>PLoS ONE</i> , 2013 , 8, e53886	3.7	24
67	Comparison of treatment effect estimates for pharmacological randomized controlled trials enrolling older adults only and those including adults: a meta-epidemiological study. <i>PLoS ONE</i> , 2013 , 8, e63677	3.7	5
66	Performance of rapid diagnostic tests for imported malaria in clinical practice: results of a national multicenter study. <i>PLoS ONE</i> , 2013 , 8, e75486	3.7	20
65	Classification systems to improve assessment of risk of bias. <i>Journal of Clinical Epidemiology</i> , 2012 , 65, 236-8	5.7	10
64	Inadequate description of educational interventions in ongoing randomized controlled trials. <i>Trials</i> , 2012 , 13, 63	2.8	21
63	Underrepresentation of elderly people in randomised controlled trials. The example of trials of 4 widely prescribed drugs. <i>PLoS ONE</i> , 2012 , 7, e33559	3.7	95
62	Misrepresentation of randomized controlled trials in press releases and news coverage: a cohort study. <i>PLoS Medicine</i> , 2012 , 9, e1001308	11.6	131
61	High-intensity versus low-intensity physical activity or exercise in patients with hip or knee osteoarthritis 2012 ,		4
60	Observer bias in randomised clinical trials with binary outcomes: systematic review of trials with both blinded and non-blinded outcome assessors. <i>BMJ, The</i> , 2012 , 344, e1119	5.9	255
59	Impact of single centre status on estimates of intervention effects in trials with continuous outcomes: meta-epidemiological study. <i>BMJ, The</i> , 2012 , 344, e813	5.9	76
58	Effect of editors' implementation of CONSORT guidelines on the reporting of abstracts in high impact medical journals: interrupted time series analysis. <i>BMJ, The</i> , 2012 , 344, e4178	5.9	132
57	ASSIST applicability scoring of surgical trials. an investigator-reported assessment tool. <i>PLoS ONE</i> , 2012 , 7, e42258	3.7	0
56	Outcomes in registered, ongoing randomized controlled trials of patient education. <i>PLoS ONE</i> , 2012 , 7, e42934	3.7	9
55	Intérêt des revues Cochrane pour la rééducation du patient hémiparétique. <i>Kinesithérapie</i> , 2011 , 11, 50-51	0.1	
54	Blinding in randomized clinical trials: imposed impartiality. <i>Clinical Pharmacology and Therapeutics</i> , 2011 , 90, 732-6	6.1	50
53	Single-center trials show larger treatment effects than multicenter trials: evidence from a meta-epidemiologic study. <i>Annals of Internal Medicine</i> , 2011 , 155, 39-51	8	165
52	Scientific production and impact of national registers: the example of orthopaedic national registers. <i>Osteoarthritis and Cartilage</i> , 2011 , 19, 858-63	6.2	18

33	Challenges in evaluating surgical innovation. <i>Lancet, The</i> , 2009 , 374, 1097-104	4.0	417
32	ARTIST (osteoarthritis intervention standardized) study of standardised consultation versus usual care for patients with osteoarthritis of the knee in primary care in France: pragmatic randomised controlled trial. <i>BMJ, The</i> , 2009 , 338, b421	5.9	53
31	Disability and quality of life of patients with knee or hip osteoarthritis in the primary care setting and factors associated with general practitioners' indication for prosthetic replacement within 1 year. <i>Osteoarthritis and Cartilage</i> , 2008 , 16, 1024-31	6.2	57
30	Responses to B. D. Thombs and M. Hudson. <i>Osteoarthritis and Cartilage</i> , 2008 , 16, 1430	6.2	
29	The account for provider and center effects in multicenter interventional and surgical randomized controlled trials is in need of improvement: a review. <i>Journal of Clinical Epidemiology</i> , 2008 , 61, 435-9	5.7	23
28	Methods and processes of the CONSORT Group: example of an extension for trials assessing nonpharmacologic treatments. <i>Annals of Internal Medicine</i> , 2008 , 148, W60-6	8	348
27	Extending the CONSORT statement to randomized trials of nonpharmacologic treatment: explanation and elaboration. <i>Annals of Internal Medicine</i> , 2008 , 148, 295-309	8	1542
26	Provider and center effect in multicenter randomized controlled trials of surgical specialties: an analysis on patient-level data. <i>Annals of Surgery</i> , 2008 , 247, 892-8	7.8	18
25	The VEPRO trial: a cross-over randomised controlled trial comparing 2 progressive lenses for patients with presbyopia. <i>Trials</i> , 2008 , 9, 54	2.8	4
24	Knee arthroplasty: disabilities in comparison to the general population and to hip arthroplasty using a French national longitudinal survey. <i>PLoS ONE</i> , 2008 , 3, e2561	3.7	10
23	Evolution of disability in adults with hip arthroplasty: a national longitudinal study. <i>Arthritis and Rheumatism</i> , 2007 , 57, 364-71		8
22	High-sensitivity C-reactive protein in chronic low back pain with vertebral end-plate Modic signal changes. <i>Arthritis and Rheumatism</i> , 2007 , 57, 1311-5		72
21	Should aggregate scores of the Medical Outcomes Study 36-item Short Form Health Survey be used to assess quality of life in knee and hip osteoarthritis? A national survey in primary care. <i>Osteoarthritis and Cartilage</i> , 2007 , 15, 1013-8	6.2	13
20	Reporting methods of blinding in randomized trials assessing nonpharmacological treatments. <i>PLoS Medicine</i> , 2007 , 4, e61	11.6	228
19	Development and evaluation of a pedagogical tool to improve understanding of a quality checklist: a randomised controlled trial. <i>PLOS Clinical Trials</i> , 2007 , 2, e22		7
18	Reporting of radiographic methods in randomised controlled trials assessing structural outcomes in rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , 2007 , 66, 651-7	2.4	11
17	The design and assessment of prospective randomised, controlled trials in orthopaedic surgery. <i>Journal of Bone and Joint Surgery: British Volume</i> , 2007 , 89, 858-63		20
16	Methodological issues in trials assessing primary prophylaxis of venous thrombo-embolism. <i>European Heart Journal</i> , 2006 , 27, 227-36	9.5	8

15	Methods of blinding in reports of randomized controlled trials assessing pharmacologic treatments: a systematic review. <i>PLoS Medicine</i> , 2006 , 3, e425	11.6	89
14	Primer: assessing the efficacy and safety of nonpharmacologic treatments for chronic rheumatic diseases. <i>Nature Clinical Practice Rheumatology</i> , 2006 , 2, 313-9		7
13	The reporting of randomized clinical trials using a surgical intervention is in need of immediate improvement: a systematic review. <i>Annals of Surgery</i> , 2006 , 244, 677-83	7.8	96
12	A review of blinding in randomized controlled trials found results inconsistent and questionable. <i>Journal of Clinical Epidemiology</i> , 2005 , 58, 1220-6	5.7	72
11	A checklist to evaluate a report of a nonpharmacological trial (CLEAR NPT) was developed using consensus. <i>Journal of Clinical Epidemiology</i> , 2005 , 58, 1233-40	5.7	246
10	Reporting of harm in randomized, controlled trials of nonpharmacologic treatment for rheumatic disease. <i>Annals of Internal Medicine</i> , 2005 , 143, 20-5	8	33
9	Violation of the intent-to-treat principle and rate of missing data in superiority trials assessing structural outcomes in rheumatic diseases. <i>Arthritis and Rheumatism</i> , 2005 , 52, 1858-65		38
8	Inappropriateness of randomised trials for complex phenomena: single trial is never enough evidence to base decisions on. <i>BMJ, The</i> , 2005 , 330, 94; author reply 95	5.9	1
7	Blinding was judged more difficult to achieve and maintain in nonpharmacologic than pharmacologic trials. <i>Journal of Clinical Epidemiology</i> , 2004 , 57, 543-50	5.7	187
6	Social and personal consequences of disability in adults with hip and knee arthroplasty. A French national community based survey. <i>Journal of Rheumatology</i> , 2004 , 31, 759-66	4.1	8
5	Methodological differences in clinical trials evaluating nonpharmacological and pharmacological treatments of hip and knee osteoarthritis. <i>JAMA - Journal of the American Medical Association</i> , 2003 , 290, 1062-70	27.4	113
4	Disability in adults with hip and knee arthroplasty: a French national community based survey. <i>Annals of the Rheumatic Diseases</i> , 2003 , 62, 748-54	2.4	26
3	Overcoming Barriers to Mobilizing Collective Intelligence in Research: Qualitative Study of Researchers With Experience of Collective Intelligence (Preprint)		1
2	A systematic examination of preprint platforms for use in the medical and biomedical sciences setting		8
1	CONSORT for Nonpharmacologic Treatments101-112		