

# Lei He

## List of Publications by Citations

**Source:** <https://exaly.com/author-pdf/4916945/lei-he-publications-by-citations.pdf>

**Version:** 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

93  
papers

1,143  
citations

15  
h-index

30  
g-index

113  
ext. papers

1,431  
ext. citations

2.9  
avg, IF

4.39  
L-index

#	Paper	IF	Citations
93	Temperature and supply Voltage aware performance and power modeling at microarchitecture level. <i>IEEE Transactions on Computer-Aided Design of Integrated Circuits and Systems</i> , <b>2005</b> , 24, 1042-1053	2.5	172
92	Robust Extraction of Spatial Correlation. <i>IEEE Transactions on Computer-Aided Design of Integrated Circuits and Systems</i> , <b>2007</b> , 26, 619-631	2.5	112
91	eCushion: A Textile Pressure Sensor Array Design and Calibration for Sitting Posture Analysis. <i>IEEE Sensors Journal</i> , <b>2013</b> , 13, 3926-3934	4	107
90	Distributed sleep transistor network for power reduction. <i>IEEE Transactions on Very Large Scale Integration (VLSI) Systems</i> , <b>2004</b> , 12, 937-946	2.6	65
89	Power modeling and characteristics of field programmable gate arrays. <i>IEEE Transactions on Computer-Aided Design of Integrated Circuits and Systems</i> , <b>2005</b> , 24, 1712-1724	2.5	64
88	Sampling and Reconstruction in Arbitrary Measurement and Approximation Spaces Associated With Linear Canonical Transform. <i>IEEE Transactions on Signal Processing</i> , <b>2016</b> , 64, 6379-6391	4.8	43
87	Modeling and Application of Multi-Port TSV Networks in 3-D IC. <i>IEEE Transactions on Computer-Aided Design of Integrated Circuits and Systems</i> , <b>2013</b> , 32, 487-496	2.5	34
86	OPU: An FPGA-Based Overlay Processor for Convolutional Neural Networks. <i>IEEE Transactions on Very Large Scale Integration (VLSI) Systems</i> , <b>2020</b> , 28, 35-47	2.6	27
85	Efficient In-Package Decoupling Capacitor Optimization for I/O Power Integrity. <i>IEEE Transactions on Computer-Aided Design of Integrated Circuits and Systems</i> , <b>2007</b> , 26, 734-738	2.5	25
84	A parallel attractor-finding algorithm based on Boolean satisfiability for genetic regulatory networks. <i>PLoS ONE</i> , <b>2014</b> , 9, e94258	3.7	21
83	Physically Justifiable Die-Level Modeling of Spatial Variation in View of Systematic Across Wafer Variability. <i>IEEE Transactions on Computer-Aided Design of Integrated Circuits and Systems</i> , <b>2011</b> , 30, 388-401	2.5	21
82	Optimality and Improvement of Dynamic Voltage Scaling Algorithms for Multimedia Applications. <i>IEEE Transactions on Circuits and Systems I: Regular Papers</i> , <b>2010</b> , 57, 681-690	3.9	19
81	DpRouter: A Fast and Accurate Dynamic-Pattern-Based Global Routing Algorithm <b>2007</b> ,		19
80	Placement and Timing for FPGAs Considering Variations <b>2006</b> ,		16
79	Vdd programmability to reduce FPGA interconnect power		16
78	Efficient Decoupling Capacitance Budgeting Considering Operation and Process Variations. <i>IEEE Transactions on Computer-Aided Design of Integrated Circuits and Systems</i> , <b>2008</b> , 27, 1253-1263	2.5	15
77	Field Programmability of Supply Voltages for FPGA Power Reduction. <i>IEEE Transactions on Computer-Aided Design of Integrated Circuits and Systems</i> , <b>2007</b> , 26, 752-764	2.5	15

76	Wideband passive multiport model order reduction and realization of RLCM circuits. <i>IEEE Transactions on Computer-Aided Design of Integrated Circuits and Systems</i> , <b>2006</b> , 25, 1496-1509	2.5	15
75	A fast and provably bounded failure analysis of memory circuits in high dimensions <b>2014</b> ,		13
74	Stochastic Behavioral Modeling and Analysis for Analog/Mixed-Signal Circuits. <i>IEEE Transactions on Computer-Aided Design of Integrated Circuits and Systems</i> , <b>2013</b> , 32, 24-33	2.5	13
73	Multiple-Jammer-Aided Secure Transmission With Receiver-Side Correlation. <i>IEEE Transactions on Wireless Communications</i> , <b>2019</b> , 18, 3093-3103	9.6	12
72	Stochastic Physical Synthesis Considering Prerouting Interconnect Uncertainty and Process Variation for FPGAs. <i>IEEE Transactions on Very Large Scale Integration (VLSI) Systems</i> , <b>2008</b> , 16, 124-133	2.6	11
71	Channel-Correlation-Enabled Transmission Optimization for MISO Wiretap Channels. <i>IEEE Transactions on Wireless Communications</i> , <b>2021</b> , 20, 858-870	9.6	11
70	Heterogeneous configuration memory scrubbing for soft error mitigation in FPGAs <b>2012</b> ,		10
69	In-place decomposition for robustness in FPGA <b>2010</b> ,		10
68	Piecewise linear model for transmission line with capacitive loading and ramp input. <i>IEEE Transactions on Computer-Aided Design of Integrated Circuits and Systems</i> , <b>2005</b> , 24, 928-937	2.5	10
67	Fault-tolerant resynthesis with dual-output LUTs <b>2010</b> ,		9
66	Fourier Series Approximation for Max Operation in Non-Gaussian and Quadratic Statistical Static Timing Analysis. <i>IEEE Transactions on Very Large Scale Integration (VLSI) Systems</i> , <b>2012</b> , 20, 1383-1391	2.6	8
65	In-Place FPGA Retiming for Mitigation of Variational Single-Event Transient Faults. <i>IEEE Transactions on Circuits and Systems I: Regular Papers</i> , <b>2011</b> , 58, 1372-1381	3.9	8
64	Fast Analysis of a Large-Scale Inductive Interconnect by Block-Structure-Preserved Macromodeling. <i>IEEE Transactions on Very Large Scale Integration (VLSI) Systems</i> , <b>2010</b> , 18, 1399-1411	2.6	8
63	Device and Architecture Cooptimization for FPGA Power Reduction. <i>IEEE Transactions on Computer-Aided Design of Integrated Circuits and Systems</i> , <b>2007</b> , 26, 1211-1221	2.5	8
62	TermMerg: An Efficient Terminal-Reduction Method for Interconnect Circuits. <i>IEEE Transactions on Computer-Aided Design of Integrated Circuits and Systems</i> , <b>2007</b> , 26, 1382-1392	2.5	8
61	Full-chip routing optimization with RLC crosstalk budgeting. <i>IEEE Transactions on Computer-Aided Design of Integrated Circuits and Systems</i> , <b>2004</b> , 23, 366-377	2.5	8
60	Mitigating FPGA interconnect soft errors by in-place LUT inversion <b>2011</b> ,		7
59	Microarchitecture-level leakage reduction with data retention. <i>IEEE Transactions on Very Large Scale Integration (VLSI) Systems</i> , <b>2005</b> , 13, 1324-1328	2.6	7

58	AN-Aided Secure Beamforming Design for Correlated MISO Wiretap Channels. <i>IEEE Communications Letters</i> , <b>2019</b> , 23, 628-631	3.8	6
57	Stochastic behavioral modeling of analog/mixed-signal circuits by maximizing entropy <b>2013</b> ,		6
56	Technology Mapping and Clustering for FPGA Architectures With Dual Supply Voltages. <i>IEEE Transactions on Computer-Aided Design of Integrated Circuits and Systems</i> , <b>2010</b> , 29, 1709-1722	2.5	6
55	An efficient method for terminal reduction of interconnect circuits considering delay variations		6
54	Block structure preserving model order reduction		6
53	. <i>IEEE Transactions on Very Large Scale Integration (VLSI) Systems</i> , <b>2020</b> , 28, 1545-1556	2.6	5
52	IPF: In-Place X-Filling Algorithm for the Reliability of Modern FPGAs. <i>IEEE Transactions on Very Large Scale Integration (VLSI) Systems</i> , <b>2014</b> , 22, 2226-2229	2.6	5
51	IPF: In-Place X-Filling to Mitigate Soft Errors in SRAM-Based FPGAs <b>2011</b> ,		5
50	Device and architecture concurrent optimization for FPGA transient soft error rate. <i>IEEE/ACM International Conference on Computer-Aided Design, Digest of Technical Papers</i> , <b>2007</b> ,		5
49	Exploiting symmetry in SAT-based boolean matching for heterogeneous FPGA technology mapping. <i>IEEE/ACM International Conference on Computer-Aided Design, Digest of Technical Papers</i> , <b>2007</b> ,		5
48	A provably passive and cost-efficient model for inductive interconnects. <i>IEEE Transactions on Computer-Aided Design of Integrated Circuits and Systems</i> , <b>2005</b> , 24, 1283-1294	2.5	5
47	Worst case crosstalk noise for nonswitching victims in high-speed buses. <i>IEEE Transactions on Computer-Aided Design of Integrated Circuits and Systems</i> , <b>2005</b> , 24, 1275-1283	2.5	5
46	Extended global routing with RLC crosstalk constraints. <i>IEEE Transactions on Very Large Scale Integration (VLSI) Systems</i> , <b>2005</b> , 13, 319-329	2.6	5
45	Routing track duplication with fine-grained power-gating for FPGA interconnect power reduction		5
44	QoS-Based Robust Cooperative-Jamming-Aided Beamforming for Correlated Wiretap Channels. <i>IEEE Signal Processing Letters</i> , <b>2020</b> , 27, 216-220	3.2	4
43	A Parallel and Incremental Extraction of Variational Capacitance With Stochastic Geometric Moments. <i>IEEE Transactions on Very Large Scale Integration (VLSI) Systems</i> , <b>2012</b> , 20, 1729-1737	2.6	4
42	RALF: Reliability Analysis for Logic Faults [An exact algorithm and its applications <b>2010</b> ,		4
41	Accounting for non-linear dependence using function driven component analysis <b>2009</b> ,		4

40	Design and Synthesis of Programmable Logic Block With Mixed LUT and Macrogate. <i>IEEE Transactions on Computer-Aided Design of Integrated Circuits and Systems</i> , <b>2009</b> , 28, 591-595	2.5	4
39	Robust FPGA resynthesis based on fault-tolerant Boolean matching <b>2008</b> ,		4
38	Modeling and Implementation of Electroactive Smart Air-Conditioning Vent Register for Personalized HVAC Systems. <i>IEEE Access</i> , <b>2017</b> , 5, 1649-1657	3.5	3
37	Modeling and design for beyond-the-die power integrity <b>2010</b> ,		3
36	Acceleration of Multi-agent Simulation on FPGAs <b>2011</b> ,		3
35	Scalable Symbolic Model Order Reduction <b>2008</b> ,		3
34	Circuit simulation based obstacle-aware Steiner routing. <i>Proceedings - Design Automation Conference</i> , <b>2006</b> ,		3
33	Full-chip interconnect power estimation and simulation considering concurrent repeater and flip-flop insertion <b>2003</b> ,		3
32	Wideband modeling of RF/analog circuits via hierarchical multi-point model order reduction		3
31	Staggered twisted-bundle interconnect for crosstalk and delay reduction		3
30	Accelerating Boolean Matching Using Bloom Filter. <i>IEICE Transactions on Fundamentals of Electronics, Communications and Computer Sciences</i> , <b>2010</b> , E93-A, 1775-1781	0.4	3
29	Low-precision Floating-point Arithmetic for High-performance FPGA-based CNN Acceleration. <i>ACM Transactions on Reconfigurable Technology and Systems</i> , <b>2022</b> , 15, 1-21	2.7	3
28	Correlation-Based Cooperative Jamming to Enhance Secrecy With Receiver-Side Correlation. <i>IEEE Transactions on Vehicular Technology</i> , <b>2020</b> , 69, 1903-1912	6.8	3
27	Correlation-Based Secure Transmission for Correlated MISO Wiretap Channels. <i>IEEE Wireless Communications Letters</i> , <b>2020</b> , 9, 302-305	5.9	3
26	IEEE Access Special Section Editorial: The Internet of Energy: Architectures, Cyber Security, and Applications. <i>IEEE Access</i> , <b>2018</b> , 6, 79272-79275	3.5	3
25	IEEE Access Special Section Editorial: The Internet of Energy: Architectures, Cyber Security, and Applications Part II. <i>IEEE Access</i> , <b>2018</b> , 6, 79276-79279	3.5	3
24	Grain Price Forecasting Using a Hybrid Stochastic Method. <i>Asia-Pacific Journal of Operational Research</i> , <b>2017</b> , 34, 1750020	0.8	2
23	. <i>IEEE Transactions on Computer-Aided Design of Integrated Circuits and Systems</i> , <b>2020</b> , 39, 4999-5010	2.5	2

22	Incremental Latin hypercube sampling for lifetime stochastic behavioral modeling of analog circuits <b>2015</b> ,		2
21	Runtime Resonance Noise Reduction with Current Prediction Enabled Frequency Actuator. <i>IEEE Transactions on Very Large Scale Integration (VLSI) Systems</i> , <b>2011</b> , 19, 508-512	2.6	2
20	Dynamic power and thermal integrity in 3D integration <b>2009</b> ,		2
19	Design, synthesis and evaluation of heterogeneous FPGA with mixed LUTs and macro-gates. <i>IEEE/ACM International Conference on Computer-Aided Design, Digest of Technical Papers</i> , <b>2007</b> ,		2
18	Microarchitecture Configurations and Floorplanning Co-Optimization. <i>IEEE Transactions on Very Large Scale Integration (VLSI) Systems</i> , <b>2007</b> , 15, 830-841	2.6	2
17	MP-OPU: A Mixed Precision FPGA-based Overlay Processor for Convolutional Neural Networks <b>2021</b> ,		2
16	Accelerating the iterative linear solver for reservoir simulation on multicore architectures <b>2014</b> ,		1
15	Fast Filter-Based Boolean Matchers. <i>IEEE Embedded Systems Letters</i> , <b>2013</b> , 5, 65-68	1	1
14	Worst-Case Estimation for Data-Dependent Timing Jitter and Amplitude Noise in High-Speed Differential Link. <i>IEEE Transactions on Very Large Scale Integration (VLSI) Systems</i> , <b>2012</b> , 20, 89-97	2.6	1
13	Engineering a scalable Boolean matching based on EDA SaaS 2.0 <b>2010</b> ,		1
12	Worst case timing jitter and amplitude noise in differential signaling <b>2009</b> ,		1
11	Dual- $V_{dd}$ Buffer Insertion for Power Reduction. <i>IEEE Transactions on Computer-Aided Design of Integrated Circuits and Systems</i> , <b>2008</b> , 27, 1498-1502	2.5	1
10	Efficient decoupling capacitance budgeting considering operation and process variations. <i>IEEE/ACM International Conference on Computer-Aided Design, Digest of Technical Papers</i> , <b>2007</b> ,		1
9	A sparsified vector potential equivalent circuit model for massively coupled interconnects		1
8	Modeling and synthesis of multiport transmission line for multichannel communication. <i>IEEE Transactions on Computer-Aided Design of Integrated Circuits and Systems</i> , <b>2006</b> , 25, 1664-1676	2.5	1
7	A wideband hierarchical circuit reduction for massively coupled interconnects		1
6	Robust Beamforming Design for Correlated MISO Wiretap Channels Under Channel Uncertainty. <i>IEEE Wireless Communications Letters</i> , <b>2020</b> , 9, 553-557	5.9	1
5	Exploring Instance-Level Uncertainty for Medical Detection <b>2021</b> ,		1

- |   |  |       |
|---|--|-------|
| 4 | EMPIRE: An Efficient and Compact Multiple-Parameterized Model-Order Reduction Method for Physical Optimization. <i>IEEE Transactions on Very Large Scale Integration (VLSI) Systems</i> , <b>2010</b> , 18, 108-118 <sup>2.6</sup> | ○     |
| 3 | Effective Scaling of Blockchain Beyond Consensus Innovations and Moore's Law: Challenges and Opportunities. <i>IEEE Systems Journal</i> , <b>2021</b> , 1-12   | 4.3 ○ |
| 2 | Simultaneous buffer insertion and wire sizing considering systematic CMP variation and random delay variation. <i>IEEE Transactions on Computer-Aided Design of Integrated Circuits and Systems</i> , <b>2007</b> , 26, 845-857    | 2.5   |
| 1 | Layout driven FPGA packing algorithm for performance optimization. <i>IEICE Electronics Express</i> , <b>2017</b> , 14, 20170419-20170419  | 0.5   |