

Motasim Badri

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4918066/publications.pdf>

Version: 2024-02-01

91
papers

4,788
citations

109137

35
h-index

95083

68
g-index

99
all docs

99
docs citations

99
times ranked

5741
citing authors

#	ARTICLE	IF	CITATIONS
1	Remote Ischaemic Conditioning in STEMI Patients in Sub-Saharan AFRICA: Rationale and Study Design for the RIC-AFRICA Trial. <i>Cardiovascular Drugs and Therapy</i> , 2023, 37, 299-305.	1.3	5
2	Patterns of adverse drug reactions (ADRs) in Saudi Arabia. <i>Saudi Pharmaceutical Journal</i> , 2022, 30, 8-13.	1.2	5
3	Factors associated with mortality and morbidity among pediatrics with burn injuries in Riyadh, Saudi Arabia. <i>Journal of King Abdulaziz University, Islamic Economics</i> , 2022, 43, 508-513.	0.5	3
4	Rationale and design of the African Cardiomyopathy and Myocarditis Registry Program: The IMHOTEP study. <i>International Journal of Cardiology</i> , 2021, 333, 119-126.	0.8	5
5	Quality of Life and Glycemic Control in Saudi Children with Type 1 Diabetes at Different Developmental Age Groups. <i>Clinical Medicine Insights: Endocrinology and Diabetes</i> , 2021, 14, 117955142199067.	1.0	6
6	Risk factors, antimicrobial susceptibility pattern and patient outcomes of <i>Pseudomonas aeruginosa</i> infection: A matched case-control study. <i>Journal of Infection and Public Health</i> , 2021, 14, 152-157.	1.9	14
7	<p>Vancomycin in ICU Patients with Gram-Positive Infections: Initial Trough Levels and Mortality</p>. <i>Therapeutics and Clinical Risk Management</i> , 2020, Volume 16, 979-987.	0.9	4
8	<p>Prevalence and Risk Factors for Diabetic Peripheral Neuropathy Among Saudi Hospitalized Diabetic Patients: A Nested Case-Control Study</p>. <i>International Journal of General Medicine</i> , 2020, Volume 13, 881-889.	0.8	16
9	Higher serum alkaline phosphatase activity in infants born to vitamin Dâ€“deficient mothers. <i>Archives of Osteoporosis</i> , 2019, 14, 102.	1.0	3
10	An assessment for diagnostic and therapeutic modalities for management of pediatric Iron deficiency Anemia in Saudi Arabia: a cross-sectional study. <i>BMC Pediatrics</i> , 2019, 19, 314.	0.7	6
11	Quality of life among home healthcare patients in Saudi Arabia: household-based survey. <i>Health and Quality of Life Outcomes</i> , 2019, 17, 21.	1.0	12
12	Comparison of Dual Therapies for Lowering Blood Pressure in Black Africans. <i>New England Journal of Medicine</i> , 2019, 380, 2429-2439.	13.9	85
13	Risk of diagnostic errors when dealing with aggressive patients: Experimental study. <i>Saudi Journal of Kidney Diseases and Transplantation: an Official Publication of the Saudi Center for Organ Transplantation, Saudi Arabia</i> , 2019, 30, 1310.	0.4	0
14	Rationale and design of the comparison of 3 combination therapies in lowering blood pressure in black Africans (CRÉOLE study): 2 Å— 3 factorial randomized single-blind multicenter trial. <i>American Heart Journal</i> , 2018, 202, 5-12.	1.2	9
15	MERS-CoV infection: Mind the public knowledge gap. <i>Journal of Infection and Public Health</i> , 2018, 11, 89-93.	1.9	73
16	Invasive and non-invasive group A Î²-haemolytic streptococcal infections in patients attending public sector facilities in South Africa: 2003â€“2015. <i>Southern African Journal of Infectious Diseases</i> , 2018, 33, 12-17.	0.3	0
17	The relationship of bullying and physical violence to mental health and academic performance. <i>International Journal of Pediatrics and Adolescent Medicine</i> , 2017, 4, 61-65.	0.5	32
18	Long-term audit of the use of fresh frozen plasma in a university hospital. <i>Journal of Taibah University Medical Sciences</i> , 2017, 12, 437-444.	0.5	2

#	ARTICLE	IF	CITATIONS
19	The Cape Town Clinical Decision Rule for Streptococcal Pharyngitis in Children. <i>Pediatric Infectious Disease Journal</i> , 2017, 36, 250-255.	1.1	16
20	Prevalence of Dietary Supplements Use among Gymnasium Users. <i>Journal of Nutrition and Metabolism</i> , 2017, 2017, 1-8.	0.7	24
21	Methodological challenges in a study on falls in an older population of Cape Town, South Africa. <i>African Health Sciences</i> , 2017, 17, 912.	0.3	3
22	Clinical features, spectrum of causal genetic mutations and outcome of hypertrophic cardiomyopathy in South Africans. <i>Cardiovascular Journal of Africa</i> , 2016, 27, 152-158.	0.2	18
23	Risk factors for falls in older adults in a South African Urban Community. <i>BMC Geriatrics</i> , 2016, 16, 51.	1.1	27
24	HIV-1-Related Cardiovascular Disease Is Associated With Chronic Inflammation, Frequent Pericardial Effusions, and Probable Myocardial Edema. <i>Circulation: Cardiovascular Imaging</i> , 2016, 9, e004430.	1.3	88
25	Patient's desire and preference for provision of information toward greater involvement in shared care. <i>Saudi Journal of Medicine and Medical Sciences</i> , 2016, 4, 172.	0.3	3
26	A 23 years audit of packed red blood cell consumption in a university hospital in a developing country. <i>Transfusion and Apheresis Science</i> , 2015, 53, 300-307.	0.5	3
27	Ethnic Differences in Rates and Causes of Falls in an Urban Community- Dwelling Older Population in South Africa. <i>Journal of the American Geriatrics Society</i> , 2015, 63, 403-404.	1.3	4
28	Shared clinical decision making. <i>Journal of King Abdulaziz University, Islamic Economics</i> , 2015, 36, 1472-1476.	0.5	18
29	Pregnancy-Associated Heart Failure: A Comparison of Clinical Presentation and Outcome between Hypertensive Heart Failure of Pregnancy and Idiopathic Peripartum Cardiomyopathy. <i>PLoS ONE</i> , 2015, 10, e0133466.	1.1	70
30	Does faculty motivation effect students achievement: results from five curriculum blocks of two undergraduate student cohorts at King Saud bin Abdulaziz University of Health Sciences (KSAU-HS).. <i>Pakistan Journal of Medical Sciences</i> , 2015, 31, 457-61.	0.3	2
31	Burnout Among Otolaryngology Residents in Saudi Arabia: A Multicenter Study. <i>Journal of Surgical Education</i> , 2015, 72, 844-848.	1.2	33
32	Co-trimoxazole prophylaxis: the debates continue. <i>Lancet HIV</i> , 2015, 2, e118-e119.	2.1	1
33	Problem-based learning in undergraduate medical education in Saudi Arabia: Time has come to reflect on the experience. <i>Medical Teacher</i> , 2015, 37, S61-S66.	1.0	11
34	Physician job satisfaction in Saudi Arabia: insights from a tertiary hospital survey. <i>Annals of Saudi Medicine</i> , 2015, 35, 210-213.	0.5	14
35	Performance of re-used pacemakers and implantable cardioverter defibrillators compared with new devices at Groote Schuur Hospital in Cape Town, South Africa. <i>Cardiovascular Journal of Africa</i> , 2015, 26, 181-187.	0.2	20
36	Long-term outcomes of patients with extensively drug-resistant tuberculosis in South Africa: a cohort study. <i>Lancet, The</i> , 2014, 383, 1230-1239.	6.3	211

#	ARTICLE	IF	CITATIONS
37	Myopericarditis in tuberculous pericardial effusion: prevalence, predictors and outcome. <i>Heart</i> , 2014, 100, 135-139.	1.2	19
38	Constrictive pericarditis requiring pericardiectomy at Groote Schuur Hospital, Cape Town, South Africa: Causes and perioperative outcomes in the HIV era (1990-2012). <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2014, 148, 3058-3065.e1.	0.4	75
39	A Hospital-Based Palliative Care Service for Patients With Advanced Organ Failure in Sub-Saharan Africa Reduces Admissions and Increases Home Death Rates. <i>Journal of Pain and Symptom Management</i> , 2014, 47, 786-792.	0.6	47
40	Novel point mutations and mutational complexes in the enhancer II, core promoter and precore regions of hepatitis B virus genotype D1 associated with hepatocellular carcinoma in Saudi Arabia. <i>International Journal of Cancer</i> , 2013, 133, 2864-2871.	2.3	31
41	Rationale and design of the Investigation of the Management of Pericarditis (IMPI) trial: A 2 × 2 factorial randomized double-blind multicenter trial of adjunctive prednisolone and Mycobacterium w immunotherapy in tuberculous pericarditis. <i>American Heart Journal</i> , 2013, 165, 109-115.e3.	1.2	30
42	Physician well-being: prevalence of burnout and associated risk factors in a tertiary hospital, Riyadh, Saudi Arabia. <i>Annals of Saudi Medicine</i> , 2013, 33, 451-456.	0.5	53
43	Drug-Associated Adverse Events and Their Relationship with Outcomes in Patients Receiving Treatment for Extensively Drug-Resistant Tuberculosis in South Africa. <i>PLoS ONE</i> , 2013, 8, e63057.	1.1	71
44	Prevalence of Self-Reported Cardiovascular Risk Factors among Saudi Physicians : A Comparative Study. <i>International Journal of Health Sciences</i> , 2013, 7, 3-13.	0.4	14
45	Prevalence, Hemodynamics, and Cytokine Profile of Effusive-Constrictive Pericarditis in Patients with Tuberculous Pericardial Effusion. <i>PLoS ONE</i> , 2013, 8, e77532.	1.1	31
46	Hormonal, anthropometric and lipid factors associated with idiopathic pubertal gynecomastia. <i>Annals of Saudi Medicine</i> , 2013, 33, 579-583.	0.5	10
47	Prevalence of myocarditis and cardiotropic virus infection in Africans with HIV-associated cardiomyopathy, idiopathic dilated cardiomyopathy and heart transplant recipients : a pilot study : cardiovascular topic. <i>Cardiovascular Journal of Africa</i> , 2013, 24, 218-223.	0.2	26
48	Scientific letter: Ac-SDKP (N-acetyl-seryl-aspartyl-lysyl-proline) and Galectin-3 levels in tuberculous pericardial effusion: implications for pathogenesis and prevention of pericardial constriction. <i>Heart</i> , 2012, 98, 1326.1-1328.	1.2	16
49	Clinicopathologic features and prognosis of triple-negative breast cancer in patients 40 years of age and younger in Saudi Arabia. <i>Hematology/ Oncology and Stem Cell Therapy</i> , 2012, 5, 101-106.	0.6	14
50	Atrial fibrillation as a consequence of tuberculous pericardial effusion. <i>International Journal of Cardiology</i> , 2012, 158, 152-154.	0.8	11
51	ICU-Associated <i>Acinetobacter baumannii</i> Colonisation/Infection in a High HIV-Prevalence Resource-Poor Setting. <i>PLoS ONE</i> , 2012, 7, e52452.	1.1	29
52	The clinical, electrocardiographic and echocardiographic characteristics and long-term outcome of patients with tachycardia-induced cardiomyopathy. <i>Cardiovascular Journal of Africa</i> , 2012, 23, 136-142.	0.2	8
53	Effect of Nonnucleoside Reverse Transcriptase Inhibitor-Based Antiretroviral Therapy on Dysglycemia and Insulin Sensitivity in South African HIV-Infected Patients. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2011, 57, 284-289.	0.9	75
54	A single-blinded trial of methotrexate versus azathioprine as steroid-sparing agents in generalized myasthenia gravis. <i>BMC Neurology</i> , 2011, 11, 97.	0.8	99

#	ARTICLE	IF	CITATIONS
55	Performance of Serum C-Reactive Protein as a Screening Test for Smear-Negative Tuberculosis in an Ambulatory High HIV Prevalence Population. <i>PLoS ONE</i> , 2011, 6, e15248.	1.1	62
56	Frequency and clinical genetics of familial dilated cardiomyopathy in Cape Town: implications for the evaluation of patients with unexplained cardiomyopathy. <i>South African Medical Journal</i> , 2011, 101, 394-8.	0.2	13
57	T1653 mutation in the enhancer II region of the hepatitis B virus genome in southern African Blacks with hepatocellular carcinoma. <i>European Journal of Gastroenterology and Hepatology</i> , 2010, 22, 541-545.	0.8	7
58	HIV neuropathy in South Africans: Frequency, characteristics, and risk factors. <i>Muscle and Nerve</i> , 2010, 41, 599-606.	1.0	98
59	Different screening strategies (single or dual) for the diagnosis of suspected latent tuberculosis: a cost effectiveness analysis. <i>BMC Pulmonary Medicine</i> , 2010, 10, 7.	0.8	79
60	Lack of association between stavudine exposure and lipoatrophy, dysglycaemia, hyperlactataemia and hypertriglyceridaemia: a prospective cross sectional study. <i>AIDS Research and Therapy</i> , 2010, 7, 23.	0.7	5
61	Early treatment outcomes and HIV status of patients with extensively drug-resistant tuberculosis in South Africa: a retrospective cohort study. <i>Lancet, The</i> , 2010, 375, 1798-1807.	6.3	225
62	Extensively drug-resistant tuberculosis in South Africa – Authors' reply. <i>Lancet, The</i> , 2010, 376, 681-682.	6.3	0
63	“I don't use a condom (with my regular partner) because I know that I'm faithful, but with everyone else I do” The cultural and socioeconomic determinants of sexual partner concurrency in young South Africans. <i>Sahara J</i> , 2010, 7, 35-43.	0.4	33
64	Clinical Utility of a Commercial LAM-ELISA Assay for TB Diagnosis in HIV-Infected Patients Using Urine and Sputum Samples. <i>PLoS ONE</i> , 2010, 5, e9848.	1.1	117
65	Nursing homes as a reservoir of extended-spectrum β -lactamase (ESBL)-producing ciprofloxacin-resistant <i>Escherichia coli</i> . <i>Journal of Antimicrobial Chemotherapy</i> , 2009, 64, 635-641.	1.3	182
66	Within-Subject Variability and Boosting of T-Cell Interferon- γ Responses after Tuberculin Skin Testing. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2009, 180, 49-58.	2.5	169
67	The mitochondrial DNA T16189C polymorphism and HIV-associated cardiomyopathy: a genotype-phenotype association study. <i>BMC Medical Genetics</i> , 2009, 10, 37.	2.1	11
68	A network-level explanation for the differences in HIV prevalence in South Africa's racial groups. <i>African Journal of AIDS Research</i> , 2009, 8, 243-254.	0.3	38
69	Clinical features, survival experience, and profile of plakophylin-2 gene mutations in participants of the Arrhythmogenic Right Ventricular Cardiomyopathy Registry of South Africa. <i>Heart Rhythm</i> , 2009, 6, S10-S17.	0.3	51
70	T-cell interferon- γ release assays for the rapid immunodiagnosis of tuberculosis: clinical utility in high-burden vs. low-burden settings. <i>Current Opinion in Pulmonary Medicine</i> , 2009, 15, 188-200.	1.2	169
71	Clinical Diagnostic Utility of IP-10 and LAM Antigen Levels for the Diagnosis of Tuberculous Pleural Effusions in a High Burden Setting. <i>PLoS ONE</i> , 2009, 4, e4689.	1.1	70
72	Utility of CD4 cell counts for early prediction of virological failure during antiretroviral therapy in a resource-limited setting. <i>BMC Infectious Diseases</i> , 2008, 8, 89.	1.3	69

#	ARTICLE	IF	CITATIONS
73	Efficacy of topical PUVA soaks for palmoplantar dermatoses: an audit. <i>Photodermatology Photoimmunology and Photomedicine</i> , 2008, 24, 279-284.	0.7	10
74	Extensively Drug-Resistant Tuberculosis. <i>New England Journal of Medicine</i> , 2008, 359, 2390-2391.	13.9	9
75	Reply to Ouattara et al.: past history of tuberculosis is not a risk factor for incident tuberculosis during antiretroviral treatment in South Africa. <i>Aids</i> , 2007, 21, 388-389.	1.0	2
76	Utility of interferon- γ ELISPOT assay responses in highly tuberculosis-exposed patients with advanced HIV infection in South Africa. <i>BMC Infectious Diseases</i> , 2007, 7, 99.	1.3	54
77	Short-term risk of AIDS or death in people infected with HIV-1 before antiretroviral therapy in South Africa: a longitudinal study. <i>Lancet, The</i> , 2006, 368, 1254-1259.	6.3	104
78	Risk factors for active tuberculosis among adults on highly active antiretroviral therapy in Africa: a reply. <i>Aids</i> , 2006, 20, 1463-1465.	1.0	2
79	CD4 Decline and Incidence of Opportunistic Infections in Cape Town, South Africa. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2006, 42, 464-469.	0.9	158
80	When to initiate highly active antiretroviral therapy in sub-Saharan Africa? A South African cost-effectiveness study. <i>Antiviral Therapy</i> , 2006, 11, 63-72.	0.6	47
81	When to Initiate Highly Active Antiretroviral Therapy in Sub-Saharan Africa? A South African Cost-Effectiveness Study. <i>Antiviral Therapy</i> , 2006, 11, 63-72.	0.6	79
82	Risk Factors for Tuberculosis among HIV-infected Patients Receiving Antiretroviral Treatment. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2005, 172, 1348a-1349.	2.5	3
83	Cost-Effectiveness of Highly Active Antiretroviral Therapy in South Africa. <i>PLoS Medicine</i> , 2005, 3, e4.	3.9	110
84	Risk Factors for Tuberculosis among HIV-infected Patients Receiving Antiretroviral Treatment. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2005, 172, 1348-1348.	2.5	7
85	Tuberculosis among HIV-infected patients receiving HAART: long term incidence and risk factors in a South African cohort. <i>Aids</i> , 2005, 19, 2109-2116.	1.0	294
86	Initiating highly active antiretroviral therapy in sub-Saharan Africa. <i>Aids</i> , 2004, 18, 1159-1168.	1.0	65
87	Usefulness of total lymphocyte count in monitoring highly active antiretroviral therapy in resource-limited settings. <i>Aids</i> , 2003, 17, 541-545.	1.0	66
88	Adherence is not a barrier to successful antiretroviral therapy in South Africa. <i>Aids</i> , 2003, 17, 1369-1375.	1.0	261
89	Effect of highly active antiretroviral therapy on incidence of tuberculosis in South Africa: a cohort study. <i>Lancet, The</i> , 2002, 359, 2059-2064.	6.3	499
90	Initiating co-trimoxazole prophylaxis in HIV-infected patients in Africa: an evaluation of the provisional WHO/UNAIDS recommendations. <i>Aids</i> , 2001, 15, 1143-1148.	1.0	78

#	ARTICLE	IF	CITATIONS
91	Co-trimoxazole in HIV-1 infection. Lancet, The, 1999, 354, 334-335.	6.3	24