

# Jun Yang

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/4918922/publications.pdf>

Version: 2024-02-01

185  
papers

12,672  
citations

14614

66  
h-index

28224

105  
g-index

185  
all docs

185  
docs citations

185  
times ranked

11268  
citing authors

#	ARTICLE	IF	CITATIONS
1	Polyacrylonitrile/graphene composite as a precursor to a sulfur-based cathode material for high-rate rechargeable Li-S batteries. <i>Energy and Environmental Science</i> , 2012, 5, 6966.	15.6	455
2	Novel Three-Dimensional Mesoporous Silicon for High Power Lithium-Ion Battery Anode Material. <i>Advanced Energy Materials</i> , 2011, 1, 1036-1039.	10.2	374
3	Highly Reversible and Rechargeable Safe Zn Batteries Based on a Triethyl Phosphate Electrolyte. <i>Angewandte Chemie - International Edition</i> , 2019, 58, 2760-2764.	7.2	369
4	Nanosheet-Constructed Porous TiO <sub>2</sub> for Advanced Lithium Ion Batteries. <i>Advanced Materials</i> , 2012, 24, 3201-3204.	11.1	360
5	Silicon Microparticle Anodes with Self-Healing Multiple Network Binder. <i>Joule</i> , 2018, 2, 950-961.	11.7	316
6	Novel dual-salts electrolyte solution for dendrite-free lithium-metal based rechargeable batteries with high cycle reversibility. <i>Journal of Power Sources</i> , 2014, 271, 291-297.	4.0	307
7	Sulfur-Based Composite Cathode Materials for High-Energy Rechargeable Lithium Batteries. <i>Advanced Materials</i> , 2015, 27, 569-575.	11.1	293
8	Preparation of Carbon-Supported Core-Shell Au-Pt Nanoparticles for Methanol Oxidation Reaction: The Promotional Effect of the Au Core. <i>Journal of Physical Chemistry B</i> , 2006, 110, 24606-24611.	1.2	267
9	A Highly Reversible Zn Anode with Intrinsically Safe Organic Electrolyte for Long-Cycle-Life Batteries. <i>Advanced Materials</i> , 2019, 31, e1900668.	11.1	259
10	Carbonyl-β-Cyclodextrin as a Novel Binder for Sulfur Composite Cathodes in Rechargeable Lithium Batteries. <i>Advanced Functional Materials</i> , 2013, 23, 1194-1201.	7.8	240
11	Lithium storage in conductive sulfur-containing polymers. <i>Journal of Electroanalytical Chemistry</i> , 2004, 573, 121-128.	1.9	205
12	Room temperature Na/S batteries with sulfur composite cathode materials. <i>Electrochemistry Communications</i> , 2007, 9, 31-34.	2.3	195
13	Recent progress and perspective on lithium metal anode protection. <i>Energy Storage Materials</i> , 2018, 14, 199-221.	9.5	195
14	A novel pyrolyzed polyacrylonitrile-sulfur@MWCNT composite cathode material for high-rate rechargeable lithium/sulfur batteries. <i>Journal of Materials Chemistry</i> , 2011, 21, 6807.	6.7	193
15	Boron-based electrolyte solutions with wide electrochemical windows for rechargeable magnesium batteries. <i>Energy and Environmental Science</i> , 2012, 5, 9100.	15.6	187
16	Towards a Safe Lithium-Sulfur Battery with a Flame-Inhibiting Electrolyte and a Sulfur-Based Composite Cathode. <i>Angewandte Chemie - International Edition</i> , 2014, 53, 10099-10104.	7.2	178
17	CNT enhanced sulfur composite cathode material for high rate lithium battery. <i>Electrochemistry Communications</i> , 2011, 13, 399-402.	2.3	165
18	A new ether-based electrolyte for dendrite-free lithium-metal based rechargeable batteries. <i>Scientific Reports</i> , 2016, 6, 21771.	1.6	158

#	ARTICLE	IF	CITATIONS
19	An Intrinsic Flame-Retardant Organic Electrolyte for Safe Lithium-Sulfur Batteries. <i>Angewandte Chemie - International Edition</i> , 2019, 58, 791-795.	7.2	152
20	Multilayered Cobalt Oxide Platelets for Negative Electrode Material of a Lithium-Ion Battery. <i>Journal of the Electrochemical Society</i> , 2008, 155, A903.	1.3	151
21	Binder effect on cycling performance of silicon/carbon composite anodes for lithium ion batteries. <i>Journal of Applied Electrochemistry</i> , 2006, 36, 1099-1104.	1.5	149
22	Microporous carbon coated silicon core/shell nanocomposite via in situ polymerization for advanced Li-ion battery anode material. <i>Physical Chemistry Chemical Physics</i> , 2009, 11, 11101.	1.3	130
23	Polymer lithium cells with sulfur composites as cathode materials. <i>Electrochimica Acta</i> , 2003, 48, 1861-1867.	2.6	129
24	Mesoporous magnesium manganese silicate as cathode materials for rechargeable magnesium batteries. <i>Chemical Communications</i> , 2010, 46, 3794.	2.2	129
25	Enhanced Performance of a Lithium-Sulfur Battery Using a Carbonate-Based Electrolyte. <i>Angewandte Chemie - International Edition</i> , 2016, 55, 10372-10375.	7.2	124
26	A novel solid composite polymer electrolyte based on poly(ethylene oxide) segmented polysulfone copolymers for rechargeable lithium batteries. <i>Journal of Membrane Science</i> , 2013, 425-426, 105-112.	4.1	119
27	Facile Spray Drying Route for the Three-Dimensional Graphene-Encapsulated Fe <sub>2</sub> O <sub>3</sub> Nanoparticles for Lithium Ion Battery Anodes. <i>Industrial &amp; Engineering Chemistry Research</i> , 2013, 52, 1197-1204.	1.8	116
28	A novel rechargeable battery with a magnesium anode, a titanium dioxide cathode, and a magnesium borohydride/tetraglyme electrolyte. <i>Chemical Communications</i> , 2015, 51, 2641-2644.	2.2	113
29	Prospect of Sulfurized Pyrolyzed Poly(acrylonitrile) (S@pPAN) Cathode Materials for Rechargeable Lithium Batteries. <i>Angewandte Chemie - International Edition</i> , 2020, 59, 7306-7318.	7.2	113
30	Investigation on gas generation of Li <sub>4</sub> Ti <sub>5</sub> O <sub>12</sub> /LiNi <sub>1/3</sub> Co <sub>1/3</sub> Mn <sub>1/3</sub> O <sub>2</sub> cells at elevated temperature. <i>Journal of Power Sources</i> , 2013, 237, 285-290.	4.0	110
31	Stable Na Metal Anode Enabled by a Reinforced Multistructural SEI Layer. <i>Advanced Functional Materials</i> , 2019, 29, 1901924.	7.8	107
32	Polydopamine Wrapping Silicon Cross-linked with Polyacrylic Acid as High-Performance Anode for Lithium-Ion Batteries. <i>ACS Applied Materials &amp; Interfaces</i> , 2016, 8, 2899-2904.	4.0	106
33	Phase-controlled synthesis of $\pm$ -NiS nanoparticles confined in carbon nanorods for High Performance Supercapacitors. <i>Scientific Reports</i> , 2014, 4, 7054.	1.6	101
34	Electrolytes for advanced lithium ion batteries using silicon-based anodes. <i>Journal of Materials Chemistry A</i> , 2019, 7, 9432-9446.	5.2	101
35	A high performance lithium-selenium battery using a microporous carbon confined selenium cathode and a compatible electrolyte. <i>Journal of Materials Chemistry A</i> , 2017, 5, 9350-9357.	5.2	94
36	Advanced semi-interpenetrating polymer network gel electrolyte for rechargeable lithium batteries. <i>Electrochimica Acta</i> , 2015, 152, 489-495.	2.6	92

#	ARTICLE	IF	CITATIONS
37	Lithium sulfur batteries with compatible electrolyte both for stable cathode and dendrite-free anode. <i>Energy Storage Materials</i> , 2018, 15, 299-307.	9.5	92
38	Composite polymer electrolyte doped with mesoporous silica SBA-15 for lithium polymer battery. <i>Solid State Ionics</i> , 2005, 176, 1249-1260.	1.3	91
39	Additive-containing ionic liquid electrolytes for secondary lithium battery. <i>Journal of Power Sources</i> , 2006, 160, 621-626.	4.0	91
40	Investigation on Li <sub>4</sub> Ti <sub>5</sub> O <sub>12</sub> batteries developed for hybrid electric vehicle. <i>Journal of Applied Electrochemistry</i> , 2012, 42, 989-995.	1.5	91
41	Natural karaya gum as an excellent binder for silicon-based anodes in high-performance lithium-ion batteries. <i>Journal of Materials Chemistry A</i> , 2017, 5, 1919-1924.	5.2	90
42	Synthesis and electrochemical performance of carbon nanofiber-cobalt oxide composites. <i>Electrochimica Acta</i> , 2008, 53, 7326-7330.	2.6	88
43	Highly promoted electrochemical performance of 5 V LiCoPO <sub>4</sub> cathode material by addition of vanadium. <i>Journal of Power Sources</i> , 2010, 195, 6884-6887.	4.0	87
44	Morphology regulation and carbon coating of LiMnPO <sub>4</sub> cathode material for enhanced electrochemical performance. <i>Journal of Power Sources</i> , 2011, 196, 10258-10262.	4.0	87
45	A novel electrolyte system without a Grignard reagent for rechargeable magnesium batteries. <i>Chemical Communications</i> , 2012, 48, 10763.	2.2	86
46	A novel bath lily-like graphene sheet-wrapped nano-Si composite as a high performance anode material for Li-ion batteries. <i>RSC Advances</i> , 2011, 1, 958.	1.7	85
47	Electrospun V <sub>2</sub> O <sub>5</sub> as a cathode material for rechargeable batteries with Mg metal anode. <i>Nano Energy</i> , 2017, 34, 26-35.	8.2	85
48	Sol-gel synthesis of Mg <sub>1.03</sub> Mn <sub>0.97</sub> SiO <sub>4</sub> and its electrochemical intercalation behavior. <i>Journal of Power Sources</i> , 2008, 184, 604-609.	4.0	84
49	Nitrogen-enriched, ordered mesoporous carbons for potential electrochemical energy storage. <i>Journal of Materials Chemistry A</i> , 2016, 4, 2286-2292.	5.2	84
50	Nano-porous Si/C composites for anode material of lithium-ion batteries. <i>Electrochimica Acta</i> , 2007, 52, 5863-5867.	2.6	82
51	Novel carbon nanofiber-cobalt oxide composites for lithium storage with large capacity and high reversibility. <i>Journal of Power Sources</i> , 2008, 176, 369-372.	4.0	82
52	Electrochemical Intercalation of Mg <sup>2+</sup> in Magnesium Manganese Silicate and Its Application as High-Energy Rechargeable Magnesium Battery Cathode. <i>Journal of Physical Chemistry C</i> , 2009, 113, 12594-12597.	1.5	82
53	Hierarchical Sulfur-Based Cathode Materials with Long Cycle Life for Rechargeable Lithium Batteries. <i>ChemSusChem</i> , 2014, 7, 563-569.	3.6	82
54	Nano/micro-structured Si/CNT/C composite from nano-SiO <sub>2</sub> for high power lithium ion batteries. <i>Nanoscale</i> , 2014, 6, 12532-12539.	2.8	81

#	ARTICLE	IF	CITATIONS
55	A High-Performance Rechargeable Mg <sup>2+</sup> /Li <sup>+</sup> Hybrid Battery Using One-Dimensional Mesoporous TiO <sub>2</sub> (B) Nanoflakes as the Cathode. ACS Applied Materials & Interfaces, 2016, 8, 7111-7117.	4.0	81
56	Silicon anodes protected by a nitrogen-doped porous carbon shell for high-performance lithium-ion batteries. Nanoscale, 2017, 9, 8871-8878.	2.8	81
57	Stable Lithium Metal Anode Enabled by a Lithiophilic and Electron/Ion Conductive Framework. ACS Nano, 2020, 14, 5618-5627.	7.3	81
58	Towards practical Li-S battery with dense and flexible electrode containing lean electrolyte. Energy Storage Materials, 2020, 27, 307-315.	9.5	80
59	Magnesium cobalt silicate materials for reversible magnesium ion storage. Electrochimica Acta, 2012, 66, 75-81.	2.6	77
60	Artificial Interface Deriving from Sacrificial Tris(trimethylsilyl)phosphate Additive for Lithium Rich Cathode Materials. Electrochimica Acta, 2014, 117, 99-104.	2.6	74
61	Confining small sulfur molecules in peanut shell-derived microporous graphitic carbon for advanced lithium sulfur battery. Electrochimica Acta, 2018, 273, 127-135.	2.6	74
62	Designing an intrinsically safe organic electrolyte for rechargeable batteries. Energy Storage Materials, 2020, 31, 382-400.	9.5	74
63	Fluorine-doped LiNi <sub>0.5</sub> Mn <sub>1.5</sub> O <sub>4</sub> for 5V cathode materials of lithium-ion battery. Materials Research Bulletin, 2008, 43, 3607-3613.	2.7	72
64	Novel hedgehog-like 5V LiCoPO <sub>4</sub> positive electrode material for rechargeable lithium battery. Journal of Power Sources, 2011, 196, 4806-4810.	4.0	70
65	Safer lithium-sulfur battery based on nonflammable electrolyte with sulfur composite cathode. Chemical Communications, 2018, 54, 4132-4135.	2.2	68
66	Synthesis and characterization of bimetallic Pt-Fe/polypyrrole-carbon catalyst as DMFC anode catalyst. Electrochemistry Communications, 2008, 10, 876-879.	2.3	67
67	Effect of over-oxidation treatment of Pt-Co/polypyrrole-carbon nanotube catalysts on methanol oxidation. International Journal of Hydrogen Energy, 2009, 34, 3908-3914.	3.8	67
68	Guar gum as a novel binder for sulfur composite cathodes in rechargeable lithium batteries. Chemical Communications, 2016, 52, 13479-13482.	2.2	66
69	Li <sub>2</sub> O <sub>2</sub> as a cathode additive for the initial anode irreversibility compensation in lithium-ion batteries. Chemical Communications, 2017, 53, 8324-8327.	2.2	65
70	High Active Magnesium Trifluoromethanesulfonate-Based Electrolytes for Magnesium-Sulfur Batteries. ACS Applied Materials & Interfaces, 2019, 11, 9062-9072.	4.0	65
71	Preparation and electrochemical study of a new magnesium intercalation material Mg <sub>1.03</sub> Mn <sub>0.97</sub> SiO <sub>4</sub> . Electrochemistry Communications, 2008, 10, 1291-1294.	2.3	63
72	High-performance Li-Se battery cathode based on CoSe <sub>2</sub> -porous carbon composites. Electrochimica Acta, 2018, 264, 341-349.	2.6	61

#	ARTICLE	IF	CITATIONS
73	MWNT/C/Mg <sub>1.03</sub> Mn <sub>0.97</sub> SiO <sub>4</sub> hierarchical nanostructure for superior reversible magnesium ion storage. <i>Electrochemistry Communications</i> , 2011, 13, 1143-1146.	2.3	56
74	Application of a Sulfur Cathode in Nucleophilic Electrolytes for Magnesium/Sulfur Batteries. <i>Journal of the Electrochemical Society</i> , 2017, 164, A2504-A2512.	1.3	55
75	An Efficient Bulky Mg[B(Otfe) <sub>4</sub> ] <sub>2</sub> Electrolyte and Its Derivatively General Design Strategy for Rechargeable Magnesium Batteries. <i>ACS Energy Letters</i> , 2021, 6, 3212-3220.	8.8	55
76	Sulfur@microporous Carbon Cathode with a High Sulfur Content for Magnesium Sulfur Batteries with Nucleophilic Electrolytes. <i>Journal of Physical Chemistry C</i> , 2018, 122, 26764-26776.	1.5	53
77	Study of electronic effect of Grignard reagents on their electrochemical behavior. <i>Electrochemistry Communications</i> , 2010, 12, 1671-1673.	2.3	52
78	MgFeSiO <sub>4</sub> prepared via a molten salt method as a new cathode material for rechargeable magnesium batteries. <i>Science Bulletin</i> , 2011, 56, 386-390.	1.7	52
79	TPPi as a flame retardant for rechargeable lithium batteries with sulfur composite cathodes. <i>Chemical Communications</i> , 2014, 50, 7011-7013.	2.2	52
80	Co@Pt-Ru core-shell nanoparticles supported on multiwalled carbon nanotube for methanol oxidation. <i>Electrochemistry Communications</i> , 2008, 10, 1527-1529.	2.3	51
81	Electrochemical intercalation of Mg <sup>2+</sup> in 3D hierarchically porous magnesium cobalt silicate and its application as an advanced cathode material in rechargeable magnesium batteries. <i>Journal of Materials Chemistry</i> , 2011, 21, 12437.	6.7	51
82	Nonflammable electrolyte for rechargeable lithium battery with sulfur based composite cathode materials. <i>Journal of Power Sources</i> , 2013, 223, 18-22.	4.0	51
83	High concentration magnesium borohydride/tetraglyme electrolyte for rechargeable magnesium batteries. <i>Journal of Power Sources</i> , 2015, 276, 255-261.	4.0	50
84	Effect of Mg <sup>2+</sup> /Li <sup>+</sup> mixed electrolytes on a rechargeable hybrid battery with Li <sub>4</sub> Ti <sub>5</sub> O <sub>12</sub> cathode and Mg anode. <i>RSC Advances</i> , 2016, 6, 3231-3234.	1.7	50
85	Dual-mode sulfur-based cathode materials for rechargeable Li-S batteries. <i>Chemical Communications</i> , 2012, 48, 7868.	2.2	49
86	Uniform Carbon Coating on Silicon Nanoparticles by Dynamic CVD Process for Electrochemical Lithium Storage. <i>Industrial &amp; Engineering Chemistry Research</i> , 2014, 53, 12697-12704.	1.8	49
87	Reversibility of electrochemical magnesium deposition from tetrahydrofuran solutions containing pyrrolidinyll magnesium halide. <i>Electrochimica Acta</i> , 2011, 56, 6530-6535.	2.6	48
88	Cu <sub>5</sub> Si-Si/C composites for lithium-ion battery anodes. <i>Journal of Power Sources</i> , 2006, 153, 371-374.	4.0	46
89	Effects of binders on the electrochemical performance of rechargeable magnesium batteries. <i>Journal of Power Sources</i> , 2017, 341, 219-229.	4.0	46
90	Direct scattered growth of MWNT on Si for high performance anode material in Li-ion batteries. <i>Chemical Communications</i> , 2010, 46, 9149.	2.2	44

#	ARTICLE	IF	CITATIONS
91	A new ether-based electrolyte for lithium sulfur batteries using a S@pPAN cathode. <i>Chemical Communications</i> , 2018, 54, 5478-5481.	2.2	44
92	Metal Organic Framework (MOF)-Derived carbon-encapsulated cuprous sulfide cathode based on displacement reaction for Hybrid Mg <sup>2+</sup> /Li <sup>+</sup> batteries. <i>Journal of Power Sources</i> , 2020, 445, 227325.	4.0	44
93	A stable organic-inorganic hybrid layer protected lithium metal anode for long-cycle lithium-oxygen batteries. <i>Journal of Power Sources</i> , 2017, 366, 265-269.	4.0	42
94	Graphene-coupled nitrogen-enriched porous carbon nanosheets for energy storage. <i>Journal of Materials Chemistry A</i> , 2017, 5, 16732-16739.	5.2	42
95	Inherently flame-retardant solid polymer electrolyte for safety-enhanced lithium metal battery. <i>Chemical Engineering Journal</i> , 2021, 410, 128415.	6.6	42
96	Polymer electrolytes for rechargeable lithium metal batteries. <i>Sustainable Energy and Fuels</i> , 2020, 4, 5469-5487.	2.5	41
97	Composites of LiMnPO <sub>4</sub> with Li <sub>3</sub> V <sub>2</sub> (PO <sub>4</sub> ) <sub>3</sub> for cathode in lithium-ion battery. <i>Electrochimica Acta</i> , 2013, 103, 96-102.	2.6	40
98	Study of spinel Li <sub>4</sub> Ti <sub>5</sub> O <sub>12</sub> electrode reaction mechanism by electrochemical impedance spectroscopy. <i>Electrochimica Acta</i> , 2013, 108, 841-851.	2.6	40
99	Hybrid Mg <sup>2+</sup> /Li <sup>+</sup> batteries with Cu <sub>2</sub> Se cathode based on displacement reaction. <i>Electrochimica Acta</i> , 2018, 261, 503-512.	2.6	39
100	Highly Reversible Lithium-Metal Anode and Lithium-Sulfur Batteries Enabled by an Intrinsic Safe Electrolyte. <i>ACS Applied Materials &amp; Interfaces</i> , 2019, 11, 33419-33427.	4.0	38
101	Electrodeposited porous-microspheres Li-Si films as negative electrodes in lithium-ion batteries. <i>Journal of Power Sources</i> , 2011, 196, 3868-3873.	4.0	37
102	A compatible carbonate electrolyte with lithium anode for high performance lithium sulfur battery. <i>Electrochimica Acta</i> , 2018, 282, 555-562.	2.6	37
103	Electrochemical performance of novel electrolyte solutions based on organoboron magnesium salts. <i>Electrochemistry Communications</i> , 2012, 18, 24-27.	2.3	36
104	A high performance lithium-ion-sulfur battery with a free-standing carbon matrix supported Li-rich alloy anode. <i>Chemical Science</i> , 2018, 9, 8829-8835.	3.7	36
105	A conductive selenized polyacrylonitrile cathode in nucleophilic Mg <sup>2+</sup> /Li <sup>+</sup> hybrid electrolytes for magnesium-selenium batteries. <i>Journal of Materials Chemistry A</i> , 2018, 6, 17075-17085.	5.2	35
106	Low-cost SiO <sub>2</sub> -based anode using green binders for lithium ion batteries. <i>Journal of Solid State Electrochemistry</i> , 2013, 17, 2461-2469.	1.2	34
107	Magnesium Borohydride-Based Electrolytes Containing 1-butyl-1-methylpiperidinium bis(trifluoromethyl sulfonyl)imide Ionic Liquid for Rechargeable Magnesium Batteries. <i>Journal of the Electrochemical Society</i> , 2016, 163, D682-D688.	1.3	34
108	Tea polyphenol-inspired tannic acid-treated polypropylene membrane as a stable separator for lithium-oxygen batteries. <i>Journal of Materials Chemistry A</i> , 2017, 5, 12782-12786.	5.2	34

#	ARTICLE	IF	CITATIONS
109	High Molecular Weight Polyacrylonitrile Precursor for S@pPAN Composite Cathode Materials with High Specific Capacity for Rechargeable Lithium Batteries. ACS Applied Materials & Interfaces, 2020, 12, 33702-33709.	4.0	34
110	NiMn <sub>2</sub> O <sub>4</sub> as an efficient cathode catalyst for rechargeable lithium-air batteries. Chemical Communications, 2017, 53, 8164-8167.	2.2	33
111	Duplex component additive of tris(trimethylsilyl) phosphite-vinylene carbonate for lithium sulfur batteries. Energy Storage Materials, 2018, 14, 75-81.	9.5	33
112	A novel magnesium electrolyte containing a magnesium bis(diisopropyl)amide-magnesium chloride complex for rechargeable magnesium batteries. Journal of Materials Chemistry A, 2019, 7, 18295-18303.	5.2	32
113	In-situ Lattice Tunnel Intercalation of Vanadium Pentoxide for Improving Long-Term Performance of Rechargeable Magnesium Batteries. ChemNanoMat, 2022, 8, .	1.5	32
114	Flexible Ionic Conducting Elastomers for All-Solid-State Room-Temperature Lithium Batteries. ACS Applied Energy Materials, 2018, 1, 6769-6773.	2.5	31
115	Sulfur-anchored azulene as a cathode material for Li-S batteries. Chemical Communications, 2019, 55, 9047-9050.	2.2	31
116	Molybdenum dioxide hollow microspheres for cathode material in rechargeable hybrid battery using magnesium anode. Journal of Solid State Electrochemistry, 2015, 19, 3347-3353.	1.2	30
117	A SnO <sub>2</sub> -Based Cathode Catalyst for Lithium-Air Batteries. ACS Applied Materials & Interfaces, 2016, 8, 12804-12811.	4.0	30
118	Bicomponent electrolyte additive excelling fluoroethylene carbonate for high performance Si-based anodes and lithiated Si-S batteries. Energy Storage Materials, 2019, 20, 388-394.	9.5	30
119	Prospect of Sulfurized Pyrolyzed Poly(acrylonitrile) (S@pPAN) Cathode Materials for Rechargeable Lithium Batteries. Angewandte Chemie, 2020, 132, 7374-7386.	1.6	30
120	Halogen-free boron based electrolyte solution for rechargeable magnesium batteries. Journal of Power Sources, 2014, 248, 690-694.	4.0	28
121	Enhanced Performance of a Lithium-Sulfur Battery Using a Carbonate-Based Electrolyte. Angewandte Chemie, 2016, 128, 10528-10531.	1.6	28
122	AlF <sub>3</sub> -Modified carbon nanofibers as a multifunctional 3D interlayer for stable lithium metal anodes. Chemical Communications, 2018, 54, 8347-8350.	2.2	28
123	Dense and high loading sulfurized pyrolyzed poly (acrylonitrile)(S@pPAN) cathode for rechargeable lithium batteries. Energy Storage Materials, 2020, 31, 187-194.	9.5	28
124	Recent progress on selenium-based cathode materials for rechargeable magnesium batteries: A mini review. Journal of Materials Science and Technology, 2021, 91, 168-177.	5.6	28
125	Carbon-coated graphene/antimony composite with a sandwich-like structure for enhanced sodium storage. Journal of Materials Chemistry A, 2017, 5, 20623-20630.	5.2	27
126	Prelithiation Activates Fe <sub>2</sub> (MoO <sub>4</sub> ) <sub>3</sub> Cathode for Rechargeable Hybrid Mg <sup>2+</sup> /Li <sup>+</sup> Batteries. ACS Applied Materials & Interfaces, 2017, 9, 38455-38466.	4.0	26



#	ARTICLE	IF	CITATIONS
127	High-Safety and Long-Life Silicon-Based Lithium-Ion Batteries via a Multifunctional Binder. ACS Applied Materials & Interfaces, 2020, 12, 54842-54850.	4.0	26
128	SnSe <sub>2</sub> /FeSe <sub>2</sub> Nanocubes Capsulated in Nitrogen-Doped Carbon Realizing Stable Sodium-Ion Storage at Ultrahigh Rate. Small Methods, 2021, 5, e2100437.	4.6	26
129	A new flame-retardant polymer electrolyte with enhanced Li-ion conductivity for safe lithium-sulfur batteries. Journal of Energy Chemistry, 2022, 65, 616-622.	7.1	26
130	Porous microspherical silicon composite anode material for lithium ion battery. Electrochimica Acta, 2015, 178, 65-73.	2.6	25
131	Graphite fluoride as a cathode material for primary magnesium batteries with high energy density. Electrochimica Acta, 2016, 210, 704-711.	2.6	25
132	Suppressing Dendrite Growth of a Lithium Metal Anode by Modifying Conventional Polypropylene Separators with a Composite Layer. ACS Applied Energy Materials, 2020, 3, 506-513.	2.5	24
133	A lithium-ion oxygen battery with a Si anode lithiated <i>in situ</i> by a Li <sub>3</sub> N-containing cathode. Chemical Communications, 2018, 54, 1069-1072.	2.2	23
134	An Intrinsic Flame-Retardant Organic Electrolyte for Safe Lithium-Sulfur Batteries. Angewandte Chemie, 2019, 131, 801-805.	1.6	23
135	Electrochemical polymerization of nonflammable electrolyte enabling fast-charging lithium-sulfur battery. Energy Storage Materials, 2022, 50, 387-394.	9.5	23
136	Hollow palladium nanospheres with porous shells supported on graphene as enhanced electrocatalysts for formic acid oxidation. Physical Chemistry Chemical Physics, 2013, 15, 19353.	1.3	19
137	Bioinspired pomegranate-like microflowers confining core-shell binary Ni <sub>x</sub> S <sub>y</sub> nanobeads for efficient supercapacitors exhibiting a durable lifespan exceeding 100,000 cycles. Journal of Materials Chemistry A, 2019, 7, 3432-3442.	5.2	19
138	A Chlorine-Free Electrolyte Based on Non-nucleophilic Magnesium Bis(diisopropyl)amide and Ionic Liquid for Rechargeable Magnesium Batteries. ACS Applied Materials & Interfaces, 2021, 13, 32957-32967.	4.0	19
139	Highly stable lithium metal composite anode with a flexible 3D lithiophilic skeleton. Nano Energy, 2022, 95, 107013.	8.2	19
140	Superior rate capability of a sulfur composite cathode in a tris(trimethylsilyl)borate-containing functional electrolyte. Chemical Communications, 2016, 52, 14430-14433.	2.2	18
141	Integrated Composite Polymer Electrolyte Cross-Linked with SiO <sub>2</sub> -Reinforced Layer for Enhanced Li-Ion Conductivity and Lithium Dendrite Inhibition. ACS Applied Energy Materials, 2020, 3, 8552-8561.	2.5	18
142	Nano-tin alloys dispersed in oxides for lithium storage materials. Journal of Power Sources, 2007, 174, 624-627.	4.0	17
143	A Facile 3D Binding Approach for High Si Loading Anodes. Electrochimica Acta, 2016, 212, 141-146.	2.6	17
144	Scalable and Cost-Effective Preparation of Hierarchical Porous Silicon with a High Conversion Yield for Superior Lithium-Ion Storage. Energy Technology, 2016, 4, 593-599.	1.8	17

#	ARTICLE	IF	CITATIONS
145	A fumed alumina induced gel-like electrolyte for great performance improvement of lithium-sulfur batteries. <i>Chemical Communications</i> , 2018, 54, 13567-13570.	2.2	17
146	Sulfurized-Pyrolyzed Polyacrylonitrile Cathode for Magnesium-Sulfur Batteries Containing Mg <sup>2+</sup> /Li-Hybrid Electrolytes. <i>Chemical Engineering Journal</i> , 2022, 427, 130902.	6.6	17
147	Reversible Deposition and Dissolution of Magnesium from Imidazolium-Based Ionic Liquids. <i>International Journal of Electrochemistry</i> , 2012, 2012, 1-8.	2.4	16
148	A novel thiolate-based electrolyte system for rechargeable magnesium batteries. <i>Electrochimica Acta</i> , 2014, 121, 258-263.	2.6	16
149	Silica-nanoresin crosslinked composite polymer electrolyte for ambient-temperature all-solid-state lithium batteries. <i>Materials Chemistry Frontiers</i> , 2021, 5, 6502-6511.	3.2	16
150	Fabrication of Elastic Cyclodextrin-Based Triblock Polymer Electrolytes for All-Solid-State Lithium Metal Batteries. <i>ACS Applied Energy Materials</i> , 2021, 4, 9402-9411.	2.5	16
151	A crosslinking hydrogel binder for high-sulfur content S@pPAN cathode in rechargeable lithium batteries. <i>Journal of Energy Chemistry</i> , 2021, 60, 360-367.	7.1	16
152	A Lithiated Perfluorinated Sulfonic Acid Polymer Electrolyte for Lithium-Oxygen Batteries. <i>Journal of the Electrochemical Society</i> , 2017, 164, A2031-A2037.	1.3	15
153	Nano-/Microhierarchical-Structured LiMn <sub>0.85</sub> Fe <sub>0.15</sub> PO <sub>4</sub> Cathode Material for Advanced Lithium Ion Battery. <i>ACS Applied Materials &amp; Interfaces</i> , 2018, 10, 43552-43560.	4.0	15
154	Crosslinked polyacrylonitrile precursor for S@pPAN composite cathode materials for rechargeable lithium batteries. <i>Journal of Energy Chemistry</i> , 2022, 65, 186-193.	7.1	15
155	Highly Reversible Lithium Ions Storage of Molybdenum Dioxide Nanoplates for High Power Lithium-ion Batteries. <i>ChemSusChem</i> , 2015, 8, 2621-2624.	3.6	14
156	A superb 3D composite lithium metal anode prepared by in-situ lithiation of sulfurized polyacrylonitrile. <i>Energy Storage Materials</i> , 2020, 33, 452-459.	9.5	14
157	Sodium Polyacrylate as a Promising Aqueous Binder of S@pPAN Cathodes for Magnesium-Sulfur Batteries. <i>Journal of Physical Chemistry C</i> , 2020, 124, 20712-20721.	1.5	14
158	Ion conduction in the comb-branched polyether electrolytes with controlled network structures. <i>Soft Matter</i> , 2020, 16, 1979-1988.	1.2	14
159	Dramatic improvement in high-rate capability of LiMnPO <sub>4</sub> nanosheets via crystallite size regulation. <i>Journal of Alloys and Compounds</i> , 2022, 894, 162510.	2.8	14
160	Conductive Sulfur-Containing Material/Polyaniline Composite for Cathode Material of Rechargeable Magnesium Batteries. <i>Acta Physico-chimica Sinica</i> , 2007, 23, 327-331.	0.6	13
161	Carbyne Polysulfide as a Novel Cathode Material for Rechargeable Magnesium Batteries. <i>Scientific World Journal</i> , The, 2014, 2014, 1-7.	0.8	13
162	A polyimide ion-conductive protection layer to suppress side reactions on Li <sub>4</sub> Ti <sub>5</sub> O <sub>12</sub> electrodes at elevated temperature. <i>RSC Advances</i> , 2014, 4, 10280-10283.	1.7	13

#	ARTICLE	IF	CITATIONS
163	Cerium triflate as superoxide radical scavenger to improve cycle life of Li O <sub>2</sub> battery. <i>Journal of Power Sources</i> , 2019, 414, 327-332.	4.0	13
164	In-situ mechanochemical synthesis of sub-micro Si/Sn@SiO <sub>x</sub> -C composite as high-rate anode material for lithium-ion batteries. <i>Electrochimica Acta</i> , 2021, 384, 138413.	2.6	12
165	Ethylene sulfite based electrolyte for non-aqueous lithium oxygen batteries. <i>Chinese Chemical Letters</i> , 2016, 27, 1485-1489.	4.8	11
166	Enhanced Electrochemical Performance of Non-Aqueous Li-O <sub>2</sub> Batteries with Triethylene Glycol Dimethyl Ether-Based Electrolyte. <i>Journal of the Electrochemical Society</i> , 2017, 164, A1321-A1327.	1.3	11
167	Low-Cost Nickel Phosphide as an Efficient Bifunctional Cathode Catalyst for Li-O <sub>2</sub> Batteries. <i>Journal of the Electrochemical Society</i> , 2018, 165, A2904-A2908.	1.3	11
168	Sulfurized Polyacrylonitrile Cathode Derived from Intermolecular Cross-Linked Polyacrylonitrile for a Rechargeable Lithium Battery. <i>ACS Applied Energy Materials</i> , 2021, 4, 5706-5712.	2.5	11
169	SiO <sub>x</sub> and carbon double-layer coated Si nanorods as anode materials for lithium-ion batteries. <i>RSC Advances</i> , 2016, 6, 101008-101015.	1.7	10
170	Mn <sub>0.5</sub> Co <sub>2.5</sub> O <sub>4</sub> nanofibers sandwiched in graphene sheets for efficient supercapacitor electrode materials. <i>RSC Advances</i> , 2016, 6, 103923-103929.	1.7	10
171	Coupling-Agent-Coordinated Uniform Polymer Coating on LiNi <sub>0.6</sub> Co <sub>0.2</sub> Mn <sub>0.2</sub> O <sub>2</sub> for Improved Electrochemical Performance at Elevated Temperatures. <i>ACS Applied Materials &amp; Interfaces</i> , 2021, 13, 26971-26980.	4.0	10
172	Artificial Alloy/Li <sub>3</sub> N Double-Layer Enabling Stable High-Capacity Lithium Metal Anodes. <i>ACS Applied Energy Materials</i> , 2021, 4, 13132-13139.	2.5	10
173	High Performance Li-O <sub>2</sub> Batteries Enabled with Manganese Sulfide as Cathode Catalyst. <i>Journal of the Electrochemical Society</i> , 2020, 167, 020520.	1.3	9
174	A new electrolyte with good compatibility to a lithium anode for non-aqueous Li-O <sub>2</sub> batteries. <i>RSC Advances</i> , 2016, 6, 47820-47823.	1.7	8
175	Enhanced performance of Li-O <sub>2</sub> battery based on CF <sub>x</sub> /C composites as cathode materials. <i>Electrochimica Acta</i> , 2015, 186, 631-641.	2.6	7
176	High performance nano-sized LiMn <sub>1-x</sub> Fe <sub>x</sub> PO <sub>4</sub> cathode materials for advanced lithium-ion batteries. <i>RSC Advances</i> , 2017, 7, 43708-43715.	1.7	7
177	Building high performance silicon-oxygen and silicon-sulfur battery by in-situ lithiation of fibrous Si/C anode. <i>Journal of Alloys and Compounds</i> , 2019, 806, 335-342.	2.8	7
178	Suppressing H <sub>2</sub> evolution by using a hydrogel for reversible Na storage in Na <sub>3</sub> V <sub>2</sub> (PO <sub>4</sub> ) <sub>3</sub> . <i>RSC Advances</i> , 2020, 10, 620-625.	1.7	7
179	Effect of copper to Selenium@Microporous carbon cathode for Mg-Se batteries with nucleophilic electrolyte. <i>Electrochimica Acta</i> , 2020, 330, 135354.	2.6	7
180	Dendrite-Free and Micron-Columnar Li Metal Deposited from LiNO <sub>3</sub> -Based Electrolytes. <i>ACS Applied Energy Materials</i> , 2021, 4, 11336-11342.	2.5	7

#	ARTICLE	IF	CITATIONS
181	A methyl pivalate based electrolyte for non-aqueous lithium-oxygen batteries. Chemical Communications, 2017, 53, 10426-10428.	2.2	5
182	LiMnPO <sub>4</sub> ·Li <sub>3</sub> V <sub>2</sub> (PO <sub>4</sub> ) <sub>3</sub> composite cathode material derived from Mn(VO <sub>3</sub> ) <sub>2</sub> nanosheet precursor. Journal of Alloys and Compounds, 2017, 695, 1813-1820.	2.8	4
183	Enhancing electrochemical performance of LiMnPO <sub>4</sub> cathode via LiNi <sub>1/3</sub> Co <sub>1/3</sub> Mn <sub>1/3</sub> O <sub>2</sub> . Ionics, 2021, 27, 1899-1907.	1.2	4
184	Effect of Synthesis Processes on the Microstructure and Electrochemical Properties of LiMnPO <sub>4</sub> Cathode Material. Industrial & Engineering Chemistry Research, 0, , .	1.8	4
185	Nanomaterials application in Li-Se and Na-Se batteries. , 2020, , 69-114.		3