


## List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/4920932/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Fine mapping of powdery mildew resistance gene MlWE74 derived from wild emmer wheat (Triticum) Tj ETQq1 1235-1245.	1 0.784314 3.6	rgBT /Over 12
2	Functional characterization of powdery mildew resistance gene MlIW172, a new Pm60 allele and its allelic variation in wild emmer wheat. Journal of Genetics and Genomics, 2022, 49, 787-795.	3.9	13
3	Genome-edited powdery mildew resistance in wheat without growth penalties. Nature, 2022, 602, 455-460.	27.8	181
4	Bulked segregant CGTâ€Seqâ€facilitated mapâ€based cloning of a powdery mildew resistance gene originating from wild emmer wheat ( <i>Triticum dicoccoides</i> ). Plant Biotechnology Journal, 2021, 19, 1288-1290.	8.3	18
5	TdPm60 identified in wild emmer wheat is an ortholog of Pm60 and constitutes a strong candidate for PmG16 powdery mildew resistance. Theoretical and Applied Genetics, 2021, 134, 2777-2793.	3.6	12
6	High-temperature wheat leaf rust resistance gene Lr13 exhibits pleiotropic effects on hybrid necrosis. Molecular Plant, 2021, 14, 1029-1032.	8.3	28
7	Enhancement of linoleic acid content stimulates astaxanthin esterification in Coelastrum sp Bioresource Technology, 2020, 300, 122649.	9.6	16
8	Transcriptome analysis of Haematococcus pluvialis of multiple defensive systems against nitrogen starvation. Enzyme and Microbial Technology, 2020, 134, 109487.	3.2	31
9	Unlocking the relationships among population structure, plant architecture, growing season, and environmental adaptation in Henan wheat cultivars. BMC Plant Biology, 2020, 20, 469.	3.6	4
10	Electro-Fenton Based Technique to Enhance Cell Harvest and Lipid Extraction from Microalgae. Energies, 2020, 13, 3813.	3.1	9
11	A rare single nucleotide variant in <i>Pm5e</i> confers powdery mildew resistance in common wheat. New Phytologist, 2020, 228, 1011-1026.	7.3	92
12	Mapping Powdery Mildew Resistance Gene <i>pmYBL</i> on Chromosome 7B of Chinese Wheat ( <i>Triticum aestivum</i> L.) Landrace Youbailan. Plant Disease, 2020, 104, 2411-2417.	1.4	9
13	A CNL protein in wild emmer wheat confers powdery mildew resistance. New Phytologist, 2020, 228, 1027-1037.	7.3	89
14	Identification and fine mapping of spot blotch (Bipolaris sorokiniana) resistance gene Sb4 in wheat. Theoretical and Applied Genetics, 2020, 133, 2451-2459.	3.6	41
15	A rare gain of function mutation in a wheat tandem kinase confers resistance to powdery mildew. Nature Communications, 2020, 11, 680.	12.8	119
16	Molecular characterization of a novel TaGL3-5A allele and its association with grain length in wheat (Triticum aestivum L.). Theoretical and Applied Genetics, 2019, 132, 1799-1814.	3.6	69
17	Phenotyping and evaluation of CIMMYT WPHYSGP nursery lines and local wheat varieties under two irrigation regimes. Breeding Science, 2019, 69, 55-67.	1.9	9
18	Cloning, characterization of TaGS3 and identification of allelic variation associated with kernel traits in wheat (Triticum aestivum L.). BMC Genetics, 2019, 20, 98.	2.7	35

Æ<sup>™⁰</sup>ư¸Å^~

#	Article	IF	CITATIONS
19	Dynamic Evolution of α-Gliadin Prolamin Gene Family in Homeologous Genomes of Hexaploid Wheat. Scientific Reports, 2018, 8, 5181.	3.3	68
20	Mechanisms, origin and heredity of Glu-1Ay silencing in wheat evolution and domestication. Theoretical and Applied Genetics, 2018, 131, 1561-1575.	3.6	7
21	QTL Detection for Kernel Size and Weight in Bread Wheat (Triticum aestivum L.) Using a High-Density SNP and SSR-Based Linkage Map. Frontiers in Plant Science, 2018, 9, 1484.	3.6	78
22	Gene Duplication and Evolution Dynamics in the Homeologous Regions Harboring Multiple Prolamin and Resistance Gene Families in Hexaploid Wheat. Frontiers in Plant Science, 2018, 9, 673.	3.6	84
23	Analysis of <i>Brachypodium</i> genomes with genome-wide optical maps. Genome, 2018, 61, 559-565.	2.0	6
24	New insights into structural organization and gene duplication in a 1.75â€Mb genomic region harboring the αâ€gliadin gene family in Aegilops tauschii , the source of wheat D genome. Plant Journal, 2017, 92, 571-583.	5.7	29
25	Mapping stripe rust resistance gene YrZH22 in Chinese wheat cultivar Zhoumai 22 by bulked segregant RNA-Seq (BSR-Seq) and comparative genomics analyses. Theoretical and Applied Genetics, 2017, 130, 2191-2201.	3.6	67
26	A Mathematical Model of Neutral Lipid Content in terms of Initial Nitrogen Concentration and Validation in <i> Coelastrum</i> sp. HA-1 and Application in <i> Chlorella sorokiniana</i> . BioMed Research International, 2017, 2017, 1-10.	1.9	5
27	CAH1 and CAH2 as key enzymes required for high bicarbonate tolerance of a novel microalga Dunaliella salina HTBS. Enzyme and Microbial Technology, 2016, 87-88, 17-23.	3.2	15
28	Hydroxyl radical-aided thermal pretreatment of algal biomass for enhanced biodegradability. Biotechnology for Biofuels, 2015, 8, 194.	6.2	36
29	Ethanol induced astaxanthin accumulation and transcriptional expression of carotenogenic genes in Haematococcus pluvialis. Enzyme and Microbial Technology, 2015, 78, 10-17.	3.2	59
30	Isolation and Characterization of a Marine Microalga for Biofuel Production with Astaxanthin as a Co-Product. Energies, 2013, 6, 2759-2772.	3.1	34
31	Using ammonia for algae harvesting and as nutrient in subsequent cultures. Bioresource Technology, 2012, 121, 298-303.	9.6	61
32	A Novel Salt-Bridge Electroflocculation Technology for Harvesting Microalgae. Frontiers in Bioengineering and Biotechnology, 0, 10, .	4.1	3